


CATALOGUE



- General Laboratory Chemicals & Solvents
- Bioreagents, Biochemicals & Speciality Fine Chemicals
- Animal Cell Culture
- Nanopowders & Carbon Nanotubes (CNTs)
- Dehydrated Culture Media Products
- BioLit® DNA & Protein Tools and Kits
- Laboratory Accessories
- Bio-Indenta®

endless **Process** of science...










Quality Policy





We shall always maintain and upgrade our products and services to meet the highest International Quality Standards.

It is our constant endeavor to achieve maximum customer satisfaction by implementing an efficient customer relationship management system to meet the requirements and expectations of our valued customers.

To achieve our goals, we have instituted a quality management system conforming to ISO 9001:2015, ISO 17025:2017, CE Certification for our Microbiology range of products and an FDA Approval for select range of Pharmacopoeial products; and are firmly committed to continually improving its effectiveness through technological advancement, enhancement of skills, cultivation of a suitable work environment and dedicated team work



An ISO 9001:2015 Company

Chairman



Dear Scientists, Researchers and Trade Partners

It is my honor to introduce you to our latest range of products, meticulously designed to meet the exacting standards of modern research.

Our expansive catalog of over 9000 items encompasses chemicals, biochemicals, culture media, DNA tools, and laboratory accessories, all such offerings that provide you with unparalleled resources to propel your scientific endeavors forward.

It is our 50th year of existing, having modest beginnings since 1974. In this spam of time, we have recognized the pivotal role that superior-quality research chemicals play in your investigations. It is our solemn pledge to continue to furnish you with the tools requisite for transformative discoveries and breakthroughs of profound consequence.

The Global Laboratory Chemicals Market is also due to an exciting growth era, expected to surge to USD 5.37 billion by 2030, a remarkable CAGR of 5.2%. We intend to remain steadfast in support of your evolving needs with innovative solutions and cutting-edge technologies.

As you navigate through the catalogue, I extend my sincere wishes for a productive and enriching exploration. May our products serve as catalysts for your scholarly pursuits.

With the utmost respect and anticipation of our continued collaboration,

S. K. Agarwal

Chairman 1st April 2024



Quality Control



Quality control facilities in our manufacturing plants

- Anaerobic Culture Jars
- Analytical Balances
- Antibiotic Zone Reader
- Atomic Absorption Spectrophotometer (AAS)
- Autoclaves
- · Bacteriological Incubator
- B.O.D. Incubator
- Calorimeter
- Conductivity Meters
- Colony Counter
- Cyclomixer
- Electrophoresis Equipments
- FTIR Spectrophotometer
- Gas Chromatograph (w/Head space)
- Gel-Strength Indicator
- High Speed Centrifuges
- HPLC Instrument
- Hot Air Ovens
- IR Spectrophotometer
- Karl-Fischer Apparatus
- Kjedhal's Apparatus
- Lab Furnace
- Laminar Air Flow Bench

- Melting Point Apparatus
- Micro-Ovens
- Microscopes
- pH Meters
- Polarograph
- Potentiometric Titrator
- Refractive Index Apparatus
- Rotary Flask Shaker
- TLC Equipments
- Transilluminator
- Turbidometer

- UV Cabinet
- UV Spectrophotometers
- Viscometer
- other support instruments

It is the precise instrumental, chemical, biochemical and microbiological analysis which enables to guarantee that its products shall always meet the highest international standards.







Contents



International Business



You will find the SRL brand in 6 different regions around the world and in more than 100 countries. Our main motive has always been to provide our products to customers in different corners of the world, wherever there is an industry or an institution that is working on improving the quality of our lives through research, innovation, quality control and manufacturing. Having more than 40 authorized agents and distributors and more than 100 trade partners, SRL is always on the lookout to make brighter and long lasting partnerships with companies that have a similar goal in mind, i.e. to be the best in their business. Before we appoint trade partners, we make it a point to conduct systematic checks to ensure that our partners are in a position to offer better sales support and post-sales services to their valued customers who choose an SRL product. We welcome new partnerships for growth and prosperity.



Our global reach

Europe & Eurasia

- Austria
- Azerbaijan
- Belgium
- Bulgaria
- Cyprus
- Czech Republic
- Denmark
- Finland
- France
- Germany
- Greece
- Hungary
- Ireland
- Italy
- Malta
- Moldova
- Netherlands
- Norway
- Poland
- Portugal
- Russia
- Spain
- Sweden
- Switzerland
- Turkey
- Turkmenistan
- United Kingdom
- Uzbekistan

Middle East

- Lebanon
- Morocco

- Malawi
- Mali

Africa

Benin

Chad

• Botswana

Cameroon

• Diibouti

Ethiopia

• Ghana

Kenya

- Mauritius

Madagascar

- Mozambique
- Namibia
- Nigeria
- Rwanda
- Sevchelles
- South Africa
- Tanzania
- Uganda
- Zambia
- Zimbabwe

North & South

- Bahrain
- Egypt
- Jordan
- Kuwait

- Oman
- Qatar
- Saudi Arabia
- Tunisia
- United Arab **Emirates**

Central Asia

- Bangladesh
- Bhutan
- Kazakhstan
- Maldives
- Nepal
- Srilanka
- Tajikstan

- America
- Argentina
- Brazil
- Canada
- Chile
- Costa Rica
- Fcuador
- Guatemala
- Jamaica
- Mexico
- Trinidad & Tobago
- Venezuela
- United States of America

East Asia & **Pacific**

- Australia
- Brunei
- Burma
- Cambodia
- China
- Fiii
- Indonesia
- Japan
- Laos
- Malaysia
- Mongolia
- New Zealand
- Philippines
- Singapore
- South Korea
- Thailand
- Vietnam



overseas customers can reach us at export@srlchem.com

Depots



Hyderabad

123/124, Murthy Building, Prashanti Nagar, Kukatpally, Hyderabad 500 072. Telangana, India. Telefax: +91-40-2307 0166 e-mail: hyderabad@srlchem.com

Chennai

Plot No.: 8B, Self Help Industrial Estate, Keeelkattalai, Kovilambakkam, Chennai 600 117, Tamil Nadu, India. Telephone: +91-9962005587/ +91-44-22682215 Email: chennai@srlchem.com

Delhi

69/6A, (Part A) Rama Road Industrial Area, Najafgarh Road, New Delhi 110 015, India. Tele Fax: +91-11-4591 4530 Email: delhi@srlchem.com

Mumbai

Raj Rajeshwari Logistic Park, Gala No. 3-8, Bldg.No. B-4, Behind Mini Punjab Grill, Vehale, Bhatala, Bhiwandi 421 302, Maharashtra, India. Telephone: +91-93229 31625 / 96191 47231 Email: bhiwandi@srlchem.com

Kolkata

46, N.S.C. Bose Road, P.O. Malancha Mahinagar, District: South 24 Paraganas, Before Malancha Bazaar Kolkata 700 145, West Bengal, India. Telephone: +91-8334800445 Email: kolkata@srlchem.com




Label Explanation






for Laboratory & Research Chemicals




for Dehydrated Culture Media, Ingredients, Supplements & Kits









Website

Consistently we follow in all aspects of our products and services continues even more comprehensively on our website. Some of the most revolutionary information we offer,

1. Interactive Product Pages

- Technical product specifications & print-ready Product Data sheets
 - (containing technical & application for each product)
- LIVE Stock Checks
 - Check the stocks of your desired product packing in real time at each of our
 - Manufacturing Sites
 - Distribution Depots
- Avail prices in more than 17 Global Currencies
- Access to H.S. Codes & MSDS of all products

2. Quick Links for viewing and downloads

- Product search by keywords, CAS, application, grade
- Certificate of Analysis (COA)
- Material Safety Data Sheet (MSDS)
- Latest Catalog Download
- Technical Product Brochures
- Picture gallery for product packaging

3. Online Transactions

- Get quotations
- Place Orders
- Ask us a Technical Query
- Apply for a position with us

4. Locate your nearest SRL Stockists & Distributor

- Indian Stockist network provided City-wise & State-wise
- Global Distributors provided country-wise

5. Multi-Lingual Display

 Read content in more than 80 Global languages of your \ preference

6. News and Information

- Follow our developments and road shows
- Path-breaking research developments in the Bioscience industry
- Latest SRL product offerings and highlights

7. Regulatory Certifications, now available online.

Click and Download our

- ISO 9001-2015 Quality Management Certificate
- FDA (Food & Drug Association) Certificate
- CE (European Conformity) Certificate
- GMP (Good Manufacturing Practices) Certificate

www.srlchem.com is ideal for researchers, scientists and customers who are always looking for new molecules, product information and availabilities at the click of a button!

Order your







Trademark & Grades of SRL



No part of this book may be reproduced by any mechanical, photographic or electronic process or in the form of a phonographic audio/audio visual recording, nor may it be stored in a retrieval system, transmitted or otherwise copied for public or private use, without written permission from the publisher.

Trademarks owned by Sisco Research Laboratories Pvt Ltd

Registered Trademarks

SRL[®] Bio-Indenta[®] BioLit[®] SafeDye[™] ChroMed[®]
Seralose[®] FluroBronze[®] Seralite[®] Serabeads[®] ExiPlus[®]

"All trademarks mentioned in the catalogue other than those mentioned here, are not property/owned by Sisco Research Laboratories Pvt. Ltd. (SRL)"

Grades of Purity

SRL products adhere to highest grades of quality. However, we understand that our multiple grades may tend to overlap and disorient users. The explanations below give an approximate representation of the **SRL** grades and most closely suited applications of our products.

AAS Products for Atomic Absorption Spectrocopy specially suited for AAS instrumentation.

ACS/AR/Reagent Grade Complying with the specifications of American Chemical Society (ACS) reference manuals/ANALAR

specifications, for critical laboratory analysis and quality production applications.

Dried/Specially DriedContaining highly reduced water content for 'anhydrous' reactions, synthesis and assay studies.

Cell Culture

Low endotoxin products specially suited for cell culture DNA, RNA, Genetics applications.

Electronic Grade Very low ionic impurities and suited for electronics and high-end applications.

ExiPlus™ Complying with the compendial specifications of USP (United States Pharmacopoeia) or BP (British

Pharmacopoeia) or Ph.Eur (European Pharmacopoeia) or all. For production, quality control and

laboratory applications.

Extrapure Purified grade suited for general laboratory or synthesis.

GC-HS For Gas Chromatography assay. Suited for use in GC instrumentation with Head Space.

High Purity/Ultrapure Having very high levels of assay/purity (typically 3N (99.99%), 4N (99.99%), 5N (99.999%) or more) as

compared to similar products in their class/category. Specially synthesized and purified for critical

applications with low elemental impurities.

HPCL/UV For High Pressure Liquid Chromatography or Ultra Violet Spectroscopy. Suited for use in HPLC or UV

instrumentation.

Microbiology/Bacteriology For microbiological application and bacteriological studies.

MicroscopyTypically dyes, stains and indicators (powders and solutions) used for microscopy and histological

applications.

Molecular Biology For molecular biology, cell culture, tissue culture, genetics, and all such applications, tested 'non-

detected' for DNAse, RNAse and Protease.

NMR Spectroscopy Solvents for NMR studies suited to most advanced NMR instrumentation.

OAS Organic Analytical Standard for reference studies.

Pure/Technical/Practical/Grade General, commercial grade for synthesis and routine applications.

OAS/CHR/Reference Organic Analytical Standard/Chromatographically Harmonized Reagent to be used as in reference

Standard Grade studies as an analytically pure standard.

 Scintillation
 Ideal for scintillation studies.

 Tissue Culture
 Ideal for plant tissue culture application & studied.

For Pharmaceutical Grade Labelled Products

IP Indian Pharmacopoeia.
BP British Pharmacopoeia.

USP-NF United States Pharmacopoeia & The National Formulary.

For Dehydrated Culture Media

 Harmonized
 Dehydrated media prepared as mentioned in ICH Guidelines.

 Bacteriology
 For microbiological application and bacteriological studies.

 BactoBio/Bacto
 For microbiological preparation and cell culture media.

(I/P) Dehydrated media prepared as mentioned in IP (Indian Pharmacopoeia).
 (U/P) Dehydrated media prepared as mentioned in USP (United States Pharmacopoeia).
 (B/S) Dehydrated media prepared as mentioned in BIS (Bureau Of Indian Standards).

(I) Dehydrated media prepared as mentioned in ISO (International Standards Organization) Guidelines.



Production Capabilities



We invite you to tour and audit our plant and discuss any queries with our technical team

Our Bulk Manufacturing facilities follow cutting edge bio-techniques for producing many of our specialized products in bulk volumes. Multi-purpose process vessels and unit operations ensure consistent high quality batch-after-batch in a timely manner.







Our production facilities include -

- SS & Glass-lined Reactors with distillation columns
- All Glass Reactors
- SS Centrifuges
- SS Nutsche Filters
- SS Sparkler Filters
- SS Pulverizers, Sifters and Blenders
- Vacuum Tray Dryers
- SS Rotocone Vacuum Dryers, etc.

To support these unit operations, our utilities include –

- Chilled Brine Plant
- Cooling Water and Chilled Water Plant
- Boiler and Oil Heating System
- High Pressure Vacuum System
- Micron-filter Air Purification System
- DM Water Plant, Nitrogen Plant, Scrubbers, etc.

Contact info@srlchem.com for more info.

Keeping strong the quality promise.

Bulk Manufacturing & Custom Synthesis (BMCS) Business



Developing bulk specialty chemicals and customized new molecules in compliance with your in-house specifications supported by complete tech-packs.

Today, **SRL** is not only known for its high quality laboratory chemicals, but it is also been recognized as an important supplier of various fine chemicals as raw materials. Our company is manufacturing reagents and powders in bulk scale to meet the critical requirements of several industries that we serve. As a supplier of key technologies, we want to grow along with our customers in the pharmaceutical and biopharmaceutical industries. This expansion of capacity and modernization is our response to the growing global demand for and high requirements placed on quality and product safety for final pharmaceutical and biopharmaceutical formulations. SRL has an extensive product range and supports its customers in all phases of the drug manufacturing process, from research, quality control and commercial production, through to providing service in concrete safety and regulatory issues.

SRL's Bulk Manufacturing and Custom Synthesis (BMCS) business has broadened its production at our Taloja MIDC site to include existing and new bulk fine chemicals which are being manufactured at commercial scales. Production of the raw materials have been on since 2011 at this site and complements the existing offering of highly regulated active and non-active pharmaceutical ingredients manufactured here. Most of the products manufactured at the Taloja MIDC bulk plant facility meet and exceed IP, BP, USP & Ph. Eur regulation; follow Current Good Manufacturing Practices (cGMPs) for biopharmaceutical production; and comply with International Consortium for Innovation and Quality in Pharmaceutical Development.



Target Audience:

- Active Pharmaceutical Ingredients (API) (Human & Veterinary)
- Antibodies
- Biosimilars
- Biocides, Insecticides & Crop Sciences
- Bio-Fermentation (Upstream & Downstream)
- Blood Plasma
- Diagnostic Kit
- Excipients & Intermediates (Organic & Inorganic)
- Formulations (New & Generic)
- Home Care & Sanitation
- Hormones
- Injectables
- Neutraceuticals
- Peptides
- Personal Care Products
- Protein Purification
- Vaccines (Human & Veterinary)

Reaction Capabilities:

- Acid Chloride Preparations
- Aldol & Crossed Aldol Reaction
- Assymetric Reduction
- Bromination

- Caroxylation
- Cryogenic Reaction
- Cyclization
- Cyclo Addition
 (4 + 2, 4 + 3) Reaction
- Dehydration
- Esterification
- Formylation
- Friedel Craft
- Grignard Reaction
- Heck Reaction
- Hydrochloride preparation
- Iodination
- Ion exchange Reactions
- Jones Oxidation
- Lithiation Chemistry
- Mignonac Reaction
- Mitosonobu Esterification
- Nitration
- Nitrosation
- Oximination
- Pachmann Condensation
- Perkin Reaction
- Sandmeyer Reaction
- Sonogashira Coupling
- Sulfonation
- Suzuki Coupling
- Swern Oxidation
- Williamson's Ether Synthesis
- Writing-Homer Reaction





We offer:

The BMCS division at the MIDC Taloja facility include difficult-to-source materials available from research to commercial-scale volumes. The program takes advantage of **SRL**'s purification, re-crystallization and distillation competencies to manufacture a short list of catalog products in the commercial product segment.

You will find our ExiPlus grade of products that are complying to the compendia specifications of Indian Pharmacopoeia (IP), British Pharmacopoeia (BP), United States Pharmacopoeia (USP), National Formulatory (NF) and European Pharmacopoeia (Ph. Eur). We are well versed in providing these products for production requirements. Alternately, our highly researched ACS and AR grades are anyway much better and stringent in their impurity limits and are also being used as raw materials in various industries. We also are highly skilled in providing additional value through quality documentation packages, readily-available inventory and multiple batches to support customer qualification activities

Tech-packs:

SRL not only provides the raw materials through its BMCS program, but we also cater to the strict documentation requirements which our customers ask. Since the last decade, India has become a hub for the regulated as well as the non-regulated pharmaceutical markets, and to serve them we offer complete vendor questionnaire documents with all the technical, commercial and ethical information that we can provide.

* Document support:

- · Aflatoxin free statement
- Allergen free certificate
- Brief description of manufacturing locations, capabilities
- Certificate of analysis (COA) / Method of analysis (MOA)
- Company Organogram
- · Dioxan free certificate
- GC, HPLC, NMR graphs
- Gluten free certificate
- Kosher & Halal certificate
- Latex free statement
- List of equipment and instrumentation
- Material safety data sheet (MSDS)
- Melamine free certificate
- Metal catalyst statement
- Microbial contamination certificate
- Quality management certificate (QMS)
- Residual solvent & impurity profiling
- Route of synthesis (ROS) / Process flow chart
- Stability data
- TSE/BSE Declaration
- Vendor Questionnaire (VQ)

Post Sales Support:

We at **SRL** take special care to value our customers with utmost seriousness post-sales. Customers requiring additional services of more document support, preshipment sampling for repeat orders, production planning for scale-up and addressing non-conformity issues are some of the areas which we address. In times of product rejections due to storage or any other issues, we provide a complete CAPA (Corrective And Preventive Action) analysis document and such documents are recorded for future product improvements.

Today we provide a helping hand to the world's top 100 pharmaceutical companies to file successful ANDA (Abbreviated New Drug Application) filings in both regulated and non-regulated markets. We are ready to partner with you, so do get in touch with us on marketing@srlchem.com

[★] Document support provided depends on individual product and its chemistry. Not all documents are available for all BMCS products.



ExiPlus Range

(Products confirming to the reagent specifications of USP, BP & Ph. EUR)

Exiplus range of products has been carefully designed to meet the requirements of scientists working in the manufacture of drugs, active pharmaceutical ingredients, bio-pharmaceutical & neutraceutical products in semi-bulk or bulk scale. ExiPlus products are the safest and most reliable products to meet the needs of students, researchers working in quality control, research and development laboratories in premier institutions all over the world.

Offering more than 300 ExiPlus World-class reagents and biochemicals, that are manufactured in compliance with the reagent specifications of various pharmacopeia such as United States Pharmacopeia (USP), British Pharmacopeia (BP), European Pharmacopeia (Ph.Eur).

Take the ExiPlus advantage, why loose a good chance:

- ExiPlus for use as an excipient
- ExiPlus for use as an active pharmaceutical ingredient
- ExiPlus for use in biopharmaceutical production
- ExiPlus for use in neutraceutical production
- ExiPlus for use in critical research and development

The quality of our raw materials and our extensive documentation support enable you to do your work quickly and cost-effectively. With ExiPlus SRL provides its customers with a high level of safety in QC, R&D and production activities. We provide you with all necessary technical documents such as Product Data Sheets, CoA, MoA and other documentary support can be made available upon request.

ExiPlus will simplify your life so let's make life simple.



ACS Grade Reagents

(Products confirming to the reagent specifications set by the American Chemical Society Committee)

Our ACS grade of reagents and chemicals are manufactured and tested to meet the specifications set by the American Chemical Society (ACS) Committee on Analytical Reagents. The specifications listed in this catalog are based on the ACS Reagent Chemicals Tenth Edition.

SRL offers more than 200 reagents and chemicals complying with ACS grade reagent specifications of very high quality for use in laboratory for both quality control in academics and industries. They are superior grade reagents that are contaminant-free that are being preferred world-wide because of the stringent specifications set by the American Chemical Society (ACS) committee. Many customers of SRL want to purchase an ACS grade product instead of an AR grade product, however both grades of products are considered to be superior for routine analytical testing applications.

Some common Application of ACS grade products:

- ACS reagents for industrial cleaning purposes
- ACS reagents for routine quality control
- ACS reagents for chemical process development
- ACS reagents for commercial scale-up of manufacture
- ACS reagents for analytical applications wherein UV absorption is not critical
- · ACS reagents for the metal & steel industry

We provide you with all necessary technical documents such as Product Data Sheets, CoA, MoA and other documentary support can be made available upon request. We provide many products in various pack sizes and also at affordable prices so that students and scientists can benefit from the ultrapure purity of the ACS grade reagent manufactured, tested and packed for the most stress-free and reliable experience.

Come and try our ACS grade, because it's worth it!

New Introductions



Part A - General Laboratory Chemicals & Solvents

Ammonium Hexafluorophosphate Azocarmine G (C.I. 50085) for histology tert-Butyl Acetate (TBAc) **Butyl Propionate**

Calcium Phosphate Dibasic Anhydrous

Calcium Phosphate Dibasic Dihydrate Ceramide ex. Chicken Egg

Chloroform-d (w/o TMS, Stab w/ Ag)

for NMR spectroscopy Chloroform-d (with 0.03% TMS, Stab

w/Ag) for NMR spectroscopy

Chloroform-d (with 1% TMS, Stab w/ Ag) for NMR spectroscopy

Cupric Sulphate Anhydrous

Cupric Sulphate Anhydrous ExiPlus

Cuprous Chloride ACS L-Cystine ExiPlus

Dijodomethane (Stabilized with copper wire)

Diisopropanolamine (DIPOA)

Dimethyl Sulphoxide (DMSO) ULSI Semiconductor Grade

Propylene Glycol Monomethyl Ether 2-Acetate (MPA)

Dodecane

Eosin Blue (C.I. No. 45400)

Ferric Ammonium Oxalate Trihydrate

Ferric Chloride Anhydrous ExiPlus

Ferric Phosphate

Guanidine Hydrochloride (GHC)

ExiPlus

lodophor

Isooctane Fuel Grade for HPLC & UV

Spectroscopy

Isopropanol (IPA) Dried

L-Leucine extrapure, ExiPlus

D-Maltose Monohydrate ExiPlus

Melamine

Methyl Isopropyl Ketone (MIPK)

N-Methyl-2-Pyrrolidone (NMP) VLSI

Semiconductor Grade

Mixed Cresol b-Naphthol

Oleic Acid

Paraffin Wax w/ Ceresin Blocks

Perchloric Acid ACS, for Diamond

Industry

Polyethylene Glycol 10000 (PEG

10000)

Polyvinylpyrrolidone K25 (Povidone, PVP K-25)

Polyvinylpyrrolidone K90 (Povidone, PVP K-90)

Salicylic Acid ACS, ExiPlus

Sodium Benzoate Exiplus

Sodium Citrate Dibasic Sesquihydrate

Sodium Hydroxide Flakes

Sodium Hypochlorite Solution

Sodium Percarbonate

Sodium Peroxide ACS

Sodium Phosphate Dibasic Dihydrate ExiPlus

Tetrabutylammonium Fluoride (TBAF) 1M Soln. in THF

Tetraheptyl Ammonium Bromide

(THAB) for HPLC

Tetramethylammonium Hydroxide 25% aqueous solution, VLSI

Semiconductor Grade Tiron Monohydrate

Triethyl Citrate

Water Distilled

Zinc Metal Granules, 3-8 mm

Zinc Metal Granules, 10-12mm

Part B - Bioreagents, Biochemicals & Specialty Fine Chemicals

ACES Buffer

L-Alaninamide Hydrochloride

N-Allvlthiourea

2-Amino-2-Methyl-1,3-Propanediol

(AMPD Buffer)

Azomethine H Monosodium Salt

Bis(Dibenzylideneacetone) Palladium

1.1'-Bis(Diphenylphosphino)Ferrocene Palladium(II) Dichloride

1,1'-Bis(Diphenylphosphino)

Ferrocene-Palladium(II) Dichloride-Dichloromethane Complex

Bis(Tricyclohexylphosphine)

Palladium(II) Dichloride Bis(Triphenylphosphine)

Dichloropalladium (II)

Cacotheline Monohydrate

Cadaverin Dihydrochloride

Caffeic Acid

Cefotetan Disodium Salt

Cesium Iodide

Cesium Nitrate

a-Chymotrypsin ex. Porcine

Cyanuric Chloride

Cyanogen Bromide Solution (5.0M in Acetonitrile)

1.10-Decanediol

Dextran ex. Leuconostoc Sp. - Tech 70 (65-75)

Dichloro[1,1'-bis(di-t-

Butvlphosphino)Ferrocene1Palladium(II)

Dichloro(1,2-bis(Diphenylphosphino) Ethane)

Palladium (II)

Dichloro(1,3-

bis(Diphenylphosphino)Propane) Palladium(II)

Dichloro[1,4-bis(Diphenylphosphino) Butane]Palladium(II)

Dichloro-[1,3-bis(Diisopropylphenyl)-2-Imidazolidinylidene]-(3-Chloropyridyl) Palladium(II)

1,4-Dichloro-2-Butyne

Dichlorobis(Triphenylphosphine)Palladium(II) Diethyl bis(hydroxymethyl)malonate

Diethyl Chlorophosphate

O,O-Diethyl Dithiophosphate 1,5-Difluoro-2,4-Dinitrobenzene

(DFDNB)

N,N-Dimethyl-L-Phenylalanine

2-Ethylaniline

Furfural

Z-Glycyl-LProline-4-Nitroanilide (Z-Gly-Pro-4-Nitroanilide)

2-Heptanone (Methyl-n-Amyl Ketone,

Hexaammine Cobalt (III) Chloride Hygromycin B (HGR Solution)

Kanamycin Acid Sulphate (KS)

Kanamycin Acid Sulphate (KS) for tissue culture

N-Lauroylsarcosine Sodium Salt (Sarkosyl Sodium Solution)

Linoleic Acid (Free Acid)

Meldrum's Acid

MES19: ICP Calibration Standard for Petroleum Mix 1

MES20: ICP Calibration Standard for EPA 6020

New Introductions



MES21: ICP 21 Calibration Standard MES22: ICP 19 Calibration Standard MES23: ICP 29 Calibration Standard MES24: ICP Environmental Calibration Standard A

MES25: ICP Calibration Standard for EPA 6010

EPA 6010

MES26: ICP Water Pollution Standard 1

MES27: ICP Common & Transition

Elements Standard (1000 µg/mL)

L-Methionine Sulfoximine (MSX)

4-Methoxy-2,3,6-Trimethyl

Benzaldehyde

Niobium Chloride ultrapure
2-Nitrocyclohexanone
3,4-Dinitrophenol
Palmitic Acid
Palmitoyl Chloride
Pectinase ex. Aspergillus Niger
Phenyl Isothiocyanate (PITC) for HPLC
& Sequencing
Phleomycin (PLM) Solution
Phytosphingosine Hydrochloride
Poly-L-Lysine Hydrobromide (PLL HBr)

Poly-D-Lysine Hydrobromide (PDL

Poly-e-L-Lysine Hydrochloride (PLL HCl)
Protamine Sulfate for molecular biology
Pyrazinamide
Silicon Metal powder
Simazine
Spectinomycin Dihydrochloride
Pentahydrate
Styrene Monomer (Stab w/ tBC)
N-Succinimidyl Ferrocenecarboxylate
Syringic Acid
p-Toluidine specially purified
2,2,2-Trichloroethanol

Tris(Dibenzylideneacetone)Dipalladium-

Chloroform Adduct

Part B1 - Animal Cell Culture

Mucin ex. Porcine Stomach, Type III

ACES Buffer
Blasticidin S HCl Solution in HEPES
Buffer
Cephotaxime Sodium Salt (CFT)
L-Leucine for cell culture, 99%,
Endotoxin (BET) 1EU/ml
Phleomycin (PLM) ex. Streptomyces

Part C - Nanopowders & Carbon Nanotubes

Formamidinium Bromide Formamidinium Iodide Methylammonium Bromide Methylammonium Iodide

verticillus

Part D - Dehydrated Culture Media

Actidione Agar Base w/o Actidione Aleksandrow Agar Ampicillin Dextrin Agar Base Ampicillin Dextrin Broth Base Ampicillin Dextrin Selective Supplement Anaerobic Blood Agar Base Andrade Lactose Peptone Water Andrade Peptone Water Andrade Peptone Water BioVeg Aspergillus Differentiation Medium Base Bacteroides Bile Esculin (BBE) Agar Base Bile Salts Technical for bacteriology Brain Heart CC Agar Bryant and Burkey Agar Bryant and Burkey Medium CAL Agar (Cellobiose Arginine Lysine Agar)

Charcoal Agar w/ Niacin Clostridium Difficile Agar Base Dichloran Glycerol Medium Base Dichloran Medium Base w/ Rose Bengal Doyle's Antibiotic Supplement Doyle's Enrichment Broth Base Doyle's Enrichment Broth Base BioVeg IMViC Test Kit (Pre-Weighed Media) w/ Reagents Kanamycin Esculin Azide Broth Base KG Agar Base Peptone BioVeg Sterile for bacteriology (Gamma Irradiated) R2A Agar BioVeg Tryptone Agar BioVeg Tryptose Cycloserine Dextrose Agar Base

Part E - BioLit (DNA & Protein Tools)

Taq Mix (2X) (PCR Master Mix (2X))(w/ o Tracking Dye) QuickRxn BamHI (20U/mcl) QuickRxn KpnI (20U/mcl) QuickRxn Ncol (20U/mcl) QuickRxn Ndel (20U/mcl) QuickRxn Notl (20U/mcl) QuickRxn Pstl (20U/mcl) QuickRxn Sall
QuickRxn Smal (20U/mcl)
QuickRxn Xhol (20u/mcl)
Onion Root Tip Mitosis Kit (Teaching)
BioLit Plasmid DNA Extraction
Miniprep Kit (Research)

Part L - Laboratory Accessories

PAP Pen Mini (Hydrophobic Barrier Pen, 1mm, Blue) PAP Pen Regular (Hydrophobic Barrier Pen, 3mm, Blue)

Part A

General Laboratory Chemicals & Solvents



Cell Culture Reagents



Amino Acids

- L-Alanine
- L-Arginine
- L-Asparagine Monohydrate
- L-Cysteine
- L-Cystine
- L-Glutamic Acid
- · L-Lysine (free base) Anhydrous
- L-Proline
- L-Serine
- L-Threonine
- L-Tryptophan
- L-Tyrosine
- L-Valine

Antibiotics

- Ampicillin Sodium Salt (AMP-Na)
- Blasticidin S Hydrochloride
- Carbenicillin Disodium Salt
- · Chloramphenicol (CFP
- B-Cyclodextrin, base (BCD)
- Cycloheximide
- Erythromycin
- G-418 Sulphate (Geneticin)
- Gentamicin Sulphate (GM)Hygromycin B (HGR)
- Kanamycin Monosulphate (KM)
- Streptomycin Sulphate
- Tetracycline Hydrochloride (TC)

Buffers

- · Glycine
- HÉPES Buffer
- HEPES Sodium Salt
- Imidazole
- MES Hydrate Buffer
- PIPES Buffer
- · Sodium Acetate Trihydrate

Carbohydrates & **Derivatives**

- · Agar powder
- D-Fructose
- · Gelrite Gellan Gum
- · Lactose Monohydrate
- D-Maltose
- D-Mannose
- D-Ribose
- D-Sorbitol Powder
- Sucrose
- · D-Trehalose Dihydrate

Dyes, Stains & Indicators

- Acridine Orange hemi (Zinc Chloride) Salt
- Alcian Blue
- Alizarin Red S
- DAPI Dihydrochloride (4,6-Diamidino-2 Phenylindole Dihydrochloride)
- New Methylene Blue N Zinc Chloride Double Salt
- Toluidine Blue O
- Trypan Blue
- Thiazolyl Blue Tetrazolium Bromide

Enzyme Substrates

- 5-Bromo-4-Chloro-3-Indolyl-b-D Galactopyranoside (X-Gal)
- 5-Bromo-4-Chloro-3-Indolyl-B-D Glucuronide Cyclohexylammonium Salt
- 5-Bromo-4-Chloro-3-Indolyl-b-D Glucopyranoside (X-Glu, X-Glc)
- 5-Bromo-4-Chloro-3-Indolyl Phosphate Disodium Salt (BCIP)
- Nitro Blue Tetrazolium Chloride (Nitro BT) (NBT)

Inorganic Reagents

- Ammonium Chloride
- Ammonium Sulphate
- Calcium Chloride Dihydrate
- Ferrous Sulphate
- Magnesium Chloride Anhydrous
- Magnesium Chloride Hexahydrate
- · Magnesium Sulphate Heptahydrate
- Potassium Acetate
- Potassium Chloride
- Potassium Dihydrogen Orthophosphate
- Potassium Phosphate Dibasic Anhydrous
- Potassium Sulphate
- Silver Nitrate
- Sodium Bicarbonate
- Sodium Chloride
- Sodium Phosphate Monobasic
- Zinc Chloride
- Zinc Sulphate Heptahydrate

Organic Reagents

- Adenine Sulphate
- Citric Acid Anhydrous
- Ferric Citrate Trihydrate
- Glutathione Oxidized (GSSG)
- Glutathione Reduced (GSH)
- Lactic Acid
- Polysorbate 20 (Tween 20)
- · Putrescine Dihydryochloride

Plant Growth Regulators

- Abscisic Acid
- DICAMBA (3,6-Dichloro-2 Methoxybenzoic Acid; 3,6-Dichloro-o Anisic Acid)
- 2,4-Dichlorophenoxyacetic Acid (2,4-D)
- EDTA Disodium Salt Dihydrate
- Gibberellic Acid (Ga3)
- Indole-3-Acetic Acid (IAA)
- Indole-3-Butyric Acid (IBÁ)
- Kinetin
- Naphthalene-1-Acetic Acid extrapure
- Thidiazuron (TDZ)
- · Zeatin mixed Isomers

Proteins & Enzymes

- Albumin Bovine (pH 6.5-7.5) fraction V for tissue culture (Bovine Serum Albumin, BSA), 98%
- r-Albumin Human Type LL ex. Yeast, 99% (Low Lipid)
- r-Albumin Human Type Standard ACF ex. Plants, 97% (Animal Component Free)
- r-Albumin Human Type ÉG ex. Yeast, 99% (Excipient use)
- r-Albumin Human Type LE ex. Yeast, 98% (Low Endotoxin)
 • r-CRP ex. E.Coli (Recombinant
- C-reactive protein)
- r-Insulin ex. Human
- r-Trypsin 1× Solution with EDTA in Phosphate Buffer for cell culture (AOF),
- r-Trypsin Type Standard ACF ex. Porcine, 800U/mg

Vitamins

- L-Ascorbic Acid (Vitamin C)
- D-Biotin (Vitamin H)
- Folic Acid (Vitamin M)
- Inositol (Vitamin B8)
- Thiamine Hydrochloride (Vitamin B1 hydrochloride)
- DL-a-Tocopherol Acetate (Vitamin E Acetate)
- Vitamin B12 (Cyanocobalamin)





Code	Name	Packing	Price	Code	Name	Packing	Price
95237 [60-35-5]	Acetamide pure, 98%	500 Gms	850	12972 [666-52-4]	Acetone-d6 for NMR spectroscopy, 99.5 Atom %D	10 ml	10800
81658 [103-84-4]	Acetanilide extrapure, 99%	500 Gms	950	75185 [666-52-4]	Acetone-d6 (with 1% TMS) for NMR spectroscopy, 99.5 Atom %D	10 ml	11250
68175	Acetanilide ExiPlus,	500 Gms	1350	49967	Acetonitrile (ACN) extrapure, 99%	500 ml	670
[103-84-4]	Multi-Compendial, 99% meets compendial specs of USP			[75-05-8]		2500 ml	2980
18439	Acetic Acid 1N Aq. Solution	1000 ml	610			25 Ltr	27480
[64-19-7]			010	84578	Acetonitrile (ACN) extrapure AR,	500 ml	700
72690 [64-19-7]	Acetic Acid 2.5M Aq. Solution	1000 ml	650	[75-05-8] 82745	99.5% Acetonitrile (ACN) extrapure AR,	2500 ml	3130 820
90868	Acetic Acid Glacial extrapure,	500 ml	240	[75-05-8]	ACS, ExiPlus, Multi-Compendial,	2500 ml	3270
[64-19-7]	99.5%	2500 ml	1100		99.5%		
		25 Ltr	9000		meets compendial specs of USP, BP, Ph.Eur		
85801	Acetic Acid Glacial ACS, 99.9%	500 ml	260	90135	Acetonitrile (ACN) GC-HS, 99.9%	250 ml	690
[64-19-7]		2500 ml	1250	[75-05-8]		500 ml	1040
93602	Acetic Acid Glacial ACS, ExiPlus,	500 ml	290			1000 ml	1950
[64-19-7]	Multi-Compendial, 99.9%	2500 ml	1350	58209	Acetonitrile (ACN) for HPLC & UV	500 ml	920
	meets compendial specs of USP, BP,			[75-05-8]	Spectroscopy, 99.9%	2500 ml	3730
	Ph.Eur			24899	Acetonitrile (ACN) Gradient grade	1000 ml	
73215	Acetic Acid Dried, 99.9%, water	500 ml	380	[75-05-8]	for HPLC, 99.9%	2500 ml	1950 4240
[64-19-7]	0.05%	1000 ml	740		A saturated (A ON) for more to sale of		
32532	Acetic Acid for HPLC, 99.9%	500 ml	520	62006 [75-05-8]	Acetonitrile (ACN) for molecular biology, 99.9%	250 ml	720
[64-19-7]		1000 ml	980			500 ml	1080
		2500 ml	2100	62076	Acetonitrile (ACN) for DNA synthesis, 99.9%	1000 ml	2230
59788	Acetic Acid Glacial for molecular	100 ml	520	[75-05-8]	Synthesis, 33.376	2500 ml	5260
[64-19-7]	biology, 99.9%	500 ml	1600	26483 [2206-26-0]	Acetonitrile-d3 for NMR spectroscopy, 99.8 Atom %D	10 Gms	13000
31566 [67-64-1]	Acetone pure, 99%	500 ml	270	67418	Aceto Orcein	100 ml	440
[07-04-1]		2500 ml	1100				
		25 Ltr	10000	15873 [98-86-2]	Acetophenone extrapure, 99%	500 ml	690
66951 [67-64-1]	Acetone extrapure, 99%	500 ml	285	[90-00-2]		2500 ml	3030
[07-04-1]		2500 ml	1150	22506 [98-86-2]	Acetophenone extrapure AR, 99.5%	500 ml	850
15168	Acetone ACS, 99.5%	500 ml	310	[90-00-2]		2500 ml	3570
[67-64-1]		2500 ml	1250	96169	Acetylacetone extrapure, 99%	500 ml	900
27648	Acetone ACS, ExiPlus,	500 ml	340	[123-54-6]		2500 ml	4000
[67-64-1]	Multi-Compendial, 99.5%	2500 ml	1350	24212	Acetylacetone extrapure AR, 99.5%	250 ml	600
	meets compendial specs of USP, BP			[123-54-6]		1000 ml	1750
35007	Acetone Dried, 99%, water 0.005%	500 ml	380	39522	Acid Fuchsin	25 Gms	650
[67-64-1]		2500 ml	1500	[3244-88-0]	(C.I. No. 42685, Acid Violet 19, Fuchsin S, Fuchsin Acid, Rubine S)	100 Gms	2160
89140	Acetone GC-HS, 99.9%	250 ml	450		o, ruchsin Acid, rubine oj	500 Gms	10800
[67-64-1]		500 ml	700	50190	Acid Fuchsin Calcium Salt (Acid	25 Gms	3610
		1000 ml	1050	[123334-10-1]	Rubin), 60%	100 Gms	13220
11340	Acetone for HPLC & UV	500 ml	500		(C.I. No. 42685) (Acid Magenta, Rubin S)		
[67-64-1]	Spectroscopy, 99.9%	1000 ml	800	22794	Acrylamide extrapure, 99%	500 Gms	420
		2500 ml	1550	[79-06-1]		5 Kg	3500
12312	Acetone electronic grade, 99.9%	1000 ml	850			25 Kg	15000
[67-64-1]		2500 ml	1900	15657	Acrylamide 3x cryst. extrapure AR,	100 Gms	700
55245	Acetone VLSI Semiconductor	1000 ml	6000	[79-06-1]	99.9%	500 Gms	2200
[67-64-1]	Grade, 99.5%	2500 ml	13500			1 Kg	3800
27498	Acetone for molecular biology,	500 ml	550			5 Kg	13000
[67-64-1]	99.8%	2500 ml	2200				



Code	Name	Packing	Price	Code	Name	Packing	Price
61346	Acrylamide 3x cryst. for molecular	100 Gms	800	50683	L-Alanine ExiPlus,	100 Gms	740
[79-06-1]	biology, 99.9%	500 Gms	3000	[56-41-7]	Multi-Compendial, 99%	500 Gms	2400
		1 Kg	4500			5 Kg	17500
29787	Acrylamide 40% aq. solution for	250 ml	3000		meets compendial specs of USP, BP		
[79-06-1]	molecular biology	500 ml	5400	87279	Alberts Stain A Solution	125 ml	160
24263	Acrylamide / Bis-acrylamide Premix	30 Gms	1140			500 ml	410
	Powder, Ratio 19:1	200 Gms	5970	35652	Alberts Stain B Solution	125 ml	160
10762	Acrylamide / Bis-acrylamide Premix	30 Gms	1140			500 ml	410
10702	Powder, Ratio 29:1	200 Gms	5970	17996	Aliquat 336, 88%	250 ml	1300
74379	Acrylamide / Bis-acrylamide Premix	30 Gms	1140	[63393-96-4]	(Tricaprylylmethylammonium chloride)	1000 ml	5500
14313	Powder, Ratio 37.5:1	200 Gms	5970			2500 ml	13000
07004	200/ Asystemide / Bis sandamide					25 Ltr	120000
67394	30% Acrylamide / Bis-acrylamide Mix Solution (Ratio 29:1)	100 ml	1100	43805	Allantoin ExiPlus, 98.5%	100 Gms	500
n	· · ·	500 ml	4200	[97-59-6]	(5-Ureidohydantoin, Glyoxylic Acid	500 Gms	2000
92035	40% Acrylamide / Bis-acrylamide Mix Solution (Ratio: 37.5:1)	100 ml	1100		Diureide)	5 Kg	18500
	mix colution (ridio. 67.5.1)	500 ml	4200	99564	Alloxan Monohydrate extrapure,	10 Gms	370
60452	Acrylic Acid (Stabilized) pure, 99%	500 ml	790	[2244-11-3]	98%	25 Gms	810
[79-10-7]		2500 ml	3780		(2,4,5,6-Tetraoxypyrimidine,	100 Gms	3000
41666	Acrylonitrile (Stabilized) pure, 99%	500 ml	590	4000	5,6-Dioxyuracil)		
[107-13-1]		2500 ml	2580	19093 [107-18-6]	Allyl Alcohol extrapure, 99%	500 ml	920
60064	Adipic Acid pure, 99%	500 Gms	580	[.00 0]		2500 ml	4380
[124-04-9]				69098 [107-11-9]	Allylamine pure, 99% (2-Propen-1-Ylamine,	25 ml	600
38573	Adipic Acid ExiPlus,	500 Gms	700	[107-11-9]	3-Amino-1-Propene)	100 ml	1000
[124-04-9]	Multi-Compendial, 99% meets compendial specs of USP, BP,					250 ml	2000
	Ph.Eur			45953	Diallylamine extrapure, 99%	100 ml	1200
19661	Agar powder regular grade for	100 Gms	1030	[124-02-7]		500 ml	4400
[9002-18-0]	bacteriology	250 Gms	2220	73056	Allyl Bromide pure, 98%	250 ml	2500
		500 Gms	4260	[106-95-6]	(3-Bromo-1-Propene)	500 ml	4800
		1 Kg	8400	92459	Allyl Chloride pure, 98%	500 ml	400
		5 Kg	40830	[107-05-1]	(3-Chloro-1-Propene)	2500 ml	1500
85473	Agar powder for tissue culture	100 Gms	1400	45262	Almond Oil pure	500 ml	6810
[9002-18-0]		250 Gms	2450	[8007-69-0]			
		500 Gms	4670	54568	Aluminium Acetate Basic Hydrate	100 Gms	1180
		5 Kg	44330	[142-03-0]	(Aluminium Subacetate) extrapure, 98%	500 Gms	2880
24970	Agar powder Bacto grade	100 Gms	1640		(Aluminum Hydroxide Acetate Hydrate)		
[9002-18-0]		500 Gms	6540	64132	Aluminium Ammonium Sulphate	500 Gms	260
26741	Ajowan Seed Oil extrapure	100 ml	1290	[7784-26-1]	Dodecahydrate pure, 99%		
[8001-99-8]	(Ajwain Oil)	500 ml	5330		(Ammonium Alum, Alum Ammonia, Ammonium Aluminium Sulphate)		
40000	β-Alanine extrapure CHR, 99%			83147	Aluminium Ammonium Sulphate	500 Gms	370
48863 [107-95-9]	b-Alanine extrapure Chh, 99%	25 Gms 100 Gms	300	[7784-26-1]	Dodecahydrate extrapure AR,		
		1 Kg	1010 8630		99.5% (Ammonium Alum, Alum Ammonia,		
	L Alamina autonomo OUD 000/				Ammonium Aluminium Sulphate)		
71178 [56-41-7]	L-Alanine extrapure CHR, 99%	100 Gms	540	61315	Aluminium Ammonium Sulphate	500 Gms	400
[00]		500 Gms	1800	[7784-26-1]	Dodecahydrate extrapure AR, ACS,	5 Kg	3900
		1 Kg	3300		ExiPlus, Multi-Compendial, 99.5% (Ammonium Alum, Alum Ammonia,		
		5 Kg	14500		Ammonium Aluminium Sulphate)		
71777 [56-41-7]	L-Alanine for tissue culture, 99%	100 Gms	650		meets compendial specs of USP		
[50-41-7]		500 Gms	2200	93606	Aluminium AAS Standard Solution	100 ml	1600
					in 1N HCI (Traceable to NIST)	250 ml	2600
				90015	Aluminium Chloride Hexahydrate	500 Gms	750
				[7784-13-6]	pure, 97%		



Code	Name	Packing	Price	Code	Name	Packing) Price
23700	Aluminium Chloride Hexahydrate	500 Gms	800	11820	Aluminon extrapure	10 Gms	420
[7784-13-6]	extrapure AR, 99%			[569-58-4]	(Aurintricarboxylic Acid Ammonium Salt, ATA, Ammonium	25 Gms	960
35543 [21645-51-2]	Aluminium Hydroxide Gel extrapure AR, ExiPlus, Multi-Compendial	500 Gms	420		Aurintricarboxylate)		
[21045-51-2]	•	5 Kg	3600	55745	Amaranth (Acid Red 27) (C.I.	25 Gms	180
	meets compendial specs of IP			[915-67-3]	16185), 85-95%	100 Gms	630
12283	Aluminium Isopropoxide (powder) extrapure, 98%	500 Gms	850			1 Kg	5500
[555-31-7]	(AIP, Aluminum Isopropylate,	5 Kg	8200	57432	4-Aminoantipyrine (Ampyrone)	25 Gms	1190
	Aluminum Triisopropoxide, 2-Propanol			[83-07-8]	extrapure AR, 99%	100 Gms	4300
	Aluminium Salt)				(4-Amino-2,3-Dimethyl-1-Phenyl-3-Pyra	250 Gms	10500
57395	Aluminium Metal powder, 99%, -325 mesh	500 Gms	740		zolin-5-One)		
[7429-90-5]	Aluminium Nitrate Nonahydrate	500 Gms	000	82623 [60-32-2]	6-Aminocaproic Acid extrapure, 99%	25 Gms	1190
92309 [7784-27-2]	extrapure, 98%		380	[00 02 2]	(6-Aminohexanoic Acid)	100 Gms	3780
	•	5 Kg	3200			500 Gms	18360
19302	Aluminium Nitrate Nonahydrate ACS, 98.5%	500 Gms	800	85996	Aminocaproic Acid IP	1 Kg	32000
[7784-27-2] 58095	Aluminium Nitride (AIN) pure, 98%,	5 Gms	3000	[60-32-2]	(6-Aminohexanoic Acid, 6-Aminocaproic Acid IP)	5 Kg	150000
	~635 mesh	50 Gms		99093	Aminocaproic Acid BP, 98.5-101%	1 Kg	32000
			4080	[60-32-2]	(6-Aminohexanoic Acid,	5 Kg	150000
		250 Gms	19200		6-Aminocaproic Acid BP)	J Ng	130000
66289	Aluminium Oxide Activated (Acidic)	500 Gms	540	50445	Aminocaproic Acid USP, 98.5-101%	1 Kg	36000
[1344-28-1]	(Alumina)	5 Kg	5150	[60-32-2]	(6-Aminohexanoic Acid, 6-Aminocaproic Acid USP)	5 Kg	160000
		25 Kg	24720	78719	Ammonia Solution extrapure AR,	500 ml	210
71461	Aluminium Oxide Activated (Acidic)	500 Gms	560	[1336-21-6]	25%	2500 ml	640
[1344-28-1]	(Alumina) ExiPlus, Multi-Compendial	5 Kg	5460		(Ammonium Hydroxide 25%)	2500 Hill 25 Ltr	6000
	meets compendial specs of USP, BP						
34321	Aluminium Oxide Activated (Basic)	500 Gms	430	14388 [1336-21-6]	Ammonia Solution extrapure AR, 30%	500 ml	250
[1344-28-1]	(Alumina)	5 Kg	4010	[1330-21-0]	(Ammonium Hydroxide 30%)	2500 ml	710
		25 Kg	18920			25 Ltr	6500
04.400	Aluminium Ovida Astivated (Basis)	500 Gms		44683	Ammonium Acetate extrapure AR,	500 Gms	310
61492 [1344-28-1]	Aluminium Oxide Activated (Basic) (Alumina) ExiPlus,		460	[631-61-8]	98%		
[]	Multi-Compendial	5 Kg	4150	62778 [631-61-8]	Ammonium Acetate ACS, ExiPlus, Multi-Compendial, 98%	500 Gms	340
	meets compendial specs of BP, Ph.Eur			[001-01-0]	meets compendial specs of USP, BP,		
39882	Aluminium Oxide activated	500 Gms	450		Ph.Eur		
[1344-28-1]	(Neutral) (Alumina)	5 Kg	4230	78844	Ammonium Acetate for HPLC, 99%	500 Gms	630
		25 Kg	20170	[631-61-8]			
62690	Aluminium Oxide G (Neutral)	500 Gms	600	37829	Ammonium Acetate for molecular	100 Gms	310
[1344-28-1]	(Alumina G)	5 Kg	5670	[631-61-8]	biology, 98%	500 Gms	870
34641	Aluminium Potassium Sulphate	500 Gms	240	26757	Ammonium Bicarbonate extrapure	500 Gms	280
[7784-24-9]	Dodecahydrate extrapure, 99%	2.5 Kg	1020	[1066-33-7]	AR (Ammonium Hydrogen	5 Kg	2700
	(Potash Alum, Potassium Aluminium	2.5 Ng	1020		Carbonate), 99%		
	Sulphate)			38586 [7789-09-5]	Ammonium Dichromate pure, 98% (Ammonium Bichromate)	500 Gms	880
42889	Aluminium Potassium Sulphate	500 Gms	280	[7709-09-0]	(www.noman biomornate)	5 Kg	8500
[7784-24-9]	Dodecahydrate ACS, 99.5% (Potash Alum, Potassium Aluminium	2.5 Kg	1320	67077	Ammonium Dichromate extrapure	500 Gms	960
	Sulphate)			[7789-09-5]	AR, ACS, 99.5% (Ammonium Bichromate)	5 Kg	9250
42550	Aluminium Potassium Sulphate	500 Gms	325	13664	Ammonium Bifluoride pure, 98%	500 Gms	650
[7784-24-9]	Dodecahydrate ACS, ExiPlus,	2.5 Kg	1600	[1341-49-7]		5 Kg	
	Multi-Compendial, 99.5% (Potash Alum, Potassium Aluminium						5500
	Sulphate)			95407 [31886-41-6]	Ammonium Bismuth Citrate extrapure AR, 43-46% Bi	100 Gms	700
	meets compendial specs of USP, BP			[01000-41-0]	оливрите ли, то-то /0 DI	500 Gms	2800
53016	Aluminium Sulphate	500 Gms	220	46813	Ammonium Bromide pure, 99%	500 Gms	1100
[7784-31-8]	Octadecahydrate extrapure, 98%			[12124-97-9]		5 Kg	10500



Code	Name	Packing	Price	Code	Name	Packing	Price
40553	Ammonium Ceric Nitrate extrapure	100 Gms	1100	27858	Ammonium Formate extrapure AR,	500 Gms	370
[16774-21-3]	AR, 99% (Ammonium Cerium (IV) Nitrate, Ceric	250 Gms	2430	[540-69-2]	98% (Formic Acid Ammonium Salt)	5 Kg	3200
	Ammonium Nitrate)	400.0		50504	Ammonium Formate extrapure AR,	500 Gms	410
42077 [16774-21-3]	Ammonium Ceric Nitrate extrapure AR, ACS, ExiPlus,	100 Gms 250 Gms	1460	[540-69-2]	ExiPlus, Multi-Compendial, 98% (Formic Acid Ammonium Salt)	5 Kg	3500
	Multi-Compendial, 99%	250 GIIIS	3030		meets compendial specs of BP, Ph.Eur		
	(Ammonium Cerium (IV) Nitrate, Ceric Ammonium Nitrate)			14969	Ammonium Hexafluorophosphate	5 Gms	1800
	meets compendial specs of BP			[16941-11-0]	extrapure, 95% (Ammonium Hexafluorophosphate V,	25 Gms	6000
42725	Ammonium Ceric Nitrate 0.05N	500 ml	370		Ammonium Phosphorus Hexafluoride)	100 Gms	15000
[16774-21-3] 23757	Solution Ammonium Ceric Sulphate	100 Gms	1610	51775 [12027-06-4]	Ammonium lodide extrapure, 99%	50 Gms	2000
[10378-47-9]	Dihydrate ACS, 99%	500 Gms	4480	[12027 00 4]		100 Gms 250 Gms	3700
	(Ammonium Cerium (IV) Sulphate Dihydrate)			00105	Ammonium Motovonodoto		8500
25103	Ammonium Chloride ACS, 99.5%	500 Gms	290	23185 [7803-55-6]	Ammonium Metavanadate extrapure, 98%	100 Gms 500 Gms	900 3300
[12125-02-9]		5 Kg	2700	15060	Ammonium Metavanadate		
		25 Kg	12980	15068 [7803-55-6]	extrapure AR, 99%	100 Gms 500 Gms	1050 3500
96452	Ammonium Chloride ACS, ExiPlus,	500 Gms	340	94314	Ammonium Metavanadate	100 Gms	1160
[12125-02-9]	Multi-Compendial, 99.5%			[7803-55-6]	extrapure AR, ACS, ExiPlus,	500 Gms	3700
10000	meets compendial specs of USP, BP	500 Cma			Multi-Compendial, 99%		0,00
16992 [12125-02-9]	Ammonium Chloride for molecular biology, 99.5%	500 Gms	660	69429	meets compendial specs of USP Ammonium Molybdate	100 Gms	1600
35309	Ammonium Chloride for tissue	500 Gms	320	[12054-85-2]		250 Gms	3950
12125-02-9]	culture, 99.5%	5 Kg	3000		(Ammonium Heptamolybdate)	500 Gms	6200
11505	Ammonium Citrate Tribasic	500 Gms	750	10299	Ammonium Molybdate	100 Gms	1800
[3458-72-8]	(Triammonium Hydrogen Citrate) extrapure AR, 98.5%	5 Kg	7000	[12054-85-2]	Tetrahydrate extrapure AR, 99%	250 Gms	4300
35442	Ammonium Ferric Citrate pure,	500 Gms	600		(Ammonium Heptamolybdate)	500 Gms	6900
[1185-57-5]	16.5-22.5%	5 Kg	5750	82615	Ammonium Molybdate	100 Gms	1900
63571	(Ammonium Iron (III) Citrate)	500 C	010	[12054-85-2]	-	250 Gms	4400
63571 8 [7783-83-7]	Ammonium Ferric Sulphate Dodecahydrate extrapure, 98%	500 Gms	310		ExiPlus, Multi-Compendial, 99% (Ammonium Heptamolybdate)	500 Gms	7200
	(Ammonium Iron (III) Sulphate				meets compendial specs of USP, BP,		
29168	Dodecahydrate, Ferric Alum) Ammonium Ferric Sulphate	500 Gms	370		Ph.Eur		
[7783-83-7]	Dodecahydrate extrapure AR, ACS,	300 GIII3	370	32910 [27546-07-2]	Ammonium Dimolybdate extrapure, 99%, 56.5% Mo	100 Gms	2000
	99%				·	250 Gms	5000
	(Ammonium Iron (III) Sulphate Dodecahydrate, Ferric Alum)			85044 [7785-20-8]	Ammonium Nickel Sulphate Hexahydrate pure, 98%	500 Gms	1600
89944	Ammonium Ferrous Sulphate	500 Gms	220	[,, 66 25 6]	(Diammonium Nickel (II) Sulphate		
[7783-85-9]	Hexahydrate extrapure, 98%	1 Kg	390		Hexahydrate)		
	(Diammonium Iron (II) Sulphate Hexahydrate)	5 Kg	1840	55517 [7785-20-8]	Ammonium Nickel Sulphate Hexahydrate extrapure AR, 98%	500 Gms	2400
61732	Ammonium Ferrous Sulphate	500 Gms	330	[]	(di-Ammonium nickel (II) sulphate		
[7783-85-9]	Hexahydrate extrapure AR, ACS, 99%	5 Kg	3030		hexahydrate)	500.0	
	(Diammonium Iron (II) Sulphate			85084 [6009-70-7]	Ammonium Oxalate Monohydrate extrapure, 98%	500 Gms	350
	Hexahydrate)			72913	Ammonium Oxalate Monohydrate	500 Gms	380
11605 [13826-83-0]	Ammonium Fluoroborate pure, 98% (Ammonium fluoroborate, Ammonium	100 Gms	500	[6009-70-7]	extrapure AR, 99%		
50 0]	tetrafluoroborate)	500 Gms	1400	53621 [6009-70-7]	Ammonium Oxalate Monohydrate extrapure AR, ACS, ExiPlus,	500 Gms	440
49813	Ammonium Fluoride pure, 98%	500 Gms	950	,	Multi-Compendial, 99%		
[12125-01-8] 38431	Ammonium Fluoride ACS, 98%	500 Gms	1100		meets compendial specs of USP, BP, Ph.Eur		
[12125-01-8]		JOU GITIS	1100	82381	Ammonium Persulphate (APS)	500 Gms	380
25142	Ammonium Formate pure, 98%	500 Gms	345	[7727-54-0]	pure, 98%	5 Kg	3470
[540-69-2]	(Formic Acid Ammonium Salt)	5 Kg	3000		(Ammonium Peroxodisulphate)	9	5-77



Code	Name	Packing	Price	Code	Name	Packing	Pri
84569	Ammonium Persulphate (APS)	500 Gms	420	82126	Ammonium Sulphate for molecular	250 Gms	720
[7727-54-0]	extrapure AR, 99% (Ammonium Peroxodisulphate)	5 Kg	3570	[7783-20-2]	biology, 99.5% (Ammonium Sulfate)	500 Gms	1410
29534	Ammonium Peroxodisulphate (APS)	500 Gms	450		(Arimonium Sunate)	5 Kg	13010
[7727-54-0]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	5 Kg	4350	95876 [3164-29-2]	Ammonium Tartrate Dibasic pure, 99%	500 Gms	2400
	(Ammonium Peroxodisulphate)			56357	Ammonium Tartrate Dibasic	250 Gms	1700
	meets compendial specs of BP, Ph.Eur			[3164-29-2]	extrapure AR, 99%	500 Gms	3000
2 8575 [7727-54-0]	Ammonium Persulphate (APS) for electrophoresis, 99% (Ammonium Peroxodisulphate)	25 Gms 100 Gms	220 680	81016 [1762-95-4]	Ammonium Thiocyanate ACS, 99%	500 Gms	69
55553	Ammonium Persulphate (APS) for	25 Gms	240	70158	Ammonium Thiocyanate ACS,	500 Gms	72
7727-54-0]	molecular biology, 99%	100 Gms	600	[1762-95-4]	ExiPlus, Multi-Compendial, 99%		
	(Ammonium peroxodisulphate)	500 Gms	1950		meets compendial specs of USP, BP, Ph.Eur		
0400	Ammonium Dhoonhoto Dibooio			07550		500 ml	
7783-28-0]	Ammonium Phosphate Dibasic extrapure ACS, 98%	500 Gms	520	67550 [123-92-2]	Amyl Acetate pure, 98% (Isoamyl Acetate)	500 ml	56
	(Diammonium Hydrogen	5 Kg	5000	[120 02 2]	(isoainy, rootato)	2500 ml	192
	Orthophosphate)			28605	n-Amyl Alcohol (1-Pentanol) pure,	500 ml	85
5984	Ammonium Phosphate Dibasic	500 Gms	590	[71-41-0]	99%	2500 ml	380
[7783-28-0]	extrapure AR, ACS, ExiPlus,	5 Kg	5700	31906	n-Amyl Alcohol (1-Pentanol)	500 ml	110
	Multi-Compendial, 98% (Diammonium Hydrogen			[71-41-0]	extrapure AR, ACS, 99%	2500 ml	430
	Orthophosphate)			83344	Aniline Blue (water soluble) (Methyl	25 Gms	70
	meets compendial specs of USP, Ph.Eur			[28983-56-4]	Blue)	100 Gms	243
1563	Ammonium Phosphate Monobasic	500 Gms	500		(Acid Blue 93)		240
7722-76-1]	extrapure AR, 99%	5 Kg	4850	22285	Aniline extrapure AR, 99.5%	500 ml	56
	(Ammonium Dihydrogen Orthophosphate)			[62-53-3]		2500 ml	256
8611	Ammonium Phosphate Monobasic	500 Gms	E70	46774	Aniline Hydrochloride pure, 99%	250 Gms	71
7722-76-1]	extrapure AR, ACS, ExiPlus,	5 Kg	570	[142-04-1]		500 Gms	126
	Multi-Compendial , 99%	5 Ng	5500	69980 🗸	Aniline Sulphate pure, 98%	250 Gms	78
	(Ammonium Dihydrogen			[542-16-5]	(Aminobenzene, Phenylamine,	500 Gms	145
	Orthophosphate) meets compendial specs of USP				Benzenamine)	300 Gills	140
24678	Ammonium Phosphate Monobasic	500 Gms	1000	36381	p-Anisidine pure, 98%	100 Gms	25
7722-76-1]	for HPLC, 99%	500 GIIIS	1200	[104-94-9]	(4-Aminoanisole, 4-Methoxyaniline)	500 Gms	90
6648	Ammonium Pyrrolidine	10 Gms	2300	41010	Anthracene extrapure, 99%	25 Gms	84
5108-96-3]	Dithiocarbamate (APDC) extrapure,	25 Gms	5100	[120-12-7]		100 Gms	264
	98.5%					500 Gms	1235
	(1-Pyrrolidinecarbodithioic Acid Ammonium Salt, Ammonium			61072	Anthracene (High Purity)	25 Gms	
	pyrrolidinecarbodithioate, PDC)			61273 [120-12-7]	scintillation grade, 99.7%		155
0012	Ammonium Sulphamate (High	100 Gms	500		(Anthracene extrapure scintillation	100 Gms	580
[7773-06-0]	Purity) ACS, ExiPlus,	500 Gms	2410		grade)	250 Gms	1421
	Multi-Compendial, 99.5%			78531	Anthraquinone pure, 98%	25 Gms	34
	meets compendial specs of USP, BP, Ph.Eur			[84-65-1]	(9,10-Anthraquinone, Anthradione)	500 Gms	100
		100.0		97400	Antimony AAS Standard Solution in	100 ml	160
2419 7773-06-0]	Ammonium Sulphamate (High Purity) extrapure AR, 99.5%	100 Gms	650		2N HCI (Traceable to NIST)	250 ml	260
	,	500 Gms	2970	66105	Antimony Metal Lumps, 98%	100 Gms	90
8064	Ammonium Sulfate)	500 Gms	250	[7440-36-0]	· · · · · · · · · · · · · · · · · · ·		
7783-20-2]	(Ammonium Sulfate)	5 Kg	1950	12042	Antimony Metal Powder extrapure,	250 Gms	239
		25 Kg	9630	[7440-36-0]	99%, -200 mesh		
8004	Ammonium Sulphate for tissue	500 Gms	260	67577	Antimony Metal Ingots ultrapure,	10 Gms	557
7783-20-2]	culture, 99.5%	5 Kg	1950	[7440-36-0]	99.999%	25 Gms	1145
6339	Ammonium Sulphate ACS, ExiPlus,	500 Gms	270	47448	Antimony Potassium Tartrate	250 Gms	124
	Multi-Compendial, 99.5%	5 Kg	2160	[28300-74-5]	Hemihydrate pure, 98%	500 Gms	231
[7783-20-2]		- 1.9	_ 100				
[7783-20-2]	(Ammonium Sulfate) meets compendial specs of USP, IP ,BP,			83896	Antimony Potassium Tartrate	100 Gms	62



60274 [10025-91-9] 63365 [10025-91-9]	Antimony Trichloride pure, 98%	100 Gms					
63365		. 55 31110	750	84025	L-Aspartic Acid extrapure CHR,	100 Gms	400
		500 Gms	3400	[56-84-8]	99%	500 Gms	1500
[10025-91-9]	Antimony Trichloride extrapure AR,	100 Gms	820			1 Kg	2400
[]	99%	500 Gms	3550			5 Kg	11000
97628	Antimony Trichloride extrapure AR,	100 Gms	1060	81245	L-Aspartic Acid ExiPlus,	100 Gms	460
[10025-91-9]		500 Gms	3800	[56-84-8]	Multi-Compendial, 99%	1 Kg	2700
	99% meets compendial specs of USP, BP,				meets compendial specs of BP		
	Ph.Eur			78087	Auramine O	25 Gms	170
37157	Antimony Trioxide extrapure, 99%	100 Gms	700	[2465-27-2]	(C.I. No. 41000, Basic Yellow 2)	100 Gms	440
[1309-64-4]		500 Gms	2500			500 Gms	1620
98063	Antimony Trioxide extrapure AR,	100 Gms	800	41574	Azocarmine G (C.I. 50085) for	5 Gms	600
[1309-64-4]	99%	500 Gms	2800	[25641-18-3]	histology (Acid Red 101, Rosinduline)	25 Gms	1700
82829	Antimony Trisulfide pure, 98%	500 Gms	3670	16411	Barbituric Acid extrapure, 99%	100 Gms	800
[1345-04-6]	Antimony madride pure, 30%	300 GHS	3070	[67-52-7]	(2,4,6-Trihydroxypyrimidine,	500 Gms	3000
24766	Arachis Oil pure	250 ml	1280		Malonylurea)		
[68425-36-5]	(Peanut Oil)	500 ml	2040	21154	Barbituric Acid extrapure AR, 99%	25 Gms	340
66637	L-Arginine (free base) extrapure	100 Gms	600	[67-52-7]	(2,4,6-Trihydroxypyrimidine, Malonylurea)	100 Gms	1350
[74-79-3]	CHR, 99%	1 Kg	5000	10013	Barium Acetate extrapure, 98%	500 Gms	1000
		5 Kg	23500	[543-80-6]		5 Kg	9000
16178	L-Arginine for tissue culture, 99%	100 Gms	720	16985	Barium Acetate ACS, 99%	500 Gms	1300
[74-79-3]	,	1 Kg	5330	[543-80-6]	.*	5 Kg	12000
17863	L-Arginine (free base) ExiPlus,	25 Gms	300	45569	Barium Acetate extrapure AR, ACS,	500 Gms	1500
[74-79-3]	Multi-Compendial, 99%	100 Gms	880	[543-80-6]	ExiPlus, Multi-Compendial, 99%	300 Gilis	1500
		1 Kg	6000		meets compendial specs of BP, Ph.Eur		
		5 Kg	27500	56009	Barium AAS Standard Solution in	100 ml	1600
	meets compendial specs of BP	- 1.9	27000		0.5N HNO3 (Traceable to NIST)	250 ml	2600
55453	L-Arginine Hydrochloride extrapure	100 Gms	600	32005	Barium Bromide Dihydrate	500 Gms	1900
[1119-34-2]	CHR, 99%	1 Kg	4800	[7791-28-8]	extrapure, 98%		
		5 Kg	21000	35145 [513-77-9]	Barium Carbonate pure, 98.5%	500 Gms	750
23006	L-Ascorbic Acid extrapure AR,	100 Gms	200	[510-77-9]		5 Kg	7250
[50-81-7]	99.7%	500 Gms	600	58434	Barium Carbonate extrapure AR, 99%	500 Gms	900
	(Vitamin C)	5 Kg	5600	[513-77-9] 66323	Barium Carbonate extrapure AR,	500 Gms	1050
40704	L-Ascorbic Acid extrapure AR,	100 Gms	250	[513-77-9]	ACS, ExiPlus, Multi-Compendial,	300 Gilis	1050
[50-81-7]	ACS, ExiPlus, Multi-Compendial,	500 Gms	700		99%		
	99.7%	5 Kg	6600		meets compendial specs of BP, Ph.Eur		
	(Vitamin C) meets compendial specs of BP	· ·	3333	78118 [10326-27-9]	Barium Chloride Dihydrate pure,	500 Gms	300
14116	L-Ascorbic Acid for molecular	25 Gms	240	[10320-27-9]	9970	5 Kg	2600
[50-81-7]	biology, 99.7%	100 Gms	450	68554	Barium Chloride Dihydrate ACS,	500 Gms	380
	(Vitamin C)	500 Gms	900	[10326-27-9]	99%	5 Kg	3600
32488	L-Ascorbic Acid for tissue culture,	100 Gms	450	92996	Barium Chloride Dihydrate	500 Gms	420
[50-81-7]	99.7%	500 Gms	1250	[10326-27-9]	ACS,Exiplus, Multi-Compendial,99%	5 Kg	3900
	(Vitamin C)		1250		meets compendial specs of USP, BP,		
12535	L-Ascorbic Acid Calcium Salt	100 Gms	900		Ph.Eur		
[5743-28-2]	Dihydrate extrapure, 99% (Calcium-L-Ascorbate Dihydrate)	500 Gms	3500	49669	Barium Chromate extrapure, 98%	500 Gms	750
65265	L-Ascorbic Acid Sodium Salt	100 Gms	380	[10294-40-3]	Povium Eluovido nuvo 070/	500 O	
[134-03-2]	extrapure, 99%	500 Gms	1850	86732 [7787-32-8]	Barium Fluoride pure, 97%	500 Gms	900
	(Sodium-L-Ascorbate, Vitamin C Sodium Salt)			85499	Barium Hydroxide Octahydrate	500 Gms	300
64848	DL-Aspartic Acid extrapure CHR,	100 Gms	560	[12230-71-6]		5 Kg	2800
	99%	500 Gms	2600	43469	Barium Hydroxide Octahydrate	500 Gms	430
[617-45-8]		JUU MIIIU					



Code	Name	Packing	Price	Code	Name	Packing	Pric
84482 [12230-71-6]	Barium Hydroxide Octahydrate extrapure AR, ACS, ExiPlus,	500 Gms	580	31332 [1076-43-3]	Benzene-d6 for NMR spectroscopy, 99.5 Atom %D	10 ml	9500
	Multi-Compendial, 98%			27094	Benzethonium Chloride extrapure,	25 Gms	800
	meets compendial specs of USP, BP, Ph.Eur			[121-54-0]	98% (Hyamine 1622,	100 Gms	2400
10290	Barium Nitrate extrapure, 98%	500 Gms	600		(Diisobutylphenoxyethoxyethyl)dimethyl benzylammonium Chloride, Phemerol	250 Gms	5000
10022-31-8]		5 Kg	5600		Chloride)		
88030 [10022-31-8]	Barium Nitrate ACS, 99%	500 Gms	850	36805 [65-85-0]	Benzoic Acid pure, 99%	500 Gms 5 Kg	440 3500
30355	Barium Sulphate extrapure, 97%	500 Gms	270	64239	Benzoic Acid ACS, 99.5%	500 Gms	720
[7727-43-7]		5 Kg	2400	[65-85-0]	Delizoid Acid Acid, 33.3%	5 Kg	6800
90115	Barium Sulphate extrapure AR, 98%	500 Gms	410	40405	Pannaia Acid ACC EviDhia		
[7727-43-7]		5 Kg	3900	10105 [65-85-0]	Benzoic Acid ACS, ExiPlus, Multi-Compendial, 99.5%	500 Gms	1400
10251	Barium Sulphate extrapure AR,	500 Gms	480	. ,	•	5 Kg	12000
[7727-43-7]	ExiPlus, Multi-Compendial, 98%	5 Kg	4500	50000	meets compendial specs of BP	100 0	1000
	meets compendial specs of Ph.Eur			56626 [93-97-0]	Benzoic Anhydride pure, 98%	100 Gms 500 Gms	1800
24031	Bees Wax pure	500 Gms	800				7500
[8012-89-3]				56518 [119-53-9]	Benzoin extrapure, 99%	100 Gms	500
32949	Benedict`s Reagent Quantitative	500 ml	380	[110 00 0]		250 Gms	770
		2500 ml	1750	51448	Benzophenone extrapure, 99% (Diphenylketone)	500 Gms	600
35003	Benedict`s Reagent Qualitative	500 ml	280	[119-61-9]	(ырпенукетопе)	5 Kg	5800
		2500 ml	750	42810	Benzophenone ExiPlus,	500 Gms	700
2118	Bentonite pure	500 Gms	220	[119-61-9]	Multi-Compendial, 99% (Diphenylketone)		
[1302-78-9]	(Aluminium Silicate Hydrate)	5 Kg	2080		meets compendial specs of USP, BP,		
37278	Benzaldehyde pure, 99%	500 ml	500		Ph.Eur		
[100-52-7]		2500 ml	2200	98101	Benzotriazole pure, 97%	100 Gms	450
		25 Ltr	18000	[95-14-7]		250 Gms	900
34087	Benzaldehyde extrapure AR, 99%	500 ml	620			1 Kg	3000
[100-52-7]		2500 ml	2500	92300	Benzyl Alcohol extrapure, 99%	500 ml	500
32149	Benzaldehyde extrapure AR,	500 ml	750	[100-51-6]		1000 ml	900
[100-52-7]	ExiPlus, Multi-Compendial, 99%	2500 ml	2800			2500 ml	2000
	meets compendial specs of BP, Ph.Eur					25 Ltr	19000
43648	Benzalkonium Chloride (BKC), 50%	500 ml	420	97005	Benzyl Alcohol extrapure AR, 99%	500 ml	620
68391-01-5]	soln in water	5 Ltr	3200	[100-51-6]		1000 ml	1050
37688	Benzamide pure, 98%	100 Gms	300			2500 ml	2200
[55-21-0]	• •	500 Gms	1200	84758 (i	Benzyl Alcohol extrapure AR, ACS,	500 ml	1040
99515	Benzene extrapure (Sulphur free),	500 ml		[100-51-6]	ExiPlus, Multi-Compendial, 99.7%,	2500 ml	4000
[71-43-2]	99%	2500 ml	210 850		aldehyde 100ppm meets compendial specs of USP, Ph.Eur		
		25 Ltr	8200	84199	Benzyl Benzoate pure, 99%	500 ml	700
10440	Penrene ACS 00 F9/			[120-51-4]		2500 ml	3200
1 6410 [71-43-2]	Benzene ACS, 99.5%	500 ml 2500 ml	250	00400	Benzyl Chloride extrapure, 99%		
			1020	28482 [100-44-7]	Benzyi Cinoride extrapure, 99%	500 ml 2500 ml	470
58857 [71-43-2]	Benzene ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	280		Diamouth (III) Contracts Day'		1890
[71 40 2]	meets compendial specs of USP, BP,	2500 ml	1180	41322 [5892-10-4]	Bismuth (III) Carbonate Basic pure, 80% (Bismuth Subcarbonate)	100 Gms	1130
25500	Ph.Eur	E00!		51451	Bismuth (III) Chloride pure, 99%	100 Gms	1870
95582 [71-43-2]	Benzene GC-HS, 99.9%	500 ml	500	[7787-60-2]	(Bismuth Trichloride)	500 Gms	4200
		1000 ml	950	82797	Bismuth (III) Gallate Basic ExiPlus,	100 Gms	1400
3 6823 [71-43-2]	Benzene for HPLC & UV Spectroscopy, 99.8%	500 ml 1000 ml	380 700	[99-26-3]	Multi-Compendial, 52-57% (Bismuth Subgallate, Gallic Acid	500 Gms	6000
69981	Benzene Dried, 99.7%, water	1000 ml	770		Bismuth Basic Salt) meets compendial specs of USP		



Code	Name	Packing	Price	Code	Name	Packing	Price
80053 [7440-69-9]	Bismuth Metal Lumps, 99.5%	100 Gms 500 Gms	650 2500	82076	' Bouins Picro Formal Fixing Solution (Bouins Fluid & Reagent)	100 ml 500 ml	240 620
24008	Bismuth Metal Ingots ultrapure,	10 Gms	1800	98188	Brilliant Blue FCF (Erioglaucine	25 Gms	500
[7440-69-9]	99.99%	50 Gms	6000	[3844-45-9]	Disodium Salt)	100 Gms	1800
72217	Bismuth Metal Powder extrapure,	100 Gms	1600		(C.I. No. 42090, Acid Blue 9, Alphazurine FG)	500 Gms	6000
[7440-69-9]	99%, -325 mesh	500 Gms	6000	49617	Brilliant Green	25 Gms	240
29444	Bismuth AAS Standard Solution in	100 ml	1600	[633-03-4]	(CI No. 42040)	100 Gms	700
	0.5N HNO3 (Traceable to NIST)	250 ml	2600			1 Kg	5990
72918	Bismuth (III) Nitrate Pentahydrate	100 Gms	530	93883	Brij-30® (Polyethylene Glycol	500 ml	1250
[10035-06-0]	extrapure, 98%	500 Gms	2300	[9002-92-0]	Dodecyl Ether, Brij-L4)	1000 ml	2300
	(Bismuth Trinitrate Pentahydrate)	400.0		89429	Brij-35® (Main Component)	250 Gms	750
19737 [10035-06-0]	Bismuth (III) Nitrate Pentahydrate extrapure AR, 98.5%	100 Gms	650	[9002-92-0]	(Polyoxyethylene Lauryl Ether,	500 Gms	1300
[10000 00 0]	(Bismuth Trinitrate Pentahydrate)	500 Gms	2900		Brij-L23)	400	
84869	Bismuth (III) Nitrate Pentahydrate	100 Gms	720	97698 [9002-92-0]	Brij-35® (30% Aq. solution) (Polyoxyethylene Lauryl Ether,	100 ml	610
[10035-06-0]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 98.5%	500 Gms	3200		Brij-L23)	500 ml	970
	(Bismuth Trinitrate Pentahydrate)			43808 [9004-95-9]	Brij-58® (Polyethylene Glycol Cetyl Ether, Cetomacrogol 1000,	500 Gms	1200
89049	meets compendial specs of BP, Ph.Eur Bismuth (III) Oxide extrapure, 99%	100 Gms	700		C16H20)		
[1304-76-3]	(Dibismuth Trioxide)	500 Gms	700 2500	64062	Bromocresol Green (BCG)	5 Gms	760
00045	Bismuth (III) Nitrate Basic			[76-60-8]	extrapure AR	25 Gms	3000
32915 [1304-85-4]	extrapure AR, 79% BiNO3	100 Gms 500 Gms	1050			100 Gms	10000
	(Bismuth (III) Subnitrate, Bismuth (III)	300 GIII3	4200			500 Gms	45000
	Oxynitrate)			52512	Bromocresol Green (BCG) ACS, ExiPlus, Multi-Compendial	5 Gms	820
18473 [7787-68-0]	Bismuth (III) Sulphate pure, 90% (Bismuth Trisulphate)	100 Gms 500 Gms	750	[76-60-8]	Extrus, Mutti-Compendial	25 Gms	3300
	Planet automorphis AD 070/		3200			100 Gms	11000
17798 [108-19-0]	Biuret extrapure AR, 97% (Allophanic Acid Amide,	25 Gms 100 Gms	1150		manata anggan andial angga of DD. Db Fur	500 Gms	48000
	Carbamoylurea)	100 GITIS	4100	11456	meets compendial specs of BP, Ph.Eur Bromocresol Green Sodium Salt	5 Gms	700
18952	Boric Acid extrapure, 99.5%	500 Gms	350	[62625-32-5]		25 Gms	2940
[10043-35-3]		5 Kg	3300		(3',3",5',5-Tetrabromo-m-Cresolsulfonp	20 00	2040
80266	Boric Acid extrapure AR, 99.5%	500 Gms	500	17075	hthalein Sodium Salt) Bromocresol Purple	5 Gms	300
[10043-35-3]		5 Kg	4420	17375 [115-40-2]	Biomodiesor Pulpie	25 Gms	1020
61871	Boric Acid extrapure AR, ACS,	500 Gms	550	24836	Bromocresol Purple Sodium Salt	5 Gms	300
[10043-35-3]	•	5 Kg	5000		for molecular biology	25 Gms	750
	meets compendial specs of USP, BP				(5,5-Dibromo-o-Cresolsulfonphthalein	20 01110	750
22311 [10043-35-3]	Boric Acid for molecular biology, 99.5%	250 Gms	590		Sodium Salt) Bromocresol Purple ACS, ExiPlus,	5 Gms	200
[10040-05-0]	55.576	500 Gms	980	55551 [115-40-2]	Multi-Compendial	25 Gms	390 1150
		1 Kg	1820		meets compendial specs of BP, Ph.Eur	25 Gills	1130
64765	Boron AAS Standard Solution in H2O (Traceable to NIST)	100 ml	1600	77644	Bromoform extrapure, 98%	250 ml	7000
n	,	250 ml	2600	[75-25-2]	(Tribromomethane)		
52519 [109-63-7]	Boron Trifluoride Diethyl Etherate pure, 45-50% BF3	250 ml	1100	44669	Bromoform Specially Purified	250 ml	7500
[100 00 7]	(Boron Trifluoride Ethyl Etherate)	500 ml	1800	[75-25-2]	extrapure, 99% (Tribromomethane)		
	Paras Talanda A. I	2500 ml	8500	11458	Bromophenol Blue extrapure AR	5 Gms	220
25529 [1303-86-2]	Boron Trioxide Anhydrous (Boric Anhydride) extrapure AR, 98.5%	100 Gms	1800	[115-39-9]		25 Gms	810
50	(di-Boron Trioxide, Boric Oxide)	250 Gms 1 Kg	3500			100 Gms	2400
04407	Pavan Triavida Ambudusus Committee		12000			500 Gms	11000
24167 [1303-86-2]	Boron Trioxide Anhydrous Granular (Boric Anhydride) extrapure, 97%,	100 Gms 250 Gms	1550	93676	Bromophenol Blue ACS, ExiPlus,	5 Gms	280
. ,	-60 mesh	500 Gms	2800 5200	[115-39-9]	Multi-Compendial	25 Gms	980
	(di-Boron Trioxide, Boric Oxide)	550 dilis	J200			100 Gms	2600
					meets compendial specs of BP, Ph.Eur		



Code	Name	Packing	Price	Code	Name	Packing	Pric
42888	Bromopyrogallol Red extrapure AR	1 Gms	820	83903	n-Butyl Alcohol (1-butanol,	250 ml	400
[16574-43-9]	(Dibromopyrogallolsulfonphthaleine)	5 Gms	3200	[71-36-3]	n-butanol) GC-HS, 99.9%	1000 ml	1100
		10 Gms	6130	43706	n-Butyl Alcohol (1-butanol,	500 ml	500
48214	Bromothymol Blue	5 Gms	350	[71-36-3]	n-butanol) for HPLC & UV	1000 ml	950
[76-59-5]		25 Gms	1150	05705	Spectroscopy, 99.9%	E00 ml	450
		100 Gms	4100	95725 [78-92-2]	sec-Butyl Alcohol extrapure, 99% (2-Butanol, sec-Butanol)	500 ml 2500 ml	450
		500 Gms	19000			2500 IIII 25 Ltr	1750 16350
72752	Bromothymol Blue ACS, ExiPlus,	5 Gms	400		and British Alexander and Alexander A.D.		
[76-59-5]	Multi-Compendial	25 Gms	1250	58308 [78-92-2]	sec-Butyl Alcohol extrapure AR, 99.5%	500 ml	500
		100 Gms	4400	[·j	(2-Butanol, sec-Butanol)	2500 ml	1970
	meets compendial specs of BP, Ph.Eur			99336	Sec-Butyl Alcohol extrapure AR,	500 ml	550
14798	Bromothymol Blue Solution	100 ml	140	[78-92-2]	ExiPlus, Multi-Compendial, 99.5%	2500 ml	2180
[76-59-5]		500 ml	420		(2-Butanol, sec-Butanol) meets compendial specs of BP, Ph.Eur		
15899	Buffer solution pH 4	500 ml	350	21835	tert-Butyl Alcohol extrapure, 99%	500 ml	260
				[75-65-0]	(2-Methyl-2-Propanol Trimethyl	2500 ml	1100
97409	Buffer solution pH 7	500 ml	350		Carbinol)	25 Ltr	10000
70004	Buffer colution nH 0.2	500 ml	050	70816	tert-Butyl Alcohol extrapure AR,	500 ml	300
52031	Buffer solution pH 9.2	500 ml	350	[75-65-0]	99.5%	2500 ml	1200
74887	Butane Sulphonic Acid Sodium Salt	25 Gms	1200		(2-Methyl-2-Propanol Trimethyl	2000	1200
[2386-54-1]	Anhydrous for HPLC, 99%	100 Gms	4360	44000	Carbinol)		
		250 Gms	10690	41609 [75-65-0]	Tert-Butyl Alcohol extrapure AR, ACS, ExiPlus, Multi-Compendial,	500 ml	340
9919	Butane Sulphonic Acid Sodium Salt	25 Gms	1200	[]	99.5%	2500 ml	1400
[2386-54-1]	Monohydrate for HPLC, 99%	100 Gms	4360		(2-Methyl-2-Propanol Trimethyl		
		250 Gms	10690		Carbinol) meets compendial specs of USP		
28118	Butyl Acetate pure, 99%	500 ml	350	90248	tert-Butyl Alcohol for HPLC, 99.7%	250 ml	550
[123-86-4]		2500 ml	1400	[75-65-0]	•	1000 ml	1100
		25 Ltr	13000	76035	n-Butylamine pure, 99%	500 ml	450
30870	Butyl Acetate extrapure AR, 99.5%	500 ml	450	[109-73-9]	ii Batylainine pare, 00%	2500 ml	2000
[123-86-4]	Butyl Accidic extrapare Art, 55.5%	2500 ml	1700	F4007	n Butulamina autronura AB 00%		
20000	District Assets assessment AD ACC			54997 [109-73-9]	n-Butylamine extrapure AR, 99%	500 ml	580
30389 [123-86-4]	Butyl Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml 2500 ml	520			2500 ml	2500
. ,	maste compandial energy of LICE DD	2500 1111	1950	12302 [75-64-9]	tert-Butylamine pure, 99%	500 ml	600
	meets compendial specs of USP, BP, Ph.Eur			[, 0 0 , 0]		2500 ml	2700
78487	Butyl Acetate GC-HS, 99.9%	250 ml	700	55005 [75-64-9]	tert-Butylamine extrapure AR, 99.5%	500 ml	700
[123-86-4]	 , , , 	500 ml	1250	[75-64-9]	33.3%	2500 ml	3200
		1000 ml	2200	60004		100 Gms	850
17364	n-Butyl Acrylate pure, 99%	500 ml	550	[25013-16-5]	ExiPlus, Multi-Compendial, 98% (2-tert-Butyl-4-Methoxyphenol)	500 Gms	2620
[141-32-2]	n-Butyl Actylate pare, 55%	2500 ml	2500		meets compendial specs of USP, BP		
20507	Acut Dutud Acetete (TDAc) cutvernus			32227	n-Butyl Chloride (1-Chlorobutane)	500 ml	800
90527 [540-88-5]	tert-Butyl Acetate (TBAc) extrapure, 99%	500 ml	1200	[109-69-3]	extrapure, 99%	2500 ml	3900
		2500 ml	4950	95594	n-Butyl Chloride (1-Chlorobutane)	500 ml	2800
[71-36-3]	n-Butyl Alcohol (1-butanol, n-butanol) pure, 99%	500 ml	220	[109-69-3]	for HPLC & UV Spectroscopy,	2500 ml	5200
[/ 1-00-0]	in batanon, pare, cox	2500 ml	1100		99.5%		
		25 Ltr	10000	38033 [128-37-0]	Butylated Hydroxytoluene (BHT) pure, 99%	500 Gms	930
72768 [71-36-3]	n-Butyl Alcohol (1-butanol, n-butanol) extrapure AR, 99.5%	500 ml	280	[120-01-0]	(2,6-di-tert-Butyl-p-Cresol)	5 Kg	8940
[71-36-3]	ii-batanoij extrapule An, 53.5%	2500 ml	1300	82010	Butylated Hydroxytoluene (BHT)	500 Gms	1010
15612	n-Butyl Alcohol (1-butanol,	500 ml	330	[128-37-0]	ExiPlus, Multi-Compendial, 99%	5 Kg	9810
[71-36-3]	n-butanol) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	2500 ml	1550		(2,6-di-tert-Butyl-p-Cresol) meets compendial specs of BP		
	meets compendial specs of BP, Ph.Eur			32701	tert-Butyl Hydroquinone (TBHQ)	250 Gms	1370
				[1948-33-0]	extrapure AR, 98%	200 01110	13/0



1965 Pathyl Methyl Ether pure, 98% 950 ml 340 980	Code	Name	Packing	Price	Code	Name	Packing	Price
1946 1946		tert-Butyl Methyl Ether pure, 98%	500 ml	340	98002		100 Gms	500
1968 Mart 1969 Mart	[1634-04-4]		2500 ml	1400	[1306-23-6]	extrapure, 99%	500 Gms	1600
1906 1906			25 Ltr	12000			5 Gms	4000
Second S			500 ml	400	[1306-23-6]	ultrapure, 99.995%	25 Gms	9000
MACS, EMPlus	[1634-04-4]	AR, 99.5%	2500 ml	1700	19267	Caffeine anhydrous pure, 98%	100 Gms	780
Multi-Compendial, 99.5% 2000 20			500 ml	480	[58-08-2]		250 Gms	1500
1967 1	[1634-04-4]		2500 ml	2050			500 Gms	2500
1986 1985 1985 1986		-					5 Kg	23000
Season S	91087	tert-Butyl Methyl Ether for HPLC,	1000 ml	1050		•	100 Gms	900
Segond Proposition Properties extraptors, 99% 2500 ml 7200 2500 ml 7200 ml 72	[1634-04-4]	99.5%	2500 ml	2400	[58-08-2]	Multi-Compendial, 98.5%	250 Gms	1600
1503 n.Bulyric Acid extrapure, C4-99% 250 ml 250	63952	Butyl Propionate extrapure, 99%	500 ml	1500			2.5 Kg	12500
	[590-01-2]	(Propionic Acid Butyl Ester)	2500 ml	7200				
1	81503	n-Butyric Acid extrapure, C4-99%	500 ml	530				
Page		(GC)	2500 ml			Calamine pure, 98%		
100 cm 90 100 cm 90 100 cm	55964	n-Butyric Acid extrapure AR	250 ml		[0011 00 0]		1 Kg	1230
Second S		-				•	500 Gms	910
	00740	Codmium Acetata Dibuduata nura			[8011-96-9]			
Second Cadmium Acetate Dihydrate Cadmium Acetate Dihydrate Cadmium Aka Standard Solution in					70214	•	500 Gms	1200
Section Sect								
Second S		_ ·			21606		500 Gms	1300
San HNO3 (Traceable to NIST) 250 ml	[5/40-04-4]	·	500 Gms	1980	[5743-26-0]	-		
Second S	98469			1600				
		U.SN FINOS (Traceable to NIST)	250 ml	2600	58056	·	500 Gms	420
15411 Cadmium Chloride Dried 100 Gms 1500 100 Gms 1500		Cadmium Carbonate pure, 97%	100 Gms	600			5 Kg	
	[513-78-0]		500 Gms	2400	60934	Calcium Acetate Hydrate ultrapure.	5 Gms	5000
Second S			100 Gms	1500			0 00	3000
100 Gms 200	[10108-64-2]	Anhydrous pure, 97%	500 Gms	6500	96493	Calcium Alginate ex. Brown Algae	100 Gms	350
AB076 Cadmium Chloride Monohydrate 100 Gms 510 36920 Calcium AAS Standard Solution in 100 ml 1600	99643		100 Gms	2000	[9005-35-0]	•	500 Gms	1300
Separate	[10108-64-2]	Anhydrous ACS, 99%	500 Gms	8000		(Alginic Acid Galciam Gail)	5 Kg	11000
R7365 Cadmium lodide pure, 99% 25 Gms 1200 67162 [471-34-1] Calcium Carbonate extrapure, 98% 500 Gms 200 25 kg 7000 2	48076	Cadmium Chloride Monohydrate	100 Gms	510	36920	Calcium AAS Standard Solution in	100 ml	1600
100 Gms 4350 4350 4371-34-1 5 Kg 1460 500 Gms 21000 25 Kg 7000 25 Kg 700	[35658-65-2]	extrapure, 99%	500 Gms	2280		0.5N HNO3 (Traceable to NIST)	250 ml	2600
AB392 Cadmium Metal Rods, 99% 100 Gms 550 Gms 1200 25 Kg 7000	87355	Cadmium Iodide pure, 99%	25 Gms	1200	67162	Calcium Carbonate extrapure, 98%	500 Gms	200
AB392 Cadmium Metal Rods, 99% 100 Gms 550 87293 Calcium Carbonate extrapure AR, 500 Gms 250 1690	[7790-80-9]		100 Gms	4350	[471-34-1]		5 Kg	1460
T7440-43-9 F7440-43-9 F790-84-3 Cadmium Sulphate 8/3Hydrate T790-84-3 T790-84-3 Cadmium Sulphate 8/3Hydrate T790-84-3 T790-8			500 Gms	21000			25 Kg	7000
Sample S	48392	Cadmium Metal Rods, 99%	100 Gms	550			500 Gms	250
Total Tota	-				[471-34-1]	99.5%	5 Kg	1690
TOU							25 Kg	7020
10022-68-1 extrapure AR, ACS, 99% 99.5% meets compendial specs of USP, BP				4000	37683		500 Gms	500
[1306-19-0]			500 Gms	1300	[471-34-1]	99.5%	5 Kg	3930
Solid Carl		Cadmium Oxide pure, 99%	100 Gms	430		· · · · · · · · · · · · · · · · · · ·		
39818 Cadmium Oxide extrapure AR, 100 Gms 600 250 Gms 1100 1100 Gms 600 1100 Gms 6100 Gms	[1306-19-0]		250 Gms	900				
[1306-19-0] 99.7% 250 Gms 1100 [10035-04-8] extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP			500 Gms	1400	[10000-04-8]	CATAPATO ATT, 00.070	5 Kg	2800
15806 Cadmium Sulphate 8/3Hydrate 100 Gms 520 500 Gms 2100 97080 Calcium Chloride Dihydrate for 100 Gms 310 1420 100 Gms ACS, 98% 500 Gms 2500 56949 Calcium Chloride Dihydrate for 500 Gms 460 100 Gms 460 Gms 46		•	100 Gms	600				560
15806 Cadmium Sulphate 8/3Hydrate 100 Gms 520 meets compendial specs of USP, BP [7790-84-3] pure, 98% 500 Gms 2100 97080 Calcium Chloride Dihydrate for molecular biology, 99.5% 100 Gms 310 43019 Cadmium Sulphate 8/3Hydrate for pure, 98 100 Gms 660 [10035-04-8] molecular biology, 99.5% 500 Gms 1420 [7790-84-3] ACS, 98% 500 Gms 2500 56949 Calcium Chloride Dihydrate for pure, 98.5% 500 Gms 460	[1306-19-0]	99.7%	250 Gms	1100	[10035-04-8]	-	5 Kg	4400
43019 Cadmium Sulphate 8/3Hydrate 100 Gms 660 [10035-04-8] molecular biology, 99.5% 500 Gms 1420 [7790-84-3] ACS, 98% 500 Gms 2500 56949 Calcium Chloride Dihydrate for 500 Gms 460	15806	Cadmium Sulphate 8/3Hydrate	100 Gms	520				
[7790-84-3] ACS, 98% 500 Gms 2500 56949 Calcium Chloride Dihydrate for 500 Gms 460	[7790-84-3]	pure, 98%	500 Gms	2100	97080	Calcium Chloride Dihydrate for	100 Gms	310
[7790-84-3] ACS, 98% 500 Gms 2500 56949 Calcium Chloride Dihydrate for 500 Gms 460	43019	Cadmium Sulphate 8/3Hydrate	100 Gms	660	[10035-04-8]	molecular biology, 99.5%	500 Gms	1420
MODE OF STATES AND STATES OF STATES AND STATES OF STATES	[7790-84-3]	ACS, 98%	500 Gms		56949	Calcium Chloride Dihydrate for	500 Gms	460
5 1200					[10035-04-8]	tissue culture, 99.5%	5 Kg	



Code	Name	Packing	Price	Code	Name	Packing	Pric
84336 [10043-52-4]	Calcium Chloride Fused pure, 90-95%	500 Gms	210	23764 [334-48-5]	Capric Acid (n-Decanoic Acid) pure, C10-99%	250 ml	700
[10043-32-4]	30-33 //	5 Kg	1500	[554-40-5]	(n-Capric Acid, n-Decoic Acid)	500 ml	1300
77838	Calcium Citrate Tribasic	500 Gms	400			2500 ml	6000
[5785-44-4]	Tetrahydrate pure, 98% Calcium Citrate Tribasic	500 Gms	F00	51840		250 ml	1820
9 7388 [5785-44-4]	Tetrahydrate ExiPlus,	500 GIIIS	500	[110-42-9]	Decanoate) extrapure, 99% (Methyl Caprate)	1000 ml	5830
. ,	Multi-Compendial, 98%			89028	Caproic Acid extrapure, C6-99%	100 ml	300
	meets compendial specs of USP			[142-62-1]	(n-Hexanoic Acid)	500 ml	950
57055	Calcium Fluoride extrapure, 97%	100 Gms	310			2500 ml	4000
[7789-75-5]	(Fluorite, Fluorospar)	500 Gms	1140	88889	Caprylic Acid pure, C8-99% (GC)	500 ml	650
52434	Calcium Formate pure, 98%	500 Gms	570	[124-07-2]	captylic Acid parcy co cox (ac)	2500 ml	3000
[544-17-2]	(Formic Acid Calcium Salt)			45040	Carbinal pure 90%		
35610	Calcium Hydroxide extrapure AR, 96%	500 Gms	530	15343 [67-56-1]	Carbinol pure, 99%	500 ml	250
[1305-62-0]	90%	5 Kg	4150	[0. 00 .]		2500 ml	670
74471	Calcium Hydroxide extrapure AR,	500 Gms	750			25 Ltr	5750
[1305-62-0]	ACS, ExiPlus, Multi-Compendial, 96%	5 Kg	5560	82911	Carbinol extrapure AR, 99.8%	500 ml	270
	meets compendial specs of USP, BP,			[67-56-1]		1000 ml	520
	Ph.Eur					2500 ml	730
31549	Calcium Iodate Anhydrous	100 Gms	2300	85902	Carbinol GC-HS, 99.9%	500 ml	730
[7789-80-2]	(Lautarite) pure, 98%	250 Gms	4800	[67-56-1]		1000 ml	1400
96342	Calcium Metal Granular extrapure,	100 Gms	400	63713	Carbinol for HPLC & UV	500 ml	370
[7440-70-2]	98%, 10-20 mesh	500 Gms	1900	[67-56-1]	Spectroscopy, 99.8%	1000 ml	500
24040	Coloium ladida Tatrahudrata nura					2500 ml	970
9 4212 [10102-68-8]	Calcium Iodide Tetrahydrate pure, 98%	10 Gms 25 Gms	3000 4000	68990 [67-56-1]	Carbinol electronic grade, 99.8%	2500 ml	1190
56571	Calcium Iodide Hydrate pure, 98%	25 Gms	3200	12903	Carbinol Dried extrapure AR, 99.8%	500 ml	360
[71626-98-7]		100 Gms	8300	[67-56-1]	Carbinor Brica Caraparo Ari, 00.070	1000 ml	500
79225	Calcium Nitrate Tetrahydrate	500 Gms	310	34883	Carbinol for molecular biology,	500 ml	910
13477-34-4]	extrapure AR, ACS, 99% Calcium Oxide Powder pure, 95%	500 Gms	040	[67-56-1]	99.5%	1000 ml	164
16807 [1305-78-8]	Calcium Oxide Powder pure, 95%		240			2500 ml	3510
		5 Kg	1690	39058	Carbol Fuchsin	25 Gms	380
51007 [10031-30-8]	Calcium Phosphate Monobasic Monohydrate extrapure, 95%	500 Gms	500	[4197-24-4]		100 Gms	1020
[10031-30-0]	(Calcium Tetrahydrogen	5 Kg	4500	93049	Carbopol 934 (Carboxy Vinyl	500 Gms	1250
	Diorthophosphate Monohydrate)			[9003-01-4]	Polymer 934) extrapure	1 Kg	240
93239	Calcium Phosphate Dibasic	500 Gms	350			5 Kg	1100
[7757-93-9]	Anhydrous extrapure, 98% (Calcium Hydrogen Phosphate	5 Kg	2500		Carbanal 040 (Carbana Vinul		
	Anhydrous, di-Calcium Phosphate			51159 [9003-01-4]	Carbopol 940 (Carboxy Vinyl Polymer 940) extrapure	500 Gms	125
	Anhydrous)			[5000 01 1]	,	1 Kg	240
77793	Calcium Phosphate Dibasic	500 Gms	425			5 Kg	1100
[7789-77-7]	Dihydrate extrapure, 98% (Calcium Hydrogen Phosphate	5 Kg	4000	93797 [9004-32-4]	Carboxymethyl Cellulose Sodium Salt (CMC Sodium), Medium	500 Gms	75
	Dihydrate, di-Calcium Phosphate Dihydrate)			[9004-32-4]	Viscosity 250-350CPS (Carmellose Sodium)	5 Kg	650
34878	Calcium Phosphate Tribasic, 90%	500 Gms	530	59938	Carboxymethyl Cellulose Sodium	500 Gms	800
[7758-87-4]	(Tricalcium Phosphate)	5 Kg	4950	[9004-32-4]	Salt (CMC Sodium), High Viscosity 400-800 CPS	5 Kg	7500
59781 [4075-81-4]	Calcium Propionate pure, 97%	500 Gms	490		(Carmellose Sodium)		
94044	Calcium Sulphate Dihydrate pure,	500 Gms	310	35298 [9004-32-4]	Carboxymethyl Cellulose Sodium Salt (CMC Sodium), High Viscosity	500 Gms	980
10101-41-4]		5 Kg	2800	[3004-32-4]	1100-1900 CPS	5 Kg	9200
69095	Calcium Sulphate Dihydrate	500 Gms	440		(Carmellose Sodium)		
	extrapure AR, ACS, 99%	5 Kg	4100	97048	Carmine (C.I. No. 75470)	5 Gms	750
6/813	Camphor pure, 96%	100 Gms		[1390-65-4]	(0.1.140.70470)	25 Gms	3530
64813	Campiloi puie, 30/6	100 GIIIS	560				



Code	Name	Packing	Price	Code	Name	Packing	Price
32385	Carrageenan (Kappa) Refined ex.	25 Gms	1300	64905	Chloramine-T Trihydrate extrapure	100 Gms	450
[11114-20-8]	Eucheuma Cottonii (k-Carrageenan, Irish Moss)	100 Gms	2600	[7080-50-4]	AR, 98% (N-Chloro-p-Toluenesulphonamide	250 Gms	900
	(k-Carrageerian, instrivioss)	500 Gms	8100		Sodium Salt)	500 Gms	1750
16145	Castor Oil pure	500 ml	680			2.5 Kg	8000
[8001-79-4]		2500 ml	3200	29611	o-Chloroaniline extrapure, 99%	500 ml	710
26080	Catechol (Pyrocatechol) extrapure,	100 Gms	450	[95-51-2]	(2-Chloroaniline)	2500 ml	3400
[120-80-9]	99%	500 Gms	1080	89370	Chlorobenzene (MCB) extrapure,	500 ml	440
31018	Cedarwood Oil Natural for	30 ml	730	[108-90-7]	99%	2500 ml	1850
[8000-27-9]	microscopy	125 ml	1980		(Monochlorobenzene)	25 Ltr	16500
	(Immersion Oil)	500 ml	3950	46364	Chlorobenzene (MCB) extrapure	500 ml	600
60705	Colostino Pluo P. 00% 100%	5 Gms		[108-90-7]	AR, 99.5%	2500 ml	2100
60705 [1562-90-9]	Celestine Blue B, 98%-102% (Mordant Blue 14, C.I. 51050)		4300		(Monochlorobenzene)		
		25 Gms	20500	10124	Chlorobenzene (MCB) extrapure	500 ml	660
82523	Celite 545, size 20-40 micrometer	500 Gms	500	[108-90-7]	AR, ACS, ExiPlus, Multi-Compendial, 99.5%	2500 ml	2500
[91053-39-3]		1 Kg	940		(Monochlorobenzene)		
	Ceramide ex. Chicken Egg 99%	5 Mg	5600		meets compendial specs of USP, BP		
[477243-06-4]	(C16 Ceramide, N-(Hexadecanoyl) -Sphing-4-Enine),	25 Mg	28000	35680	Chlorobenzene-d5 for NMR	1 ml	4300
	n-Hexadecanoyl-d-Erythro-Sphingosin			[3114-55-4]	spectroscopy, 99 Atom %D	5 ml	18000
	е			33023	p-Chloro-m-Cresol (PCMC) pure,	250 Gms	1090
23505	Ceric Oxide extrapure AR, 99.9%	100 Gms	1125	[59-50-7]	98%	500 Gms	1820
[1306-38-3]	(Cerium (IV) Oxide)	500 Gms	4000	80908	4-Chloro-3,5-Dimethylphenol	100 Gms	880
92425	Ceric Sulphate Tetrahydrate	25 Gms	550	[88-04-0]	(PCMX) extrapure, 99%	500 Gms	3060
[10294-42-5]	•	100 Gms	1300		(4-Chloro-3,5-Xylenol, Chloroxylenol,	300 Gill3	3000
	(Ceric (IV) Sulfate Tetrahydrate, Cerium Disulfate Tetrahydrate)	500 Gms	5200		p-Chloro-m-Xylenol)		
10731	Ceric Sulphate Tetrahydrate	25 Gms	7800	96712 [67-66-3]	Chloroform extrapure, 99%	500 ml	300
[10294-42-5]	specially purified, 98%	100 Gms	24000	[07-00-3]		2500 ml	980
	(Ceric (IV) Sulfate Tetrahydrate, Cerium	100 ams	24000			25 Ltr	7500
	Disulfate Tetrahydrate)			84155	Chloroform extrapure AR, 99.5%	500 ml	340
61414 [13590-82-4]	Ceric Sulphate 0.1N Solution	500 ml	620	[67-66-3]		2500 ml	1100
66676	Cerous Chloride Heptahydrate	25 Gms	690	32022	Chloroform extrapure AR, ACS,	500 ml	400
[18618-55-8]	extrapure AR, 99%	100 Gms	1700	[67-66-3]	ExiPlus, Multi-Compendial, 99.8%	2500 ml	1200
	(Cerium (III) Chloride Heptahydrate)	500 Gms	6000		meets compendial specs of USP, BP,		
57320	Cerous Nitrate Hexahydrate	100 Gms	1400	00704	Ph.Eur	100	450
[10294-41-4]		500 Gms	5500	96764 [67-66-3]	Chloroform for molecular biology, 99.8%	100 ml	450
	(Cerium (III) Nitrate Hexahydrate, Cerium Trinitrate Hexahydrate)					500 ml	1800
81586	Cetrimide extrapure AR	100 Gms	680	30792 [67-66-3]	Chloroform for HPLC & UV Spectroscopy, 99.8%	500 ml	450
[1119-97-7]	(Tetradecyltrimethyl ammonium	500 Gms	2100	[07-00-3]	ореспоясору, 99.0%	1000 ml	650
	bromide), 99%	5 Kg	18000			2500 ml	1400
	(Tetradecyltrimethyl Ammonium Bromide)	5119	10000	14423	Chloroform GC-HS, 99.9%	250 ml	550
22001	Cetostearyl Alcohol pure	500 Gms	900	[67-66-3]		500 ml	900
33001 [8005-44-5]	Colocial yr Alconol pule	500 Gills 5 Kg	820 8000			1000 ml	1500
	Catal Alashal ware 0007			51126	Chloroform Dried, 99.5%, water	500 ml	500
40629 [36653-82-4]	Cetyl Alcohol pure, 98% (1-Hexadecanol)	500 Gms	500	[67-66-3]	0.005%	1000 ml	970
	. ,	5 Kg	4500			2500 ml	2180
83438	Charcoal Activated (280) extrapure	100 Gms	240	90603	Chloroform-d (w/o TMS, Stab w/	100 ml	8800
[7440-44-0]	AR, ACS, ExiPlus, Multi-Compendial	500 Gms	510	[865-49-6]	Ag) for NMR spectroscopy, 99.8		
	(Activated Carbon)	5 Kg	4360		Atom %D		
	meets compendial specs of USP, BP, Ph.Eur			20996 [865-49-6]	Chloroform-d (with 1% TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D	100 ml	9400
48088	Charcoal Activated (950) Granular	500 Gms	550	57034	Chloroform-d (with 0.03% TMS,	100 ml	9100
[7440-44-0]	extrapure (Activated Carbon)	5 Kg	4910	[865-49-6]	Stab w/ Ag) for NMR		2.00
	(notivated Oarborn)				spectroscopy,99.8 Atom %D		



Code	Name	Packing	Price	Code	Name	Packing	Price
22288 [865-49-6]	Chloroform-d (w/o TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D	100 Gms	7500	16842 [77-92-9]	Citric Acid Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 Gms 5 Kg	290 1900
98718 [865-49-6]	Chloroform-d (with 0.03% TMS, Stab w/ Ag) for NMR	100 Gms	8000		meets compendial specs of BP, Ph.Eur, USP		
	spectroscopy,99.8 Atom %D	100.0		49897	Citric Acid Monohydrate extrapure,	500 Gms	240
72017 [865-49-6]	Chloroform-d (with 1% TMS, Stab w/ Ag) for NMR spectroscopy, 99.8 Atom %D	100 Gms	8400	[5949-29-1]	99.5%	5 Kg 25 Kg	1600 7000
39657	3-Chloroperoxybenzoic Acid	25 Gms	425	43667	Citric Acid Monohydrate ACS,	500 Gms	260
[937-14-4]	(mCPBA) pure, 55-75%	100 Gms	1300	1300 [5949-29-1]	99.7%	5 Kg	1750
		500 Gms	5200			25 Kg	8000
59271	N-Chlorosuccinimide extrapure,	100 Gms	400	53884	Citric Acid Monohydrate ACS,	500 Gms	300
[128-09-6]	98%	250 Gms	750	[5949-29-1]	ExiPlus, Multi-Compendial, 99.7%	5 Kg	2000
		1 Kg	2800		meets compendial specs of BP, Ph.Eur,		
47048	Chromeazurol S (Chromazurol S)	10 Gms	1460		USP	400.0	
[1667-99-8]	(Mordant Blue 29)	25 Gms	2470	49393 [6147-53-1]	Cobalt (II) Acetate Tetrahydrate extrapure AR, 99%	100 Gms	1100
86183	Chromium AAS Standard Solution	100 ml	1600	[(Cobaltous Acetate Tetrahydrate)	250 Gms 500 Gms	2400
	in 0.5N HNO3 (Traceable to NIST)	250 ml	2600				4000
72232	Chromium (III) Chloride	500 Gms	700	75141 [6147-53-1]	Cobalt (II) Acetate Tetrahydrate extrapure AR, ACS, ExiPlus,	100 Gms	1200
[10060-12-5]	Hexahydrate extrapure AR, 98% (Chromic Chloride, Chromium Trichloride)	5 Kg	6500	[erm de r]	Multi-Compendial, 99%		2700
					(Cobaltous Acetate Tetrahydrate)	500 Gms	4600
74767	Chromium (III) Nitrate Nonahydrate	500 Gms	1200		meets compendial specs of BP	100	0400
[7789-02-8]	pure, 96%	5 Kg	11000	66112	Cobalt AAS Standard Solution in 0.5N HCI (Traceable to NIST)		2100
04005	(Chromic Nitrate Nonahydrate)	500 Cma					3700
21295 [39380-78-4]	Chromium (III) Sulphate Basic extrapure, 22.5% Cr	500 Gms	380 1750	37917 [12602-23-2]	Cobalt (II) Carbonate Basic pure, 45-50% Co		1400
	(Chromosal B, Basic Chromic	2.5 Kg		((Cobaltous Carbonate)		3200
	Sulphate)	100.0		00440	Cabali (II) Chlavida Havahudvata		6000
57555 [7440-47-3]	Chromium Powder, 99% -100 mesh	100 Gms 500 Gms	900	99412 [7791-13-1]	Cobalt (II) Chloride Hexahydrate pure, 99%		1080
			3500		(Cobaltous Chloride Hexahydrate)	500 GIIIS	5040
21817 [1333-82-0]	Chromium (VI) Oxide (Chromium Trioxide) pure, 99%	500 Gms	850	36018	Cobalt (II) Chloride Hexahydrate	100 Gms	1140
[.000 02 0]	(Chromic Acid, Chromic Anhydride)	1 Kg	1600	[7791-13-1]	extrapure AR, 99% (Cobaltous Chloride Hexahydrate)	500 Gms	5280
61365	Chromium (VI) Oxide (Chromium	500 Gms	900	88282	Cobalt (II) Chloride Hexahydrate	100 Gms	1260
[1333-82-0]	Trioxide) ACS, ExiPlus, Multi-Compendial , 99%	1 Kg	1750	[7791-13-1]	extrapure AR, ACS, ExiPlus,	500 Gms	5460
	(Chromic Acid, Chromic Anhydride)				Multi-Compendial, 99% (Cobaltous Chloride Hexahydrate)		
	meets compendial specs of USP, Ph.Eur				meets compendial specs of USP, BP,	100 Gms 100 ml 250 ml 100 Gms 250 Gms 500 Gms 100 Gms 500 Gms 100 Gms 500 Gms 100 Gms 100 Gms	
36505	Chrysoidine R	25 Gms	210		Ph.Eur		
[4438-16-8]	(Basic Orange 1, Methylchrysoidine) (C.I. No. 11320)	100 Gms	590	14386	Cobalt Metal Powder, 99.5%,	100 Gms	2800
31126	Chrysoidine Y	25 Gms	210	[7440-48-4]	-325mesh	250 Gms	6000
[532-82-1]	(4-Phenylazo-m-Phenylenediamine	100 Gms	590	14941	Cobalt (II) Nitrate Hexahydrate	100 Gms	800
	Monohydrochloride, Basic Orange 2, Chrysoidine G)(C.I. No. 11270)		[10026-22	[10026-22-9]	extrapure, 97% (Cobaltous Nitrate Hexahydrate)	500 Gms	3000
29955	Cinnamic Acid extrapure, 99%	250 Gms	870	85942	Cobalt (II) Nitrate Hexahydrate	100 Gms	950
[140-10-3]		1 Kg	3150	[10026-22-9]	extrapure AR, ACS, 99%	250 Gms	2200
23277	Cinnamic Acid extrapure AR,	250 Gms	1400		(Cobaltous Nitrate Hexahydrate)	500 Gms	3700
[140-10-3]	ExiPlus, Multi-Compendial, 99%	1 Kg	3500	21722	Cobalt (II,III) Oxide pure, 99%	100 Gms	2800
	meets compendial specs of BP, Ph.Eur	-		[1308-06-1]	(Tricobalt Tetraoxide)	250 Gms	4000
78213	Citric Acid Anhydrous extrapure,	500 Gms	260			500 Gms	7000
[77-92-9]	99%	5 Kg	1700	25710	Cobalt (II) Sulphate Heptahydrate	100 Gms	700
		25 Kg	7500	[10026-24-1]	pure, 98%	500 Gms	3000
36890	Citric Acid Anhydrous for tissue	500 Gms	320		(Cobaltous Sulphate Heptahydrate)		
[77-92-9]	culture, 99%	5 Kg	2100				



	Code	Name	Packing	Price	Code	Name	Packing	Price
Coloration			100 Gms	800			250 Gms	1890
	[10026-24-1]		250 Gms	1900	[6046-93-1]	-		
1806 Cockail T scintillation grade		(===atoso saphato Hoptarryalato)	500 Gms	3700		•		
	46069	Cocktail 'O' scintillation grade	1000 ml	910		meets compendial specs of BP, Ph.Eur		
			2500 ml	1820		• •	100 Gms	1380
	48656	Cocktail 'T' scintillation grade	1000 ml	850	[7789-45-9]	(Copper (II) Bromide)	500 Gms	5870
			2500 ml	1760		· · · · · · · · · · · · · · · · · · ·	500 Gms	1560
1	38087	Cocktail 'W' scintillation grade	1000 ml	1860	[12069-69-1]		5 Kg	14400
1			2500 ml	4340	92315		500 Gms	1100
	36672	Collodion Flexible pure	500 ml	2020		·		
Part					90707	Cupric Chlorida Dibudrata ACS		
Copper Mate Copper Mat	57380		100 ml	1600		•		
		1N HNO3 (Traceable to NIST)	250 ml	2600		(Copper (II) Chloride Dihydrate)	1 Kg	1950
	72033	Copper Metal powder extrapure,	500 Gms	2180		meets compendial specs of USP		
	-					Cupric Chloride 0.3M Solution	500 ml	700
2000					[10125-13-0]		1000 ml	1250
	[7440-30-0]	40-100 mesn	500 Gms	2000			250 Gms	550
		o-Cresol pure, 98%	500 ml	550	[10031-43-3]		500 Gms	980
	[95-48-7]		2500 ml	2500	46704		500 Gms	1150
Marcial extrapure AR, 99% Soon on laborate So		• •	500 ml	1400		•		
1808-04 1804-05 1800 1	[108-39-4]	(3-Methylphenol)	2500 ml	6300				
Same	48620	m-Cresol extrapure AR, 99%	500 ml	1800				
					[1317-30-0]	(copper (ii) exide)		
Sample		p-Cresol pure, 98.5%					5 Kg	16000
	[100-44-5]		2500 ml	4400				
100 Gms 2000		Cresol Red		230	[7756-96-7]	•	500 Gms	1800
21442 Cresyl Violet Acetate, 70%	[1/33-12-6]				61103	Cupric Sulphate Anhydrous	100 Gms	700
10610-94-0 5 Gms 3000 5 Gms 3000 28376 Crystal Violet (Gentian Violet) 25 Gms 660 648-82-9 (Methyl Violet 10B, C.I. No. 42555) 100 Gms 21900 500 Gms 11990 648-82-9 (Methyl Violet 10B, C.I. No. 42555) 100 Gms 2840 (Methyl Violet 10B, C.I. No. 42555) 100 Gms 2840 (Methyl Violet 10B, C.I. No. 42555) 500 Gms 13630 (Methyl Violet 10B, C.I. No. 42555) 500 Gms 13630 (Methyl Violet 10B, C.I. No. 42555) 500 Gms 13630 (Methyl Violet 10B, C.I. No. 42555) 500 Gms 13630 (Methyl Violet 10B, C.I. No. 42555) 500 Gms 13630 (Methyl Violet 10B, C.I. No. 42555) 500 Gms 13630 (Methyl Violet 10B, C.I. No. 42555) 500 Gms 13630 (Methyl Violet 10B, C.I. No. 42555) 500 Gms 13630 (Methyl Violet 10B, C.I. No. 42555) 500 Gms 13630 (Methyl Violet 10B, C.I. No. 42555) 500 Gms 13630 (Methyl Violet 10B, C.I. No. 42555) 500 Gms 13630 (T788-99-8) (T788-99-8) (Copper (II) Sulphate Pentahydrate 500 Gms 5 Kg 7300 (Copper (II) Sulphate Pentahydrate 500 Gms 800 Gms 11000 Gms 2500 Gms 2500 Gms 2500 Gms 2500 Gms 2500 Gms 2500 Gms			100 Gms	2200	[7758-98-7]	-	500 Gms	2000
28376 Crystal Violet (Gentian Violet) 25 Gms 660 25 Gms 11990 25 Gms 25 Gms 26 Ome 25 Gms 25 Gms 25 Ome 25 Ome 25 Gms 25 Ome		Cresyl Violet Acetate, 70%	1 Gms	680	50050		100 Cma	1000
283	[10510-54-0]		5 Gms	3000				
17610 Crystal Violet (Gentian Violet) ACS, 25 Gms 770 77			25 Gms	660		(Copper (II) Sulphate Anhydrous)	Joo Cilis	2000
17610 1761	[548-62-9]	(Methyl Violet 10B, C.I. No. 42555)	100 Gms	2510		· · · · · · · · · · · · · · · · · · ·		
17640			500 Gms	11990				
Methyl Violet 10B, C.I. No. 42555)			25 Gms	770	[7756-99-6]		5 Kg	6500
March Marc	[548-62-9]	•	100 Gms	2840	61298	Cupric Sulphate Pentahydrate	500 Gms	760
18-Crown-6-Ether pure, 98% 25 Gms 800 11000 Gms 2500 2500 Gms 11000 1100 Gms 2500 Gms		(Welly) Violet 102, C.I. No. 12000)	500 Gms	13630	[7758-99-8]		5 Kg	7300
100 Gms 2500 Gms 11000 1100 Gms 2500 Gms 11000 11000 Gms 2500 Gms 11000 Gms 2500 Gms 11000 Gms 2500 Gms		meets compendial specs of BP, Ph.Eur			74044	· · · · · · · · · · · · · · · · · · ·	500 C	
100 Gms 2500 2500 Gms 11000 1600 29497 Cupric Acetate Monohydrate pure, 2500 Gms		18-Crown-6-Ether pure, 98%	25 Gms	800				
Total Tota	[1/455-13-9]				,	Multi-Compendial, 99.5%	o ng	1000
100 ml 1600 1600 1000 ml 1500 1000 ml 1500 ml 1000 ml			500 Gms	11000				
87431 Cupric Acetate Monohydrate pure, 98% (Copper (II) Acetate Monohydrate) 250 Gms 1590 17788-89-6] (Copper (II) Bromide) 250 Gms 1370 26046-93-1] (Copper (II) Acetate Monohydrate) 250 Gms 1370 26375 (Copper (II) Copper (II) Copper (II) Acetate Monohydrate) 250 Gms 1370 26375 (Copper (II) Chloride , Copper (II) Acetate Monohydrate) 250 Gms 12500 250 Gms 1400 250 Gms 250 Gms 1400 250 Gms			100 ml	1600	00445		1000!	
87431 Cupric Acetate Monohydrate pure, 98.54 100 Gms 360 29497 Cuprous Bromide pure, 98.5% 100 Gms 670 [6046-93-1] 98% (Copper (II) Acetate Monohydrate) 500 Gms 1590 [7787-70-4] (Copper (I) Bromide) 500 Gms 3200 67912 (6046-93-1] Cupric Acetate Monohydrate extrapure AR, 99% (Copper (II) Acetate Monohydrate) 250 Gms 1370 26375 (Copper (I) Chloride, Copper (I) Chloride, Copper (I) Chloride, Copper (I) Chloride, Copper (I) Chloride) 5 Kg 12500 Extrapure AR, 99% (Copper (II) Acetate Monohydrate) 21136 (Copper (I) Chloride, Copper (II) Chloride, Copper	[8014-13-9]	aidenyde 28%	500 ml	6000		Supric Sulphate 0.1 M Solution	I UUU IIII	530
[6046-93-1] 98% (Copper (II) Acetate Monohydrate) 500 Gms 1590 [7787-70-4] (Copper (I) Bromide) 500 Gms 3200 67912 [6046-93-1] Cupric Acetate Monohydrate extrapure AR, 99% (Copper (II) Acetate Monohydrate) 250 Gms 1370 26375 [7758-89-6] Cuprous Chloride pure, 97% (Copper (I) Chloride, Copper Monochloride) 5 Kg 12500 21136 [7758-89-6] Cuprous Chloride ACS, 97% (Copper (I) Chloride, Copper 250 Gms 1400		Cupric Acetate Monohydrate pure,	100 Gms	360		•	100 Gms	670
67912 [6046-93-1] Cupric Acetate Monohydrate (Copper (II) Acetate Monohydrate) 250 Gms (1370) 1370 (26375) Cuprous Chloride pure, 97% (Copper (I) Chloride, Copper (I) Chloride, Copper (I) Chloride, Copper (II) Chloride, Copper (II) Acetate Monohydrate) 5 Kg (12500) 12500 21136 [7758-89-6] (Copper (II) Chloride, Copper (II) Chloride, Chloride	[6046-93-1]		500 Gms	1590	[7787-70-4]		500 Gms	
[6046-93-1] extrapure AR, 99% (Copper (II) Acetate Monohydrate) [7758-89-6] (Copper (I) Chloride , Copper Monochloride) 5 Kg 12500 21136 Cuprous Chloride ACS, 97% (Copper (I) Chloride, Copper 250 Gms 1400	67912		250 Gms	1370	26375	Cuprous Chloride pure, 97%	500 Gms	1100
[7758-89-6] (Copper (I) Chloride, Copper		extrapure AR, 99%	_55 31110	1370		(Copper (I) Chloride , Copper		
						•	250 Gms	1400
·					[7758-89-6]			



Code	Name	Packing	Price	Code	Name	Packing	Pric
93095	Cuprous lodide extrapure AR, 99%	25 Gms	700	35751	L-Cystine extrapure CHR, 99%	25 Gms	450
[7681-65-4]	(Copper (I) lodide)	100 Gms	2500	[56-89-3]		100 Gms	1100
		500 Gms	12000			1 Kg	8500
33086	Cuprous Oxide pure, 86% Cu	100 Gms	660			5 Kg	4000
[1317-39-1]	(Copper (I) Oxide)	500 Gms	2520	83172	L-Cystine for tissue culture, 99%	25 Gms	520
7461	Curcumin (Turmeric Yellow)	5 Gms	350	[56-89-3]		100 Gms	1190
[458-37-7]	,	10 Gms	650			500 Gms	5340
		25 Gms	980	38779	L-Cystine ExiPlus,	250 Gms	3000
		100 Gms	3250	[56-89-3]	Multi-Compendial, 99%	1 Kg	1020
20259	Cyclohexane extrapure, 99%	500 ml	260			5 Kg	48000
[110-82-7]	Cyclonexane extrapure, 33 %	2500 ml			Meets compendial specs of USP	· ·	
		25 Ltr	980 9200	10323	Cytosine ExiPlus,	25 Gms	700
				[71-30-7]	Multi-Compendial, 99%	100 Gms	2500
16616	Cyclohexane ACS, 99.5%	500 ml	300			500 Gms	8000
[110-82-7]		2500 ml	1080		meets compendial specs of BP, Ph.Eur	ood Gillo	0000
23292	Cyclohexane GC-HS, 99.9%	250 ml	500	56096	Decane Sulphonic Acid Sodium	25 Gms	1000
[110-82-7]		1000 ml	900	[13419-61-9]		100 Gms	1200
16300	Cyclohexane for HPLC & UV	500 ml	450		•		4360
[110-82-7]	Spectroscopy, 99.9%	1000 ml	700			250 Gms	1069
		2500 ml	1500	71801 [13419-61-9]	Decane Sulphonic Acid Sodium Salt Monohydrate for HPLC, 99%	25 Gms	1200
92604	Cyclohexane Dried, 99.5%, water	500 ml	400	[13419-01-9]		100 Gms	4360
[110-82-7]	0.005%	1000 ml	750			250 Gms	10690
	Cyclohexane ACS, ExiPlus,			93995	Devardas Alloy (45% Al, 50% Cu,	100 Gms	590
34781 [110-82-7]	Multi-Compendial, 99.5%	500 ml	340	[8049-11-4]	5% Zn) extrapure	500 Gms	2360
	•	2500 ml	1150	37163	Devardas Alloy (45% Al, 50% Cu,	100 Gms	790
	meets compendial specs of USP, BP, Ph.Eur			[8049-11-4]	5% Zn) extrapure AR, ACS	250 Gms	1690
31726	Cyclohexanone extrapure, 99%	500 ml	350	61500	Dextrin (White) practical	500 Gms	300
[108-94-1]	Cyclonexanone extrapure, 33%	2500 ml		[9004-53-9]		5 Kg	2800
			1600	42738	Dextrose extrapure	500 Gms	
39635 [108-94-1]	Cyclohexanone extrapure AR, 99.5%	500 ml	420	[50-99-7]	(D-Glucose)	5 Kg	290 2370
[100 04 1]		2500 ml	2000		.		
12183	Cyclohexylamine pure, 99%	500 ml	400	51758 [50-99-7]	Dextrose ACS (D-Glucose)	500 Gms	310
[108-91-8]	(Aminocyclohexane)	2500 ml	1800	[50-99-7]	(E diacocc)	5 Kg	2850
15658	Cyclohexylamine extrapure AR,	500 ml	430			25 Kg	12370
[108-91-8]	99.5%	2500 ml	2100	16191	Dextrose Monohydrate extrapure	500 Gms	270
25000	(Aminocyclohexane)	100 ml	0000	[14431-43-7]	AR, ACS, ExiPlus, Multi-Compendial, 99.5%	5 Kg	2490
35606 91771-62-91	Cypriol Oil extrapure, 99% (Cyperus Root Oil (Cyperus Scariosus),	100 ml	8000		(D-Glucose Monohydrate)	25 Kg	10890
	Nagarmotha Oil)				meets compendial specs of USP, BP		
95322	L-Cysteine extrapure CHR, 99%	25 Gms	410	40799	Diammonium Hydrogen Citrate	500 Gms	750
[52-90-4]		100 Gms	1360	[3012-65-5]	Anhydrous (Ammonium Citrate	25 Kg	34560
		500 Gms	5800	04404	Dibasic) ACS, 98%	500I	404
		5 Kg	54000	81434 [84-74-2]	Dibutyl Phthalate pure, 98%	500 ml	400
25961	L-Cysteine for tissue culture, 99%	25 Gms	600			2500 ml	1800
[52-90-4]		100 Gms	1400	12088	Dichloroacetic Acid pure, 99%	100 ml	2360
		500 Gms	6500	[79-43-6]		500 ml	6050
9029	L-Cysteine Hydrochloride					2500 ml	27000
7048-04-6]	Monohydrate ExiPlus,	100 Gms	950	52153	1,2-Dichlorobenzene pure, 99%	500 ml	400
	Multi-Compendial, 99%	500 Gms	3570	[95-50-1]	(o-Dichlorobenzene)	1000 ml	750
		1 Kg	6250			2500 ml	1750
		5 Kg	30000	61012	1,2-Dichlorobenzene extrapure AR,	250 ml	320
	meets compendial specs of USP			[95-50-1]	99%		



	Code	Name	Packing	Price	Code	Name	Packing	Price
		• •	500 ml	300		Diethanolamine pure, 98%	500 ml	350
	[107-06-2]	(Ethylene Dichloride)	2500 ml	900	[111-42-2]		2500 ml	1400
		· · · · · · · · · · · · · · · · · · ·	500 ml	330			500 ml	450
1.2 Dichlorocentame for HPLC & UV 100 ml 1	[107-06-2]		2500 ml	1020	[111-42-2]	Multi-Compendial, 98.5%	2500 ml	1800
	87988	· · ·	500 ml	620		meets compendial specs of BP, Ph.Eur		
	[107-06-2]		1000 ml		59161		100 ml	2250
			1000					
Post-orange Comparison Co			1000 mi	950	31255	Diethylamine pure, 99%	500 ml	350
		(Ethylene Dichloride)			[109-89-7]		2500 ml	1500
Season S				600			25 Ltr	13500
Methylene Chloride	[/6-54-0]	extrapure An, ACS, 90%	25 Gms	2500		Diethylamine extrapure AR, 99.5%	500 ml	380
Part		• • • • • • • • • • • • • • • • • • • •		240	[109-89-7]		2500 ml	1800
	[/5-09-2]	(Metriylerie Chioride)				Diethylamine for HPLC, 99.5%	1000 ml	1600
100378 extrapure, 99% 2500 ml 2800 ml			25 Ltr	6500				
		, , ,				• • • • • • • • • • • • • • • • • • • •		
	[75-09-2]	•				•		
			25 Ltr	7200		N,N-Diethylaniline pure, 98%		
Multi-Compendial, 99.8% Methylene Chloridel) Multi-Compendial specs of USP, BP Methylene Chloridel) Meth		, , ,						
Methylane Chlorides Methylane Chlorides	[/3-03-2]		2500 ml	1150				
175-062 99.9% 99.9% 99.9% 99.9% 99.9% 99.9% 99.9% 99.9% 99.9% 99.9% 99.9% 99.9% 99.9% 99.9% 99.9% 99.9% 99.9% 99.9% 99.9% 90.0mm 1000 ml 1000 ml 1000 ml 1000 ml 1000 ml 2500 ml 3500 ml 35		· · · · · · · · · · · · · · · · · · ·	050!	400		Diethyl Carbonate extrapure, 99%		
Methylene Chloride 1000 ml 1100 ml 1111-46 ml 1111-46 ml 1111-46 ml 1111-46 ml 1111-46 ml 1100 ml 1111-46 m		• • •						
		(Methylene Chloride)				Diethylene Glycol (Digol) pure, 98%		
	E0600	Dichloromethane (DCM) for HPI C			[5 5]			
1		• • • • • • • • • • • • • • • • • • • •				Districtor Obsert (Disco) automore		
A3551 Dichloromethane (DCM) Dried, 500 ml 340 93616 Diethylene Glycol Diethyl Ether (Ethyl Diglyme, DEGDEE) pure, 99% (Methylene Chloride) Dichloromethane (DCM) for molecular biology, 99.9% (Methylene Chloride) Dichloromethane (DCM) for molecular biology, 99.9% (Methylene Chloride) Topol Dichloromethane (DCM) for molecular biology, 99.9% (Methylene Chloride) Topol Dichloromethane (DCM) for molecular biology, 99.9% (Methylene Chloride) Topol Dichloromethane (DCM) for molecular biology, 99.9% (Methylene Chloride) Topol Dichloromethane (DCM) for molecular biology, 99.9% (Methylene Chloride) Topol Dichloromethane dual participation Topol								
1000 ml 680 1000 ml 680 112-36-7 (Ethyl Diglyme, DEGDEE) pure, 99% 3200 ml 3200	/3551	Dichloromethane (DCM) Dried				Pintedon Obrasi Binted Ethan		
Methylene Chloride 1512								
							300 1111	3200
Methylene Chloride 33075		• • •			44004		500I	
1	[, 0 00 2]		500 MI	800				
Methylene Chloride Methylene Chloride			10 ml	17990	. ,			
Secondary Seco	[1665-00-5]				20002	Diethylana Chysel Manaethyl Ether		
	55287	· · · · · · · · · · · · · · · · · · ·	1 Gms	310				
25 Gms 4910 53422							2000 1111	1900
2,6-Dichlorophenol Indophenol 1 Gms 330 98389 Diethyl Malonate extrapure, 99% 500 ml 600 2500 ml 2800 250 ml 2800 2500 ml			25 Gms	4910			500 ml	1200
Sodium Salt ACS, ExiPlus, Multi-Compendial, 98% 5 Gms 1340 25 Gms 5240 25 Gms 5240 25 Gms 5240 39378 105-53-3 5 0 105 cyanodiamide pure, 98% 100 Gms 1250 100 Gms 1250 Gms 1250 100 Gms 1250 Gms 1250 100 Gms 1250 Gms 125	35551	2,6-Dichlorophenol Indophenol	1 Gms	330		•	500 ml	600
39378 Diethyl Malonate extrapure AR, 500 ml 700 700 700 700 700 700 700 700 700 700 700 700 700 700 700 700 700 700 700 700 70	[620-45-1]		5 Gms			Shimpand, 6070		
Total Part		мин-Compendial, 98%	25 Gms	5240	39378	Diethyl Malonate extrapure AR.		
2,4-Dichlorophenoxyacetic Acid 25 Gms 680 1250 1		meets compendial specs of USP						
100 Gms 1250 105 Gms 5060 5060 5060 5060 7500 Gms 750 105 Gms 750			25 Gms	680	61252	Diethyl Oxalate pure. 99%		
77833 Dicyandiamide pure, 98% 500 Gms 750 [6283-63-2] (1-Cyanoguanidine, Dicyanodiamide) 100 Gms 240 (17-73-6] (Stabilized with BHT), 93% 500 ml 900 250 ml 3800 16150 (16150 ml) 16150 (16150 ml) 16150 (16150 ml) 16150 (16150 ml) 16150 ml) 16150 (16150 ml) 16150 ml)	[94-75-7]					Dienry: Ordinic pare, 30/6		
T7833 Dicyandiamide pure, 98% 500 Gms 750 [6283-63-2] Sulphate Salt (DEPPDA Sulphate) 100 Gms 8400			500 Gms	5060	75995	N.N-Diethyl-p-Phenylenediamine		
Salt Care of Care of			500 Gms	750				
[77-73-6] (Stabilized with BHT), 93% 500 ml 900 Salt) 2500 ml 3800 16150 Diethyl Phthalate pure, 99% 500 ml 360			100 ml	240		• •		
2500 ml 3800 16150 Diethyl Phthalate pure, 99% 500 ml 360								
[04.00.0]					16150	Diethyl Phthalate pure, 99%	500 ml	360
					[84-66-2]		2500 ml	1700



iodomethane extrapure itabilized with copper wire), 99% lethylene iodide) For Separation of inerals isopropylamine pure, 98% isopropylamine (DIPOA) ttrapure AR, 98% is(2-hydroxypropyl)amine, 1, 1'-Iminod 2-propanol, Iminodipropanol) isopropylether pure, 98% isopropylether extrapure AR,	500 ml 2500 ml 25 Gms 100 Gms 250 Gms 500 ml 2500 ml 25 Ltr 500 ml 1000 ml	400 1800 2500 4800 9000 900 4200 40000 800 1380	12566 [121-69-7] 20364 [121-69-7] 16616 [68-12-2] 21974 [68-12-2]	N,N-Dimethylaniline pure, 98% N,N-Dimethylaniline extrapure AR, 99.5% N,N-Dimethylformamide (DMF) extrapure, 99%	500 ml 2500 ml 500 ml 2500 ml 500 ml 2500 ml 25 Ltr 500 ml	530 2500 580 2700 280 1050 9500
isopropylether extrapure AR,	100 Gms 250 Gms 500 ml 2500 ml 25 Ltr 500 ml 1000 ml	4800 9000 900 4200 40000 800	[121-69-7] 16616 [68-12-2]	99.5% N,N-Dimethylformamide (DMF) extrapure, 99% N,N-Dimethylformamide (DMF)	2500 ml 500 ml 2500 ml 25 Ltr	2700 280 1050
lethylene iodide) For Separation of inerals isopropylamine pure, 98% isopropanolamine (DIPOA) ttrapure AR, 98% is(2-hydroxypropyl)amine, 1, 1'-Iminod t-propanol, Iminodipropanol) isopropylether pure, 98%	250 Gms 500 ml 2500 ml 25 Ltr 500 ml 1000 ml	9000 900 4200 40000 800	16616 [68-12-2] 21974	N,N-Dimethylformamide (DMF) extrapure, 99% N,N-Dimethylformamide (DMF)	500 ml 2500 ml 25 Ltr	280 1050
isopropylamine pure, 98% isopropanolamine (DIPOA) ttrapure AR, 98% is(2-hydroxypropyl)amine, 1, 1'-Iminod t-propanol, Iminodipropanol) isopropylether pure, 98%	500 ml 2500 ml 25 Ltr 500 ml 1000 ml	900 4200 40000 800	[68-12-2] 21974	extrapure, 99% N,N-Dimethylformamide (DMF)	2500 ml 25 Ltr	1050
isopropanolamine (DIPOA) trapure AR, 98% is(2-hydroxypropyl)amine,1,1'-Iminod t-propanol, Iminodipropanol) isopropylether pure, 98%	2500 ml 25 Ltr 500 ml 1000 ml	4200 40000 800	21974	N,N-Dimethylformamide (DMF)	25 Ltr	
trapure AR, 98% is(2-hydroxypropyl)amine,1,1'-Iminod t-propanol, Iminodipropanol) isopropylether pure, 98% isopropylether extrapure AR,	25 Ltr 500 ml 1000 ml	40000 800				9500
trapure AR, 98% is(2-hydroxypropyl)amine,1,1'-Iminod t-propanol, Iminodipropanol) isopropylether pure, 98% isopropylether extrapure AR,	500 ml 1000 ml 500 ml	800			500 ml	
trapure AR, 98% is(2-hydroxypropyl)amine,1,1'-Iminod t-propanol, Iminodipropanol) isopropylether pure, 98% isopropylether extrapure AR,	1000 ml		[68-12-2]			320
is(2-hydroxypropyl)amine,1,1'-lminod l-propanol, Iminodipropanol) isopropylether pure, 98% isopropylether extrapure AR,	500 ml	1380		extrapure AR, 99.5%	2500 ml	1200
e-propanol, Iminodipropanol) isopropylether pure, 98% isopropylether extrapure AR,			79121	N,N-Dimethylformamide (DMF)	500 ml	350
isopropylether pure, 98% isopropylether extrapure AR,			[68-12-2]	extrapure AR, ACS, ExiPlus,	2500 ml	1350
	2500 ml	420		Multi-Compendial, 99.8% meets compendial specs of BP		
		1800	50591	N,N-Dimethylformamide (DMF) for	500 ml	440
	25 Ltr	16500	[68-12-2]	HPLC & UV Spectroscopy, 99.9%	1000 ml	750
1%	500 ml	460	46165	N,N-Dimethylformamide (DMF)	250 ml	350
	2500 ml	2100	[68-12-2]	GC-HS, 99.9%	500 ml	550
isopropylether Dried, 99%, water	500 ml	800			1000 ml	980
0025%	1000 ml	1500	93186	N,N-Dimethylformamide (DMF)	500 ml	500
N-Diisopropylethylamine (DIPEA)	100 ml	350	[68-12-2]	Dried, 99.5%, water 0.005%	1000 ml	900
trapure, 98%	250 ml	800	24017	N,N-Dimethylformamide (DMF) for	100 ml	450
thylene Diisopropylamine, N-Ethyldiisopropylamine, DIEA)	1000 ml	3060	[68-12-2]	molecular biology, 99.9%	500 ml	850
1,2-Dimethoxyethane (Monoglyme, EGDME) extrapure, 99% (Ethylene Glycol Dimethyl Ether)	500 ml	720	52794	N,N-Dimethylformamide	100 ml	560
	2500 ml	3350	[4637-24-5]	Dimethylacetal extrapure, 95%	500 ml	1800
	25 Ltr	32000		(1,1-Dimethoxy-N,N-Dimethylmethylam		
1,2-Dimethoxyethane (Monoglyme, EGDME) extrapure AR , 99.5%	500 ml	820	81890 [95-45-4]	,	100 Gms	650
	2500 ml	3700		99%	500 Gms	2900
	500 ml	400		(2,3-Butanedione Dioxime)		
extrapure, 99%						750
			[00 10 1]	99%	500 Gms	3200
N-Dimethylacetamide (DMA)				(2,3-Butanedione Dioxime)		
trapure AR, 99.5%			00574	· · · · · · · · · · · · · · · · · · ·	050 Cma	1000
N-Dimethylacetamide (DMA)					250 GITIS	1060
trapure AR, ExiPlus,			33158	1,3-Dimethyl-2-Imidazolidinone	100 ml	1190
ulti-Compendial, 99.5%		2100	[80-73-9]	(DMI) pure, 99%	500 ml	5030
· · · · · · · · · · · · · · · · · · ·	0501				2500 ml	24670
N-Dimetnylacetamide (DMA) C-HS, 99.9%			35161	1,3-Dimethyl-2-Imidazolidinone	100 ml	1390
,			[80-73-9]	(DMI) GC-HS, 99.9%	500 ml	5300
N. Dimesthylesetemide (DMA) for			60496	1,3-Dimethyl-2-Imidazolidinone	100 ml	1580
N-Dimethylacetamide (DMA) for PLC, 99.8%			[80-73-9]	(DMI) ExiPlus, Multi-Compendial,	500 ml	5450
and the land of the control of the c						
Dimethylamine 40% Aq. Solution			43404	Dimethyl Sulphoxide (DMSO)	500 ml	1050
			[67-68-5]	extrapure, 99%	2500 ml	4800
Dimethylaminobenzaldehyde IMAB) extrapure AR, 99%					25 Ltr	45000
hrlichs reagent)	ı ng	14830	28580	Dimethyl Sulphoxide (DMSO) ACS,	500 ml	1150
p-Dimethylaminobenzaldehyde	100 Gms	1750	[67-68-5]	99.9%	300 1111	
MAB) extrapure AR, ACS,			[67-68-5]		2500 ml	5000
2-land and a second and a secon	Dimethoxyethane (Monoglyme, 19ME) extrapure AR , 99.5% Alene Glycol Dimethyl Ether) Dimethylacetamide (DMA) apure, 99% Dimethylacetamide (DMA) apure AR, 99.5% Dimethylacetamide (DMA) apure AR, ExiPlus, aci-Compendial, 99.5% eth compendial specs of USP, BP Dimethylacetamide (DMA) HS, 99.9% Dimethylacetamide (DMA) for C, 99.8% ethylamine 40% Aq. Solution methylaminobenzaldehyde AB) extrapure AR, 99% ichs reagent)	25 Ltr	25 Ltr 32000	25 Ltr 32000 320	25 Ltr 32000 320	Section Sect



Code	Name	Packing	Price	Code	Name	Packing	Price
66444	Dimethyl Sulphoxide (DMSO) ACS,	500 ml	1300	98342	Diphenylamine extrapure AR, 99%	100 Gms	260
[67-68-5]	ExiPlus, Multi-Compendial, 99.9%	2500 ml	5400	[122-39-4]		500 Gms	800
	meets compendial specs of Ph.Eur, USP			41149	Diphenylamine extrapure AR, ACS,	100 Gms	320
12767	Dimethyl Sulphoxide (DMSO)	250 ml	950	[122-39-4]	ExiPlus, Multi-Compendial, 99%	500 Gms	900
[67-68-5]	GC-HS, 99.9%	500 ml	1800		meets compendial specs of USP, BP,		
		1000 ml	3200		Ph.Eur		
30239	Dimethyl Sulphoxide (DMSO) for	500 ml	1700	62567	1,5-Diphenylcarbazone (mixture	5 Gms	550
[67-68-5]	HPLC & UV Spectroscopy, 99.8%	1000 ml	3000	[538-62-5]	with Diphenylcarbazide) extrapure AR, ACS	25 Gms	2420
71545	Dimethyl Sulphoxide (DMSO) ULSI	1000 ml	9000		(Phenylazoformic	100 Gms	8770
[67-68-5]	Semiconductor Grade, 99.9%	2500 ml	18000	75500	Acid-2-Phenylhydrazide)	05.0	4700
66120	Dimethyl Sulphoxide (DMSO)	500 ml	1860	75522 [92-71-7]	2,5-Diphenyloxazole scintillation grade (PPO), 99%	25 Gms 100 Gms	1700
[67-68-5]	Dried, 99.5%, water 0.005%	400 1				500 Gms	6200 26000
24075 [67-68-5]	Dimethyl Sulphoxide (DMSO) for molecular biology, 99.8%	100 ml	650	00505	2,5-Diphenyloxazole scintillation	100 Gms	
. ,		250 ml 500 ml	1300 2300	89595 [92-71-7]	grade (PPO) ExiPlus,	500 Gms	7250 34500
47000	Dimethyl Sulphovide de (DMSO de)				Multi-Compendial, 99%	500 GIII5	34300
47809 [2206-27-1]	Dimethyl Sulphoxide-d6 (DMSO-d6) for NMR spectroscopy, 99.8 Atom	10 Gms 25 Gms	6300		meets compendial specs of BP		
	%D	25 GIIIS	12000	94777 [108-65-6]	Propylene Glycol Monomethyl Ether 2-Acetate (MPA) extrapure,	500 ml	1200
69545	Dimethyl Sulphoxide-d6 (with	10 Gms	6700	[100 00 0]	98%	2500 ml	5800
[2206-27-1]	0.03% TMS) (DMSO-d6 w/ 0.03% TMS) for NMR spectroscopy, 99.8	25 Gms	13200		(1-Methoxy-2-Propyl Acetate, PGMEA,		
	Atom %D				2-Acetoxy-1-Methoxypropane 1,2-Propanediol 1-Monomethyl Ether 2-		
42009	N,N-Dimethylurea	500 Gms	400	43478	Dipropylene Glycol Monomethyl	500 ml	450
[96-31-1]	(1,3-Dimethylurea) extrapure, 99%	5 Kg	3500	[34590-94-8]	Ether (Mixture of Isomers)	2500 ml	2000
		25 Kg	16000		extrapure, 99% (DPM, Dowanol)		
43981	Dioctyl Phthalate pure, 98%	500 ml	460	88738	Disodium Tartrate Dihydrate	500 Gms	800
[117-81-7]		2500 ml	2000	[6106-24-7]	extrapure, 99%		
56353	Dioctyl Sodium Sulfosuccinate	500 Gms	1900	16261	Disodium Tartrate Dihydrate	250 Gms	600
[577-11-7]	(DOSS) ExiPlus, Multi-Compendial, 98%	5 Kg	18000	[6106-24-7]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	500 Gms	1000
	(Aerosol OT, Ducusate Sodium)				meets compendial specs of USP, BP,		
	meets compendial specs of USP, BP				Ph.Eur		
43324 [123-91-1]	1,4-Dioxane pure, 99%	500 ml	420	12852 [6106-24-7]	Disodium Tartrate Dihydrate Calibration Standard (For Karl	100 Gms	5790
[123-91-1]		2500 ml	1800	[0100-24-7]	Fischer Titration), 99.5%		
		25 Ltr	17000	88283	Dodecane extrapure, 99%	100 ml	1300
88797 [123-91-1]	1,4-Dioxane extrapure AR, 99.5%	500 ml	500	[112-40-3]	(n-Dodecane)	500 ml	5500
		2500 ml	2000	25821	Dodecane Sulphonic Acid Sodium	5 Gms	820
95536 [123-91-1]	1,4-Dioxane extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	600	[2386-53-0]	Salt Anhydrous for HPLC, 99% (Sodium 1-Dodecanesulfonate)	25 Gms	2080
[120 01 1]	•	2500 ml	2400		(Joulum 1-Douecanesunonale)	100 Gms	7090
00400	meets compendial specs of BP, Ph.Eur	E00!		56085	1-Dodecanol (Dodecyl Alcohol,	500 ml	670
29469 [123-91-1]	1,4-Dioxane Dried, 99.5%, water 0.005%	500 ml	630	[112-53-8]	Lauryl Alcohol) pure, 98%	2500 ml	3060
79218	1,4-Dioxane GC-HS, 99.9%	250 ml	610	93498	1-Dodecanol (Dodecyl Alcohol,	500 ml	830
[123-91-1]		1000 ml	2190	[112-53-8]	Lauryl Alcohol) ACS, ExiPlus, Multi-Compendial, 98%		
43294	1,4-Dioxane for HPLC & UV	500 ml	1100		(Lauryl Alcohol)		
[123-91-1]	Spectroscopy, 99.9%	1000 ml	1680		meets compendial specs of USP, BP		
65679	1,4-Dioxane scintillation grade,	500 ml	670	88147	DPX Mountant for histology	250 ml	380
[123-91-1]	99.5%	1000 ml	1280			500 ml	720
		2500 ml	2910			1000 ml	1240
82736	1,3-Dioxolane extrapure AR, 99%	500 ml	940	85675	Dragendorff`s Reagent	125 ml	1700
[646-06-0]		2500 ml	4200	71067	Emulsifying Way pure	500 Gms	450
				71867 [67762-27-0]	Emulsifying Wax pure	500 Gms 5 Kg	450 4200
						5 119	7200



Code	Name	Packing	Price	Code	Name	Packing	Price
56605	Eosin Blue (C.I. No. 45400), 85%	25 Gms	800	26614	Ethyl Acetate for HPLC & UV	500 ml	440
[548-24-3]		100 Gms	2950	[141-78-6]	Spectroscopy, 99.9%	1000 ml	650
29391	Eosin Yellow (water soluble)	25 Gms	300			2500 ml	1500
[17372-87-1]		100 Gms	860	22636	Ethyl Acetoacetate pure, 99%	500 ml	450
		500 Gms	4190	[141-97-9]		2500 ml	2100
22115	Epichlorohydrin pure, 98%	500 ml	350	33123	Ethylamine Solution 70% in water	500 ml	500
[106-89-8]	(1-Chloro-2,3-Epoxypropane)	2500 ml	1600	[75-04-7]	pure	2500 ml	2200
73317	Epichlorohydrin extrapure AR, 99%	500 ml	400	37810	Ethyl Bromide extrapure, 99%	250 ml	1150
[106-89-8]	(1-Chloro-2,3-Epoxypropane)	2500 ml	1800	[74-96-4]		500 ml	2200
40876	Eriochrome Black T extrapure AR	25 Gms	350	87095	Ethyl Cellosolve pure, 99%	500 ml	380
[1787-61-7]		100 Gms	1040	[110-80-5]	(Ethylene Glycol Monoethyl Ether)	2500 ml	1500
		500 Gms	4000	30166	Ethylcyclohexane extrapure, 99%	500 ml	420
76512	Eriochrome Cyanine R	10 Gms	650	[1678-91-7]		2500 ml	2000
[3564-18-9]		25 Gms	1450	65428	Ethylene Diamine pure, 99%	500 ml	600
		100 Gms	5200	[107-15-3]	(1,2-Diaminoethane)	2500 ml	2700
69059	Erythrosin B, 90%	25 Gms	900			25 Ltr	23000
[16423-68-0]		100 Gms	3380	70790	Ethylene Diamine extrapure AR,	500 ml	630
73961	Eschka`s Mixture extrapure AR,	250 Gms	6070	[107-15-3]	99.5%	2500 ml	2900
[8007-09-8]	38%	1 Kg	23040	40648	(1,2-Diaminoethane) EDTA Free Acid extrapure, 99%	100 Gms	020
40942	Ethanolamine (MEA,	500 ml	350	[60-00-4]	(Ethylenediaminetetraacetic Acid Free	500 Gms	230 550
[141-43-5]	Monoethanolamine,	2500 ml	1600		Acid)	5 Kg	5000
57100	2-Aminoethanol) extrapure, 99% Ethanolamine (MEA,	500 ml	400	18240	EDTA Free Acid extrapure AR,	100 Gms	250
[141-43-5]	Monoethanolamine,	2500 ml	1800	[60-00-4]	99.4%	500 Gms	580
	2-Aminoethanol) extrapure AR, 99%				(Ethylenediaminetetraacetic Acid Free	5 Kg	5400
74683	Ethanolamine (MEA, Monoethanolamine,	500 ml	480	72016	Acid) EDTA Free Acid extrapure AR, ACS,	500 Gms	
[141-43-5]	2-Aminoethanol) extrapure AR,	2500 ml	2100	73816 [60-00-4]	ExiPlus, Multi-Compendial, 99.4%	500 Gills 5 Kg	650 5800
	ACS, ExiPlus, Multi-Compendial, 9				(Ethylenediaminetetraacetic Acid Free	o ng	3000
	meets compendial specs of BP, USP				Acid) meets compendial specs of BP, USP, Ph.		
17220 [1239-45-8]	Ethidium Bromide extrapure, 95% (Homidium Bromide)	1 Gms	620	44478	EDTA Dipotassium Salt pure, 98%	100 Gms	220
	· · · · · · · · · · · · · · · · · · ·	5 Gms	2690	[25102-12-9]	(Ethylenediaminetetraacetic Acid	500 Gms	580
93079 [1239-45-8]	Ethidium Bromide for molecular biology, 95%	1 Gms	670		Dipotassium Salt)	5 Kg	5400
[1200 40 0]	(Homidium Bromide)	5 Gms	2940	62196	EDTA Dipotassium Salt extrapure	100 Gms	245
16201	Ethidium Bromide Solution	10 ml	800	[25102-12-9]		500 Gms	650
	(10mg/ml)	50 ml	2000		(Ethylenediaminetetraacetic Acid	5 Kg	5800
89362	Ethyl Acetate pure, 99%	500 ml	280	12070	Dipotassium Salt) EDTA Disodium Salt Dihydrate	100 Gms	220
[141-78-6]		2500 ml	1250	[6381-92-6]	pure, 98%	500 Gms	520
		25 Ltr	11000		(Ethylenediaminetetraacetic Acid	5 Kg	4500
66183	Ethyl Acetate extrapure AR, 99.5%	500 ml	340	40088	Disodium Salt Dihydrate) EDTA Disodium Salt Dihydrate		
[141-78-6]		2500 ml	1400	40088 [6381-92-6]	extrapure AR, 99.5%	100 Gms 500 Gms	245 560
62952	Ethyl Acetate extrapure AR, ACS,	500 ml	380		(Ethylenediaminetetraacetic Acid	5 Kg	5300
[141-78-6]	ExiPlus, Multi-Compendial, 99.5%	2500 ml	1600		Disodium Salt Dihydrate)		
	meets compendial specs of USP, BP,			50027 [6381-92-6]	EDTA Disodium Salt Dihydrate extrapure AR, ACS, ExiPlus,	100 Gms 500 Gms	270
	Ph.Eur				Multi-Compendial, 99.5%	500 Gms 5 Kg	620 5800
72598	Ethyl Acetate Dried, 99.5%, water	500 ml	400		(Ethylenediaminetetraacetic Acid Disodium Salt Dihydrate)	o ng	5800
[141-78-6]	0.005%	1000 ml	770		meets compendial specs of USP		
73106	Ethyl Acetate GC-HS, 99.9%	500 ml	520	43272	EDTA Disodium Salt Dihydrate for	100 Gms	330
[141-78-6]		1000 ml	900	[6381-92-6]	molecular biology, 99.5%	500 Gms	1150
					(Ethylenediaminetetraacetic Acid	1 Kg	2100
					Disodium Salt Dihydrate)	_	



Code	Name	Packing	Price	Code	Name	Packing	Price
35108	EDTA Disodium Salt Dihydrate for	100 Gms	310	83416	Ethyl Ether extrapure AR, ACS,	500 ml	550
[6381-92-6]	tissue culture, 99.5% (Ethylenediaminetetraacetic Acid	500 Gms	1100	[60-29-7]	ExiPlus, Multi-Compendial, 99.5% (Diethyl ether)	2500 ml	2120
	Disodium Salt Dihydrate)				meets compendial specs of BP		
96540	EDTA Disodium Salt 0.1M Solution	500 ml	370	83131	Ethyl Ether Dried, 99.5%, water	500 ml	540
[6381-92-6]		1000 ml	670	[60-29-7]	0.005% (Diethyl Ether)	1000 ml	1030
48960	EDTA Disodium Salt 0.01M Solution	500 ml	350		(Dietriyi Etrier)	2500 ml	2250
[6381-92-6]		1000 ml	640	68329	Ethyl Ether for HPLC & UV	500 ml	2300
35888	EDTA Disodium Salt 0.5M Solution	500 ml	500	[60-29-7]	Spectroscopy, 99.9%	1000 ml	4120
[6381-92-6]		1000 ml	950	87796	Ethyl Ether GC-HS, 99.9%	500 ml	2310
73557	EDTA Disodium Salt 0.05M Solution	500 ml	250	[60-29-7]		1000 ml	4360
[6381-92-6]		1000 ml	450	36979	Ethyl Formate pure, 98%	500 ml	500
59389	EDTA Ferric Monosodium Salt	100 Gms	220	[109-94-4]		2500 ml	2200
[15708-41-5]	-	500 Gms	600			25 Ltr	20000
	(Ethylenediaminetetraacetic Acid Ferric Monosodium Salt)			50371	Ethyl Violet (C.I. No. 42600) for	25 Gms	880
41000	EDTA Magnesium Disodium	100 Gms	200	[2390-59-2]	microscopy		
[14402-88-1]	Complex (EDTA Mg) pure	500 Gms	600	89474	Fehling`s solution A	500 ml	400
	(Ethylenediaminetetraacetic Acid Magnesium Disodium Complex)			12603	Fehling`s solution B	500 ml	600
15078	EDTA Tetrasodium Salt Dihydrate	100 Gms	220				
[10378-23-1]	-	500 Gms	600	25106	Ferric Ammonium Oxalate	100 Gms	900
	(Ethylenediaminetetraacetic Acid Tetrasodium Salt Dihydrate)			[13268-42-3]	Trihydrate pure, 98% (Ammonium Iron Oxalate Trihydrate,	500 Gms	3000
78036	EDTA Tetrasodium Salt Dihydrate	100 Gms	380		Ammonium Iron (III) Oxalate Trihydrate)		
[10378-23-1]	extrapure AR, 99%	500 Gms	1500	72287	Ferric Chloride Anhydrous pure,	500 Gms	280
	(Ethylenediaminetetraacetic Acid Tetrasodium Salt Dihydrate)			[7705-08-0]	98% (Iron (III) Chloride)	5 Kg	2330
45247	EDTA Tetrasodium Salt Dihydrate	100 Gms	500		(iii) Chloride)	25 Kg	8750
[10378-23-1]	_	500 Gms	2100	66492	Ferric Chloride Anhydrous ExiPlus,	500 Gms	410
	(Ethylenediaminetetraacetic Acid Tetrasodium Salt Dihydrate)		2.00	[7705-08-0]	Multi-Compendial, 98% (Iron (III) Chloride)	5 Kg	3500
24377	EDTA Tetrasodium Salt	100 Gms	300		Meets compendial specs of BP		
[13235-36-4]	Tetrahydrate extrapure, 99%	500 Gms	800	18831	Ferric Citrate Trihydrate pure,	500 Gms	980
	(Ethylenediaminetetraacetic Acid Tetrasodium Salt Tetrahydrate)			[3522-50-7]	18-20% Fe (Iron (III) Citrate Trihydrate)		
19950	EDTA Trisodium Salt Hydrate	100 Gms	520	92273	Ferric Citrate Trihydrate for tissue	500 Gms	1030
[85715-60-2]	extrapure, 95%	500 Gms	1800	[3522-50-7]	culture, 18-20% Fe		1000
	(Ethylenediaminetetraacetic Acid Trisodium Hydrate)	5 Kg	17000		(Iron (III) Citrate Trihydrate)		
47471	Ethylene Glycol (MEG,	500 ml	250	72655 [10025-77-1]	Ferric Chloride Hexahydrate ACS, 97%	500 Gms	680
[107-21-1]	Monoethylene Glycol) pure, 98%	2500 ml	1000	[10023-11-1]	(Iron (III) chloride Hexahydrate)	5 Kg	6300
	(Ethanediol)	25 Ltr	8500	87144	Ferric Nitrate Nonahydrate ACS,	500 Gms	500
95361	Ethylene Glycol (MEG,	500 ml	250	[7782-61-8]	98% (Iron (III) Nitrate Nonahydrate)		
[107-21-1]	Monoethylene Glycol) extrapure	2500 ml	1100	28454 🗸	Ferric Phosphate pure, 97%	500 Gms	800
	AR, 99%			[10045-86-0]	• • • • • • • • • • • • • • • • • • • •	500 Gillo	
27466 [122-99-6]	Ethylene Glycol Monophenylether pure, 99%	500 ml	460	69325	Ferric Oxide Red extrapure, 95%	500 Gms	440
[122,99-0]	(Phenyl cellosolve, 2-Phenoxyethanol)	2500 ml	2300	[1309-37-1]	(Iron (III) Oxide Red)	=====	
82832	Propyl Cellosolve (Ethylene Glycol	500 ml	1100	39102 [15244-10-7]	Ferric Sulphate Hydrate pure, 19-21% Fe	500 Gms	280
[2807-30-9]	Monopropyl Ether) extrapure, 99% (2-Propoxyethanol, Propyl glycol)	2500 ml	4500	[.5247 10-7]	(Iron (III) Sulphate Hydrate)	5 Kg	2700
25049	Ethyl Ether pure, 99%	500 ml	440	14621	Ferric Sulphate Hydrate extrapure	500 Gms	320
[60-29-7]	(Diethyl ether)	2500 ml	1760	[15244-10-7]	AR, 19-21% Fe (Iron (III) Sulphate Hydrate)	5 Kg	3000
		25 Ltr	14900	74871	Ferric Sulphate Hydrate for tissue	500 Gms	420
64665	Ethyl Ether extrapure AR, 99.5%	500 ml	500	[15244-10-7]	culture, 19-21% Fe	5 Kg	4000
		000 1111			(Iron (III) Sulphate Hydrate)	3	
[60-29-7]	(Diethyl ether)	2500 ml	2050	57888	Ferroin solution AR	100 ml	



Code	Name	Packing	Price	Code	Name	Packing	Price
37323 [14634-91-4]	Ferroin Solution AR, ExiPlus, Multi-Compendial	100 ml	970	13142 [5995-86-8]	Gallic Acid pure, 98% (3,4,5-Trihydroxy Benzoic Acid)	100 Gms	850
[14034-91-4]	meets compendial specs of BP, Ph.Eur			[5995-00-0]	(0,4,0 Thirydroxy Belizole Acid)	500 Gms	3000
82984	Ferrous Chloride Tetrahydrate	500 Gms	600	42306	Gallic Acid ACS, ExiPlus,	100 Gms	1100
[13478-10-9]		5 Kg	5450	[5995-86-8]	Multi-Compendial, 98% (3,4,5-Trihydroxy Benzoic Acid)	500 Gms	3400
	(Iron (II) Chloride Tetrahydrate)				meets compendial specs of BP		
94185	Ferrous Sulphide Fused Sticks,	1 Kg	800	83740	Gelatin Powder ex. Porcine (Type	500 Gms	1500
[1317-37-9]	23-27% S (Iron(II) Sulfide, Ferrous Sulfide)	5 Kg	3850	[9000-70-8]	B), 120g Bloom	5 Kg	13000
93668	Ferrous Sulphate Heptahydrate for	500 Gms	410	05440	Gibberellic Acid (GA3), 90%		
[7782-63-0]	tissue culture, 99.5%	500 GIII5	410	95110 [77-06-5]	Gibberellic Acid (GA3), 90%	1 Gms	140
	(Iron (II) Sulphate Heptahydrate)			[77 00 0]		10 Gms	1330
31929	Ferrous Sulphate Heptahydrate	500 Gms	230			100 Gms	10520
[7782-63-0]	pure, 98%	5 Kg	1400	24367	Gibberellic Acid (GA4+7), 90%	1 Gms	800
	(Iron (II) Sulphate Heptahydrate)	25 Kg	6000	[468-44-0, 510-75-8]		5 Gms	2600
97868	Ferrous Sulphate Heptahydrate	500 Gms	290	310-73-0]		25 Gms	11000
[7782-63-0]	extrapure ACS, 99%			94857	Gibberellic Acid (GA3) for tissue	1 Gms	160
	(Iron (II) Sulphate Heptahydrate)	5 Kg	2620	[77-06-5]	culture, 90%	10 Gms	1490
53072	Formamide pure, 98.5%	500 ml	440			100 Gms	11280
[75-12-7]	(Methanamide)	2500 ml	2100		Olamas Otalia		
		25 Ltr	19000	45881 [51811-82-6]	Giemsa Stain	25 Gms	600
71714	Formamide extrapure AR, 99.5%	500 ml	580	[31011-02-0]		100 Gms	2290
[75-12-7]	(Methanamide)	2500 ml	2500			500 Gms	11000
				72402	Giemsa Stain Solution	100 ml	310
74841	Formamide extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	650		(Giemsa Azur-Eosin-Methylene Blue	250 ml	610
[75-12-7]	Exirus, wutt-compendial, 99.5%	2500 ml	2800		Solution)	500 ml	1100
	meets compendial specs of BP, Ph.Eur			20149	L-Glutamic Acid extrapure CHR,	250 Gms	650
30349	Formamide for molecular biology,	500 ml	850	[56-86-0]	99%	1 Kg	2100
[75-12-7]	99.5% (Methanamide)	1000 ml	1400			5 Kg	9000
83256	Formamide for UV Spectroscopy,	500 ml	1200		I Clusternia Anial for tingue pulture		
[75-12-7]	99%			50277 [56-86-0]	L-Glutamic Acid for tissue culture, 99%	100 Gms	450
. ,	(Methanamide)	1000 ml	2100	[55 55 5]		500 Gms	1500
62673	Formic Acid extrapure AR, 98%	500 ml	500	18376	L-Glutamic Acid ExiPlus,	100 Gms	380
[64-18-6]				[56-86-0]	Multi-Compendial, 99%	250 Gms	750
42868	D-Fructose extrapure	500 Gms	550			1 Kg	2800
[57-48-7]	(D Fructose, D (-) Fructose)	5 Kg	5200		meets compendial specs of BP		
		25 Kg	25000	23229	L-Glutamic Acid Monosodium Salt	500 Gms	470
68823	D-Fructose for tissue culture	500 Gms	950	[6106-04-3]	Monohydrate (MSG) extrapure,	5 Kg	4360
[57-48-7]	(D Fructose, D (-) Fructose)				99% (Monosodium Glutamate, Monosodium	25 Kg	19620
86364	Fumaric Acid pure, 99%	500 Gms	400		L-Glutamate)		
[110-17-8]		5 Kg	3800	42595	Glycerol (Glycerine) Anhydrous	500 ml	260
		25 Kg	15000	[56-81-5]	pure, 99%	2500 ml	1100
79503	Fumaric Acid extrapure AR, 99%	500 Gms	600			25 Ltr	
[110-17-8]	i umanic Acid extrapule Art, 35%						10000
		5 Kg	5700	77453	Glycerol (Glycerine) Anhydrous	500 ml	290
97328	Fumaric Acid extrapure AR,	500 Gms	800	[56-81-5]	ACS, 99.5%	2500 ml	1200
[110-17-8]	ExiPlus, Multi-Compendial, 99%	5 Kg	7500	59991	Glycerol (Glycerine) Anhydrous	500 ml	330
	meets compendial specs of BP, Ph.Eur			[56-81-5]	ACS, ExiPlus, Multi-Compendial,	2500 ml	1350
14277	Fuchsin Basic	25 Gms	280		99.5%		
[632-99-5]	(Basic Fuchsin) (C.I. No. 42510)	100 Gms	770	0044=	meets compendial specs of USP, BP	4001	
		500 Gms	3400	62417 [56-81-5]	Glycerol (Glycerine) for molecular biology, 99.5%	100 ml	300
62967	Fusion Mixture extrapure	500 Gms	430	[50-01-5]		500 ml	1050
			.50	85916	Glycerol Tributyrate (Tributyrin)	100 ml	1200
24016	Fusion Mixture extrapure AR	500 Gms	540	[60-01-5]	pure, 97%	500 ml	5000



Code	Name	Packing	Price	Code	Name	Packing	Price
25853	Glycine pure, 99%	500 Gms	580	19123	Graphite Synthetic (Type 2) pure,	500 Gms	450
[56-40-6]		5 Kg	5500	[7782-42-5]	97% C, 100mesh	2.5 Kg	2100
		25 Kg	26500	26870	Graphite Synthetic (Type 3) pure,	500 Gms	550
66327	Glycine extrapure AR, 99.5%	500 Gms	650	[7782-42-5]	96% C, 325mesh	2.5 Kg	2500
[56-40-6]		5 Kg	6200	86601	Guanidine Carbonate extrapure,	100 Gms	420
		25 Kg	29000	[593-85-1]	99%	500 Gms	1250
64072	Glycine for molecular biology,	100 Gms	240			5 Kg	11000
[56-40-6]	99.5%	500 Gms	1100	54542	Guanidine Hydrochloride (GHC)	100 Gms	440
		1 Kg	2000	[50-01-1]	pure, 99%	500 Gms	1420
		5 Kg	8200			1 Kg	2730
72938	Glycine for tissue culture, 99.5%	500 Gms	800			5 Kg	13080
[56-40-6]		5 Kg	7400	45539	Guanidine Hydrochloride (GHC) for	100 Gms	700
52574	Glycine for electrophoresis, 99.5%	100 Gms	1400	[50-01-1]	molecular biology, 99.5%	500 Gms	2800
[56-40-6]		500 Gms	6000			1 Kg	4600
69422	Glycine extrapure AR, ACS,	500 Gms	720			5 Kg	22000
[56-40-6]	ExiPlus, Multi-Compendial, 99.5%	5 Kg	6800	80272	Guanidine Thiocyanate (GTC) for	100 Gms	800
	meets compendial specs of BP			[593-84-0]	molecular biology, 99%	500 Gms	3200
40682	Glycine IP	1 Kg	1200			1 Kg	5400
[56-40-6]		5 Kg	5000			5 Kg	26000
		25 Kg	22500	68413	Guanidine Hydrochloride (GHC)	250 Gms	1500
74072	Glycine BP	1 Kg	1200	[50-01-1]	ExiPlus, Multi-Compendial, 99%	1 Kg	4300
[56-40-6]		5 Kg	5000			5 Kg	20000
		25 Kg	22500		Meets compendial specs of BP, USP		
37449	Glycine USP	1 Kg	1400	20222	Guar Gum extrapure	500 Gms	420
[56-40-6]		5 Kg	6250	[9000-30-0]		5 Kg	3500
		25 Kg	30000	90970	Acacia (Gum Acacia) extrapure	500 Gms	560
38063	Glycolic Acid extrapure, 70% soln	500 ml	950	[9000-01-5]	(Gum Arabic)	5 Kg	4830
[79-14-1]	in water	2500 ml	4300			25 Kg	23580
27194	Gold AAS Standard Solution in	100 ml	4200	90938	Acacia (Gum Acacia) (enzyme free)	500 Gms	850
	0.5N HCI (Traceable to NIST)	250 ml	7900	[9000-01-5]	extrapure AR		
59611	Gold Chloride Hydrate	500 Mg	10360	39758	(Gum Arabic) Hematoxylin solution (Delafield`s)	125 ml	400
[16961-25-4]		1 Gms	17870	39/50	for microscopy	125 1111	490
	99.99%, ~49% Au	5 Gms	80000	78631	Hematoxylin solution (Ehrlich) for	125 ml	490
12023	Gold Chloride Trihydrate	500 Mg			microscopy		
[16961-25-4]	(Tetrachloroauric Acid) pure, ~49%	1 Gms	8460 16000	40362	Hematoxylin solution (Harris) for	125 ml	650
	Au	5 Gms	70000	40444	microscopy	100	070
81173	Gold Chloride Sodium	1 Gms		48441	Hematoxylin solution (Mayer`s) for microscopy	100 ml	270
81173 8 [13874-02-7]	dola Chioriae Socialii	5 Gms	14000 62000	19241	n-Heptane extrapure, 99%	500 ml	360
0	Cold Oblasida Calution 200/ in UCI			[142-82-5]		2500 ml	1500
84763 [16903-35-8]	,	5 ml	23000			25 Ltr	14000
		10 ml	40000	94979	n-Heptane extrapure AR, 99%	500 ml	430
93281 (i) [13682-61-6]	Gold Potassium Chloride (Potassium Tetrachloroaurate (III))	500 Mg	9920	[142-82-5]		2500 ml	1800
[10002-01-0]	extrapure, 99.99%	1 Gms	19000			25 Ltr	17000
	(Gold Potassium Chloride)			96979	n-Heptane extrapure AR, ExiPlus,	500 ml	460
10436	Gram`s lodine, 33% I	5 Gms	330	[142-82-5]	Multi-Compendial, 99%	2500 ml	2100
		25 Gms	900		meets compendial specs of USP, BP,		
		100 Gms	3500		Ph.Eur		
		500 Gms	16500	90731	n-Heptane for HPLC & UV	500 ml	600
	Graphite Synthetic (Type 1) pure,	500 Gms	350	[142-82-5]	Spectroscopy, 99.5%	1000 ml	1100
59538 [7782-42-5]	98% C, 50mesh					1000 1111	1100



Code	Name	Packing	Price	Code	Name	Packing	Price
94373	Heptane Sulphonic Acid Sodium	25 Gms	1200	70389	Hexylene Glycol pure, 99%	500 ml	800
[22767-50-6]	Salt Anhydrous for HPLC, 99%	100 Gms	4360	[107-41-5]		2500 ml	3700
		250 Gms	10690			25 Ltr	35000
55272	Heptane Sulphonic Acid Sodium	25 Gms	1200	38885	D-Histidine extrapure, 99%	5 Gms	3030
	Salt Monohydrate for HPLC, 99%	100 Gms	4360	[351-50-8]	• , ,	25 Gms	8000
		250 Gms	10690	04405	L Histiding (hose) sytronyre CHP	25 Gms	
FF400	1 Hantanal autronium 000/			94495 [71-00-1]	L-Histidine (base) extrapure CHR, 99%		800
55120 [111-70-6]	1-Heptanol extrapure, 98% (n-Heptanol, n-Heptyl Alcohol)	500 ml	1400	[]		100 Gms	2800
		2500 ml	6500			500 Gms	13000
60805	Hexachloroethane pure, 99%	500 Gms	650			1 Kg	24500
[67-72-1]		5 Kg	6000				116000
36027	Hexachloroplatinic Acid	250 Mg	2500	42437	L-Histidine ExiPlus,	25 Gms	1000
[18497-13-7]	Hexahydrate (Platinum Chloride Hexahydrate) ACS, 38-40% Pt	1 Gms	5800	[71-00-1]	Multi-Compendial, 99%	100 Gms	3390
	(Platinic Chloride Hexahydrate)	5 Gms	26000			1 Kg	26000
		25 Gms	120000		meets compendial specs of USP, BP,		
37465	1-Hexadecene (Cetene) extrapure,	250 ml	2850		Ph.Eur		
[629-73-2]	95%	500 ml	4500	28061	L-Histidine Hydrochloride	25 Gms	710
81451	Hexamine pure, 99%	500 Gms	300	[5934-29-2]	Monohydrate extrapure CHR, 99%	100 Gms	2200
[100-97-0]	(Hexamethylenetetramine, HMTA)	5 Kg	2600			500 Gms	8000
						1 Kg	14200
92391 [100-97-0]	Hexamine extrapure AR, 99.5%	500 Gms	350			5 Kg	68000
[100-97-0]		5 Kg	3000	51565	DL-Histidine extrapure, 99%	5 Gms	2000
91454	n-Hexane pure, 95%	500 ml	500	[4998-57-6]		25 Gms	8000
[110-54-3]		2500 ml	2300			100 Gms	30000
		25 Ltr	19000	40599	Holmium (III) Oxide ultrapure,	5 Gms	2000
65764	n-Hexane for HPLC, 95%	500 ml	620	[12055-62-8]	99.9%	10 Gms	3500
[110-54-3]		1000 ml	1200			25 Gms	7500
		2500 ml	2800	59764	Humic Acid Potassium Salt	500 Gms	380
77045	n-Hexane pure, 99%	500 ml	600	[68514-28-3]		5 Kg	3500
[110-54-3]		2500 ml	2600		Humic, 15% Fulvic		3300
		25 Ltr	24000	53931	Hydrazine Hydrate extrapure, 80%	500 ml	900
12534	n-Hexane extrapure AR, 99%	500 ml	680	[7803-57-8]	(Hydrazinium Hydroxide)	2500 ml	4000
[110-54-3]	Ti Tioxano extrapare Att, 00%	2500 ml	2800			25 Ltr	37500
				99313	Hydrazine Sulphate extrapure, 99%	100 Gms	440
27226 [110-54-3]	n-Hexane extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	500 ml	740	[10034-93-2]		500 Gms	1950
[110-54-0]	•	2500 ml	3000	33243	Hydrazine Sulphate extrapure AR,	100 Gms	550
	meets compendial specs of USP, BP,			[10034-93-2]		500 Gms	2300
	Ph.Eur				Underwine Culmbate autremuse AD		
33823 [110-54-3]	n-Hexane for HPLC, 99%	500 ml	800	78110 [10034-93-2]	Hydrazine Sulphate extrapure AR, ACS, ExiPlus, Multi-Compendial,	100 Gms	710
[110-54-0]		1000 ml	1500	[10001002]	99.5%	500 Gms	2610
		2500 ml	3500		meets compendial specs of USP, BP,		
40501	n-Hexane GC-HS, 99.9%	250 ml	820		Ph.Eur		
[110-54-3]		1000 ml	2700	21435	Hydrobromic Acid pure, 48-49% in	500 ml	950
29114	n-Hexane Dried, 99%, water 0.005%	500 ml	1050	[10035-10-6]	water	2500 ml	4400
[110-54-3]		1000 ml	2000	30106	Hydrobromic Acid, 31-34% in	500 ml	1050
49346	Hexane Sulphonic Acid Sodium	25 Gms	1200	[10035-10-6]	Glacial Acetic Acid	2500 ml	5200
[2832-45-3]	Salt Anhydrous for HPLC, 99%	100 Gms	4360	99790	Hydrochloric Acid 0.1N Aq.	500 ml	160
		250 Gms	10690	[7647-01-0]	Solution	1000 ml	290
78597	Hexane Sulphonic Acid Sodium	25 Gms	1200	62889	Hydrochloric Acid 1N Aq. Solution	500 ml	
	Salt Monohydrate for HPLC, 99%	100 Gms		62889 [7647-01-0]	Try and officerio Acid Try Aq. Solution	1000 ml	300
,	·	250 Gms	4360				550
		250 GHS	10690	30988	Hydrochloric Acid 0.5N Aq.	500 ml	180
				[7647-01-0]	Solution	1000 ml	330



Code	Name	Packing	Price	Code	Name	Packing	Price
87039	Hydrochloric Acid 2N Aq. Solution	500 ml	330	65712	Imidazole pure, 99%	100 Gms	370
[7647-01-0]		1000 ml	620	[288-32-4]		500 Gms	1460
80096	Hydrochloric Acid 3N Aq. Solution	500 ml	360			5 Kg	12000
[7647-01-0]		1000 ml	660			25 Kg	50000
65955	Hydrochloric Acid 4N Aq. Solution	500 ml	390	32822	Imidazole extrapure AR, 99%	100 Gms	650
[7647-01-0]		1000 ml	730	[288-32-4]		500 Gms	2070
72775	Hydrochloric Acid 4M Solution in	1000 ml	1400			5 Kg	19000
[7647-01-0]	Dioxane	2500 ml	3460			25 Kg	84880
34472	Hydrochloric Acid 5N Aq. Solution	500 ml	420	78496	Imidazole extrapure AR, ACS,	100 Gms	670
[7647-01-0]		1000 ml	770	[288-32-4]	ExiPlus, Multi-Compendial, 99%	500 Gms	2330
17560	Hydrochloric Acid 6N Aq. Solution	500 ml	440		meets compendial specs of USP, BP,		
[7647-01-0]		1000 ml	810		Ph.Eur	05.0	
79661	Hydrochloric Acid 0.05N Aq.	500 ml	200	61510 [288-32-4]	Imidazole for molecular biology, 99.5%	25 Gms 100 Gms	500
[7647-01-0]	Solution	1000 ml	360	. ,		500 Gms	1400 5200
40918	Hydrochloric Acid 0.01M Aq.	500 ml	200	40-00	Insidemala for tipous pulture CO 50/		
[7647-01-0]	Solution	1000 ml	360	10722 [288-32-4]	Imidazole for tissue culture, 99.5%	100 Gms	800
56059	Hydroxylamine Hydrochloride pure,	100 Gms	250	73017	Immersion Oil Synthetic for	30 ml	320
[5470-11-1]	98%	500 Gms	750	[8000-27-9]	microscopy	125 ml	730
66164	Hydroxylamine Hydrochloride	100 Gms			(Cedarwood Oil Synthetic, Immersion Oil Thickened)	500 ml	2000
[5470-11-1]	extrapure AR, 99%	500 Gms	350 1100		on motorioa)	5 Ltr	18500
05500	Undravidamina Undra ablavida			63214	Indium AAS Standard Solution in	100 ml	1600
65508 [5470-11-1]	Hydroxylamine Hydrochloride extrapure AR, ACS, ExiPlus,	100 Gms 500 Gms	400		1N HCI (Traceable to NIST)	250 ml	2600
. ,	Multi-Compendial, 99%	500 GIIIS	1250	88318	Indole-3-Acetic Acid (IAA) pure,	5 Gms	430
	meets compendial specs of BP, Ph.Eur,			[87-51-4]	98%	25 Gms	1390
47740	USP Hydroxylamine 50% Soln. in Water	E0 ml	0000			100 Gms	4900
47748 [7803-49-8]	nyuroxylamine 50 % 30m. in water	50 ml 100 ml	2000 3500	96788	Indole-3-Acetic Acid (IAA) for	5 Gms	650
		500 ml	13000	[87-51-4]	tissue culture, 98%	25 Gms	2400
13877	Hydroxylamine Sulphate pure, 99%	100 Gms				100 Gms	7200
[10039-54-0]	Tryuroxylamine Sulphate pure, 9976	500 Gms	230 650	18676	Indole-3-Acetonitrile pure, 98%	5 Gms	1590
83032	Hydroxylamine Sulphate extrapure	100 Gms		[771-51-7]		25 Gms	5940
	AR, ACS, 99%	500 Gms	260 830	40407	Indole-3-Butyric Acid (IBA) pure,	5 Gms	520
	4 (O Hudroundhul) mormholine			[133-32-4]	98%	25 Gms	1760
44439 8 [622-40-2]	4-(2-Hydroxyethyl)morpholine (4-HEM) extrapure, 99%	100 ml	390			100 Gms	5530
. ,	(2-Morpholinoethanol,	500 ml	1420	60289	Indole-3-Butyric Acid (IBA) for	5 Gms	750
	4-Morpholineethanol)			[133-32-4]	tissue culture, 98%	25 Gms	2620
91113 [148-24-3]	8-Hydroxyquinoline (8-Quinolinol) extrapure, 99.5%	100 Gms	900			100 Gms	8180
		500 Gms	3500	35095	Indole-3-Carboxylic Acid pure, 99%	5 Gms	1260
23264 [148-24-3]	8-Hydroxyquinoline (8-Quinolinol) extrapure AR, ACS, 99.5%	100 Gms	980	[771-50-6]		25 Gms	5030
		500 Gms	4000	67892	lodine Monochloride extrapure,	25 Gms	890
26356 [6303-21-5]	Hypophosphorous Acid pure, 30-32% in water	500 ml	1200	[7790-99-0]	98%	100 Gms	2800
[0000-21-0]	(Phosphinic Acid)					250 Gms	6500
92379	Hypophosphorous Acid extrapure	500 ml	1400	66098	Iodine Monochloride Solution (1M	250 ml	1600
[6303-21-5]	AR, 50% in water			[7790-99-0]	in Acetic Acid) (Wij`s Solution)	500 ml	3000
64556	(Phosphinic Acid) Ichthammol pure, 50%	500 Gms	5000		extrapure (Chloroiodide Solution)		
[8029-68-3]		1 Kg	9000	40415	Iodine Pentoxide (Iodopentoxide)	25 Gms	1400
				[12029-98-0]	extrapure AR, 99%	100 Gms	4600
				52539	Iodine Resublimed AR, 99.8%	100 Gms	3200
				[7553-56-2]	. •	500 Gms	15500



Code	Name	Packing	Price	Code	Name	Packing	Price
37524	Iodine Resublimed AR, ACS,	100 Gms	3400	52497	Isobutyl Acetate extrapure, 98%	500 ml	550
[7553-56-2]	ExiPlus, Multi-Compendial, 99.8%	500 Gms	16500	[110-19-0]	(Acetic Acid Isobutyl Ester)	2500 ml	2500
	meets compendial specs of USP, BP,					25 Ltr	24000
	Ph.Eur			41867	Isobutyraldehyde extrapure, 99%	500 ml	440
68017	lodine 0.01N Solution	500 ml	550	[78-84-2]	(2-Methylpropionaldehyde)	2500 ml	1950
[7553-56-2]		1000 ml	1030	53502	Isooctane extrapure, 99%	500 ml	870
59802	lodine 1N Solution	500 ml	2200	[540-84-1]		2500 ml	4120
[7553-56-2]	Ladina 6.4M Oaludian					25 Ltr	37060
12445 [7553-56-2]	Iodine 0.1N Solution	500 ml	1000	57075	Isooctane extrapure AR, 99.5%	500 ml	1080
84644	Iodine Trichloride extrapure, 97%	25 Gms	3100	[540-84-1]		2500 ml	4720
[865-44-1]	· · · · · · · · · · · · · · · · · · ·					25 Ltr	40880
36388	lodoform pure, 99%	25 Gms	1600	81399	Isooctane extrapure AR, ACS,	500 ml	1130
[75-47-8]		100 Gms	5400	[540-84-1]	ExiPlus, Multi-Compendial, 99.5%	2500 ml	5090
		250 Gms	13000		meets compendial specs of BP		0000
58593	lodophor, 1.60% l	1000 ml	1200	68930	Isooctane for HPLC & UV	500 ml	1370
		5 Ltr	5500	[540-84-1]	Spectroscopy, 99.5%	1000 ml	2420
70031	N-lodosuccinimide extrapure, 99%	5 Gms	400			2500 ml	5300
[516-12-1]	(1-lodo-2,5-Pyrrolidinedione)	25 Gms	1300	67959	Isooctane Fuel Grade for HPLC &	500 ml	
		100 Gms	5000	[540-84-1]	UV Spectroscopy, 99.9%	2500 ml	2100 8800
22157	Iridium Metal Powder extrapure,	100 Mg	7500		(2,2,4 -Trimethylpentane)	2300 1111	0000
[7439-88-5]	99.9%	500 Mg	34000	15485	Isooctane GC-HS, 99.9%	500 ml	3800
		1 Gms	65000	[540-84-1]	(2,2,4 -Trimethylpentane)		
50716	Iridium Trichloride Hydrate	250 Mg	9500	98605 [540-84-1]	Isooctane Dried, 99.5%, water 0.005%	1000 ml	2060
[14996-61-3]	extrapure, 99%	1 Gms	40000	[040 04 1]	(2,2,4 -Trimethylpentane)		
		5 Gms	180000	67800	Isopropanol (IPA) pure, 99%	500 ml	280
	Ivan AAC Ctandard Calution in 0.5N			[67-63-0]	(Isopropyl alcohol, 2-Propanol)	2500 ml	1300
84425	Iron AAS Standard Solution in 0.5N HNO3 (Traceable to NIST)	100 ml 250 ml	1600			25 Ltr	12000
	· ·		2600	62986	Isopropanol (IPA) ACS, 99.5%	500 ml	300
64857 [7439-89-6]	Iron Metal Powder (Electrolytic), 99.5%, mesh ~200	500 Gms	710	[67-63-0]	(Isopropyl alcohol, 2-Propanol)	2500 ml	1450
[1400 00 0]	200	1 Kg	1000	11768	Isopropanol (IPA) ACS, ExiPlus,	500 ml	330
		5 Kg	4540	[67-63-0]	Multi-Compendial, 99.5%	2500 ml	1600
90354 [91-56-5]	Isatin extrapure AR, 99% (2,3-Indolinedione)	25 Gms	1030		(Isopropyl alcohol, 2-Propanol)		
[81-30-3]	(2,3-indolinedione)	100 Gms	3540		meets compendial specs of USP,BP,Ph.Eur		
57020	Isoamyl Alcohol (Isopentyl Alcohol)	500 ml	340	38445	Isopropanol (IPA) for molecular	100 ml	250
[123-51-3]	pure, 99%	2500 ml	1600	[67-63-0]	biology, 99.8%	500 ml	700
69931	Isoamyl Alcohol (Isopentyl Alcohol)	500 ml	380		(Isopropyl alcohol, 2-Propanol)	1000 ml	1350
[123-51-3]	extrapure AR, 99%	2500 ml	1750	10140	Isopropanol (IPA) GC-HS, 99.9%	250 ml	320
88719	Isoamyl Alcohol (Isopentyl Alcohol)	500 ml	440	[67-63-0]	(Isopropyl alcohol, 2-Propanol)	500 ml	580
[123-51-3]	extrapure AR, ACS, ExiPlus,	2500 ml	2000			1000 ml	1100
	Multi-Compendial, 99% meets compendial specs of USP, BP,			40000	January (IDA) Dried CO FO		
	Ph.Eur			16666 [67-63-0]	Isopropanol (IPA) Dried, 99.5%, water 0.005%	500 ml	650
69412	Isobutanol pure, 99%	500 ml	360		(Isopropyl alcohol, 2-Propanol)	1000 ml	1200
[78-83-1]		2500 ml	1460	44036	Isopropanol (IPA) for HPLC & UV	500 ml	480
		25 Ltr	12320	[67-63-0]	Spectroscopy, 99.8% (Isopropyl alcohol, 2-Propanol)	1000 ml	850
98646	Isobutanol extrapure AR, 99.5%	500 ml	450		(130p10py1 alcollol, 2-F10pa1lol)	2500 ml	1800
[78-83-1]	• , ,	2500 ml	1760	48906	Isopropanol (IPA) electronic grade,	2500 ml	2400
3/150	Isobutanol GC-HS, 99.9%	250 ml		[67-63-0]	99.8%		
34159 [78-83-1]	13056441101 GO-113, 33.3 /0	250 ml	560 1010	00015	(Isopropyl alcohol, 2-Propanol)	40001	2025
		1000 ml	1010	62616 [67-63-0]	Isopropanol (IPA) VLSI Semiconductor Grade, 99.8%	1000 ml	6000
		1000 1111	1770	[0, 00 0]	(Isopropyl alcohol, 2-Propanol)	2500 ml	13500



Code	Name	Packing	Price	Code	Name	Packing	Price
13627 [108-22-5]	Isopropenyl Acetate extrapure, 99%	100 ml 500 ml	750 3100	19459	Lanthanum AAS Standard Solution in 2N HNO3 (Traceable to NIST)	100 ml 250 ml	1900 2900
35858 [75-31-0]	Isopropylamine (MIPA) extrapure,	500 ml	520	70514	Lauric Acid pure, C12-99% (Dodecanoic Acid)	500 Gms	450
[/5-51-0]	(Monoisopropylamine)	2500 ml	2180	[143-07-7]	(Dodecariole Acid)	5 Kg	4200
73716	Isopropyl Myristate pure, 90%	500 ml	860	90346	Lead Subacetate extrapure, Pb	500 Gms	930
[110-27-0]		2500 ml	3940	[1335-32-6]	content 33% (Lead (II) Acetate Basic, Lead	2.5 Kg	4530
32009	Isopropyl Myristate ExiPlus,	500 ml	960		Hydroxide Acetate, Horne's	5 Kg	8720
[110-27-0]	Multi-Compendial, 90%	2500 ml	4240		Compound)		
	meets compendial specs of USP, Ph.Eur	2000 1111	4240	72518	Lead (II) Acetate Trihydrate pure,	500 Gms	530
42822	Isopropyl Myristate extrapure AR	500 ml	1820	[6080-56-4]	99% (Plumbous Acetate Trihydrate, Lead	5 Kg	5000
[110-27-0]	(0.2um filtered), 98%	2500 ml	7890		Diacetate)		
				69586	Lead AAS Standard Solution in	100 ml	1600
36494 [9002-13-5]	Jack Bean Meal ex. Urease extrapure	100 Gms	270	[10099-74-8]	0.5N HNO3 (Traceable to NIST)	250 ml	2600
[9002-13-3]	(Crude Urease)	500 Gms	1220	69789	Lead (II) Chloride Anhydrous	500 Gms	700
20489	Janus Green B (JG-B), 65%	5 Gms	760	[7758-95-4]	extrapure, 98%	300 Gills	700
[2869-83-2]	(Diazin Green, Union Green B)	25 Gms	3040	87373	Lead Dioxide (Lead Peroxide)	100 Gms	490
96542	Jenners Stain (Eosin-methylene			[1309-60-0]	extrapure, 95%	500 Gms	2000
86543 [62851-42-7]		25 Gms 100 Gms	630	00040	Lead (II) Fluoride pure, 98%	500 Gms	
. ,	·	100 GHS	2390	60843 [7783-46-2]	(Plumbous Fluoride)	500 GITIS	1200
57080	Kaolin Light extrapure	500 Gms	200	64972	Lead (II) Nitrate extrapure, 99%	500 Gms	600
[1332-58-7]		5 Kg	900		(Plumbous Nitrate, Lead Dinitrate)	5 Kg	5500
34469	Karl Fischer Reagent (Pyridine	500 ml	3240	00000	Lood (II) Nitrata ACS 00%		
	free, Single Solution)	2 x250 ml	3240	68030 [10099-74-8]	Lead (II) Nitrate ACS, 99% (Plumbous nitrate, lead dinitrate)	500 Gms	750
62878	L-Lactic Acid for tissue culture,	100 ml	600	[10000710]	(**************************************	5 Kg	7200
[79-33-4]	88%			50314	Lead (II) Oxide (Lead Monoxide,	500 Gms	600
	(L-(+)-Lactic Acid)			[1317-36-8]	Litharge) pure, 99%	1 Kg	1100
93762	L-Lactic Acid pure, 88%	500 ml	660			5 Kg	5000
[79-33-4]	(L-(+)-Lactic Acid)	2500 ml	2800	60795	Lead (II) Sulphate extrapure, 98%	500 Gms	800
41242	L-Lactic Acid extrapure AR, 88%	500 ml	700	[7446-14-2]	(Anglesite)		
[79-33-4]	(L-(+)-Lactic Acid)	2500 ml	3000	18279	Lead (II) Oxide (Lead Monoxide, Litharge) extrapure AR, ACS, 99%	100 Gms	450
21206	L-Lactic Acid extrapure AR, ACS,	500 ml	750	[1317-36-8]	Littlarge) extrapule Alt, ACC, 33/8	250 Gms	950
[79-33-4]	ExiPlus, Multi-Compendial, 88% (L-(+)-Lactic Acid)	2500 ml	3300	68015	Leishman Staining Solution	250 ml	300
	meets compendial specs of BP, Ph.Eur			82184	Leishman Stain	25 Gms	660
54492	L-Lactic Acid 0.1N Solution	500 ml	250	[12627-53-1]		100 Gms	2200
[79-33-4]		1000 ml	470			500 Gms	9800
41158	L-Lactic Acid 1N Solution	500 ml	420	63007	L-Leucine extrapure CHR, 99%	100 Gms	650
[79-33-4]		1000 ml	780	[61-90-5]		500 Gms	3000
97513	Lacto Fuchsin Staining Solution	100 ml	440			1 Kg	5500
						5 Kg	25000
92598	Lactophenol Cotton Blue Solution	500 ml	300	59178	L-Leucine extrapure, ExiPlus,	500 Gms	3800
				[61-90-5]	Multi-Compendial, 99%	1 Kg	7000
20863	Lactophenol Mountant Solution	500 ml	330			5 Kg	31000
25957	Lactose Monohydrate ACS	500 Gms	650	75333	Lime Water Saturated Solution	500 ml	280
[10039-26-6,		5 Kg	6100	[1305-62-0]	·		
64044-51-5] 33525	Lactose Monohydrate for tissue	500 Gms	700	75105	Lithium AAS Standard Solution in	100 ml	1600
33525 [10039-26-6,	culture	500 Gills 5 Kg	700		0.5N HNO3 (Traceable to NIST)	250 ml	2600
64044-51-5]		J Ny	6330	31665	Lithium Bromide Anhydrous	100 Gms	1000
67091	Lactose Monohydrate ACS,	500 Gms	750	[7550-35-8]	extrapure, 99%	500 Gms	4200
[10039-26-6, 64044-51-5]	ExiPlus, Multi-Compendial	5 Kg	6700	33662	Lithium Bromide Anhydrous	5 Gms	5760
	meets compendial specs of USP, BP & Ph			[7550-35-8]	ultrapure, 99.999% , -10mesh	25 Gms	19200



hium Carbonate pure, 98% hium Carbonate extrapure AR, S, ExiPlus, Multi-Compendial, bets compendial specs of BP, Ph.Eur hium Chloride Anhydrous pure, hium Chloride 1M Solution in etic Acid hium Chloride 1M Solution in hium Fluoride pure, 98.5% hium Hydroxide Anhydrous rapure, 98%	100 Gms 250 Gms 100 Gms 250 Gms 250 Gms 250 Gms 250 Gms 100 Gms 250 Gms 600 Gms 600 Gms 600 Gms 600 Gms	1800 3900 7500 2000 4200 4500 4500 10500 2400 5700 1150 1350 800 2800 12000 1550 3900 18500	[56-87-1] 22527 [56-87-1] 15942 [56-87-1] 85187 [39665-12-8] 76199 [39665-12-8]	L-Lysine Monohydrate ExiPlus, Multi-Compendial, 99% meets compendial specs of USP L-Lysine Monohydrate for	125 ml 500 ml 5 Gms 25 Gms 10 Gms 25 Gms 100 Gms 500 Gms 10 Gms 25 Gms 10 Gms 25 Gms 10 Gms 25 Gms 100 Gms 500 Gms 500 Gms 500 Gms 500 Gms 500 Gms 500 Gms	1600 4800 3400 13000 1360 3200 9000 35000 1590 3500 10500 1970 7030 32000 2110 7790 34000
hium Carbonate extrapure AR, S, ExiPlus, Multi-Compendial, ets compendial specs of BP, Ph.Eur hium Chloride Anhydrous pure, hium Chloride Anhydrous ACS, hium Chloride 1M Solution in etic Acid hium Chloride 1M Solution in hium Fluoride pure, 98.5%	500 Gms 100 Gms 250 Gms 250 Gms 100 Gms 250 Gms 500 Gms 100 Gms 250 ml 250 ml 25 Gms 100 Gms 500 Gms	7500 2000 4200 4500 2250 5400 10500 2400 5700 1150 800 2800 12000 1550 3900	[7274-88-6] 30163 [56-87-1] 22527 [56-87-1] 15942 [56-87-1] 85187 [39665-12-8] 76199 [39665-12-8]	extrapure, 99% L-Lysine (free base) Anhydrous extrapure, 98% L-Lysine (free base) Anhydrous for tissue culture, 98% L-Lysine (free base) Anhydrous ExiPlus, Multi-Compendial, 98% L-Lysine Monohydrate extrapure, 99% L-Lysine Monohydrate ExiPlus, Multi-Compendial, 99% meets compendial specs of USP L-Lysine Monohydrate for	5 Gms 25 Gms 10 Gms 25 Gms 100 Gms 500 Gms 10 Gms 25 Gms 10 Gms 25 Gms 100 Gms 25 Gms 100 Gms 500 Gms 500 Gms	3400 13000 1360 3200 9000 35000 1590 3500 1600 10500 1970 7030 32000 2110 7790
hium Carbonate extrapure AR, S, ExiPlus, Multi-Compendial, ets compendial specs of BP, Ph.Eur hium Chloride Anhydrous pure, hium Chloride Anhydrous ACS, hium Chloride 1M Solution in etic Acid hium Chloride 1M Solution in hium Fluoride pure, 98.5%	100 Gms 250 Gms 250 Gms 250 Gms 100 Gms 250 Gms 100 Gms 250 Gms 250 ml 250 ml 25 Gms 100 Gms 500 Gms 100 Gms 100 Gms	2000 4200 4500 2250 5400 10500 2400 5700 1150 800 2800 12000 1550 3900	[7274-88-6] 30163 [56-87-1] 22527 [56-87-1] 15942 [56-87-1] 85187 [39665-12-8] 76199 [39665-12-8]	extrapure, 99% L-Lysine (free base) Anhydrous extrapure, 98% L-Lysine (free base) Anhydrous for tissue culture, 98% L-Lysine (free base) Anhydrous ExiPlus, Multi-Compendial, 98% L-Lysine Monohydrate extrapure, 99% L-Lysine Monohydrate ExiPlus, Multi-Compendial, 99% meets compendial specs of USP L-Lysine Monohydrate for	25 Gms 10 Gms 25 Gms 100 Gms 500 Gms 10 Gms 25 Gms 10 Gms 25 Gms 100 Gms 25 Gms 100 Gms 500 Gms 500 Gms 500 Gms	13000 1360 3200 9000 35000 1590 3500 1600 10500 1970 7030 32000 2110 7790
hium Carbonate extrapure AR, S, ExiPlus, Multi-Compendial, ets compendial specs of BP, Ph.Eur hium Chloride Anhydrous pure, hium Chloride Anhydrous ACS, hium Chloride 1M Solution in etic Acid hium Chloride 1M Solution in hium Fluoride pure, 98.5%	250 Gms 250 Gms 100 Gms 250 Gms 500 Gms 100 Gms 250 Gms 250 ml 250 ml 25 Gms 100 Gms 500 Gms 100 Gms	4200 4500 2250 5400 10500 2400 5700 1150 800 2800 12000 1550 3900	30163 [56-87-1] 22527 [56-87-1] 15942 [56-87-1] 85187 [39665-12-8] 76199 [39665-12-8]	L-Lysine (free base) Anhydrous extrapure, 98% L-Lysine (free base) Anhydrous for tissue culture, 98% L-Lysine (free base) Anhydrous ExiPlus, Multi-Compendial, 98% L-Lysine Monohydrate extrapure, 99% L-Lysine Monohydrate ExiPlus, Multi-Compendial, 99% meets compendial specs of USP L-Lysine Monohydrate for	10 Gms 25 Gms 100 Gms 500 Gms 10 Gms 25 Gms 10 Gms 100 Gms 25 Gms 100 Gms 500 Gms 500 Gms 500 Gms	1360 3200 9000 35000 1590 3500 1600 10500 1970 7030 32000 2110 7790
hium Carbonate extrapure AR, S, ExiPlus, Multi-Compendial, beets compendial specs of BP, Ph.Eur hium Chloride Anhydrous pure, hium Chloride Anhydrous ACS, hium Chloride 1M Solution in etic Acid hium Chloride 1M Solution in hium Fluoride pure, 98.5% hium Hydroxide Anhydrous hium Hydroxide Anhydrous hium Hydroxide Anhydrous	250 Gms 100 Gms 250 Gms 500 Gms 100 Gms 250 Gms 250 ml 250 ml 25 Gms 100 Gms 500 Gms 100 Gms	4500 2250 5400 10500 2400 5700 1150 800 2800 12000 1550 3900	[56-87-1] 22527 [56-87-1] 15942 [56-87-1] 85187 [39665-12-8] 76199 [39665-12-8]	extrapure, 98% L-Lysine (free base) Anhydrous for tissue culture, 98% L-Lysine (free base) Anhydrous ExiPlus, Multi-Compendial, 98% L-Lysine Monohydrate extrapure, 99% L-Lysine Monohydrate ExiPlus, Multi-Compendial, 99% meets compendial specs of USP L-Lysine Monohydrate for	25 Gms 100 Gms 500 Gms 10 Gms 25 Gms 10 Gms 100 Gms 25 Gms 100 Gms 500 Gms 500 Gms 500 Gms	3200 9000 35000 1590 3500 1600 10500 1970 7030 32000 2110 7790
S, ExiPlus, Multi-Compendial, bets compendial specs of BP, Ph.Eur chium Chloride Anhydrous pure, hium Chloride Anhydrous ACS, hium Chloride 1M Solution in etic Acid hium Chloride 1M Solution in nanol hium Fluoride pure, 98.5%	100 Gms 250 Gms 500 Gms 100 Gms 250 Gms 250 ml 250 ml 25 Gms 100 Gms 500 Gms 25 Gms	2250 5400 10500 2400 5700 1150 1350 800 2800 12000 1550 3900	22527 [56-87-1] 15942 [56-87-1] 85187 [39665-12-8] 76199 [39665-12-8]	L-Lysine (free base) Anhydrous for tissue culture, 98% L-Lysine (free base) Anhydrous ExiPlus, Multi-Compendial, 98% L-Lysine Monohydrate extrapure, 99% L-Lysine Monohydrate ExiPlus, Multi-Compendial, 99% meets compendial specs of USP L-Lysine Monohydrate for	100 Gms 500 Gms 10 Gms 25 Gms 10 Gms 100 Gms 25 Gms 100 Gms 25 Gms 100 Gms 500 Gms 500 Gms	9000 35000 1590 3500 1600 10500 1970 7030 32000 2110 7790
ets compendial specs of BP, Ph.Eur hium Chloride Anhydrous pure, hium Chloride Anhydrous ACS, hium Chloride 1M Solution in etic Acid hium Chloride 1M Solution in hium Fluoride pure, 98.5% hium Hydroxide Anhydrous rapure, 98%	250 Gms 500 Gms 100 Gms 250 Gms 250 ml 250 ml 250 ms 100 Gms 500 Gms 100 Gms 100 Gms	5400 10500 2400 5700 1150 1350 800 2800 12000 1550 3900	[56-87-1] 15942 [56-87-1] 85187 [39665-12-8] 76199 [39665-12-8]	tissue culture, 98% L-Lysine (free base) Anhydrous ExiPlus, Multi-Compendial, 98% L-Lysine Monohydrate extrapure, 99% L-Lysine Monohydrate ExiPlus, Multi-Compendial, 99% meets compendial specs of USP L-Lysine Monohydrate for	500 Gms 10 Gms 25 Gms 10 Gms 100 Gms 25 Gms 100 Gms 500 Gms 500 Gms 500 Gms	35000 1590 3500 1600 10500 1970 7030 32000 2110 7790
nets compendial specs of BP, Ph.Eur hium Chloride Anhydrous pure, hium Chloride Anhydrous ACS, hium Chloride 1M Solution in etic Acid hium Chloride 1M Solution in hium Fluoride pure, 98.5% hium Hydroxide Anhydrous rrapure, 98%	250 Gms 500 Gms 100 Gms 250 Gms 250 ml 250 ml 250 ms 100 Gms 500 Gms 100 Gms 100 Gms	5400 10500 2400 5700 1150 1350 800 2800 12000 1550 3900	[56-87-1] 15942 [56-87-1] 85187 [39665-12-8] 76199 [39665-12-8]	tissue culture, 98% L-Lysine (free base) Anhydrous ExiPlus, Multi-Compendial, 98% L-Lysine Monohydrate extrapure, 99% L-Lysine Monohydrate ExiPlus, Multi-Compendial, 99% meets compendial specs of USP L-Lysine Monohydrate for	10 Gms 25 Gms 10 Gms 100 Gms 25 Gms 100 Gms 500 Gms 25 Gms 100 Gms	1590 3500 1600 10500 1970 7030 32000 2110 7790
hium Chloride Anhydrous pure, hium Chloride Anhydrous ACS, hium Chloride 1M Solution in etic Acid hium Chloride 1M Solution in nanol hium Fluoride pure, 98.5% hium Hydroxide Anhydrous rapure, 98%	250 Gms 500 Gms 100 Gms 250 Gms 250 ml 250 ml 250 ms 100 Gms 500 Gms 100 Gms 100 Gms	5400 10500 2400 5700 1150 1350 800 2800 12000 1550 3900	[56-87-1] 15942 [56-87-1] 85187 [39665-12-8] 76199 [39665-12-8]	tissue culture, 98% L-Lysine (free base) Anhydrous ExiPlus, Multi-Compendial, 98% L-Lysine Monohydrate extrapure, 99% L-Lysine Monohydrate ExiPlus, Multi-Compendial, 99% meets compendial specs of USP L-Lysine Monohydrate for	25 Gms 10 Gms 100 Gms 25 Gms 100 Gms 500 Gms 25 Gms 100 Gms	3500 1600 10500 1970 7030 32000 2110 7790
hium Chloride Anhydrous ACS, hium Chloride 1M Solution in etic Acid hium Chloride 1M Solution in hanol hium Fluoride pure, 98.5% hium Hydroxide Anhydrous rapure, 98%	500 Gms 100 Gms 250 Gms 250 ml 250 ml 250 ml 25 Gms 100 Gms 500 Gms 100 Gms	10500 2400 5700 1150 1350 800 2800 12000 1550 3900	15942 [56-87-1] 85187 [39665-12-8] 76199 [39665-12-8]	L-Lysine (free base) Anhydrous ExiPlus, Multi-Compendial, 98% L-Lysine Monohydrate extrapure, 99% L-Lysine Monohydrate ExiPlus, Multi-Compendial, 99% meets compendial specs of USP L-Lysine Monohydrate for	10 Gms 100 Gms 25 Gms 100 Gms 500 Gms 25 Gms 100 Gms 500 Gms	1600 10500 1970 7030 32000 2110 7790
% hium Chloride 1M Solution in etic Acid hium Chloride 1M Solution in hanol hium Fluoride pure, 98.5% hium Hydroxide Anhydrous rapure, 98%	100 Gms 250 Gms 250 ml 250 ml 250 ml 25 Gms 100 Gms 500 Gms 100 Gms	2400 5700 1150 1350 800 2800 12000 1550 3900	[56-87-1] 85187 [39665-12-8] 76199 [39665-12-8]	ExiPlus, Multi-Compendial, 98% L-Lysine Monohydrate extrapure, 99% L-Lysine Monohydrate ExiPlus, Multi-Compendial, 99% meets compendial specs of USP L-Lysine Monohydrate for	100 Gms 25 Gms 100 Gms 500 Gms 25 Gms 100 Gms 500 Gms	10500 1970 7030 32000 2110 7790
% hium Chloride 1M Solution in etic Acid hium Chloride 1M Solution in hanol hium Fluoride pure, 98.5% hium Hydroxide Anhydrous rapure, 98%	250 Gms 250 ml 250 ml 250 ms 100 Gms 500 Gms 25 Gms 100 Gms	5700 1150 1350 800 2800 12000 1550 3900	85187 [39665-12-8] 76199 [39665-12-8] 45976 [39665-12-8]	L-Lysine Monohydrate extrapure, 99% L-Lysine Monohydrate ExiPlus, Multi-Compendial, 99% meets compendial specs of USP L-Lysine Monohydrate for	25 Gms 100 Gms 500 Gms 25 Gms 100 Gms 500 Gms	1970 7030 32000 2110 7790
hium Chloride 1M Solution in etic Acid hium Chloride 1M Solution in nanol hium Fluoride pure, 98.5% hium Hydroxide Anhydrous rapure, 98%	250 ml 250 ml 25 Gms 100 Gms 500 Gms 25 Gms 100 Gms	5700 1150 1350 800 2800 12000 1550 3900	76199 39665-12-8] 45976 39665-12-8]	99% L-Lysine Monohydrate ExiPlus, Multi-Compendial, 99% meets compendial specs of USP L-Lysine Monohydrate for	100 Gms 500 Gms 25 Gms 100 Gms 500 Gms	7030 32000 2110 7790
etic Acid hium Chloride 1M Solution in hanol hium Fluoride pure, 98.5% hium Hydroxide Anhydrous rapure, 98%	250 ml 25 Gms 100 Gms 500 Gms 25 Gms 100 Gms	800 2800 12000 1550 3900	76199 [39665-12-8] 45976 [39665-12-8]	L-Lysine Monohydrate ExiPlus, Multi-Compendial, 99% meets compendial specs of USP L-Lysine Monohydrate for	500 Gms 25 Gms 100 Gms 500 Gms	32000 2110 7790
hium Chloride 1M Solution in nanol hium Fluoride pure, 98.5% hium Hydroxide Anhydrous rapure, 98%	25 Gms 100 Gms 500 Gms 25 Gms 100 Gms	800 2800 12000 1550 3900	[39665-12-8] 45976 [39665-12-8]	Multi-Compendial, 99% meets compendial specs of USP L-Lysine Monohydrate for	25 Gms 100 Gms 500 Gms	2110 7790
nanol hium Fluoride pure, 98.5% hium Hydroxide Anhydrous rapure, 98%	25 Gms 100 Gms 500 Gms 25 Gms 100 Gms	800 2800 12000 1550 3900	[39665-12-8] 45976 [39665-12-8]	Multi-Compendial, 99% meets compendial specs of USP L-Lysine Monohydrate for	100 Gms 500 Gms	7790
hium Fluoride pure, 98.5% hium Hydroxide Anhydrous rapure, 98%	100 Gms 500 Gms 25 Gms 100 Gms	2800 12000 1550 3900	[39665-12-8] 45976 [39665-12-8]	Multi-Compendial, 99% meets compendial specs of USP L-Lysine Monohydrate for	500 Gms	
nium Hydroxide Anhydrous rapure, 98%	100 Gms 500 Gms 25 Gms 100 Gms	2800 12000 1550 3900	[39665-12-8]	L-Lysine Monohydrate for		34000
rapure, 98%	500 Gms 25 Gms 100 Gms	12000 1550 3900	[39665-12-8]	L-Lysine Monohydrate for	25 Gms	
rapure, 98%	25 Gms 100 Gms	1550 3900	[39665-12-8]		25 Cmc	
rapure, 98%	100 Gms	3900			20 01118	5500
nium Hydroxide Monohydrate					100 0	050
hium Hydroxide Monohydrate	000 00		89361 [657-27-2]	L-Lysine Monohydrochloride extrapure CHR, 99%	100 Gms 500 Gms	250 1070
main riyaroxiae wononyarate	100 Gms	1900				
re, 99%	500 Gms	8000	77872 [657-27-2]	L-Lysine Monohydrochloride ExiPlus, Multi-Compendial, 99%	100 Gms	380
hium Hudvavida Manahudvata			[]	•	500 Gms	1310
hium Hydroxide Monohydrate S, 99%	100 Gms 500 Gms	2100 9000		meets compendial specs of USP, BP, Ph.Eur		
			35443	Magnesium Acetate Tetrahydrate	500 Gms	670
hium Hydroxide Monohydrate S, ExiPlus, Multi-Compendial,	100 Gms 500 Gms	2300	[16674-78-5]		5 Kg	5800
%	500 GITIS	10250	53888	Magnesium Acetate Tetrahydrate	500 Gms	800
eets compendial specs of USP,				extrapure AR, 99%	5 Kg	7000
hium Nitrate (High Purity) rapure AR, 99.5%	100 Gms	3000	64328	Magnesium Acetate Tetrahydrate	500 Gms	900
rapure An, 99.5%	500 Gms	14200		extrapure AR, ACS, ExiPlus,	ooo amo	300
hium Nitrate (High Purity)	100 Gms	3300		Multi-Compendial, 99%		
rapure AR, ExiPlus, ılti-Compendial, 99.5%	500 Gms	15600		meets compendial specs of USP, BP,		
eets compendial specs of USP			50/188		100 Gms	400
hium Sulphate Monohydrate	100 Gms	1800	[16674-78-5]	for molecular biology, 99%		1200
S, 99%	250 Gms	3000	52017	Magnesium AAS Standard Solution		
	500 Gms	5500	52317	in 0.5N HNO3 (Traceable to NIST)		1600 2600
hium Sulphate Monohydrate	100 Gms	2000	00007			
S, ExiPlus, Multi-Compendial, %	250 Gms	3400	28935 [13446-53-2]	magnesium Bromide Hexanydrate pure, 98%	500 GMS	2000
/ o	500 Gms	6200	63818	Magnesium Carbonate Basic Light,	500 Gms	430
eets compendial specs of USP, BP,			[39409-82-0]	40-45% MgO (Magnesium Carbonate Light)	5 Kg	4100
	25 Gms	1200	31196		100 Gms	840
mum Tetraporate extrapure AH, %			[7786-30-3]	extrapure, 98%	500 Gms	1320
Lithium Tetraborate)					5 Kg	8940
,			39750	Magnesium Chloride Anhydrous for		1220
,	(20 1111	380				2920
hill his s:	ti-Compendial, 99.5% ets compendial specs of USP ium Sulphate Monohydrate ium Sulphate Monohydrate ium Sulphate Monohydrate ich ExiPlus, Multi-Compendial, ets compendial specs of USP, BP, Eur ium Tetraborate extrapure AR,	ti-Compendial, 99.5% ets compendial specs of USP film Sulphate Monohydrate 5, 99% 250 Gms 500 Gms film Sulphate Monohydrate 6, ExiPlus, Multi-Compendial, 250 Gms 500 Gms 500 Gms ets compendial specs of USP, BP, Eur film Tetraborate extrapure AR, 25 Gms 100 Gms tithium Tetraborate) 500 Gms	### Solution (Conc) 10 Gms	Solution Solution (Conc) Solution (Conc) Solution Soluti	Solution Sulphate Monohydrate special	Solid State Solid State



Code	Name	Packing	Price	Code	Name	Packing	Price
69396	Magnesium Chloride Hexahydrate	500 Gms	240	78222	Magnesium Stearate ExiPlus,	500 Gms	450
[7791-18-6]	ACS, 99%	5 Kg	1900	[557-04-0]	Multi-Compendial (Stearic Acid Magnesium Salt)	1 Kg	750
54269	Magnesium Chloride Hexahydrate	500 Gms	290		meets compendial specs of USP, BP,		
[7791-18-6]	ExiPlus, Multi-Compendial, 99%	5 Kg	2200		Ph.Eur		
	meets compendial specs of USP, BP			85850	Magnesium Oxide Heavy extrapure,	500 Gms	850
91417	Magnesium Chloride Hexahydrate	250 Gms	650	[1309-48-4]	98%	5 Kg	8000
[7791-18-6]	for molecular biology, 99.5%	500 Gms	900	15547	Magnesium Oxide Light extrapure,	500 Gms	1380
		5 Kg	8000	[1309-48-4]	98%	5 Kg	12650
16203	Magnesium Chloride Hexahydrate	500 Gms	720	64741	Malachite Green Oxalate	100 Gms	530
[7791-18-6]	for tissue culture, 99.5%	5 Kg	6500	[2437-29-8]		500 Gms	2200
28577	Magnesium Chloride 0.5M Solution	500 ml	180	97890	Maleic Acid extrapure AR, 99.5%	100 Gms	230
[7791-18-6]		1000 ml	350	[110-16-7]	• • • • • • • • • • • • • • • • • • • •	500 Gms	550
23772	Magnesium Chloride 1M Solution	500 ml	200			2.5 Kg	2400
[7791-18-6]		1000 ml	380	68589	Maleic Acid extrapure AR, ExiPlus,	100 Gms	
58742	Magnesium Citrate Nonahydrate	500 Gms	700	[110-16-7]	Multi-Compendial, 99.5%	500 Gms	250 680
[153531-96-5]		300 GIII3	700		mosts compandial appear of LISB_RB ID ED	500 GIIIS	000
25349	Magnesium Fluoride pure, 95%	500 Gms	810	17000	meets compendial specs of USP, BP IP,EP Maleic Hydrazide extrapure, 98%	100 Gms	1050
[7783-40-6]				17289 [123-33-1]	(1,2-Dihydro-3,6-pyridazinedione,	1 Kg	1050
45149	Magnesium Metal coarse powder,	100 Gms	350		3,6-Dihydroxypyridazine, Maleic Acid	i Ng	9000
[7439-95-4]	99.8%, -36 mesh	500 Gms	1200		Hydrazide, 3,6-Pyridazinediol		
19684 [7439-95-4]	Magnesium Metal Ribbon extrapure AR, 99.5%	25 Gms	340	24226 [6915-15-7]	DL-Malic Acid pure, 99%	500 Gms 5 Kg	520 4800
94410	Magnesium Metal Turnings, 99.8%	250 Gms	925	73638 🗸	Maltodextrin ExiPlus,	500 Gms	310
[7439-95-4]		500 Gms	1450	[9050-36-6]	Multi-Compendial	5 Kg	2500
		2.5 Kg	7100			25 Kg	11000
77697	Magnesium Nitrate Hexahydrate	500 Gms	420		meets compendial specs of BP	20.19	11000
[13446-18-9]	ACS, 98%	000 00	420	90827 🗸	Maltodextrin for tissue culture,	500 Gms	220
50014	Magnesium Sulphate Dried	500 Gms	520	[9050-36-6]	16.5-19.5% De	5 Kg	2000
[7487-88-9]	extrapure AR, 62-70% MgSO4, 99%	2.5 Kg	2400	59338	D-Maltose Monohydrate for	100 Gms	270
64187	Magnesium Sulphate Dried	500 Gms	560	[6363-53-7]	bacteriology and biochemistry	500 Gms	1080
[7487-88-9]	extrapure AR, ExiPlus,	2.5 Kg	2600			5 Kg	10500
	Multi-Compendial, 62-70% MgSO4, 99%			42844	D-Maltose Monohydrate for tissue	100 Gms	330
	meets compendial specs of USP, BP,			[6363-53-7]	culture	500 Gms	1350
	Ph.Eur					5 Kg	12500
85611	Magnesium Sulphate Heptahydrate	500 Gms	260		D. Malhara Manakadasha FalDhar		
[10034-99-8]	extrapure AR, 99%	1 Kg	470	17451 [6363-53-7]	D-Maltose Monohydrate ExiPlus, Multi-Compendial, 92%	500 Gms	1300
		5 Kg	2300	[0000 00 7]	•	5 Kg	12000
26129	Magnesium Sulphate Heptahydrate	500 Gms	280		Meets compendial specs of USP	500.0	
[10034-99-8]	extrapure AR, ACS, ExiPlus,	5 Kg	2500	97526 [6156-78-1]	Manganese (II) Acetate Tetrahydrate pure, 97%	500 Gms	430
	Multi-Compendial, 99% meets compendial specs of USP, BP			[0.00.0.1]	(Manganous Acetate Tetrahydrate)		
74440	Magnesium Sulphate Heptahydrate	500 Gms	000	78017	Manganese (II) Acetate	500 Gms	500
[10034-99-8]	for molecular biology, 99.5%	1 Kg	900 1600	[6156-78-1]	Tetrahydrate extrapure AR, 99%		
				04400	(Manganous Acetate Tetrahydrate)	100 ml	1000
83890 [10034-99-8]	Magnesium Sulphate Heptahydrate for tissue culture, 99.5%	500 Gms 5 Kg	450 4300	94486	Manganese AAS Standard Solution in 0.5N HCI (Traceable to NIST)	100 ml 250 ml	1600 2600
00040	Magnocium Sulphoto 0.4M Colution			45757	Manganese (II) Carbonate pure, Mn	500 Gms	
90046 [10034-99-8]	Magnesium Sulphate 0.1M Solution	500 ml 1000 ml	270 490	[598-62-9]	content 42-46%	Joo Gilis	520
10201	Magnesium Sulphoto 0 5M Colution				(Manganous Carbonate)		
10301	Magnesium Sulphate 0.5M Solution	500 ml 1000 ml	290	75113	Manganese (II) Chloride	500 Gms	590
[10034-99-8]		TOOU IIII	530	[13446-34-9]	Tetrahydrate extrapure, 97%	5 Kg	5400
[10034-99-8] 29811	Magnesium Sulphate 1M Solution	500 ml	310		(Manganous Chloride Tetrahydrate)	o ng	3400



Code	Name	Packing	Price	Code	Name	Packing	Price
12551	Manganese (II) Chloride	500 Gms	720	25699	Mercuric Chloride extrapure, 98%	25 Gms	950
[13446-34-9]	Tetrahydrate extrapure ACS, 98% (Manganous Chloride Tetrahydrate)	5 Kg	6600	[7487-94-7]	(Mercury (II) Chloride)	100 Gms	3600
73970	Manganese Metal Powder pure,	250 Gms	600			250 Gms	8500
[7439-96-5]	99%, ~325 mesh					500 Gms	16000
58011	Manganese (II) Sulphate	500 Gms	300	29828	Mercuric Chloride extrapure AR,	25 Gms	1100
[10034-96-5]	Monohydrate pure, 98% (Manganous Sulphate Monohydrate)	5 Kg	2800	[7487-94-7]	ACS, ExiPlus, Multi-Compendial, 98%	100 Gms	3750
12386	Manganese (II) Sulphate	500 Gms	700		(Mercury (II) Chloride)	250 Gms	9000
[10034-96-5]	Monohydrate extrapure AR, 99% (Manganous Sulphate Monohydrate)	5 Kg	6400		meets compendial specs of USP	500 Gms	17250
78822	Manganese (II) Sulphate	500 Gms	840	98926	Mercuric Iodide Red pure, 99%	25 Gms	1300
[10034-96-5]	Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	5 Kg	7550	[7774-29-0]	(Mercury (II) Iodide)	100 Gms	4800
	(Manganous Sulphate Monohydrate)					250 Gms	11500
	meets compendial specs of USP, BP,			36881	Mercuric Iodide Red extrapure AR,	25 Gms	1400
	Ph.Eur			[7774-29-0]	99% (Marayan (II) ladida)	100 Gms	5200
38593	Manganese (IV) Oxide pure, 80%	500 Gms	400		(Mercury (II) Iodide)	250 Gms	12500
[1313-13-9]	(Manganese Dioxide)	5 Kg	3500	93383	Mercuric Iodide Red extrapure AR,	25 Gms	1500
24248	D-Mannitol extrapure, 98.5%	500 Gms	940	[7774-29-0]	ACS, ExiPlus, Multi-Compendial,	100 Gms	5500
[69-65-8]		1 Kg	1800		99% (Mercury (II) lodide)	250 Gms	13500
		5 Kg	8700		meets compendial specs of USP, Ph.Eur		
		25 Kg	42500	68434	Mercuric Nitrate Monohydrate	25 Gms	1350
79887	D-Mannitol ACS, 99%	250 Gms	520	[7783-34-8]	extrapure, 98%	100 Gms	5000
[69-65-8]		500 Gms	1020		(Mercury (II) Nitrate Monohydrate)	250 Gms	11500
		5 Kg	9100	89168	Mercuric Nitrate Monohydrate	25 Gms	1500
21304	D-Mannitol ACS, ExiPlus,	500 Gms	1160	[7783-34-8]	extrapure AR, ACS, 98.5%	100 Gms	5400
[69-65-8]	Multi-Compendial, 99%	5 Kg	10920		(Mercury (II) Nitrate Monohydrate)	250 Gms	12500
	meets compendial specs of BP,USP and			62847	Mercuric Oxide Red extrapure, 99%	25 Gms	1300
	EP			[21908-53-2]	(Mercury (II) Oxide)	100 Gms	5000
23495 [108-78-1]	Melamine extrapure, 98% (2,4,6-Triamino-1,3,5-Triazine	500 Gms	800			250 Gms	12000
	Monomer, sym-Triaminotriazine)			60178	Mercuric Oxide Red ACS, ExiPlus,	25 Gms	1600
64370	Menthol Synthetic pure	100 Gms	950	[21908-53-2]	Multi-Compendial, 99% (Mercury (II) Oxide)	100 Gms	6000
[2216-51-5]		250 Gms	2000		(Mercury (II) Oxide)	250 Gms	14000
		1 Kg	9000		meets compendial specs of Ph.Eur		
69892	2-Mercaptoethanol pure, 99%	100 ml	370	86666	Mercuric Oxide Yellow extrapure,	25 Gms	1500
[60-24-2]		500 ml	1300	[21908-53-2]	99% (Mercury (II) Oxide)	100 Gms	5500
83759	2-Mercaptoethanol for molecular	100 ml	600		(Wordery (II) Oxide)	250 Gms	13000
[60-24-2]	biology, 99%	250 ml	1200			500 Gms	24000
		500 ml	1700	37053	Mercuric Oxide Yellow extrapure	25 Gms	1600
79306	Mercuric Acetate pure, 98%	25 Gms	1180	[21908-53-2]	AR, ACS, 99.3% (Mercury (II) Oxide)	100 Gms	5900
[1600-27-7]	(Mercury (II) Acetate)	100 Gms	4560		· / · / · -/	250 Gms	14000
		250 Gms	10800			500 Gms	26000
80243	Mercuric Acetate ACS, ExiPlus,	25 Gms	1280	32543	Mercuric Sulphate pure, 99%	25 Gms	1020
[1600-27-7]	Multi-Compendial, 98%	100 Gms	4860	[7783-35-9]	(Mercury (II) Sulphate)	100 Gms	3900
	(Mercury (II) Acetate)	250 Gms	11160			250 Gms	9480
	meets compendial specs of Ph.Eur					500 Gms	17400
58263	Mercuric Bromide extrapure AR,	25 Gms	1100	20846	Mercuric Sulphate ACS, 99%	25 Gms	1080
[7789-47-1]	ACS, 99%	100 Gms	3800	[7783-35-9]	(Mercury (II) Sulphate)	100 Gms	4020
	(Mercury (II) Bromide)	250 Gms	9000			250 Gms	9840



Code	Name	Packing	Price	Code	Name	Packing	Price
43302	Mercuric Sulphate ACS, ExiPlus,	25 Gms	1440	59029	Methanol pure, 99%	500 ml	250
[7783-35-9]	Multi-Compendial, 99% (Mercury (II) Sulphate)	100 Gms	4260	[67-56-1]		2500 ml	670
	(Mercury (II) Sulphate)	250 Gms	10200			25 Ltr	5750
	meets compendial specs of USP, Ph.Eur			65524	Methanol extrapure AR, 99.8%	500 ml	270
48274	Mercuric Thiocyanate extrapure,	25 Gms	1300	[67-56-1]		1000 ml	520
[592-85-8]	98% (Mercury (II) Thiocyanate)	100 Gms	4300			2500 ml	730
	(Wercury (II) Trilocyanate)	250 Gms	10000	37152	Methanol extrapure AR, ACS,	500 ml	320
93119	Mercuric Thiocyanate extrapure	25 Gms	1550	[67-56-1]	ExiPlus, Multi-Compendial, 99.8%	1000 ml	540
[592-85-8]	AR, ExiPlus, Multi-Compendial,	100 Gms	5200			2500 ml	820
	98% (Mercury (II) Thiocyanate)	250 Gms	11500		meets compendial specs of USP, BP,		
	meets compendial specs of Ph.Eur				Ph.Eur		
47184	Mercurous Chloride pure, 98%	25 Gms	1500	87655	Methanol GC-HS, 99.9%	500 ml	700
[10112-91-1]	(Mercury (I) Chloride, Calomel)	100 Gms	5500	[67-56-1]		1000 ml	1230
		250 Gms	13000	79345	Methanol for HPLC & UV	500 ml	370
		500 Gms	24000	[67-56-1]	Spectroscopy, 99.8%	1000 ml	500
37921	Mercurous Chloride extrapure AR,	25 Gms	1600			2500 ml	970
[10112-91-1]	ACS, 99.5%	100 Gms	5900	10036	Methanol electronic grade, 99.8%	2500 ml	1190
	(Mercury (I) Chloride, Calomel)	250 Gms	14000	[67-56-1]	<u> </u>	2000 1111	1130
		500 Gms	26000	62456	Methanol Dried extrapure AR,	500 ml	360
36004	Mercurous Nitrate Dihydrate	25 Gms		[67-56-1]	99.8%, water 0.02%	1000 ml	500
[14836-60-3]	extrapure, 97%	100 Gms	1320			2500 ml	1100
	(Mercury (I) Nitrate Dihydrate)	250 Gms	4300 10000	96446	Methanol for molecular biology,	500 ml	910
				[67-56-1]	99.5%	1000 ml	1640
44682 [14836-60-3]	Mercurous Nitrate Dihydrate extrapure AR, ACS, 98%	25 Gms	1440			2500 ml	3510
[14030-00-3]	(Mercury (I) Nitrate Dihydrate)	100 Gms	5520	21944	Methanol-d4 for NMR	10 Gms	
		250 Gms	13500	[811-98-3]	spectroscopy, 99.8 atom%D	TO GITIS	9500
84229	Mercury AAS Standard Solution in	100 ml	2700	19305	L-Methionine extrapure CHR, 99%	25 Gms	330
	0.5N HNO3 (Traceable to NIST)	250 ml	4000	[63-68-3]		100 Gms	700
83568	Mercury (II) Amidochloride	25 Gms	1300			1 Kg	5800
[10124-48-8]	extrapure, 98% (Ammoniated Mercury)	100 Gms	5200			5 Kg	27000
	(Ammoniated Mercury)	500 Gms	22000	65167	Methyl Cellosolve extrapure, 99%	500 ml	380
43665	Mesitylene extrapure, 98%	500 ml	1010	[109-86-4]		2500 ml	1800
[108-67-8]	(1,3,5-Trimethyl Benzene)	1000 ml	1800	38200	Methyl Cellosolve extrapure AR,	500 ml	420
		2500 ml	4000	[109-86-4]	99.5%	2500 ml	2000
53383 🗸	Mercury Metal extrapure, 99%	250 Gms	12000	00454	Methyl Cyclehovene ovtronure		
[7439-97-6]		500 Gms	23000	60451 [108-87-2]	Methyl Cyclohexane extrapure, 99%	500 ml	550
86556	Methacrylic Acid extrapure, 99%	500 ml	540			2500 ml	2080
[79-41-4]		2500 ml	2600	46985 [845-10-3]	Methyl Red Sodium Salt (water soluble) ACS, 95%	25 Gms	270
87726	Methanesulphonic Acid (MSA)	100 ml		[645-10-3]	(C.I. No. 13020) (Acid Red 2)	500 Gms	4790
[75-75-2]	pure, 99%	500 ml	220	38862	N,N-Methylene Bisacrylamide	100 Gms	1040
		2500 ml	770 3500	[110-26-9]	(bis-Acrylamide) pure, 98%	500 Gms	2910
		25 Ltr	34000			5 Kg	22000
40000	Methanogulahanyi Chiasida (MCCI)			38516	N,N-Methylene Bisacrylamide	25 Gms	540
46989 [124-63-0]	Methanesulphonyl Chloride (MSCI) pure, 98%	100 ml	220	[110-26-9]	(bis-Acrylamide) 3x cryst. extrapure	100 Gms	1700
[000]	. ,	500 ml	700		AR, 99.5%	500 Gms	7020
		2500 ml	3200	67320	N,N-Methylene Bisacrylamide 3x	25 Gms	580
		25 Ltr	30000	[110-26-9]	cryst. for molecular biology, 99.5%	100 Gms	1820
46644 [124-63-0]	Methanesulphonyl Chloride (MSCI) extrapure, 99%	100 ml	250		(Bis-Acrylamide)	250 Gms	4480
[124-03-0]	оли ары (с, ос /о	500 ml	750			500 Gms	8590
		2500 ml	3300			200 01110	0090
		25 Ltr	31500	58779	N,N`-Methylene Bisacrylamide 2%	25 ml	1800



Code	Name	Packing	Price	Code	Name	Packing	Price
60363	Methylene Blue Trihydrate	25 Gms	440	49449	Methyl Red extrapure AR	25 Gms	250
[7220-79-3]		100 Gms	1640	[493-52-7]		100 Gms	950
		500 Gms	8000			1 Kg	9000
97866	Methylene Blue 1% aq. Solution	125 ml	150	40431	Methyl Red ACS, ExiPlus,	25 Gms	460
		250 ml	250	[493-52-7]	Multi-Compendial	100 Gms	1090
77248	Methyl lodide (lodomethane)	100 ml	6670			1 Kg	9800
[74-88-4]	extrapure, 99%	250 ml	14380		meets compendial specs of BP, Ph.Eur		
64889	Methyl Isobutyl Carbinol extrapure,	500 ml	1040	99983	2-Methyl Tetrahydrofuran pure, 98%	100 ml	250
[108-11-2]	98%			[96-47-9]	90 %	500 ml	1050
15926	Methyl Isobutyl Ketone (MIBK) pure, 98%	500 ml	330			2500 ml	4400
[108-10-1]	puie, 36 %	2500 ml	1400			25 Ltr	41000
		25 Ltr	13000	37689	Methyl Violet	25 Gms	220
61929	Methyl Isobutyl Ketone (MIBK)	500 ml	390	[8004-87-3]		100 Gms	520
[108-10-1]	extrapure AR, 99.5%	2500 ml	1700	90121	Metol extrapure, 99%	100 Gms	980
		25 Ltr	15000	[55-55-0]	(4-Methylaminophenol Sulphate)	500 Gms	4200
10416	Methyl Isobutyl Ketone (MIBK) for	500 ml	1220	32198	Mixed Cresol	500 ml	750
[108-10-1]	UV spectroscopy, 99.5%	050		[1319-77-3]	(Mixture of Ortho, Meta & Para Cresol)	2500 ml	3500
13077 [563-80-4]	Methyl Isopropyl Ketone (MIPK) pure, 98%	250 ml	1850	98254	Molecular Sieve 3A (0.3nm)	250 Gms	550
[000 00 4]	(3-Methyl-2-Butanone, Isopropyl Methyl	1000 ml	7200	[308080-99-1]	(1.6-3mm Beads)	1 Kg	1530
	Ketone, Methyl Isopropyl Ketone)					5 Kg	6110
72387 [109-02-4]	4-Methyl Morpholine pure, 99% (N-Methyl Morpholine)	250 ml	500	72866	Molecular Sieve 4A (0.4nm)	250 Gms	550
[109-02-4]	(14 Welliyi Morpholine)	500 ml	880	[70955-01-0]	(1.6-3mm Beads)	1 Kg	1530
70280	Methyl Orange	25 Gms	210			5 Kg	6110
[547-58-0]		100 Gms	570	75690	Molecular Sieve 5A (0.5nm)	250 Gms	600
		1 Kg	4800		(1.6-3mm Beads)	1 Kg	1640
51369	N-Methyl-2-Pyrrolidone (NMP)	500 ml	800			5 Kg	6540
[872-50-4]	extrapure, 99.5%	2500 ml	3400	27764	Molecular Sieve 13X (2-4mm	250 Gms	550
86263	N-Methyl-2-Pyrrolidone (NMP)	500 ml	850	[63231-69-6]	•	1 Kg	1530
[872-50-4]	extrapure AR, 99.5%	2500 ml	3600			5 Kg	6110
11118	N-Methyl-2-Pyrrolidone (NMP)	500 ml	900	20717	Molybdenum AAS Standard	100 ml	
[872-50-4]	extrapure AR, ACS, ExiPlus,	2500 ml	3700	38717	Solution in 0.5N H2SO4 (Traceable	250 ml	1600 2600
	Multi-Compendial, 99.5%				to NIST)	250 1111	2000
05000	meets compendial specs of USP, BP N-Methyl-2-Pyrrolidone (NMP)	0E0 ml	000	31444	Molybdenum Trioxide extrapure,	100 Gms	2100
25903 [872-50-4]	GC-HS, 99.9%	250 ml 500 ml	900	[1313-27-5]	99.5%	250 Gms	5000
		1000 ml	1200			500 Gms	9800
4000:	N Makhad O Dawas liday - (NIMD) for		2200	72615	Molybdenum Trioxide extrapure	100 Gms	2300
10331 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) for HPLC, 99.5%	1000 ml	2000	[1313-27-5]	AR, ACS, 99.5%	250 Gms	5250
90214	N-Methyl-2-Pyrrolidone (NMP) VLSI	1000 ml	7500			500 Gms	10300
[872-50-4]	Semiconductor Grade, 99.5%	2500 ml	15500	49664	Molybdic Acid pure, 85%	100 Gms	1620
89975	N-Methyl-2-Pyrrolidone (NMP) for	250 ml		[7782-91-4]		250 Gms	3900
[872-50-4]	molecular biology, 99.5%	250 1111	760			500 Gms	7500
44055	Methyl-4-Hydroxybenzoate (Methyl	500 Gms	1300	98466	Molybdic Acid extrapure AR, 85%	100 Gms	1750
[99-76-3]	Paraben) ExiPlus,	5 Kg	12000	[7782-91-4]		250 Gms	4200
	Multi-Compendial, 98-102%					500 Gms	8000
60005	meets compendial specs of USP, BP Methyl-4-Hydroxybenzoate Sodium	E00 C===	1100	71772	Molybdic Acid extrapure AR, ACS,	100 Gms	2020
60905 [5026-62-0]	Salt (Methyl Paraben Sodium)	500 Gms	1190	[7782-91-4]	ExiPlus, Multi-Compendial, 85%	250 Gms	4350
31	ExiPlus, Multi-Compendial,	5 Kg	11520			500 Gms	8500
	95-102%				meets compendial specs of USP	223 41113	0000



96740 [110-91-8] 11287 [110-91-8] 98293 [3051-09-0]	Morpholine extrapure, 99% Morpholine extrapure AR, 99.5% Morpholine extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur Murexide (Ammonium Purpurate) extrapure AR, 98%	500 ml 2500 ml 25 Ltr 250 ml 500 ml	620 2910 22070 370 710	20379 23058	Neissers Stain A (Methylene Blue) Neissers Stain B (Crystal Violet)	125 ml	200
96740 [110-91-8] 11287 [110-91-8] 98293 [3051-09-0] 0	Morpholine extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur Murexide (Ammonium Purpurate)	25 Ltr 250 ml 500 ml	22070 370 710			125 ml	210
[110-91-8] 11287 [110-91-8] 98293 [3051-09-0] 99571	Morpholine extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur Murexide (Ammonium Purpurate)	500 ml	710	23058			
98293 [3051-09-0] 0	ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.Eur Murexide (Ammonium Purpurate)	500 ml			Neissers Stain C (Chrysoidine)	125 ml	200
98293 [3051-09-0] 0	meets compendial specs of USP, BP, Ph.Eur Murexide (Ammonium Purpurate)			36248	Neutral Red (High Purity), 85%	10 Gms	950
98293 [3051-09-0] •	Ph.Eur Murexide (Ammonium Purpurate)			[553-24-2]		25 Gms	2150
[3051-09-0] • • • • • • • • • • • • • • • • • • •						100 Gms	8200
99571	extrapure AR , 98%	5 Gms	260	90691 [553-24-2]	Neutral Red extrapure AR, 60% (C.I. No. 50040)	10 Gms 25 Gms	500
		25 Gms	980			100 Gms	1100 3600
		100 Gms	3730				
		500 Gms	16490	18559 [553-24-2]	Neutral Red (High Purity) ACS, ExiPlus, Multi-Compendial, 85%	10 Gms	1000
	Murexide (Ammonium Purpurate)	5 Gms	310	[000 24 2]	•	25 Gms	2300
	extrapure AR, ACS, ExiPlus,	25 Gms	1090		meets compendial specs of BP		
	Multi-Compendial, 98%	100 Gms	3910	73342 [12635-27-7]	Nickel Aluminium Alloy powder, 50% Ni, 50% Al	100 Gms	750
		500 Gms	18070	[12035-21-1]	30 % NI, 30 % AI	500 Gms	3000
,	meets compendial specs of Ph.Eur			48615	Nickel AAS Standard Solution in	100 ml	1600
13280	Naphthalene extrapure AR, ExiPlus,	500 Gms	420		0.5N HNO3 (Traceable to NIST)	250 ml	2600
[91-20-3]	Multi-Compendial, 99.5%	1 Kg	700	42591	Nickel (II) Acetate Tetrahydrate	100 Gms	740
,	meets compendial specs of USP, BP,			[6018-89-9]	pure, 98% (Nickelous Acetate Tetrahydrate)	500 Gms	3000
	Ph.Eur			66489	Nickel (II) Carbonate Basic Hydrate	500 Gms	4940
	Naphthalene scintillation grade,	500 Gms	550	[958638-02-3]		ooo amo	4340
[91-20-3]	99%	1 Kg	900		(Nickelous Carbonate Hydroxide		
89740	Naphthalene-1-Acetic Acid (NAA)	25 Gms	210		Hydrate, Nickel Hydroxide Carbonate Hydrate)		
	extrapure, 99%	100 Gms	640	58481	Nickel (II) Carbonate Basic	500 Gms	2880
((1-Naphthylacetic Acid)	500 Gms	2830	[12607-70-4,	Tetrahydrate extrapure, 44-47% Ni	5 Kg	26700
75928	Naphthalene-1-Acetic Acid (NAA)	25 Gms	260	39430-27-8]	(Nickelous Carbonate Hydroxide	o ng	20700
	for tissue culture, 99%	100 Gms	700		Tetrahydrate, Nickel Hydroxide Carbonate Tetrahydrate)		
	(1-Naphthylacetic Acid)	500 Gms	3270	84421	Nickel (II) Chloride Hexahydrate	500 Gms	2100
84226	a-Naphthol pure, 99%	100 Gms	300	[7791-20-0]	pure, 98%	5 Kg	19900
[90-15-3]		500 Gms	1100		(Nickelous Chloride Hexahydrate)		19900
26200	a-Naphthol extrapure AR, 99.5%	25 Gms		27303	Nickel (II) Chloride Hexahydrate	100 Gms	500
36309 (90-15-3]	a-Naphilioi extrapure An, 99.5%		210	[7791-20-0]	extrapure AR, 99% (Nickelous Chloride Hexahydrate)	500 Gms	2200
		100 Gms 500 Gms	520	10081	Nickel (II) Chloride Hexahydrate	100 Gms	580
			2000	[7791-20-0]	extrapure AR, ACS, ExiPlus,	500 Gms	2500
	a-Naphthol extrapure AR, ExiPlus, Multi-Compendial, 99.5%	100 Gms	620		Multi-Compendial, 99%		2000
	•	500 Gms	2200		(Nickelous Chloride Hexahydrate) meets compendial specs of BP		
	meets compendial specs of USP, BP, Ph.Eur			75546	Nickel Metal powder extrapure,	100 Gms	1210
	b-Naphthol pure, 99%	500 Gms	500	[7440-02-0]	99.5%, ~100 mesh	500 Gms	4680
[135-19-3]	a replicio pare, 33/8	JUU GIIIS	500	57709	Nickel (II) Nitrate Hexahydrate	500 Gms	
	ß-Naphthol extrapure AR, 99%	100 Gms	320	57709 [13478-00-7]	pure, 98%	Jou Gills	1600
[135-19-3]		500 Gms	1200		(Nickelous Nitrate Hexahydrate)		
19261	b-Naphthol extrapure AR, ExiPlus,	100 Gms	370	30795	Nickel (II) Nitrate Hexahydrate	250 Gms	1020
	Multi-Compendial, 99%	500 Gms	1400	[13478-00-7]	extrapure AR, 99% (Nickelous Nitrate Hexahydrate)	500 Gms	1850
ſ	meets compendial specs of USP, BP,		· - *	33568	Nickel (II) Nitrate Hexahydrate	250 Gms	1150
	Ph.Eur			[13478-00-7]	extrapure AR, ACS, ExiPlus,	500 Gms	2000
	1-Naphtholbenzein extrapure	5 Gms	850	•	Multi-Compendial, 99%	Joo Gilla	2000
[145-50-6]	(a-Naphtholbenzein,	25 Gms	3800		(Nickelous Nitrate Hexahydrate)		
	p-naphtholbenzein, 4,4'-	-			meets compendial specs of Ph. Eur	=	
	(a-Hydroxybenzylidene)di-1-naphthol)			49487 [1313-99-1]	Nickel (II) Oxide pure, 77% Ni (Nickel Monoxide)	100 Gms 500 Gms	1800 8000



Code	Name	Packing	Price	Code	Name	Packing	Price
12125	Nickel (II) Sulphate Heptahydrate	500 Gms	1150	75010	Nitrobenzene extrapure AR, 99%	500 ml	380
[10101-98-1]	pure, 98% (Nickelous Sulphate Heptahydrate)	5 Kg	11000	[98-95-3]		2500 ml	1700
93377	Nickel (II) Sulphate Heptahydrate	500 Gms	1250	40208	Nitrobenzene extrapure AR, ACS,	500 ml	440
[10101-98-1]	extrapure AR, 99%	5 Kg	12000	[98-95-3]	ExiPlus, Multi-Compendial, 99%	2500 ml	1900
	(Nickelous Sulphate Heptahydrate)				meets compendial specs of USP, BP,		
48105 [10101-98-1]	Nickel (II) Sulphate Heptahydrate extrapure AR, ACS, ExiPlus,	100 Gms 500 Gms	780		Ph.Eur		
	Multi-Compendial, 99%	500 GITIS	1350	20509 [75-52-5]	Nitromethane ACS, 98% (Nitrocarbol, Nitroparaffin)	500 ml	1060
	(Nickelous Sulphate Heptahydrate)			[. 0 02 0]	()	1000 ml 2500 ml	1870
	meets compendial specs of USP, BP, Ph.Eur				a Nikasakasa Lawas 2007		4360
61397	Nickel (II) Sulphate Hexahydrate	100 Gms	800	50337 [100-02-7]	p-Nitrophenol pure, 98% (4-Nitrophenol)	100 Gms 500 Gms	290
[10101-97-0]	ACS, 99%	500 Gms	3500				950
	(Nickelous Sulphate Heptahydrate)	5 Kg	34000	25170 [100-02-7]	p-Nitrophenol (High Purity) extrapure AR, 99.5%	25 Gms	420
86097	Nicotinic Acid	100 Gms	420	[]	•	100 Gms 500 Gms	1190
[59-67-6]	(Pyridine-3-Carboxylic Acid) pure,	500 Gms	1250		n Nitronbonol (High Douits)		5240
	99% (3-Picolinic Acid, Niacin, Vitamin B3)			59687 [100-02-7]	p-Nitrophenol (High Purity) extrapure AR, ExiPlus,	25 Gms	480
67066	Nigrosin (water soluble)	100 Gms	520	[]	Multi-Compendial, 99.5%	100 Gms	1310
[8005-03-6]	, ,	500 Gms	2400		meets compendial specs of BP, Ph.Eur		
75529	Nigrosin (alcohol soluble)	100 Gms	530	49301	p-Nitrophenol for Spectrophotometry, 99.5%	5 Gms	1870
[11099-03-9]	uigicom (alconol columby)	500 Gms	2500	[100-02-7]	(4-Nitrophenol)	25 Gms	4740
71131	Nigrosin 10% w/v Solution	100 ml	200	54373	Nonane Sulphonic Acid Sodium	5 Gms	2500
71101			200	[35192-74-6]		25 Gms	11000
36317	Nile Blue Chloride	25 Gms	1100	67956	(Sodium 1-Nonanesulfonate) Octane Sulphonic Acid Sodium Salt	25 Gms	1200
[2381-85-3]		100 Gms	5000	[5324-84-5]	Anhydrous for HPLC, 99%	100 Gms	4360
62887	Nile Blue Sulphate	10 Gms	810			250 Gms	10690
[3625-57-8]		25 Gms	1640	72554	Octane Sulphonic Acid Sodium Salt	25 Gms	1200
		100 Gms	6000		Monohydrate for HPLC, 99%	100 Gms	4360
47353	Nile Red	100 Mg	3000			250 Gms	10690
[7385-67-3]	(Nile Blue A Oxazone)	1 Gms	16000	38732	1-Octanol (1-Octyl Alcohol) pure,	500 ml	750
		5 Gms	30000	[111-87-5]	99%	2500 ml	3500
55058	Ninhydrin extrapure AR, 99%	10 Gms	700		(n-Octanol, n-Octyl Alcohol)		
[485-47-2]		25 Gms	1600	40334 [111-87-5]	1-Octanol (1-Octyl Alcohol) for HPLC & UV Spectroscopy, 99%	500 ml	2000
		100 Gms	6200	[111 07 0]	(n-Octanol, n-Octyl Alcohol)	1000 ml	3800
93940	Ninhydrin extrapure AR, ACS,	10 Gms	740	52761	Octyl Sulphate Sodium Salt for	5 Gms	2330
[485-47-2]	ExiPlus, Multi-Compendial, 99%	25 Gms	1700	[142-31-4]	HPLC, 99% (Sodium Octyl Sulphate, SOS)	25 Gms	9880
		100 Gms	6500	87572	Oleic Acid pure, 65%	500 ml	490
	meets compendial specs of BP, Ph.Eur			[112-80-1]	(cis-9-Octadecenoic acid, Elainic acid)	2500 ml	1990
48081 [139-13-9]	Nitrilotriacetic Acid (NTA) extrapure AR, ACS, 99%	100 Gms	300	28460	Oleic Acid Reference Standard,	1 Gms	1200
[.00 .00]	(N,N-Bis(carboxymethyl)glycine,	500 Gms	1100	[112-80-1]	99%(GC)	5 Gms	3000
	Tris(carboxymethyl)amine)					25 Gms	11000
15319 [88-74-4]	o-Nitroaniline extrapure, 99%	250 Gms	740	55081	Oleic Acid extrapure, 98%	25 ml	3000
34003	m-Nitroaniline extrapure, 99%	250 Gms	1750	[112-80-1]	(cis-9-Octadecenoic acid, Elainic acid)	100 ml	5500
[99-09-2]				87519	Oleylamine pure, 95%	250 ml	390
99409	p-Nitroaniline extrapure, 98%	250 Gms	670	[112-90-3]	(cis-9-Octadecenylamine)	1000 ml	1450
[100-01-6]	n Nitropulling (Llimb Double)	05.0				2500 ml	3300
69114 [100-01-6]	p-Nitroaniline (High Purity) extrapure AR, 99.5%	25 Gms 100 Gms	340	79576	Olive Oil	100 ml	500
			880	[8001-25-0]		250 ml	900
55410 [98-95-3]	Nitrobenzene pure, 98%	500 ml	340			500 ml	1500
[00 00-0]		2500 ml	1500				



Code	Name	Packing	Price	Code	Name	Packing	Price
13756 [1936-15-8]	Orange G	25 Gms 100 Gms	260 810	92345 [7440-05-3]	Palladium 5% On Asbestos	1 Gms 10 Gms	2640 12000
66366	Orcinol Anhydrous extrapure (3,5-	5 Gms	1640	57033	Palladium 10% On Asbestos	1 Gms	3360
[504-15-4]	dihydroxytoluene), 99%	25 Gms	4120	[7440-05-3]		10 Gms	21600
		100 Gms	10280	44002	Palladium 5% On Activated Carbon	1 Gms	2000
49330	Orcinol Monohydrate extrapure	10 Gms	970	[7440-05-3]		10 Gms	9500
[6153-39-5]	(3,5- dihydroxytoluene	25 Gms	2300			50 Gms	38000
	monohydrate), 99%	100 Gms	7140	45685	Palladium 5% On Activated Carbon	1 Gms	1100
36916	Orcinol Monohydrate ExiPlus,	10 Gms	1190	[7440-05-3]	(50% wet)	10 Gms	4750
[6153-39-5]	Multi-Compendial (3,5-	25 Gms	2670			50 Gms	19000
	dihydroxytoluene monohydrate), 99%	100 Gms	7620	52944	Palladium 10% On Activated	1 Gms	2500
	meets compendial specs of USP, BP			[7440-05-3]	Carbon	10 Gms	18000
36678	Orthophosphoric Acid extrapure,	500 ml	500			50 Gms	75000
[7664-38-2]	85% (Phosphoric Acid)	2500 ml	2000	46494	Palladium 10% On Activated	1 Gms	1450
	(i Hospitotic Acia)	20 Ltr	15000	[7440-05-3]	Carbon (50% wet)	10 Gms	9000
50056	Orthophosphoric Acid extrapure	500 ml	570			50 Gms	37500
[7664-38-2]	AR, ACS, 85% (Phosphoric Acid)	2500 ml	2300	40822	Palladium 10% on Calcium	1 Gms	2400
38048	Orthophosphoric Acid for HPLC &	250 ml	1350	[7440-05-3]	Carbonate	5 Gms	8000
[7664-38-2]	UV Spectroscopy, 85%	500 ml	2400	32049	Palladium (II) Oxide pure, 85% Pd	250 Mg	4500
		1000 ml	4400	[1314-08-5]	(Palladium Monoxide)	1 Gms	16000
83577	Osmic Acid extrapure, 99%	1 Gms	7000	81249	Palladium (II) Sulphate extrapure,	250 Mg	2600
[20816-12-0]	Oshiio Acid extrapare, 55%	i dilis	7000	[13566-03-5]	• • • • • • • • • • • • • • • • • • • •	1 Gms	8500
40510	Oxalic Acid extrapure AR, 99.5%	500 Gms	380	18211	Paraffin Liquid Light (Mineral Oil	500 ml	270
[6153-56-6]		5 Kg	3500	[8012-95-1,	Light) extrapure, 25-80mPas	2500 ml	1150
72425	Oxalic Acid Dihydrate extrapure	500 Gms	430	8042-47-5]		25 Ltr	10500
[6153-56-6]	AR, ACS, ExiPlus,	5 Kg	4000	79167	Paraffin Liquid Heavy (Mineral Oil	500 ml	300
	Multi-Compendial, 99.5% meets compendial specs of USP, BP,			[8012-95-1,	Heavy) extrapure, 110-230mPas	2500 ml	1300
	Ph.Eur			8042-47-5]		25 Ltr	12500
64056	Palladium (II) Acetate (Palladium	250 Mg	3600	86715	Paraffin Wax Cubes (Type 1 -	500 Gms	430
[3375-31-3]	Diacetate) extrapure, 99%, 47% Pd	1 Gms	8500	[8002-74-2]	56-58) extrapure	1 Kg	790
		5 Gms	42000	47994	Paraffin Wax Pellets (Type 2 -	500 Gms	430
		25 Gms	200000	47994 [8002-74-2]	58-60) extrapure	1 Kg	430 790
59548	Palladium (II) Acetylacetonate	250 Mg	3000		Parattin Wass Pallata (Tarra 2		
[14024-61-4]	(Pd(acac)2) extrapure, 34.7% Pd	1 Gms	10200	84381 [8002-74-2]	Paraffin Wax Pellets (Type 3 - 60-62) extrapure	500 Gms	430
	(Bis(2,4-Pentanedionato) Palladium(II), Bis(Acetylacetonato) Palladium(II))	5 Gms	45000		· ·	1 Kg	790
69263	Palladium AAS Standard Solution	100 ml	3200	74193 [8002-74-2]	Paraffin Wax White Soft pure (Petroleum Jelly White)	100 Gms	180
	in 0.5N HCI (Traceable to NIST)	250 ml	5300		. , ,	500 Gms	440
33080	Palladium (II) Chloride pure, 99%,	250 Mg	3500	66400	Paraffin Wax w/ Ceresin Blocks, 58-60°C	500 Gms	700
[7647-10-1]	59-60% Pd	1 Gms	8500	[8002-74-2]	35-00 0	1 Kg	1300
	(Palladium Dichloride)	5 Gms	38000			2 Kg	2500
		25 Gms	160000	60536 [8002-74-2]	Paraffin Yellow pure	500 Gms	620
96917	Palladium (II) Chloride ACS,	250 Mg	3800	45057	Pectin pure	100 Gms	820
[7647-10-1]	ExiPlus, Multi-Compendial, 99%,	1 Gms	9250	[9000-69-5]	(Poly-D-Galacturonic Acid Methyl	500 Gms	3300
	59-60% Pd (Palladium Dichloride)	5 Gms	40000		Ester)	1 Kg	5600
	•	25 Gms	172000	96096	n-Pentane extrapure, 99%	500 ml	700
	meets compendial specs of USP, BP			[109-66-0]		2500 ml	3200
19694	Palladium (II) Nitrate Dihydrate	250 Mg	2300			25 Ltr	29000
[32916-07-7]	extrapure, 99%, 40% Pd (Palladium Dinitrate Dihydrate)	1 Gms	7500	41730	n-Pentane extrapure AR, 99%	500 ml	800
		5 Gms	34000	[109-66-0]		2500 ml	3500



Code	Name	Packing	Price	Code	Name	Packing	Pric
94510 [109-66-0]	n-Pentane extrapure AR, ExiPlus, Multi-Compendial, 99%	500 ml 2500 ml	900 3700	14892 ✓ [108-95-2]	99.5%	500 Gms 2.5 Kg	650 2880
	meets compendial specs of USP, BP,			97745	(Hydroxybenzene, Carbolic Acid) Phenol Crystalline extrapure AR,	500 Gms	720
40405	Ph.Eur	500 ml	1000	[108-95-2]	ACS, ExiPlus, Multi-Compendial,	2.5 Kg	3110
49135 [109-66-0]	n-Pentane for HPLC & UV Spectroscopy, 99%	500 ml 1000 ml	1200 2200		99.5% (Hydroxybenzene, Carbolic Acid)		
47040					meets compendial specs of USP, BP		
47040 [5343-92-0]	1,2-Pentanediol pure, 98% (1,2-Dihydroxypentane)	25 ml 250 ml	1300	17286	Phenol Crystalline for molecular	100 Gms	460
	Partona Culmbania Asid Cadium		7500	[108-95-2]	biology, 99.5% (Hydroxybenzene, Carbolic Acid)	500 Gms	1730
18486 [22767-49-3]	Pentane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	25 Gms 100 Gms	1200 4360	47484	Phenol Equilibrated with 0.1M	100 ml	1080
		250 Gms	10690	[108-95-2]	Citrate Buffer pH 4.5 for molecular	500 ml	4350
90760	Pentane Sulphonic Acid Sodium	25 Gms	1200		biology w/ Stabilizer		
	Salt Monohydrate for HPLC, 99%	100 Gms	4360	12692 4 [108-95-2]	Phenol Tris Equilibrated for molecular biology w/ Stabilizer	60 ml	1400
		250 Gms	10690	. ,	(Hydroxybenzene, Carbolic Acid)	100 ml 500 ml	1900 5000
23283	Perchloric Acid ACS, for Diamond	500 ml	2500	70040	Phenol Tris Equilibrated for		
[7601-90-3]	Industry, 70% Suitable fo Diamond Industry	333	2500	78348 [108-95-2]	molecular biology w/o Stabilizer	100 ml 500 ml	1900 5000
26312	Periodic Acid extrapure, 99%	25 Gms	950	83275	Phenol Saturated w/ 10% water for	100 ml	900
[10450-60-9]	· 	100 Gms	3200	[108-95-2]	molecular biology (Phenol Liquid w/ 10% water), 90%	500 ml	2900
11778	Petroleum Ether 40-60 extrapure	500 ml	400	90179	Phenolphthalein extrapure AR, 99%	50 Gms	390
[8032-32-4]		2500 ml	1600	[77-09-8]		100 Gms	590
26440	Petroleum Ether 40-60 extrapure	500 ml	500			500 Gms	2830
[8032-32-4]	AR	2500 ml	1900	74785	Phenolphthalein extrapure AR,	100 Gms	710
58415	Petroleum Ether 60-80 pure	500 ml	280	[77-09-8]	ACS, ExiPlus, Multi-Compendial, 99%	500 Gms	3010
[8032-32-4]		2500 ml	950		meets compendial specs of BP, Ph.Eur		
		25 Ltr	9000	79563	Phenolphthalein Indicator 1% Soln	125 ml	200
36651 [8032-32-4]	Petroleum Ether 60-80 extrapure AR	500 ml	300	[77-09-8]	in Ethanol	500 ml	480
[6032-32-4]	An	2500 ml	1050	90817	Phenol Red	25 Gms	620
15340 [8032-32-4]	Petroleum Ether 60-80 for HPLC & UV Spectroscopy	500 ml	640	[143-74-8]		100 Gms	2400
[6032-32-4]	от ореспостору	1000 ml	1150			500 Gms	11000
		2500 ml	2300	68313	Phenol Red ACS, ExiPlus,	25 Gms	700
15590 [8032-32-4]	Petroleum Ether 80-100 pure	500 ml	420	[143-74-8]	Multi-Compendial	100 Gms	2600
[0002 02 .]		2500 ml 25 Ltr	1690			500 Gms	12000
	Detailer on Ether 400 400 autorium		15500		meets compendial specs of BP, Ph.Eur		
52226 [8032-32-4]	Petroleum Ether 100-120 extrapure	500 ml	440	59462 [34487-61-1]	Phenol Red Sodium Salt ACS (water soluble), 95%	5 Gms	230
		2500 ml	1600	[04407 01 1]	(Phenolsulfonephthalein Sodium Salt)	25 Gms 100 Gms	650
69031 8	Phenol:Chloroform:Isoamyl Alcohol (25:24:1) pH 8.0 for	100 ml	1400				2480
	molecular biology	250 ml 500 ml	3200 4300	40919 [673-06-3]	D-Phenylalanine extrapure CHR, 99%	5 Gms	440
17080	Dhanal Chlaraform I comy			. ,		25 Gms 100 Gms	1750
17080	Phenol:Chloroform:Isoamyl Alcohol (125:24:1) pH 4.5 for	100 ml 500 ml	2600 8700	67600	DI Phonylolonino ovtranura CUP		6540
	molecular biology	300 1111	0700	67602 [150-30-1]	DL-Phenylalanine extrapure CHR, 99%	25 Gms 100 Gms	710 2410
79030	Phenol:Chloroform:Isoamyl Alcohol (49.5:49.5:1) pH 6.7 for	100 ml	2700	85081	L-Phenylalanine extrapure CHR,	100 Gms	
	molecular biology	500 ml	9100	[63-91-2]	99%	500 Gms	500 2200
36976	Phenol:Chloroform: Isoamyl	100 ml	2800			1 Kg	3800
	Alcohol (49.5:49.5:1) pH 8.0 for molecular biology	500 ml	9800			5 Kg	16000
28104 🗸	Phenol Crystalline pure, 99%	500 Gms	580	40170	L-Phenylalanine ExiPlus,	100 Gms	650
[108-95-2]	(Hydroxybenzene, Carbolic Acid)	2.5 Kg	2650	[63-91-2]	Multi-Compendial, 99%	500 Gms	2500
		25 Kg	21740			1 Kg	4600



Code	Name	Packing	Price	Code	Name	Packing	Price
64975	Phenylhydrazine pure, 98%	100 ml	600	41175	Podophyllum Resin pure, 50%	25 Gms	4600
[100-63-0]		500 ml	2600	[9000-55-9]		100 Gms	16000
		2500 ml	13500	79133 [25322-68-3]	Polyethylene Glycol 400 (PEG 400) (Carbowax 400)	500 Gms	500
31804 [100-63-0]	Phenylhydrazine extrapure AR, 99%	100 ml	1100	87919	Polyethylene Glycol 400 (PEG 400)	500 Gms	590
[100 00 0]		500 ml	5200	[25322-68-3]	ExiPlus, Multi-Compendial	555 55	000
40555	Phenylhydrazine Hydrochloride	100 Gms	760		(Carbowax 400)		
[59-88-1]	pure, 99%	250 Gms	1710		meets compendial specs of BP		
12109	Phenylhydrazine Hydrochloride	100 Gms	1010	61213 [25322-68-3]	Polyethylene Glycol 3350 (PEG 3350) ExiPlus, Multi-Compendial	500 Gms	820
[59-88-1]	extrapure AR, 99%	250 Gms	2400	30970	Polyethylene Glycol 4000 (PEG	500 Gms	500
26892	Phenylhydrazine Hydrochloride	100 Gms	1330	[25322-68-3]		5 Kg	4860
[59-88-1]	extrapure AR, ExiPlus,	250 Gms	3100			25 Kg	23040
	Multi-Compendial, 99% meets compendial specs of USP, BP,			76937	Polyethylene Glycol 4000 (PEG	500 Gms	600
	Ph.Eur			[25322-68-3]	4000) ExiPlus, Multi-Compendial	500 Gills 5 Kg	
64732	Phenylhydrazine Hydrochloride	5 Gms	900		mosts compandial appear of LISP	3 Ng	5620
[59-88-1]	Superior extrapure AR, 99%	100 Gms	2360	67429	meets compendial specs of USP Polyethylene Glycol 6000 (PEG	500 Gms	EEO
28022	Phenyltrimethyl Ammonium	100 Gms	620	[25322-68-3]		500 Gills 5 Kg	550
[138-24-9]	Chloride (PTMAC) pure, 97%	500 Gms	2810				4800
00000	Phosphomolybdic Acid extrapure			26029 [25322-68-3]	Polyethylene Glycol 6000 (PEG 6000) ExiPlus, Multi-Compendial	500 Gms	650
82322 [51429-74-4]	AR, ACS, 99%	25 Gms 100 Gms	1200	[25022-00-0]		5 Kg	5670
	, ,	500 Gms	3840		meets compendial specs of USP		
			16000	54866 [25322-68-3]	Polyethylene Glycol 8000 (PEG 8000) for molecular biology	500 Gms	1750
78861 [13598-36-2]	Phosphorous Acid Crystals (Phosphonic Acid) extrapure, 98%	500 Gms	840	[25022-00-0]	(Carbowax 8000)	5 Kg	15810
[10000 00 2]	(Orthophosphorous Acid)	2.5 Kg	4100	94701	Polyethylene Glycol 8000 (PEG	500 Gms	760
72656 [7723-14-0]	Phosphorus Red pure 97%	500 Gms	2360	[25322-68-3]	8000) ExiPlus, Multi-Compendial (Carbowax 8000)	5 Kg	7130
80653	Phosphotungstic Acid Hydrate	25 Gms	740	64651	Polyethylene Glycol 9000 (PEG	500 Gms	1210
[12501-23-4]	extrapure	100 Gms	2470	[25322-68-3]	9000) (Carbowax 9000)		
	(Tungstophosphoric Acid)	500 Gms	10500	46505	Polyethylene Glycol 9000 (PEG	500 Gms	1460
57855	Phosphotungstic Acid Hydrate	25 Gms	900	[25322-68-3]	9000) ExiPlus, Multi-Compendial		1400
[12501-23-4]	extrapure AR	100 Gms	3100		(Carbowax 9000)		
		500 Gms	12000	39569	Polyethylene Glycol 10000 (PEG	500 Gms	2400
67397	Phthalic Acid pure, 99%	500 Gms	750	[25322-68-3]	10000) (Polyethylene glycol 10000,	5 Kg	22000
[88-99-3]	<u> </u>				Polyethylene oxide, Polyoxy ethylene,		
32624	Phthalic Anhydride pure, 97%	500 Gms	300		Carbowax)		
[85-44-9]		5 Kg	2800	75727 [25322-68-3]	Polyethylene Glycol 20000 (PEG	100 Gms	1500
93665	Phthalic Anhydride ACS, 99%	500 Gms	700	[23322-00-3]	25555)	500 Gms	5000
[85-44-9]		5 Kg	6500			1 Kg	8500
44745	Phytic Acid Sodium Salt Hydrate	5 Gms	3530			5 Kg	18000
[17211-15-3]	(InsP6) extrapure, 70%	25 Gms	15850	33817 [25322-68-3]	Polyethylene Glycol 20000 (PEG 20000) ExiPlus, Multi-Compendial	100 Gms	1800
	(Inositol hexaphosphoric acid dodecasodium salt, myo-Inositol			[20322-00-3]	2000) LAIF Ide, Multi-Compendia	500 Gms	5600
	hexakis(dihydrogen phosphate)					1 Kg	9800
	dodecaso			44000	meets compendial specs of USP, BP	E00!	4500
94847	Picric Acid moistened with ~30%	100 Gms	370	41098 [8017-16-1]	Polyphosphoric Acid extrapure, 83-87% P2O5	500 ml	1590
[88-89-1]	water extrapure, 99%	500 Gms	900			2500 ml	7420
47998	Picric Acid moistened with ~30%	100 Gms	440	28599 [9005-64-5]	Polysorbate 20 (Tween 20) extrapure	500 Gms	850
[88-89-1]	water extrapure AR, 99.8%	500 Gms	1100	[9000-04-5]		2.5 Kg	3710
16462	Platinum (IV) Oxide Hydrate	1 Gms	11000			5 Kg	7000
[52785-06-5]	extrapure, 76-80% Pt	250 Mg	3300			25 Kg	33350
	Platinum Dioxide Hydrate, Adam's Catalyst			33712 [9005-64-5]	Polysorbate 20 (Tween 20) for tissue culture	500 Gms	1160



Code	Name	Packing	Price	Code	Name	Packing	Pric
23610 [9005-64-5]	Polysorbate 20 (Tween 20) ExiPlus, Multi-Compendial	500 Gms	1040	99644 [7758-01-2]	Potassium Bromate pure, 99.5%	500 Gms 5 Kg	1050 10200
	meets compendial specs of BP			80823	Potassium Bromide pure, 98.5%	500 Gms	1100
65296 [9005-64-5]	Polysorbate 20 (Tween 20) for molecular biology	100 Gms 500 Gms	1580 2550	[7758-02-3]	·	5 Kg	10200
31453	Polysorbate 40 (Tween 40)	250 Gms	610	66453	Potassium Bromide extrapure AR,	500 Gms	1600
[9005-66-7]	extrapure	5 Kg	9500	[7758-02-3]	99.5%	5 Kg	15000
62539	Polysorbate 40 (Tween 40) ExiPlus,	250 Gms	1090	25707	Potassium Bromide extrapure AR, ACS, ExiPlus, Multi-Compendial,	500 Gms	1800
[9005-66-7]	Multi-Compendial	5 Kg	12500	[7758-02-3]	99.5%	5 Kg	1700
	meets compendial specs of USP, BP,				meets compendial specs of USP, BP		
	Ph.Eur			13873	Potassium Bromide Powder for IR & FTIR spectroscopy, 99.5%	25 Gms	120
12502 [9005-67-8]	Polysorbate 60 (Tween 60) extrapure	100 Gms	480	[7758-02-3]	a Filh specifoscopy, 39.5%	100 Gms	427
[9003-07-0]	catapare	500 Gms	1060			500 Gms	1800
		5 Kg	8000	87005	Potassium AAS Standard Solution in 0.5N HCI (Traceable to NIST)	100 ml	1600
86878 [9005-67-8]	Polysorbate 60 (Tween 60) ExiPlus, Multi-Compendial	500 Gms	1210		III 0.5N HCI (Traceable to NIST)	250 ml	2600
[9005-07-0]	•	5 Kg	9000	93649	Potassium Bromide 0.1M Solution	500 ml	31
	meets compendial specs of USP, BP, Ph.Eur			[7758-02-3]		1000 ml	560
28940	Polysorbate 80 (Tween 80)	500 Gms	910	79982	Potassium Bromide 0.5M Solution	500 ml	330
[9005-65-6]	extrapure	5 Kg	6670	[7758-02-3]		1000 ml	61
		25 Kg	30320	29988	Potassium Bromide 1M Solution	500 ml	36
95188	Polysorbate 80 (Tween 80) ExiPlus,	500 Gms	1050	[7758-02-3]		1000 ml	64
[9005-65-6]	Multi-Compendial	5 Kg	7890	24794	Potassium Bicarbonate extrapure,	500 Gms	43
		25 Kg	37590	[298-14-6]	99% (Potassium Hydrogen Carbonate)		
	meets compendial specs of BP			57674	Potassium Bicarbonate AR, ACS,	500 Gms	470
81613	Polyvinylpyrrolidone K25	100 Gms	750	[298-14-6]	ExiPlus, Multi-Compendial, 99.5%		
[9003-39-8]	(Povidone, PVP K-25)	500 Gms	2850		(Potassium Hydrogen Carbonate) meets compendial specs of BP		
		5 Kg	24000	87272	Potassium Carbonate anhydrous	500 Gms	390
41030	Polyvinylpyrrolidone K30	100 Gms	650	[584-08-7]	extrapure, 99%	5 Kg	340
[9003-39-8]	(Povidone, PVP K-30)	500 Gms	2300	83342	Potassium Carbonate anhydrous	500 Gms	45
		5 Kg	21000	[584-08-7]	extrapure AR, ACS, ExiPlus,	5 Kg	389
		25 Kg	95000		Multi-Compendial, 99.5%	J	000
65155	Polyvinylpyrrolidone K30	100 Gms	750		meets compendial specs of USP	500 C	04/
[9003-39-8]	(Povidone, PVP K-30) ExiPlus, Multi-Compendial	500 Gms	3000	38630 [7447-40-7]	Potassium Chloride ACS, 99.5%	500 Gms	310
	man compensati	5 Kg	28000	. ,		5 Kg 25 Kg	2290 10690
	meets compendial specs of BP				Detection Oblevide ACC FuiDire		
24564	Polyvinylpyrrolidone K90 (Povidone, PVP K-90)	100 Gms	1200	50016 [7447-40-7]	Potassium Chloride ACS, ExiPlus, Multi-Compendial, 99.5%	500 Gms	340
[9003-39-8]	(Fortuotie, FVF K-90)	500 Gms	3700		meets compendial specs of BP, Ph.Eur,	5 Kg	2620
		5 Kg	28500		USP		
44333 [127-08-2]	Potassium Acetate pure, 99%	500 Gms	600	84984	Potassium Chloride for molecular	500 Gms	900
		5 Kg	5500	[7447-40-7]	biology, 99.5%	1 Kg	1370
79156 [127-08-2]	Potassium Acetate extrapure AR, 99%	500 Gms	680	71088	Potassium Chloride for tissue	250 Gms	770
		5 Kg	6400	[7447-40-7]	culture, 99.5%		
40480 [127-08-2]	Potassium Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial,	500 Gms	730	84390 [7789-00-6]	Potassium Chromate pure, 99%	500 Gms	920
[121-00-2]	99%	5 Kg	6900	[7789-00-6]		5 Kg	8400
	meets compendial specs of USP, BP			93448	Potassium Chromate extrapure AR, 99.5%	500 Gms	100
96248	Potassium Acetate for molecular	100 Gms	400	[7789-00-6]	33.3 /6	5 Kg	9000
[127-08-2]	biology, 99.5%	500 Gms	1200				
81955	Potassium Acetate for tissue	100 Gms	300				
[127-08-2]	culture, 99.5%	500 Gms					



Code	Name	Packing	Price	Code	Name	Packing	Price
31751 [7789-00-6]	Potassium Chromate extrapure AR, ACS, ExiPlus, Multi-Compendial,	500 Gms	1110	12914 [14459-95-1]	Potassium Ferrocyanide extrapure AR, ACS, ExiPlus,	500 Gms	950
[]	99.5%			[Multi-Compendial, 99%	5 Kg	9000
	meets compendial specs of USP, BP,				meets compendial specs of USP, Ph.Eur		
49890	Ph.Eur Potassium Citrate Tribasic	500 Gms	550	97535 [7789-23-3]	Potassium Fluoride Anhydrous pure, 97%	500 Gms	800
[6100-05-6]	Monohydrate extrapure AR, 99%	5 Kg	5250	91489	Potassium Hexachloroplatinate (IV)	250 Mg	3000
74176	Potassium Citrate Tribasic	500 Gms	650	[16921-30-5]	•	1 Gms	7000
[6100-05-6]	Monohydrate extrapure AR,	5 Kg	6250		(Platinum Potassium Chloride, Potassium Chloroplatinate)	5 Gms	30000
	ExiPlus, Multi-Compendial, 99% meets compendial specs of BP	_				25 Gms	140000
13250	Potassium Dichromate pure, 99.5%	500 Gms	950	42414	Potassium Hexafluorophosphate	25 Gms	800
[7778-50-9]	,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	5 Kg	8600	[17084-13-8]	extrapure, 99%	100 Gms	2000
80233	Potassium Dichromate extrapure	500 Gms	1050			500 Gms	7000
[7778-50-9]	AR, 99.9%	5 Kg	9100	40180	Potassium Hexafluorotitanate pure, 98%	100 Gms	600
55353	Potassium Dichromate extrapure	500 Gms	1200	[16919-27-0]	(Potassium Fluotitanate, Potassium	500 Gms	1500
[7778-50-9]	AR, ACS, ExiPlus,	5 Kg	9800		Titanium Fluoride, Dipotassium	5 Kg	8000
	Multi-Compendial, 99.9%	· ·	0000	07466	hexafluorotitanate, Titanium potas Potassium Hexafluorozirconate	100 Gms	1070
	meets compendial specs of USP, BP, Ph.Eur			37466 [16923-95-8]	pure, 97%	500 Gms	1070 2500
52403	Potassium Dihydrogen	500 Gms	520	39535	Potassium Hexaiodoplatinate (IV)	250 Mg	
[7778-77-0]	Orthophosphate pure, 99%	5 Kg	4800		pure, 18-19% Pt	1 Gms	2250 5750
		25 Kg	22000	80633	Potassium Hydrogen Phthalate	500 Gms	720
50451	Potassium Dihydrogen	500 Gms	640	[877-24-7]	extrapure AR, 99.9%	500 GIIIS	720
[7778-77-0]	Orthophosphate extrapure AR,	1 Kg	1200	29467	Potassium Hydrogen Phthalate	500 Gms	820
	99.5%	5 Kg	5300	[877-24-7]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9%		
78297	Potassium Dihydrogen	500 Gms	700		meets compendial specs of BP, Ph.Eur		
[7778-77-0]	Orthophosphate extrapure AR, ACS, ExiPlus, Multi-Compendial,	1 Kg	1350	49017	Potassium Hydrogen Phthalate for	500 Gms	980
	99.5%	5 Kg	5700	[877-24-7]	HPLC & UV Spectroscopy, 99.9%		
	meets compendial specs of BP			65031 [7646-93-7]	Potassium Hydrogen Sulphate (Potassium Bisulphate) pure, 99%	500 Gms	600
54358 [7778-77-0]	Potassium Dihydrogen Orthophosphate for molecular	250 Gms	600			5 Kg	5800
[///0-//-0]	biology, 99.5%	500 Gms	1150	10942 [7646-93-7]	Potassium Hydrogen Sulphate extrapure AR, ACS, ExiPlus,	500 Gms	720
	(Potassium Phosphate Monobasic)	5 Kg	11000	[/040 00 /]	Multi-Compendial, 99%		
30955 [7778-77-0]	Potassium Dihydrogen Orthophosphate for HPLC & UV	500 Gms	980		(Potassium Bisulphate)		
[7770-77-0]	Spectroscopy, 99.5%	5 Kg	9500	76131	meets compendial specs of BP, Ph.Eur Potassium Hydrogen Tartrate	500 Gms	950
32360	Potassium Dihydrogen	500 Gms	750	[868-14-4]	(Potassium Bitartrate) pure, 99%	5 Kg	850 7900
[7778-77-0]	Orthophosphate for tissue culture, 99.5%	1 Kg	1450		(Potassium L-Tartrate Monobasic)		
	(Potassium Phosphate Monobasic)	5 Kg	6000	84749 [1310-58-3]	Potassium Hydroxide pellets extrapure, 85%	500 Gms	480
77012	Potassium Ethyl Xanthate (PEX)	100 Gms	1400	[1010 00 0]		1 Kg	850
[140-89-6]	extrapure, 98% (O-Ethyl Xanthic Acid Potassium Salt)	500 Gms	5800		Bata actions Undersolds Ballista ACC	5 Kg	4100
15766	Potassium Ferricyanide extrapure,	100 Gms	450	78269 [1310-58-3]	Potassium Hydroxide Pellets ACS, 85%	500 Gms	520
[13746-66-2]	98%	500 Gms	1950			1 Kg 5 Kg	1000 4400
		5 Kg	18000	18543	Potassium Hydroxide Pellets	500 Gms	
59558	Potassium Ferricyanide ACS,	250 Gms	1150	[1310-58-3]	ExiPlus, Multi-Compendial, 85%	500 Gills 5 Kg	560 4800
[13746-66-2]	ExiPlus, Multi-Compendial, 98%	500 Gms	2130		meets compendial specs of USP, BP,	3.19	.000
		5 Kg	19840		Ph.Eur		
	meets compendial specs of USP, Ph.Eur			26035	Potassium Hydroxide Powder	500 Gms	500
32294 [14459-95-1]	Potassium Ferrocyanide extrapure AR, 99%	500 Gms 5 Kg	900 8500	[1310-58-3]	extrapure, 85%, 80-100 mesh	1 Kg	950



Code	Name	Packing	Price	Code	Name	Packing	Pri
67864 [7758-05-6]	Potassium Iodate pure, 99.5%	100 Gms 250 Gms	1900 4600	10322 [7727-21-1]	Potassium Persulphate extrapure, 97%	500 Gms	52
		500 Gms	8800	52254 [7727-21-1]		500 Gms	60
1041	Potassium Iodate extrapure AR,	100 Gms	2000	48319	Potassium Persulphate extrapure	500 Gms	66
7758-05-6]	99.9%	250 Gms	4800	[7727-21-1]			
		500 Gms	9100		Multi-Compendial, 99% meets compendial specs of USP, BP,		
0809	Potassium Iodate extrapure AR,	100 Gms	2150		Ph.Eur		
7758-05-6]	ACS, ExiPlus, Multi-Compendial, 99.9%	250 Gms	5100	90654	Potassium Phosphate Dibasic	500 Gms	60
	33.376	500 Gms	9800	[7758-11-4]	Anhydrous pure, 99%	5 Kg	500
	meets compendial specs of USP, BP,			27387	Potassium Phosphate Dibasic	500 Gms	65
	Ph.Eur			[7758-11-4]	Anhydrous extrapure AR, 99.5%	5 Kg	550
78240	Potassium Iodide pure, 99%	25 Gms	650		Patronium Pharmhata Pilanda		
7681-11-0]		100 Gms	2450	31964 [7758-11-4]	Potassium Phosphate Dibasic Anhydrous extrapure AR, ACS,	500 Gms	70
		250 Gms	5900	[7700 11 4]	ExiPlus, Multi-Compendial, 99.5%	5 Kg	600
		500 Gms	11500		meets compendial specs of USP		
7874	Potassium Iodide ACS, 99.8%	25 Gms	700	41295	Potassium Phosphate Dibasic	500 Gms	120
7681-11-0]		100 Gms	2550	[7758-11-4]	Anhydrous for HPLC, 99.5%		
		250 Gms	6200	57419 [7758-11-4]	Potassium Phosphate Dibasic Anhydrous for tissue culture, 99%	500 Gms	67
		500 Gms	12250	[7730-11-4]	Annyarous for assue culture, 55%	5 Kg	570
7028	Potassium Iodide ExiPlus,	25 Gms	725	15914	Potassium Phosphate Tribasic	500 Gms	120
7681-11-0]	Multi-Compendial, 99.8%	100 Gms	2750	[7778-53-2]	Anhydrous extrapure AR, ACS, 98% (Tripotassium Phosphate)		
		250 Gms	6700	37423	Potassium Pyroantimonate	100 Gms	66
		500 Gms	13000	[12208-13-8]	extrapure, 98%	500 Gms	300
	meets compendial specs of USP, BP				(Potassium		000
1677	Potassium Iodide 0.1M Solution	500 ml	500		Hexahydroxoantimonate(V), Potassium Antimonate Trihydrate)		
7681-11-0]		1000 ml	900	94527	Potassium Pyroantimonate	100 Gms	80
74567	Potassium Iodide 1M Solution	500 ml	2000	[12208-13-8]	extrapure AR, 99%	500 Gms	350
[7681-11-0]		1000 ml	3900		(Potassium		000
26645	Potassium Iodide 3M Solution	500 ml	6000		Hexahydroxoantimonate(V), Potassium Antimonate Trihydrate)		
[7681-11-0]		1000 ml	11500	50862	Potassium Pyrophosphate	500 Gms	95
93842	Potassium Metabisulphite pure,	500 Gms		[7320-34-5]	extrapure, 98%		
[4429-42-9]	95%	5 Kg	450 4250		Tetra Potassium Pyrophosphate,		
	Bata adam Baria data autoro AB				Potassium diphosphate tetrabasic, Tetrapotassium diphosphate, Potassi		
3413 7790-21-8]	Potassium Periodate extrapure AR, 99.8%	100 Gms	2420	53158	Potassium Pyrosulphate	100 Gms	180
[7700 21 0]		500 Gms	11500	[7790-62-7]	(Potassium Disulfate) extrapure,	500 Gms	650
36742	Potassium Periodate extrapure AR, ACS, ExiPlus, Multi-Compendial,	100 Gms	2650		97.5%		
[7790-21-8]	99.8%	500 Gms	12650	86344 [7492-30-0]	Potassium Ricinoleate extrapure (Ricinoleic Acid Potassium Salt,	500 Gms	95
	meets compendial specs of USP, BP,			[1402-00-0]	Potassium Ricinolate)	5 Kg	900
	Ph.Eur			44277	Potassium Sulphate extrapure, 99%	500 Gms	42
77407	Potassium Oxalate Monohydrate	500 Gms	640	[7778-80-5]		5 Kg	340
[6487-48-5]	pure, 99%	5 Kg	6000	52182	Potassium Sulphate for tissue	500 Gms	55
0707	Potassium Oxalate Monohydrate	500 Gms	740	[7778-80-5]	culture, 99%		
[6487-48-5]	extrapure AR, ACS, 99.5%	5 Kg	7000	26253	Potassium Sulphate extrapure AR,	500 Gms	46
6903	Potassium Permanganate	500 Gms	670	[7778-80-5]	99.5%	5 Kg	420
7722-64-7]	extrapure, 99%	5 Kg	5240	73900	Potassium Sulphate extrapure AR,	500 Gms	50
51470	Potassium Permanganate	500 Gms	730	[7778-80-5]	ACS, ExiPlus, Multi-Compendial,	5 Kg	450
[7722-64-7]	extrapure AR, 99.5%	5 Kg	6330		99.5% meets compendial specs of USP, BP		
eeno	Potassium Permanganate	500 Gms		66691	Potassium Tellurite Anhydrous	10 Gms	180
26500 [7722-64-7]	extrapure AR, ACS, ExiPlus,	500 Gms 5 Kg	790 6540	[7790-58-1]	extrapure, 98%	25 Gms	360
. ,	Multi-Compendial, 99.5%	o ng	6540	•	(Dipotassium Tellurite, Potassium	100 Gms	
	meets compendial specs of USP, BP				Tellurate, Potassium Tellurium Oxide)	100 GIIIS	1450



Code	Name	Packing) Price	Code	Name	Packing	Price
35889	Potassium Tellurite Monohydrate	10 Gms	1400	85994	n-Propanol Dried, 99.5%, 0.005%	1000 ml	1200
[123333-66-4]	-	25 Gms	2600	[71-23-8]	water		
	(Potassium Tellurate (IV) Hydrate, Dipotassium Tellurite Monohydrate)	100 Gms	9000	52111	(1-Propanol) Propionaldehyde (Propanal) pure,	500 ml	390
16273	Potassium Tetrachloroplatinate (II)	250 Mg	3120	[123-38-6]	97%	2500 ml	2000
[10025-99-7]	pure, 47% Pt	1 Gms	9600	40004	Duaniania Asid sutranura CO 000/		
	(Potassium Platinum (II) Chloride)	5 Gms	45600	12931 [79-09-4]	Propionic Acid extrapure, C3-99% (GC)	500 ml 2500 ml	340
34570	Potassium Tetrafluoroaluminate	500 Gms	900		· ·		1600
[14484-69-6]	pure, 98%	5 Kg	7200	43883 [79-09-4]	Propionic Acid extrapure AR, C3-99.5% (GC)	500 ml	380
	(Potassium Aluminium Fluoride, PAF)				· , ,	2500 ml	1800
99928 [14075-53-7]	Potassium Tetrafluoroborate pure, 98%	250 Gms	250	42263 [79-09-4]	Propionic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial,	500 ml	410
[(Potassium Fluoroborate, Potassium	1 Kg	900	[70-00-4]	C3-99.5% (GC)	2500 ml	2000
	Fluoborate, Potassium Borofluoride)				meets compendial specs of USP, BP,		
48218 [333-20-0]	Potassium Thiocyanate pure, 97%	500 Gms	780		Ph.Eur		
41027	Potassium Thiocyanate extrapure	500 Gms	000	52810	Propionic Anhydride extrapure,	500 ml	900
[333-20-0]	AR, 99%	300 GIIIS	920	[123-62-6]	98%	2500 ml	4250
59115	Potassium Thiocyanate extrapure	500 Gms	1150	21587	Propionyl Chloride extrapure, 99%	100 ml	280
[333-20-0]	AR, ACS, ExiPlus,			[79-03-8]		500 ml	820
	Multi-Compendial, 99% meets compendial specs of USP, Ph.Eur			85159	Propionyl Chloride extrapure AR	500 ml	1200
69285	Potato Starch pure	500 Gms	360	[79-03-8]	(Specially purified), 99.5%		
[9005-25-8]	Totalo Garon paro	5 Kg	3150	28849 [107-10-8]	n-Propylamine pure, 99%	500 ml	550
OFSEE	D-Proline extrapure CHR, 99%	5 Gms		30754	Propylene Glycol (1,2-Propanediol)	500 ml	400
95365 [344-25-2]	D-Floime extrapule Chr., 55 %	25 Gms	1500 4840	[57-55-6]	pure, 99%	2500 ml	1850
	L Buelling autonomy OUD 000/					25 Ltr	17000
35139 [147-85-3]	L-Proline extrapure CHR, 99%	25 Gms	300	53054	Propylene Glycol (1,2-Propanediol)	500 ml	460
[55 5]		100 Gms	750	[57-55-6]	extrapure AR, 99.5%	2500 ml	2100
		1 Kg 5 Kg	6500	05004	Brandana Chical (4.0 Brananada)		
	I Bushing for the constitute 2007		30000	95961 [57-55-6]	Propylene Glycol (1,2-Propanediol) extrapure AR, ACS, ExiPlus,	500 ml 2500 ml	500
56073 [147-85-3]	L-Proline for tissue culture, 99%	25 Gms 100 Gms	350		Multi-Compendial , 99.5%	2500 1111	2400
. ,		500 Gms	900		meets compendial specs of USP, BP,		
			3600		Ph.Eur	100.0	1000
96877 [147-85-3]	L-Proline ExiPlus, Multi-Compendial, 99%	100 Gms	1260	40011 [121-79-9]	Propyl Gallate extrapure, 98%	100 Gms 500 Gms	1090
[55 5]		1 Kg	8000				4260
	and the second s	5 Kg	36420	47638 [121-79-9]	Propyl Gallate IP	1 Kg	8000
01000	meets compendial specs of BP, Ph.Eur	4 17-		[121-79-9]		5 Kg	37500
61988 [147-85-3]	Proline BP (L-Proline BP)	1 Kg	8000			25 Kg	175000
. ,		5 Kg	37500 175000	14086	Propyl Gallate BP	1 Kg	8000
				[121-79-9]		5 Kg	37500
68128 [147-85-3]	L-Proline USP	1 Kg	9200			25 Kg	175000
[55 0]		5 Kg	42500	16067	Propyl Gallate NF	1 Kg	9200
			200000	[121-79-9]		5 Kg	42500
39236 [71-23-8]	n-Propanol pure, 99%	500 ml	300			25 Kg	200000
		2500 ml	1200	53898	Propyl-4-Hydroxybenzoate (Propyl	500 Gms	1340
24501 [71-23-8]	n-Propanol extrapure AR, 99.5%	500 ml	330	[94-13-3]	Paraben) ExiPlus, Multi-Compendial, 98-102%	5 Kg	11890
[11-23-0]		2500 ml	1300		meets compendial specs of USP, BP		
53790	n-Propanol extrapure AR, ACS,	500 ml	360	52950	Propyl-4-Hydroxybenzoate Sodium	500 Gms	1400
[71-23-8]	ExiPlus, Multi-Compendial, 99.5%	2500 ml	1500	[35285-69-9]	Salt (Propyl Paraben Sodium)	5 Kg	12500
	meets compendial specs of BP, Ph.Eur				ExiPlus, Multi-Compendial, 94-102%		
42328	n-Propanol GC-HS (1-propanol), 99.9%	250 ml	420		meets compendial specs of USP, BP		
[71-23-8]	JJ.J /0	1000 ml	1400				

www.srlchem.com



Code	Name	Packing	Price	Code	Name	Packing	Pri
61808	Pyridine extrapure, 99%	250 ml	450	62657	Salicylic Acid ACS, 99.9%	500 Gms	85
[110-86-1]		500 ml	850	[69-72-7]		2.5 Kg	410
		2500 ml	4000	16448	Salicylic Acid ACS, ExiPlus,	500 Gms	90
51952	Pyridine Dried, 99.5%, water 0.01%	500 ml	1300	[69-72-7]	Multi-Compendial, 99.9%	5 Kg	450
[110-86-1]				27769	Selenium AAS Standard Solution in	100 ml	160
33329	Pyridine for HPLC & UV	500 ml	1200		0.5N HNO3 (Traceable to NIST)	250 ml	260
[110-86-1]	Spectroscopy, 99.5%	1000 ml	2180	52228	Seralite SRA-400, Strong Basic	500 Gms	85
5453	Pyridine (For Karl Fischer	500 ml	1050	02220	Anion Exchange Resin	5 Kg	780
[110-86-1] 2665	Titration), 99.5%	250 ml			(equivalent to Amberlite IRA-400, Indion FFIP Anion Resin)		
[110-86-1]	Pyridine AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	520 970	14891	Seralite SRC-120, Strong Acid	500 Gms	55
		2500 ml	4300	14031	Cation Exchange Resin	5 Kg	500
	meets compendial specs of USP, BP,	2500 1111	4300		(equivalent to Amberlite IRC-120,	o ng	300
	Ph.Eur				Indion 225H Cation Resin)	500.0	
8918	Pyridinium Chlorochromate (PCC)	25 Gms	500	89830	Seralite Resin WRC-50, Weak Acid Cation Exchange Resin	500 Gms	70
26299-14-9]	extrapure, 98%	100 Gms	1350		(equivalent to Amberlite IRC-50, Indion	5 Kg	650
		500 Gms	5990		236 Resin)		
3584	Pyridinium Dichromate (Cornforth	25 Gms	740	53457 [312-84-5]	D-Serine extrapure, 99%	25 Gms	80
	Reagent, PDC) extrapure, 98%	100 Gms	2020	[312-64-5]		100 Gms	300
		500 Gms	8860			500 Gms	1000
1646	Pyrogallol extrapure AR, 99%	100 Gms	1500	24425	DL-Serine extrapure CHR, 99%	25 Gms	60
[87-66-1]	Tyroganor extrapare Art, 55%	500 Gms	6500	[302-84-1]		100 Gms	200
0005	Divisional Landway and A.D. A.C.C.					500 Gms	900
0205 [87-66-1]	Pyrogallol extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	100 Gms 500 Gms	1650	84131	L-Serine extrapure CHR, 99%	25 Gms	50
	mosts compandial appear of LICE DR	500 GITIS	6800	[56-45-1]		100 Gms	150
	meets compendial specs of USP, BP, Ph.Eur					500 Gms	650
8050	Rhodamine B	25 Gms	240	63503	L-Serine for tissue culture, 99%	25 Gms	60
[81-88-9]	(Tetraethylrhodamine, Violet 10)	100 Gms	870	[56-45-1]		100 Gms	160
0707	Rubidium (I) Chloride ultrapure,	5 Gms	3600			500 Gms	720
7791-11-9]	99.5%	25 Gms	17000	84494	L-Serine ExiPlus,	25 Gms	82
/F.400	Ruthenium Metal Powder, 99.9%			[56-45-1]	Multi-Compendial, 99%	100 Gms	240
'5420 [7440-18-8]	nutrieriidiii Metai Powder, 99.9%	1 Gms	9530			1 Kg	1600
0633	Ruthenium Red Tetrahydrate	1 Gms	5760		meets compendial specs of BP		
11103-72-3]		5 Gms	27600	85148	Silica Gel Blue (Self Indicating)	500 Gms	53
5268	Ruthenium (III) Trichloride Hydrate	1 Gms	4500	[112926-00-8]	(Coarse), 5-8 mesh	5 Kg	499
14898-67-0]	pure, 38-40% Ru	5 Gms	20000	84210	Silica Gel Fumed 200 (Hydrophilic)	100 Gms	47
7862	Salicylaldehyde pure, 99%	100 ml	730	[112945-52-5]	(Silicon Dioxide amorphous, Aerosil	250 Gms	99
[90-02-8]	(2-Hydroxybenzaldehyde,	250 ml	1640		200)	2.5 Kg	660
	o-Hydroxybenzaldehyde)	1000 ml	6000	71548	Silica Gel Orange (Self Indicating),	500 Gms	60
4000	Salinylaldahyda aytranyra AD			[112926-00-8]	2-5mm	5 Kg	580
[90-02-8]	Salicylaldehyde extrapure AR, 99.5%	100 ml 500 ml	1070 3600	65856	Silica Gel 60-120 mesh	500 Gms	47
-	(2-Hydroxybenzaldehyde,	550 1111	3000	[112926-00-8]		5 Kg	438
	o-Hydroxybenzaldehyde)					25 Kg	2058
3504 [90-02-8]	Salicylaldehyde extrapure AR, ExiPlus, Multi-Compendial, 99.5%	100 ml	990	40449	Silica Gel 60-200 mesh	500 Gms	56
[50 02-0]	(2-Hydroxybenzaldehyde,	250 ml	2080	[112926-00-8]		5 Kg	501
	o-Hydroxybenzaldehyde)	500 ml	4150	95178	Silica Gel 100-200 mesh	500 Gms	
	meets compendial specs of Ph.Eur			95178 [112926-00-8]		500 Gms 5 Kg	47 438
1453	Salicylic Acid pure, 99%	500 Gms	650	. ,		5 Kg 25 Kg	2058
[69-72-7]		5 Kg	6200		0111 0-1 000 400		
		25 Kg	30000	63025 [112926-00-8]	Silica Gel 200-400 mesh	500 Gms	56
				[112920-00-8]		5 Kg	523
						25 Kg	2503



Code	Name	Packing	Price	Code	Name	Packing	Price
96671	Silica Gel 230-400 mesh	500 Gms	620	91233	Silver Nitrate for tissue culture,	10 Gms	2400
[112926-00-8]		5 Kg	5900	[7761-88-8]	99.5%	25 Gms	5600
		25 Kg	27810	94118	Silver Nitrate ACS, 99.9%	10 Gms	2100
36834	Silica Gel 400-700 mesh	500 Gms	790	[7761-88-8]		25 Gms	4900
[112926-00-8]		1 Kg	1460			100 Gms	19500
51849	Silica Gel G for TLC, 325mesh, w/	500 Gms	540			500 Gms	95000
[112926-00-8]	CaSO4	5 Kg	4900	96045	Silver Nitrate ExiPlus,	25 Gms	5200
		25 Kg	23370	[7761-88-8]	Multi-Compendial, 99.9%	100 Gms	20500
52797	Silica Gel H for TLC, 325mesh, w/o	500 Gms	540			500 Gms	99000
[112926-00-8]	CaSO4	5 Kg	4900		meets compendial specs of USP, BP		
		25 Kg	23370	51535	Silver Nitrate 0.1N Solution	500 ml	2200
38062	Silica Gel GF254 for TLC, 325mesh,	500 Gms	3900	[7761-88-8]		1000 ml	4000
[112926-00-8]	w/ Fluorescent Indicator w/ CaSO4	5 Kg	38000			2500 ml	8500
29774	Silica Gel HF254 for TLC, 325mesh,	500 Gms	3900	54023	Silver Nitrate 0.02N Solution	500 ml	970
	w/ Fluorescent Indicator w/o	5 Kg	38000	[7761-88-8]		1000 ml	1780
	CaSO4			47262	Silver Nitrate 0.05N Solution	500 ml	1250
81618	Silicon Antifoaming Agent 30%	100 ml	350	[7761-88-8]		1000 ml	2310
	(Non-ionic)	500 ml	950	49430	Silver Nitrate 1N Solution	100 ml	5800
		1000 ml	1700	[7761-88-8]		500 ml	27680
72243	Silicone Oil 100 CPS	250 ml	850	69668	Silver Oxide pure, 99%	10 Gms	
[63148-62-9]		1000 ml	3000	[20667-12-3]	Silver Oxide pure, 95%	25 Gms	3250 7600
		2500 ml	6800			100 Gms	29000
82045	Silicone Oil 330-370 CPS	250 ml	750				
[63148-62-9]		1000 ml	2600	76610 [20667-12-3]	Silver Oxide extrapure AR, 99%	10 Gms	3600
		2500 ml	6200			25 Gms	8500
85160	Silver Acetate pure, 98%	10 Gms	2600	63976 [7784-09-0]	Silver Phosphate extrapure, 98% (Silver Orthophosphate, Trisilver	5 Gms	1600
[563-63-3]		25 Gms	6000	[7764-09-0]	Phosphate)	25 Gms	6700
		100 Gms	21800	86887	Silver Phosphate extrapure AR,	5 Gms	2000
32737	Silver AAS Standard Solution in	100 ml	2100	[7784-09-0]	99%	25 Gms	7200
	0.5N HNO3 (Traceable to NIST)	250 ml	4600		(Silver Orthophosphate, Trisilver Phosphate)		
77701	Silver Bromide extrapure, 98%	10 Gms	2600	60112	Silver Sulfadiazine ExiPlus,	5 Gms	1400
[7785-23-1]		25 Gms	6000	[22199-08-2]	Multi-Compendial, 98%	25 Gms	4000
		100 Gms	20700		(Silver (I) Sulfadiazine, Sulfadiazine	100 Gms	13500
90097	Silver Carbonate pure, 99%	25 Gms	7130		Silver) meets compendial specs of USP		
[534-16-7]	onver our bonate pure, 33%	100 Gms	27600	17929	Silver Sulphate pure, 98.5%	10 Gms	2760
00047	Silver Chleride outremure AD 000/			[10294-26-5]	, , , , , , , , , , , , , , , , , , ,	25 Gms	5930
80647 [7783-90-6]	Silver Chloride extrapure AR, 99%	25 Gms	7130			100 Gms	23000
0		100 Gms	27600	59940	Silver Sulphate extrapure AR, ACS,	10 Gms	
14417 8 [1470-61-7]	Silver Diethyldithiocarbamate ACS	5 Gms	1810	[10294-26-5]		25 Gms	2880 6100
[14/0-01-/]		25 Gms	7040	,		25 Gms 100 Gms	24150
		100 Gms	21000	00110	Sodo Limo Granulas with Indiantar		
86633	Silver lodate extrapure, 99%	10 Gms	2200	38119 [8006-28-8]	Soda Lime Granules with Indicator extrapure AR, 2-5mm, CO2 abs.	500 Gms	550
[7783-97-3]		25 Gms	4800		capacity 27%	5 Kg	5410
		100 Gms	18000	31378	Sodium Acetate Anhydrous pure,	500 Gms	280
24607	Silver lodide extrapure AR, 99%	10 Gms	2500	[127-09-3]	98%	5 Kg	2600
[7783-96-2]		25 Gms	5900	74537	Sodium Acetate Anhydrous ACS,	500 Gms	410
		100 Gms	21000	[127-09-3]	99%	5 Kg	3300
32814	Silver Nitrate extrapure, 99.5%	10 Gms	2000	51483	Sodium Acetate Anhydrous	500 Gms	500
[7761-88-8]		25 Gms	4700	[127-09-3]	ExiPlus, Multi-Compendial, 99%		
		100 Gms	18500		meets compendial specs of USP, BP,		
		500 Gms	90000		Ph.Eur		



Code	Name	Packing	Price	Code	Name	Packing	Price
22342	Sodium Acetate Anhydrous for	250 Gms	520	93982	Sodium Borohydride (powder)	25 Gms	450
[127-09-3]	molecular biology, 99%	500 Gms	900	[16940-66-2]	extrapure AR, ACS, 98% (Sodium Tetrahydridoborate)	100 Gms	1050
70509	Sodium Acetate Anhydrous for	500 Gms	1310		(Socium retranychicoborate)	500 Gms	4800
[127-09-3]	HPLC & UV Spectroscopy, 99%					5 Kg	40620
54966	Sodium Acetate Trihydrate extrapure AR, 99.5%	500 Gms	290	43471	Sodium Borohydride (crystals)	25 Gms	500
[6131-90-4]	extrapure An, 99.5%	5 Kg	2600	[16940-66-2]	extrapure, 98% (Sodium Tetrahydridoborate)	100 Gms	1100
44981	Sodium Acetate Trihydrate	500 Gms	320		(Souldin Tetranyundoborate)	500 Gms	5200
[6131-90-4]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	5 Kg	3000			5 Kg	44000
	meets compendial specs of BP			32769	Sodium Bromate extrapure AR,	100 Gms	270
88035	Sodium Acetate Trihydrate for	250 Gms	340	[7789-38-0]	99%	500 Gms	900
[6131-90-4]	molecular biology, 99.5%	500 Gms	650	43327	Sodium Bromide extrapure, 99%	500 Gms	720
84658	Sodium Acetate Trihydrate for	500 Gms	850	[7647-15-6]		5 Kg	7000
[6131-90-4]	tissue culture, 99.5%			84486	Sodium Cacodylate Trihydrate	10 Gms	3400
56315	Sodium Acetate Trihydrate for	500 Gms	1500	[6131-99-3]	extrapure, 98%	25 Gms	8250
[6131-90-4]	HPLC, 99.5%	500.0			(Dimethyl Arsenic Acid Sodium Salt Trihydrate)	100 Gms	32000
21636 [7758-16-9]	Sodium Acid Pyrophosphate (SAPP) extrapure, 95%	500 Gms	460	42215	Sodium Caprylate extrapure, 99%	100 Gms	740
[]	(Sodium Pyrophosphate Dibasic,			[1984-06-1]	(Caprylic Acid Sodium Salt)	250 Gms	1400
	Disodium Diphosphate Dibasic,					500 Gms	2500
80726	Disodium Dihydrogen Diphosphate) Sodium Alginate LV extrapure,	500 Gms	2500	50090	Sodium Caprylate BP, 99-101%	1 Kg	9000
[9005-38-3]	4-12cps, 30mesh	500 Gills 5 Kg	2500 23500	[1984-06-1]	Codium Caprylate Br , 55-16175	5 Kg	43000
	<u> </u>				Cadium Canadata NE 00 1010		
52775 [9005-38-3]	Sodium Alginate HV extrapure, 1000cps, 100mesh	500 Gms	3400	81340 [1984-06-1]	Sodium Caprylate NF, 99-101%	1 Kg	9200
[0000 00 0]	(Alginic Acid Sodium Salt)	5 Kg	32000			5 Kg	42500
75063	Sodium AAS Standard Solution in	100 ml	1600	89382 [497-19-8]	Sodium Carbonate Anhydrous pure, 99.5%	500 Gms	240
	0.5N HCI (Traceable to NIST)	250 ml	2600	[497-19-0]	pare, 55.5%	5 Kg	2100
84070	Sodium Azide extrapure AR, ACS,	100 Gms	650			25 Kg	10000
[26628-22-8]	99%	500 Gms	2700	51938	Sodium Carbonate Anhydrous ACS, 99%, 80-100mesh	500 Gms	330
		5 Kg	24000	[497-19-8]	ACC, 3376, 00-100mesm	5 Kg	3000
17782	Sodium Azide for molecular	100 Gms	720	64079	Sodium Carbonate Anhydrous	500 Gms	310
[26628-22-8]	biology, 99%	500 Gms	3100	[497-19-8]	ACS, 99.9%	5 Kg	2670
65171	Sodium Benzoate pure, 99%	500 Gms	440			25 Kg	12740
[532-32-1]		5 Kg	4000	93857	Sodium Carbonate Anhydrous	500 Gms	350
11114	Sodium Benzoate Exiplus,	500 Gms	580	[497-19-8]	ExiPlus, Multi-Compendial, 99.9%	5 Kg	3160
[532-32-1]	Multicompendial, 99%	5 Kg	4950		meets compendial specs of USP, BP,		
	meets compendial specs of USP, BP &	3			Ph.Eur		
	Ph.Eur			41721 [7647-14-5]	Sodium Chloride ACS, 99.9%	500 Gms	210
56398	Sodium Bicarbonate extrapure,	500 Gms	240	[/04/-14-5]		1 Kg	400
[144-55-8]	99%	5 Kg	1900			5 Kg	1300
		25 Kg	9000			25 Kg	6010
45437	Sodium Bicarbonate ACS, 99.7%	500 Gms	280	76945 [7647-14-5]	Sodium Chloride ExiPlus, Multi-Compendial, 99.9%	500 Gms	220
[144-55-8]		5 Kg	2200	[1.041.14-0]		1 Kg	430
		25 Kg	9500			5 Kg	1350
89399	Sodium Bicarbonate ACS, ExiPlus,	500 Gms	310		meets compendial specs of USP, BP	F00 O	
[144-55-8]	Multi-Compendial, 99.7%	5 Kg	2400	33205 [7647-14-5]	Sodium Chloride for molecular biology, 99.9%	500 Gms	660
36328	Sodium Bicarbonate for molecular	500 Gms	800	[. 5 1 + 5]	3 ,,	1 Kg	1200
[144-55-8]	biology, 99.7%					5 Kg	5560
92957	Sodium Bicarbonate for tissue	500 Gms	700	26416 [7647-14-5]	Sodium Chloride for tissue culture, 99.9%	500 Gms	700
[144-55-8]	culture, 99.7%	5 Kg	6000	[, 5 77 1 7 0]		1 Kg	1200
				76154	Sodium Chloride for HPLC, 99.9%	500 Gms	480



Code	Name	Packing	Price	Code	Name	Packing	Price
21522 [6132-05-4]	Sodium Citrate Dibasic Sesquihydrate extrapure, 99%	100 Gms	600	86307 [141-53-7]	Sodium Formate pure, 98%	500 Gms	180
[0132-03-4]	(Citric Acid Disodium Salt	500 Gms	1200	[141-35-7]		5 Kg	1500
	Sesquihydrate, Disodium Hydrogen Citrate Sesquihydrate)			39728 [141-53-7]	Sodium Formate extrapure AR, ACS	500 Gms	400
83407	Sodium Citrate Tribasic Dihydrate	500 Gms	300		Sodium Formaldehyde Sulfoxylate	500 Gms	570
[6132-04-3]	extrapure, 98% (Trisodium Citrate Dihydrate)	1 Kg	550	[149-44-0]	Hydrate (Rongalite) pure, 95% (Monosodium		
	(msodiam office binydrate)	5 Kg	2400		Hydroxymethanesulfinate)		
85919	Sodium Citrate Tribasic Dihydrate	500 Gms	320	11407	Sodium Formaldehyde Sulfoxylate	500 Gms	690
[6132-04-3]	extrapure AR, 99%	5 Kg	2600	[149-44-0]	Hydrate (Rongalite) ExiPlus, Multi-Compendial, 95%		
94968	Sodium Citrate Tribasic Dihydrate	500 Gms	450		(Monosodium		
[6132-04-3]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%				Hydroxymethanesulfinate)		
	meets compendial specs of USP, BP,			54762 [16893-85-9]	Sodium Hexafluorosilicate pure, 99%	1 Kg	520
	Ph.Eur			[10000 00 0]	(Sodium Fluorosilicate, Sodium	5 Kg	2430
67331	Sodium Citrate Tribasic Dihydrate	250 Gms	550		Silicofluoride)		
[6132-04-3]	for molecular biology, 99%	1 Kg	950	32537	Sodium Hexametaphosphate	500 Gms	650
43819	Sodium Cobaltinitrite extrapure AR,	25 Gms	900	[68915-31-1]	extrapure AR, 65-70% (SHMP, Calgon, Sodium	5 Kg	6000
[13600-98-1]		100 Gms	1900		Polyphosphate)		
	(Sodium Hexanitrocobaltate III)	500 Gms	6500	98060	Sodium Hydrogen Sulphate	500 Gms	440
12680	Sodium Cyanoborohydride pure,	5 Gms	820	[10034-88-5]			
[25895-60-7]	95%	25 Gms	2560		extrapure AR, 99%		
	(Sodium Cyanotrihydridoborate,	100 Gms	8000	73082 [1310-73-2]	Sodium Hydroxide Flakes extrapure, 97%	500 Gms	270
	Sodium Borocyanohydride)	500 Gms	34000	[1310-73-2]	extrapare, 57 %	1 Kg	490
0.4000	Sadium Diahamata Dihudusta					5 Kg	1750
94963 [7789-12-0]	Sodium Dichromate Dihydrate pure, 98%	500 Gms	720			25 Kg	8250
		5 Kg	6300	96311	Sodium Hydroxide Pellets purified,	500 Gms	290
54750 [7789-12-0]	Sodium Dichromate Dihydrate extrapure AR, 99.5%	500 Gms	800	[1310-73-2]	97%	5 Kg	1820
[7769-12-0]	extrapure Art, 99.5%	5 Kg	7400			25 Kg	8670
11996	Sodium Dichromate Dihydrate	500 Gms	900	68151	Sodium Hydroxide Pellets ACS,	500 Gms	310
[7789-12-0]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	5 Kg	8500	[1310-73-2]	98%	5 Kg	2240
	meets compendial specs of USP			13913	Sodium Hydroxide Pellets ExiPlus,	500 Gms	330
11226	Sodium Diethyldithiocarbamate	100 Gms	610	[1310-73-2]	Multi-Compendial, 98%	5 Kg	2610
[20624-25-3]	Trihydrate ACS,99 %	500 Gms	2530		meets compendial specs of USP, BP		
22607	Sodium Diethyldithiocarbamate	100 Gms	700	39700	Sodium Hydroxide Powder	500 Gms	310
	Trihydrate ACS, ExiPlus,	500 Gms	3100	[1310-73-2]	extrapure, 96%, 80-100 mesh	1 Kg	560
	Multi-Compendial, 99%		0.00			5 Kg	2060
	meets compendial specs of BP			13994	Sodium Hydroxide 0.1N Solution	500 ml	160
49653 [7775-14-6]	Sodium Dithionite extrapure, 85% (Sodium Hypodisulphite, Sodium	500 Gms	400	[1310-73-2]		1000 ml	280
[7773-14-0]	Hydrosulfite)			27382	Sodium Hydroxide 0.2N Solution	500 ml	160
10961	Sodium Ferrocyanide Decahydrate	500 Gms	450	[1310-73-2]		1000 ml	290
[14434-22-1]	extrapure AR, 99%	5 Kg	4000	00070	Cadium Hudvavida 1N Calutian		
	(Sodium Hexacyanoferrate(II), Tetrasodium Hexacyanoferrate			69978 [1310-73-2]	Sodium Hydroxide 1N Solution	500 ml	170
	Decahydrate)					1000 ml	310
57010	Sodium Fluoride pure, 98%	500 Gms	880			2500 ml	750
[7681-49-4]		5 Kg	8400	25366 [7681-52-9]	Sodium Hypochlorite Solution, 4-7% Cl	500 ml	180
29821	Sodium Fluoride extrapure AR, 99%	500 Gms	940	[/001-52-9]	(Soda Bleach, Liquid Bleach)	1000 ml	320
[7681-49-4]		5 Kg	9000		•	5 Ltr	740
40544	Sodium Fluoride extrapure AR,	500 Gms	990	98760	Sodium Iodate extrapure, 99%	25 Gms	800
[7681-49-4]	ACS, ExiPlus, Multi-Compendial,	500 Gills 5 Kg	9600	[7681-55-2]		100 Gms	2400
•	99%	Jily	9000			500 Gms	10200
	meets compendial specs of USP, BP						



Code	Name	Packing	Price	Code	Name	Packing	Pri
71964	Sodium Iodate extrapure AR, 99.5%	25 Gms	950	23621	Sodium Metaperiodate (Sodium	100 Gms	205
[7681-55-2]		100 Gms	2600	[7790-28-5]	Periodate) extrapure AR, 99.5%	500 Gms	920
		500 Gms	10800	30037	Sodium Metaperiodate (Sodium	100 Gms	220
77758	Sodium Iodide pure, 99%	25 Gms	720	[7790-28-5]	Periodate) extrapure AR, ACS,	500 Gms	940
[7681-82-5]	• •	100 Gms	2750		ExiPlus, Multi-Compendial, 99%		0.10
		250 Gms	6250		meets compendial specs of USP, BP,		
		1 Kg	24000		Ph.Eur		
04704 4	Cadium ladida 4M Calutian			94601 [10213-79-3]	Sodium Metasilicate Pentahydrate (Sodium Silicate Hydrated)	500 Gms	25
21704	Sodium lodide 1M Solution	100 ml	750	[10210-78-0]	extrapure	1 Kg	42
		500 ml	2500			5 Kg	200
11004	Sodium Lauryl Ether Sulphate (SLES, AES), 28-30%	1000 ml	730	20660	Sodium Metasilicate Nonahydrate	500 Gms	25
[9004-82-4]	(Sodium Laureth Sulfate)	5 Ltr	1950	[13517-24-3]	(Sodium Silicate Hydrated) extrapure	1 Kg	42
46821	Sodium Lauryl Sulphate (SLS, SDS)	500 Gms	610			5 Kg	200
[151-21-3]	(Needle-shaped) extrapure, 90%	5 Kg	5370	41670	Sodium Methoxide Powder pure,	500 Gms	73
	(Sodium Dodecyl Sulphate)			[124-41-4]	98%		
14374	Sodium Lauryl Sulphate (SDS, SLS)	500 Gms	620	13547	Sodium Molybdate Dihydrate pure,	100 Gms	125
[151-21-3]	ExiPlus, Multi-Compendial, 85% (Sodium Dodecyl Sulphate)	5 Kg	5640	[10102-40-6]	98%	250 Gms	250
	meets compendial specs of USP, BP,					500 Gms	480
	Ph.Eur			18108	Sodium Molybdate Dihydrate	100 Gms	140
54468	Sodium Lauryl Sulphate (SDS, SLS)	100 Gms	1340	[10102-40-6]	extrapure AR, 99%	250 Gms	295
[151-21-3]	extrapure AR, ACS, 99%	250 Gms	2920			500 Gms	520
	(Sodium Dodecyl Sulphate)	500 Gms	5340	70851	Sodium Molybdate Dihydrate	100 Gms	150
		1 Kg	10310	[10102-40-6]	extrapure AR, ACS, ExiPlus,	250 Gms	320
20074	Sadium Laund Sulphoto (SDS SLS)	25 Gms			Multi-Compendial, 99%	500 Gms	550
99671 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) for HPLC, 99%	100 Gms	1610		mosts compandial aposs of LISP PD	500 Gills	330
	(Sodium Dodecyl Sulphate)	250 Gms	4410		meets compendial specs of USP, BP, Ph.Eur		
			9100	44618	Sodium Nitrate extrapure AR, ACS,	500 Gms	4
		1 Kg	22440	[7631-99-4]	99%	5 Kg	400
3 2096 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) or molecular biology, 99%	25 Gms	590		Cadium Nitramurasida Dibuduata		
[151-21-5]	(Sodium Dodecyl Sulphate)	100 Gms	1820	28182 [13755-38-9]	Sodium Nitroprusside Dihydrate pure, 98%	100 Gms	110
		500 Gms	6010	[10700 00 0]	(Sodium Nitroferricyanide)	500 Gms	500
		1 Kg	11400	71750	Sodium Nitroprusside Dihydrate	100 Gms	120
35825	Sodium Lauryl Sulphate (SDS, SLS)	25 Gms	810	[13755-38-9]	extrapure AR, 99%	500 Gms	520
[151-21-3]	High Purity, 99.5%	100 Gms	2100	58403	Sodium Nitroprusside Dihydrate	100 Gms	130
25260	(Sodium Lound Sulphate)	100 ml	400		extrapure AR, ACS, ExiPlus,	500 Gms	550
35369	Sodium Lauryl Sulphate (SDS, SLS) 10% Solution	100 ml	400		Multi-Compendial, 99%	000 00	550
	(10% SDS Solution)				meets compendial specs of BP, Ph.Eur		
87547	Sodium Lauryl Sulphate (SDS, SLS)	250 ml	550	62381	tri-Sodium Orthophosphate	500 Gms	37
	20% Solution			[10101-89-0]	Dodecahydrate pure, 98% (Sodium Phosphate Tribasic	5 Kg	336
	(20% SDS Solution)				Dodecahydrate (Trisodium Phosphate		
3 4378	Sodium Lauryl Sulphate (SDS, SLS) BP, 85%	1 Kg	1800		Dodecahydrate))		
[151-21-3]	(Sodium Dodecyl Sulphate)	5 Kg	8200	73670	tri-Sodium Orthophosphate	500 Gms	45
	· , ,	25 Kg	36000	[10101-89-0]	Dodecahydrate extrapure AR, 99%	5 Kg	434
21705	Sodium Metabisulphite extrapure	500 Gms	300		(Sodium Phosphate Tribasic Dodecahydrate, Trisodium Phosphate		
[7681-57-4]	AR, 98%	5 Kg	2850		Dodecahydrate)		
		25 Kg	13500	69199	tri-Sodium Orthophosphate	500 Gms	54
52693	Sodium Metabisulphite extrapure	500 Gms	330	[10101-89-0]	Dodecahydrate extrapure AR, ACS,	5 Kg	497
[7681-57-4]	AR, ACS, ExiPlus,	5 Kg	3150		ExiPlus, Multi-Compendial, 99% (Sodium Phosphate Tribasic		
	Multi-Compendial, 98%	-			Dodecahydrate, Trisodium Phosphate		
-44	meets compendial specs of USP, BP	100.0			Dodecahydrate)		
51153 [7790-28-5]	Sodium Metaperiodate (Sodium Periodate) pure 99%	100 Gms	1850		meets compendial specs of USP		
[,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		500 Gms	8800	36176	Sodium Oxalate pure, 99%	500 Gms	48
				[62-76-0]		5 Kg	460



Code	Name	Packing	Price	Code	Name	Packing	Price
57554 [62-76-0]	Sodium Oxalate extrapure AR, 99.9%	500 Gms 5 Kg	510 4900	22249 [7558-80-7]	Sodium Phosphate Monobasic Anhydrous extrapure AR, 99%	500 Gms 5 Kg	600 5000
36984 [62-76-0]	Sodium Oxalate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.9% meets compendial specs of USP, BP,	500 Gms	600	98336 [7558-80-7]	Sodium Phosphate Monobasic Anhydrous for HPLC, 99% (Sodium Dihydrogen Orthophosphate Anhydrous)	500 Gms	1125
	Ph.Eur			59443	Sodium Phosphate Monobasic	250 Gms	980
39815 [15630-89-4]	Sodium Percarbonate 13% Active Oxygen	500 Gms	350	[7558-80-7]	Anhydrous for molecular biology, 99%	500 Gms	1400
	(Sodium carbonate hydrogen peroxide)	5 Kg	3200	91826	Sodium Phosphate Monobasic	250 Gms	400
57548 [15630-89-4]	Sodium Percarbonate 20-30% Active Oxygen	500 Gms 1 Kg	380	[7558-80-7]	Anhydrous for tissue culture, 99%	1 Kg	1300
53388	Sodium Peroxide ACS, 93%	100 Gms	3400 4400	27092 [13472-35-0]	Sodium Phosphate Monobasic Dihydrate extrapure, 99%	500 Gms 5 Kg	435 4000
[1313-60-6]	(Sodium Superoxide)	250 Gms	10500	40597	Sodium Phosphate Monobasic	500 Gms	490
		500 Gms	22000	[13472-35-0]	Dihydrate extrapure AR, 99%	500 Gills 5 Kg	4400
97295	Sodium Persulphate pure, 98%	500 Gms	490	79088	Sodium Phosphate Monobasic	500 Gms	550
[7775-27-1] 53046	(Sodium Peroxodisulfate) Sodium Phosphate Dibasic	500 Gms	520	[13472-35-0]	Dihydrate extrapure AR, ExiPlus, Multi-Compendial, 99%	5 Kg	4800
[7558-79-4]	Anhydrous extrapure, 99%	500 Gills 5 Kg	4800		meets compendial specs of USP		
66273	Sodium Phosphate Dibasic	500 Gms	600	93494	Sodium Phosphate Monobasic	500 Gms	825
[7558-79-4]	Anhydrous ACS, 99%	1 Kg	1100	[13472-35-0]	Dihydrate for molecular biology, 99%	5 Kg	7200
		5 Kg	5300		(Sodium Hydrogen Phosphate		
45932	Sodium Phosphate Dibasic	500 Gms	680	61707	Dihydrate) Sodium Phosphate Monobasic	500 Gms	600
[7558-79-4]	Anhydrous ACS, ExiPlus, Multi-Compendial, 99%	1 Kg	1200	[10049-21-5]	Monohydrate extrapure AR, 99%	5 Kg	5350
	meets compendial specs of USP	5 Kg	5700		(Sodium Dihydrogen Orthophosphate Monohydrate, Monosodium	C	
21669	Sodium Phosphate Dibasic	250 Gms	830		phosphate, Sodium dihydrogen phosphate mon		
[7558-79-4]	Anhydrous for molecular biology, 99.5%	500 Gms	1550	97768	Sodium Phosphate Monobasic	500 Gms	980
		5 Kg	14000	[10049-21-5]	Monohydrate for HPLC, 99% (Sodium Dihydrogen Orthophosphate		
32080 [10028-24-7]	Sodium Phosphate Dibasic Dihydrate extrapure, 99%	500 Gms	400		Monohydrate, Monosodium		
		5 Kg	3500		phosphate, Sodium dihydrogen phosphate mon		
87258 [10028-24-7]	Sodium Phosphate Dibasic Dihydrate extrapure AR, 99.5%	500 Gms 5 Kg	480 4000	78535	Sodium Phosphate Tribasic	500 Gms	650
52234	Sodium Phosphate Dibasic	500 Gms	780	[7601-54-9]	Anhydrous extrapure, 96%	5 Kg	5900
	Dihydrate ExiPlus,	5 Kg	6200		(Sodium Orthophosphate, Trisodium Phosphate)		
	Multi-Compendial, 99.5% meets compendial specs of BP, USP & Ph			63059 [6381-59-5]	Sodium Potassium Tartrate Tetrahydrate pure, 99%	500 Gms	620
	Eur					5 Kg	6000
87027 [10028-24-7]	Sodium Phosphate Dibasic	250 Gms	450	18241 [6381-59-5]	Sodium Potassium Tartrate Tetrahydrate extrapure AR, 99%	500 Gms	660
[10026-24-7]	Dihydrate for molecular biology, 99.5%	500 Gms	860	99669	Sodium Potassium Tartrate	5 Kg 500 Gms	6300
	Cadium Phaeshata Dibasia	5 Kg	7800	88662 [6381-59-5]	Tetrahydrate extrapure AR, ACS,	500 Gills 5 Kg	710 6600
86858 [10028-24-7]	Sodium Phosphate Dibasic Dihydrate for HPLC, 99.5%	500 Gms	1050		ExiPlus, Multi-Compendial, 99% meets compendial specs of Ph.Eur	3	
57085	Sodium Phosphate Dibasic	500 Gms	450	33650	Sodium Propionate pure, 99%	500 Gms	600
[10039-32-4]	Dodecahydrate extrapure, 98.5% (Sodium Hydrogen Phosphate Dodecahydrate)	5 Kg	3500	[137-40-6]		5 Kg	5500
83417	Sodium Phosphate Dibasic	500 Gms	500	58568 [5323-95-5]	Sodium Ricinoleate extrapure, 45% solids	500 Gms	340
[10039-32-4]		5 Kg	4600	31	(Ricinoleic Acid Sodium Salt, Sodium Ricinolate)	1 Kg	620
	Dodecahydrate)			43874	Sodium Salicylate extrapure, 99%	500 Gms	800
18134 [7782-85-6]	Sodium Phosphate Dibasic Heptahydrate ACS, 98-102%	100 Gms	800	[54-21-7]	(Salicylic Acid Sodium Salt, 2-Hydrobenzoic Acid Sodium Salt,		
[55 5]	(Disodium Hydrogen Phosphate	500 Gms 2.5 Kg	2200 10200		Sodium-2-Hydrobenzoate)		
	Heptahydrate, Disodium Phosphate)						



Code	Name	Packing	Price	Code	Name	Packing	Pri
36590	Sodium Salicylate extrapure AR,	250 Gms	800	54285	Sodium Tetraphenyl Borate	10 Gms	95
[54-21-7]	99.5%	500 Gms	1400	[143-66-8]	(Kalignost) extrapure AR, 99.5%	25 Gms	220
	(Salicylic Acid Sodium Salt,				(Sodium Tetraphenyl Boron)	100 Gms	800
	2-Hydrobenzoic Acid Sodium Salt, Sodium-2-Hydrobenzoate)					1 Kg	6000
2399	Sodium Selenate Anhydrous	25 Gms	500	30888	Sodium Tetraphenyl Borate	10 Gms	110
13410-01-0]	extrapure AR, 99%	100 Gms	1500	[143-66-8]	(Kalignost) extrapure AR, ACS,	100 Gms	840
		500 Gms	6000		ExiPlus, Multi-Compendial, 99.5%	1 Kg	6200
3627	Sodium Starch Glycolate ex. Maize	500 Gms	480		(Sodium Tetraphenyl Boron)	1119	0200
9063-38-1]	(SSG) ExiPlus, Multi-Compendial	500 Giris 5 Kg			meets compendial specs of BP, Ph.Eur		
•	mosts compandial appear of LICD	5 Kg	4600	94408 [540-72-7]	Sodium Thiocyanate pure, 98%	500 Gms	48
	meets compendial specs of USP	400.0		21444	Sodium Thiocyanate extrapure AR,	500 Gms	60
6313 6106-21-4]	Sodium Succinate Hexahydrate Dibasic extrapure, 99%	100 Gms	190	[540-72-7]	ACS, 98%	300 ams	OC.
0100-21-4]	Dibasic extrapure, 35%	500 Gms	690	89728	Sodium Thiosulphate Anhydrous	500 Gms	52
7578	Sodium Succinate Hexahydrate	100 Gms	240	[7772-98-7]	extrapure AR, 99.5%	5 Kg	500
6106-21-4]	Dibasic extrapure AR, 99%	500 Gms	950	50004	Sodium Thioculphata Bantahydrata		
9977	Sodium Sulphate Anhydrous	500 Gms	230	52304 [10102-17-7]	Sodium Thiosulphate Pentahydrate extrapure, 99%	500 Gms	22
757-82-6]	extrapure AR, 99.5%	1 Kg	390		•	5 Kg	200
		5 Kg	1700			25 Kg	900
4725	Sodium Sulphate Anhydrous	500 Gms		49479	Sodium Thiosulphate Pentahydrate	500 Gms	27
4725 7757-82-6]	extrapure AR, ACS, ExiPlus,		280	[10102-17-7]	ACS, 99.5%	5 Kg	250
	Multi-Compendial, 99.5%	5 Kg	2000			25 Kg	1200
	meets compendial specs of USP, BP			62148	Sodium Thiosulphate Pentahydrate	500 Gms	29
5365 7610-45-3]	Sodium Sulphide Flakes extrapure, 60%	500 Gms	280	[10102-17-7]	ExiPlus, Multi-Compendial, 99.5%	5 Kg	275
2246	Sodium Sulphite Anhydrous	500 Gms	350		meets compendial specs of USP, BP		
7757-83-7]	extrapure AR, 98%	5 Kg		33737	Sodium Thiosulphate 0.1N Solution	500 ml	19
			2800	[7772-98-7]		1000 ml	33
9814 7757-83-7]	Sodium Sulphite Anhydrous extrapure AR, ACS, ExiPlus,	500 Gms	400	40023	Sodium Trimetaphosphate (STMP)	100 Gms	304
[1131-03-1]	Multi-Compendial, 98%	5 Kg	3300	[7785-84-4]	extrapure AR, 95%	500 Gms	280
	meets compendial specs of USP, BP				(Trisodium Trimetaphosphate, Sodium		
6580	Sodium Tetraborate (Borax	100 Gms	850	85124	Cyclotriphosphate) Sodium Tripolyphosphate	1 Kg	62
1330-43-4]	Anhydrous) extrapure AR, 99%	500 Gms	2500	[7758-29-4]	Anhydrous (STPP) extrapure,	_	
	(Disodium Tetraborate)	2.5 Kg	9910		57-59% as P2O5	5 Kg	294
8631	Sodium Tetraborate Decahydrate	500 Gms	320		(Pentasodium Tripolyphosphate,		
1303-96-4]	(Borax Decahydrate) extrapure,	5 Kg	2600		Sodium Triphosphate Pentabasic)		
	99%	3119	2000	81499	Sodium Tungstate Dihydrate extrapure, 98%	100 Gms	114
	(Disodium Tetraborate Decahydrate)			[10213-10-2]	extrapure, 30%	250 Gms	264
9486	Sodium Tetraborate Decahydrate	500 Gms	510			2.5 Kg	2530
1303-96-4]	(Borax Decahydrate) extrapure AR, 99.5%	5 Kg	4250	49110	Sodium Tungstate Dihydrate	100 Gms	120
	(Disodium Tetraborate Decahydrate)			[10213-10-2]	extrapure AR, 99%	250 Gms	294
7668	Sodium Tetraborate	500 Gms	550	46215	Sodium Tungstate Dihydrate	100 Gms	131
1303-96-4]	Decahydrate(Borax Decahydrate)	5 Kg	5000	[10213-10-2]	extrapure AR, ACS, ExiPlus,	250 Gms	320
	extrapure AR, ACS,ExiPlus,	· ·	•		Multi-Compendial, 99%		
	Multi-Compendial, 99.5% (Disodium Tetraborate Decahydrate)				meets compendial specs of USP, BP,		
	meets compendial specs of BP, Ph.Eur				Ph.Eur		
9701	Sodium Tetraborate Pentahydrate	500 Gms	420	85446 [2538-85-4]	Solochrom Dark Blue (Calcon), 50%	5 Gms	34
2179-04-3]		5 Kg	4000	[2000-00-4]		25 Gms	99
	99.5%	5.15	4000			100 Gms	255
8581	(Disodium tetraborate pentahydrate) Sodium Tetrafluoroborate pure,	500 Gms	880	59985 [110-44-1]	Sorbic Acid pure, 98%	500 Gms	140
3755-29-8]	98.5%	- 20	500	62016	Sorbitan Monolaurate (SPAN 20®)	100 ml	200
	(Sodium Fluoroborate, Sodium			[1338-39-2]	extrapure	500 ml	600
	Fluoborate)					550 1111	500



Code	Name	Packing	Price	Code	Name	Packing	Price
78338	Sorbitan Monooleate (SPAN 80®) extrapure	500 ml	890	76601 [9005-84-9]	Starch Soluble extrapure AR, ACS, ExiPlus, Multi-Compendial	500 Gms	1340
[1338-43-8]	ехиарите	2500 ml	4200	[9005-64-9]	Extrus, Muni-Compendial	5 Kg	12800
36179	Sorbitan Monostearate (SPAN 60®)	500 Gms	750		meets compendial specs of USP		
[1338-41-6] 14281	extrapure D-Sorbitol Powder extrapure, 98%	500 Gms	530	91944	Strontium AAS Standard Solution in 0.5N HCl (Traceable to NIST)	100 ml 250 ml	1600 2600
[50-70-4]		1 Kg	1040	66731	Strontium Bromide (Strontium	5 Gms	2000
		5 Kg	5000	[10476-81-0]		25 Gms	5000
33320	D-Sorbitol Powder for tissue	500 Gms	610			100 Gms	12000
[50-70-4]	culture, 98%	1 Kg	1100	67911	Strontium Carbonate extrapure,	500 Gms	650
63443	D-Sorbitol Powder ExiPlus,	500 Gms	620	[1633-05-2]	98%	ooo amo	030
[50-70-4]	Multi-Compendial, 98%	1 Kg	1200	61832	Strontium Chloride Hexahydrate	250 Gms	390
		5 Kg	5340	[10025-70-4]	extrapure, 98%	500 Gms	760
	meets compendial specs of BP					5 Kg	6500
99103	D-Sorbitol Powder for molecular	500 Gms	1510	29563	Strontium Nitrate Anhydrous	500 Gms	600
[50-70-4]	biology, 98%	1 Kg	2890	[10042-76-9]	extrapure, 98%		
		5 Kg	9670	96330	Succinic Acid extrapure, 99%	500 Gms	570
47886	SPADNS extrapure AR, ACS	1 Gms	400	[110-15-6]		5 Kg	5200
[23647-14-5]		5 Gms	1300	85752	Succinic Acid extrapure AR, 99.5%	100 Gms	420
		25 Gms	4000	[110-15-6]		500 Gms	800
30467	Stannic Chloride anhydrous	100 ml	2080			5 Kg	7500
[7646-78-8]	extrapure, 99%	500 ml	9270	62321	Succinic Acid extrapure AR, ACS,	100 Gms	460
	(Tin (IV) Chloride, Tin Tetrachloride)			[110-15-6]	ExiPlus, Multi-Compendial, 99.5%	500 Gms	950
79862 ✓ [7646-78-8]	Stannic Chloride 1M in Dichloromethane	100 ml	1240		meets compendial specs of BP, Ph.Eur		
[7040-76-0]	(Tin (IV) Chloride/Tin Tetrachloride in	500 ml	4500	10917	Succinimide (Butanimide)	100 Gms	480
	1M MDC)			[123-56-8]	extrapure AR, 99%	500 Gms	1750
60006		100 ml	2590	84973	Sucrose pure	500 Gms	290
[7646-78-8]	(Tin (IV) Chloride/Tin Tetrachloride in 1M Heptane)			[57-50-1]		5 Kg	1860
98017	. ,	100 ml	2590			25 Kg	8720
[7646-78-8]	(Tin (IV) Chloride/Tin Tetrachloride in			90701	Sucrose extrapure AR, ACS	500 Gms	440
	1M Toluene)	400.0		[57-50-1]		1 Kg	820
91068 [10025-69-1]	Stannous Chloride Dihydrate pure, 97%	100 Gms	960			5 Kg	3930
[10020 00 1]	(Tin (II) Chloride Dihydrate)	250 Gms 500 Gms	2350			25 Kg	17440
			4470	27580	Sucrose for molecular biology	500 Gms	600
23329 [10025-69-1]	Stannous Chloride Dihydrate extrapure AR, 99%	100 Gms	1070	[57-50-1]		1 Kg	1190
[10020 00 1]	(Tin (II) Chloride Dihydrate)	250 Gms	2460			5 Kg	4520
		500 Gms	4690	92696	Sucrose for tissue culture	500 Gms	440
89673 [10025-69-1]	Stannous Chloride Dihydrate extrapure AR, ACS, ExiPlus,	100 Gms	1150	[57-50-1]		1 Kg	770
[10023-09-1]	Multi-Compendial, 99%	250 Gms	2620			5 Kg	3270
	(Tin (II) Chloride Dihydrate)	500 Gms	4800	82958	Sucrose IP (Non-Parenteral Use)	1 Kg	770
	meets compendial specs of USP , Ph.Eur			[57-50-1]		5 Kg	3750
58254 [9005-25-8]	Starch Corn pure	500 Gms	220			25 Kg	18000
		5 Kg	2000	38142	Sucrose BP (Non-Parenteral Use)	1 Kg	770
86106 [9005-84-9]	Starch Hydrolysed extrapure	100 Gms	1030	[57-50-1]		5 Kg	3750
[8-40-04-8]		500 Gms	4860			25 Kg	18000
14418	Starch Soluble extrapure	500 Gms	1150	56799	Sucrose NF (USP) (Non-Parenteral	1 Kg	1200
[9005-84-9]		5 Kg	10800	[57-50-1]	Use)	5 Kg	5500
64698	Starch Soluble extrapure AR	500 Gms	1250			25 Kg	25000
[9005-84-9]		5 Kg	11800	57335	Sudan IV for microscopy (C.I. No.	25 Gms	240
				37003	caaan ii ici iiiici coopy (ciii iici	23 01113	240



Code	Name	Packing	Price	Code	Name	Packing	Price
47256	Sudan Black	10 Gms	600	54423	Tetrabutylammonium Bromide	25 Gms	1400
[4197-25-5]		25 Gms	1200	[1643-19-2]	(TBAB) for HPLC, 99.5%	100 Gms	5200
		100 Gms	4000		Tetrabutylammonium Dihydrogen	5 Gms	3300
24073	Sulphamic Acid pure, 99%	500 Gms	300	[5574-97-0]	Phosphate (TBADP) extrapure AR, 98%	25 Gms	12000
[5329-14-6]	(Amido Sulphonic Acid)	5 Kg	2490		(Tetrabutylammonium Phosphate		
42773	Sulphamic Acid extrapure AR,	100 Gms	400		Monobasic)		
[5329-14-6]	99.5%	500 Gms	1800		Tetrabutylammonium Dihydrogen	5 Gms	4580
81645	(Amido Sulphonic Acid) Sulphamic Acid extrapure AR, ACS,	100 Gms	500	[5574-97-0]	Phosphate (TBADP) for HPLC, 99% (Tetrabutylammonium phosphate	25 Gms	15590
[5329-14-6]	ExiPlus, Multi-Compendial, 99.5%	500 Gms	2200		monobasic)		
	(Amido Sulphonic Acid)	300 GIII3	2200	84444	Tetrabutylammonium Dihydrogen	100 ml	5200
	meets compendial specs of BP, Ph.Eur			[5574-97-0]	Phosphate, 0.1M in HPLC Water	500 ml	25000
89762	Sulphanilamide pure, 99%	100 Gms	800		(Tetrabutylammonium Phosphate Monobasic 0.1M in HPLC Water)		
[63-74-1]	(p-Aminobenzenesulphonamide)	500 Gms	3000	57968 Y	Tetrabutylammonium Dihydrogen	10 ml	2000
		5 Kg	28000	[5574-97-0]	Phosphate, 0.5M in HPLC Water	100 ml	8000
65404	Sulphanilamide extrapure AR, 99%	100 Gms	900		(Tetrabutylammonium Phosphate	500 ml	30000
[63-74-1]	(p-Aminobenzenesulphonamide)	500 Gms	4090		Monobasic 0.5M in HPLC Water)		
19689	Sulphanilamide extrapure AR,	100 Gms	1070	53856 ✓ [5574-97-0]	Tetrabutylammonium Dihydrogen Phosphate, 1M in HPLC Water	50 ml	7500
[63-74-1]	ExiPlus, Multi-Compendial, 99%	500 Gms	4470	[5574-97-0]	(Tetrabutylammonium Phosphate	100 ml	12000
	(p-Aminobenzenesulphonamide)				Monobasic 1M in HPLC Water)	500 ml	33000
	meets compendial specs of USP, BP,			50283	Tetrabutylammonium Fluoride	25 Gms	1300
4=0=4	Ph.Eur	100.0		[87749-50-6]	Trihydrate extrapure, 98%	100 Gms	3800
15354 [121-57-3]	Sulphanilic Acid pure, 99% (p-Aminobenzenesulphonamide)	100 Gms	200	30315	Tetrabutylammonium Fluoride	100 ml	1450
[12.0.0]		500 Gms	700	[429-41-4]	(TBAF) 1M Soln. in THF	500 ml	5000
93360	Sulphanilic Acid (High Purity)	100 Gms	330		(N,N,N-Tributyl-1-butanaminium		
[121-57-3]	extrapure AR, 99.5%	500 Gms	1310	04050	Fluoride) Tetrabutylammonium Hydrogen	100 Gms	600
97979	Sulphanilic Acid (High Purity)	100 Gms	470	91958 [32503-27-8]	Sulphate (TBAHS) pure, 98%	250 Gms	620
[121-57-3]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 Gms	1750	. ,	, , , ,	500 Gms	1190
	meets compendial specs of BP						2100
44445	5-Sulphosalicylic Acid extrapure,	250 Gms	560	83955 [32503-27-8]	Tetrabutylammonium Hydrogen Sulphate (TBAHS) extrapure AR,	25 Gms	570
[5965-83-3]	99%	500 Gms	850	[32303-27-0]	99%	100 Gms	1640
		5 Kg	8000			500 Gms	7630
92635	Talc Powder Fine ExiPlus,	500 Gms		10778	Tetrabutylammonium Hydrogen	100 Gms	1970
[14807-96-6]	Multi-Compendial, -325 mesh		170	[32503-27-8]	Sulphate (TBAHS) extrapure AR, ExiPlus, Multi-Compendial, 99%		
	(Hydrous Magnesium Silicate, Talcum	5 Kg	1310		meets compendial specs of USP, BP,		
	Powder, Soapstone)				Ph.Eur		
	meets compedial specs of BP USP &			88383	Tetrabutylammonium Hydrogen	25 Gms	660
	Ph.Eur	100.0		[32503-27-8]	Sulphate (TBAHS) for HPLC, 99.5%	100 Gms	1800
92101 [1401-55-4]	Tannic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial	100 Gms	1210			500 Gms	8720
[(Gallotannin, Tannin)	250 Gms	2360	52162	Tetrabutylammonium Hydroxide	500 ml	1760
		500 Gms	4240	[2052-49-5]	0.1N aq. solution extrapure AR	333	1700
	meets compendial specs of BP			28342	Tetrabutylammonium Hydroxide	500 ml	1900
52931 [1934-21-0]	Tartrazine, 87%	100 Gms	380	[2052-49-5]	0.1N in Isopropanol extrapure AR		
[1007-21-0]		1 Kg	3000	94836	Tetrabutylammonium Hydroxide 1M	100 ml	2300
20428	Terephthalic Acid pure, 98%	500 Gms	380	[2052-49-5]	aq. solution	500 ml	10500
[100-21-0]		5 Kg	3500	41728	Tetrabutylammonium Hydroxide	100 ml	1250
20669	Tetrabutylammonium Bromide	100 Gms	400	[2052-49-5]	10% aq. solution extrapure	500 ml	5200
[1643-19-2]	(TBAB) pure, 98%	250 Gms	820	15134	Tetrabutylammonium Hydroxide	100 ml	1350
		500 Gms	1480	[2052-49-5]	10% in methanol extrapure		
57594	Tetrabutylammonium Bromide	25 Gms	500	41715	Tetrabutylammonium Hydroxide	100 ml	1800
[1643-19-2]	(TBAB) extrapure AR, ACS, 99%	100 Gms	1600	[2052-49-5]	20% aq. solution extrapure	500 ml	7000
		500 Gms	7500	54722	Tetrabutylammonium Hydroxide	100 ml	1900
				[2052-49-5]	25% aq. solution extrapure		



Code	Name	Packing	Price	Code	Name	Packing	Price
68032	Tetrabutylammonium Hydroxide	100 ml	3100	93314	Tetraethyl Orthosilicate (TEOS)	100 ml	900
[2052-49-5]	40% aq solution pure	250 ml	7500	[78-10-4]	extrapure, 98%, 28-28.8% SiO2	500 ml	1600
		500 ml	14000		(Silicon Tetraethoxide, Tetraethoxysilane, Tetraethyl Silicate)	2500 ml	6200
		1000 ml	24000	21957	Tetraheptyl Ammonium Bromide	5 Gms	2370
30064	Tetrabutylammonium Hydroxide	100 ml	7500	[4368-51-8]	(THAB) extrapure, 99%	25 Gms	8830
[2052-49-5]	54-56% aq. solution extrapure AR	500 ml	30000			100 Gms	31990
13656	Tetrabutylammonium Hydroxide	100 ml	1900	46986	Tetraheptyl Ammonium Bromide	5 Gms	3400
[2052-49-5]	25% in Methanol extrapure	250 ml	4300	[4368-51-8]	(THAB) for HPLC, 99%	25 Gms	12000
		500 ml	8200			100 Gms	42000
74212	Tetrabutylammonium Hydroxide	100 ml	3100	82863	Tetrahydrofuran (THF) (Stabilized)	500 ml	500
[2052-49-5]	40% in Methanol extrapure	250 ml	7500	[109-99-9]	pure, 99.5%	2500 ml	2200
		500 ml	14000			25 Ltr	20000
40878	Tetrabutylammonium Hydroxide	500 ml		74407	Total burdung in the All (Challing d)		
[2052-49-5]	0.1N in Methanol for non-aqueous	500 1111	1700	74497 [109-99-9]	Tetrahydrofuran (THF) (Stabilized) extrapure AR, 99.5%	500 ml	550
. ,	titration extrapure AR			[100 00 0]		2500 ml	2500
45205	Tetrabutylammonium Hydroxide	500 ml	1520	83642	Tetrahydrofuran (THF) (Stabilized) extrapure AR, ACS, ExiPlus,	500 ml	600
[2052-49-5]	0.1N in Methanol/Toluene extrapure AR			[109-99-9]	Multi-Compendial, 99.5%	2500 ml	2750
44991	Tetrabutylammonium Hydroxide	100 ml	2000		meets compendial specs of USP, BP,		
[2052-49-5]	20% in Methanol/Toluene extrapure	100 1111	2000		Ph.Eur		
28051	Tetrabutylammonium Iodide (TBAI)	25 Gms	1500	32661	Tetrahydrofuran (THF) GC-HS,	250 ml	500
[311-28-4]	extrapure AR, 99%	100 Gms	5300	[109-99-9]	99.9%	1000 ml	1700
62390	Tetrabutylammonium Iodide (TBAI)	25 Gms	1700	94842	Tetrahydrofuran (THF) for HPLC &	500 ml	880
[311-28-4]	extrapure AR, ExiPlus,	100 Gms	5600	[109-99-9]	UV Spectroscopy, 99.9%	1000 ml	1500
	Multi-Compendial, 99%					2500 ml	3400
	meets compendial specs of USP, BP, Ph.Eur			59167	Tetrahydrofuran (THF) Dried,	500 ml	800
26158	Tetra-N-Butyl Orthotitanate (TNBT)	100 ml	900	[109-99-9]	99.5%, 0.005% water	1000 ml	1400
[5593-70-4]	extrapure, 23-24% TiO2	500 ml	2400	92562	Tetrahydrofuran (THF) for	250 ml	480
	(Tetrabutyl Orthotitanate, Titanium(IV)	2500 ml	7000	[109-99-9]	molecular biology, 99.8%	500 ml	860
	n-Butoxide, Tetrabutyl Titanate, Orthotitanic Acid Tetrabuty			22698	Tetrahydrofuran-d8 (THF-d8) for	5 ml	19500
69105	Tetrachloroethylene pure, 99%	500 ml	600	[1693-74-9]	NMR spectroscopy, 99.5 Atom %D		
[127-18-4]	(Perchloroethylene)	2500 ml	2600	11088	1,2,3,4-Tetrahydronaphthalene	500 ml	1250
25058	Tetrachloroethylene extrapure AR,	500 ml	760	[119-64-2]	(Tetralin) pure, 98%	2500 ml	5200
[127-18-4]	99.5%	2500 ml	3300	91496	Tetramethylammonium Hydroxide	50 ml	810
	(Perchloroethylene)			[75-59-2]	10% aq. solution pure	250 ml	3100
74438	Tetrachloroethylene for UV	500 ml	850	94620	Tetramethylammonium Hydroxide	100 ml	2800
[127-18-4]	spectroscopy, 99.5% (Perchloroethylene)	1000 ml	1550	[75-59-2]	25% aqueous solution pure	250 ml	5300
48448	Tetrachloroethylene GC-HS, 99.9%	250 ml	700			500 ml	9500
[127-18-4]		1000 ml	1900	21371	Tetramethylammonium Hydroxide	100 ml	3000
70427	Tetradecylammonium Bromide	5 Gms	2700	[75-59-2]	25% in methanol pure	250 ml	5000
	(TDAB) extrapure AR, 99%	25 Gms	10200			500 ml	8500
	(Tetrakis(decyl) Ammonium Bromide)	100 Gms	34000	38342	Tetramethylammonium Hydroxide	1000 ml	21000
59256	Tetradecylammonium Bromide	5 Gms	3200	[75-59-2]	25% aqueous solution, VLSI	2500 ml	38500
[14937-42-9]	(TDAB) for HPLC, 99%	25 Gms	12500		Semiconductor Grade		
	(Tetrakis(decyl) Ammonium Bromide)		12000	42209	Tetramethylammonium Hydroxide	100 ml	1400
67902	Tetraethylammonium Bromide	100 Gms	490	[75-59-2]	0.1N in isopropanol/ methanol extrapure	500 ml	3100
[71-91-0]	(TEAB) pure, 98%	250 Gms	900	56874	Tetramethylammonium Hydroxide	100 ml	1100
		500 Gms	1775	[75-59-2]	1M aq. solution ACS	250 ml	2600
		1 Kg	3450	29740	Tetramethylammonium Hydroxide	5 Gms	830
	Tetraethylammonium Hydrogen	10 Gms	2080				
64674 [16873-13-5]				[10424-65-4]	remanyurate extrapure, 30%	25 Gms	1460



Code	Name	Packing	Price	Code	Name	Packing	Pric
84666	N,N,N,N-Tetramethyl	100 ml	840	58658	Thiosemicarbazide extrapure AR,	25 Gms	520
[110-18-9]	Ethylenediamine (TEMED) extrapure AR, 99%	250 ml	1390	[79-19-6]	99%	100 Gms	1500
	extrapure AH, 99%	500 ml	2280	88196	Thiourea pure, 98%	500 Gms	600
84198	N,N,N,N-Tetramethyl	100 ml	960	[62-56-6]		5 Kg	5000
[110-18-9]	Ethylenediamine (TEMED)	500 ml	2520	16994	Thiourea Superior extrapure AR,	100 Gms	610
	extrapure AR, ExiPlus, Multi-Compendial, 99%			[62-56-6]	99%	250 Gms	1200
	meets compendial specs of Ph.Eur					500 Gms	2300
52145	N,N,N,N-Tetramethyl	25 ml	550	20491	Thiourea Superior extrapure AR,	500 Gms	2600
[110-18-9]	Ethylenediamine (TEMED) for	100 ml	1110	[62-56-6]	ACS, ExiPlus, Multi-Compendial,	5 Kg	24000
	molecular biology, 99.5%	10.0			99%	- 1.5	24000
80909 [5810-42-4]	Tetrapropylammonium Chloride extrapure, 98%	10 Gms	4000		meets compendial specs of USP, Ph.Eur		
[0010 42 4]		50 Gms	17100	27179 [76-61-9]	Thymol Blue	5 Gms	220
70177	Tetrasodium Pyrophosphate	500 Gms	750	[70-01-9]		25 Gms	1010
[7722-88-5]	Anhydrous (TSPP anhy) extrapure, 98%	5 Kg	6800	79617	Thymol Blue ACS, ExiPlus,	5 Gms	280
	(Sodium Diphosphate Tetrabasic,			[76-61-9]	Multi-Compendial	25 Gms	1210
	Sodium Pyrophosphate Tetrabasic)				meets compendial specs of BP, Ph.Eur		
49473	Tetrasodium Pyrophosphate	500 Gms	1800	40817	Thymol Blue Solution (0.1% in	125 ml	170
[13472-36-1]	Decahydrate (TSPP Decahyd) extrapure AR, 99%	2.5 Kg	8200		methanol)		
	(Sodium Diphosphate Tetrabasic,			24474 [125-20-2]	Thymolphthalein ACS, ExiPlus, Multi-Compendial	5 Gms	240
	Sodium Pyrophosphate Tetrabasic)			[125-20-2]	wuru-Compendial	25 Gms	1000
56135	Theophylline anhydrous pure, 99%	25 Gms	300			100 Gms	3800
[58-55-9]		100 Gms	900		meets compendial specs of BP, Ph.Eur		
		500 Gms	1700	19710	Tin AAS Standard Solution in 2N	100 ml	1600
17942	Thioacetamide extrapure AR, 99%	25 Gms	500		HCI (Traceable to NIST)	250 ml	2600
[62-55-5]		100 Gms	1700	56283	Tin Metal Granular extrapure,	100 Gms	170
		500 Gms	7500	[7440-31-5]	99.5%	250 Gms	3850
48979	Thioacetamide extrapure AR, ACS,	25 Gms	580			500 Gms	7500
[62-55-5]	ExiPlus, Multi-Compendial, 99%	100 Gms	1900	24737	Tin Metal Granular extrapure AR,	100 Gms	1850
		500 Gms	8700	[7440-31-5]	99.7%	250 Gms	430
	meets compendial specs of USP, BP,					500 Gms	8200
	Ph.Eur			42780	Tin Metal Powder extrapure AR,	100 Gms	1550
42174	Thioanisole extrapure, 99%	25 ml	950	[7440-31-5]	99.9%, ~325 mesh	250 Gms	3600
[100-68-5]	(Methyl Phenyl Sulfide	100 ml	2500	60001 (i	Tiron Monohydrate extrapure, 98%	5 Gms	600
	Methylthiobenzene)	500 ml	9100	[149-45-1]	(Catechol-3,5-Disulfonic Acid Disodium	25 Gms	2200
75241	2-Thiobarbituric Acid (TBA)	25 Gms	1100		Salt Monohydrate)	100 Gms	8000
[504-17-6]	extrapure AR, 99%	100 Gms	3800	07400	Titanium (IV) Chloride THF	5 Gms	
	(4,6-Dihydroxy-2-Mercaptopyrimidine, 4,6-Dihydroxypyrimidine-2-Thiol)			37139 3 [31011-57-1]		25 Gms	2790
75493	Thioflavin T for microscopy (C.I.	5 Gms	1500		(Tetrachlorobis(Tetrahydrofuran)	25 Gills	10800
[2390-54-7]	No. 49005), 90%	25 Gms	3270		Titanium)		
	(Basic Yellow 1)	25 01115	3270	55788	Titanium Dioxide extrapure, 98% (Titanium (IV) Oxide)	500 Gms	540
35357	Thioglycolic Acid pure, 80%	500 ml	1800	[13463-67-7]	(manum (iv) oxide)	1 Kg	1010
[68-11-1]		2500 ml	8500			5 Kg	4240
74118	Thioglycolic Acid ExiPlus,	500 ml	2100	91482	Titanium Ethoxide (ET) extrapure,	100 ml	1600
[68-11-1]	Multi-Compendial, 80%	2500 ml	9000	[3087-36-3]	33-35% TiO2 (Tetraethyl Titanate, Titanium (IV)	250 ml	2200
	meets compendial specs of USP				Ethoxide, Tetraethyl Orthotitanate)		
80599	Thionin Acetate, 90%	5 Gms	2390	56993	Titanium Isopropoxide (TTIP)	100 ml	610
[78338-22-4]		25 Gms	9940	[546-68-9]	extrapure, 27.8-28.6% TiO2	500 ml	1180
74681	Thiosemicarbazide pure, 98%	25 Gms	330		(Tetraisopropyide Titanium	2500 ml	5510
[79-19-6]		100 Gms	1000		(IV) Isopropoxide, Titanium Tetraisopropoxide)		
-		100 01113	1000		i i -/		



Code	Name	Packing	Price	Code	Name	Packing	Price
70472	Titan Yellow, 65%	25 Gms	750	21559	Tributylamine extrapure, 99%	250 ml	230
[1829-00-1]		50 Gms	1400	[102-82-9]		1000 ml	800
		250 Gms	6000	74315	Tributylphosphate extrapure, 99%	500 ml	1800
47556	Toluene pure, 99%	500 ml	285	[126-73-8]		2500 ml	8400
[108-88-3]		2500 ml	1100	91094	D-Trehalose Dihydrate extrapure	5 Gms	370
		25 Ltr	9500	[6138-23-4]	CHR	25 Gms	1280
39984	Toluene (Sulphur free) extrapure,	500 ml	300			100 Gms	4250
[108-88-3]	99.5%	2500 ml	1200			1 Kg	12500
		25 Ltr	9900	15886	D-Trehalose Dihydrate for tissue	5 Gms	550
85577	Toluene extrapure AR, 99.5%	500 ml	350	[6138-23-4]	culture	25 Gms	1950
[108-88-3]	,,	2500 ml	1300			100 Gms	4730
		25 Ltr	10800	00544	Trichlana castic Asid sutranuma 000/		
	Talvana autranura AD ACC			90544 ✓ [76-03-9]	Trichloroacetic Acid extrapure, 99%	100 Gms	200
95227 [108-88-3]	Toluene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	400	[/0 00 0]		500 Gms	650
[100 00 0]	•	2500 ml	1500		Trichloroacetic Acid extrapure AR,	100 Gms	290
	meets compendial specs of USP, BP,			[76-03-9]	ACS, 99.5%	500 Gms	720
	Ph.Eur	I		31445	Trichloroacetic Acid 10% solution	100 ml	200
17213 [108-88-3]	Toluene Dried, 99.5%, 0.005% water	500 ml	390	[76-03-9]		500 ml	430
[100-00-3]		1000 ml	740	54290	Trichloroacetic Acid 20% solution	500 ml	450
		2500 ml	1400	[76-03-9]			
80156	Toluene Dried Special (Low	250 ml	450	15106	Trichloroethylene extrapure, 99%	500 ml	350
[108-88-3]	Benzene, 25ppm), 99.5%, 0.005% water	1000 ml	1100	[79-01-6]		2500 ml	1500
83662	Toluene GC-HS, 99.9%	500 ml	750			25 Ltr	14000
[108-88-3]	rolatile de rie, este /	1000 ml	1350	92390	Trichloroethylene extrapure AR,	500 ml	390
	Talana (an UDI O A UN			[79-01-6]	99.5%	2500 ml	1650
29490 [108-88-3]	Toluene for HPLC & UV Spectroscopy, 99.8%	500 ml	470			25 Ltr	15500
[100 00 0]		1000 ml	820	86976	Trichloroethylene extrapure AR,	500 ml	
		2500 ml	1450	[79-01-6]	ACS, ExiPlus, Multi-Compendial,	2500 ml	440
85590 [2037-26-5]	Toluene-d8 for NMR spectroscopy, 99.5 Atom %D	10 ml	13630		99.5%	2300 1111	1800
33635	m-Toluidine extrapure, 99%	500 ml	570		meets compendial specs of BP, Ph.Eur	F00 l	
[108-44-1]	(3-Methylaniline, m-Aminotoluene)	2500 ml	2250	76338 [79-01-6]	Trichloroethylene electronic grade, 99.5%	500 ml	750
82225	p-Toluenesulfonamide (PTSamide)	100 Gms		[/00/0]		2500 ml	2800
[70-55-3]	pure, 98%	500 Gms	310	97681	Trichloroethylene for UV	500 ml	720
[]	(4-Toluenesulfonamide)	500 Gms	1200	[79-01-6]	spectroscopy, 99.5%	1000 ml	1300
29423	p-Toluenesulphonic Acid	500 Gms	520	42943	Trichloroethylene Dried, 99.5%,	500 ml	1000
[6192-52-5]	Monohydrate pure, 98%	5 Kg	3940	[79-01-6]	0.005% water		
77040	(Toluene-4-Sulphonic Acid, PTSA)	100.0		20779	Triethanolamine pure, 98%	500 ml	400
77948 [6192-52-5]	p-Toluenesulphonic Acid Monohydrate extrapure AR, ACS,	100 Gms	320	[102-71-6]		2500 ml	1600
[0.02.02.0]	99%	500 Gms	1280	29306	Triethylamine pure, 98%	500 ml	380
	(Toluene-4-Sulphonic Acid, PTSA)			[121-44-8]		2500 ml	1650
55580	p-Toluenesulphonic Acid	100 Gms	620			25 Ltr	15000
[6192-52-5]	Monohydrate (High Purity) extrapure AR,ACS,	500 Gms	2240	75198	Triethylamine extrapure AR, 99.5%	500 ml	430
	ExiPlus,Multi-Compendial, 99.5%			[121-44-8]		2500 ml	1800
	(Toluene-4-Sulphonic Acid, PTSA)			95205	Triethylamine extrapure AR,	1000 ml	1025
	meets compendial specs of USP, BP,			[121-44-8]	ExiPlus, Multi-Compendial, 99.5%	2500 ml	
	Ph.Eur				•	2000 IIII	1950
86763 [657-84-1]	p-Toluenesulphonic Acid Sodium Salt pure, 98%	500 Gms	1850		meets compendial specs of USP, BP, Ph.Eur		
[0]	(Sodium p-Toluenesulfonate, PTSA			67352	Triethylamine for HPLC, 99.5%	250 ml	460
	Sodium)			[121-44-8]		500 ml	850
73222	Triacetin pure, 99%	500 ml	810			1000 ml	1300
[102-76-1]		2500 ml	3930	EE004	Triethylamine for molecular		
				55221 [121-44-8]	biology, 99.5%	500 ml	600



Code	Name	Packing	Price	Code	Name	Packing	Price
12475	Triethyl Citrate extrapure, 99%	250 ml	600	99438	Tris Hydrochloride (Tris HCI)	100 Gms	1090
[77-93-0]	(Citric Acid Triethyl Ester, Ethyl Citrate)	1000 ml	2200	[1185-53-1]	extrapure AR, 99%	500 Gms	5240
		2500 ml	5200		(Tris (Hydroxymethyl) Aminomethane Hydrochloride)	5 Kg	49050
37817	Triethylene Glycol extrapure, 99%	500 ml	400	89781	Tris Hydrochloride (Tris HCI) for	100 Gms	1370
[112-27-6]		2500 ml	1700	[1185-53-1]	molecular biology, 99%	500 Gms	6000
96475	Triethylene Glycol extrapure AR,	500 ml	520		(Tris (Hydroxymethyl) Aminomethane Hydrochloride)	1 Kg	9810
[112-27-6]	99%	2500 ml	2000	30190	Triton X-100 extrapure for	500 ml	660
86570	Triethylenetetramine (mix. of	500 ml	930	[9002-93-1]	scintillation	2500 ml	3170
[112-24-3]	isomers) pure, 97%	2500 ml	3930	64540	Triton X-100 for molecular biology	100 ml	
81085	Triethyl Orthoformate extrapure,	500 ml		64518 [9002-93-1]	Thom A-100 for molecular biology	500 ml	880
[122-51-0]	99%	2500 ml	600 2900		- 1. V ()		1310
	Talffarana a sala A stat (TEA) assura			55219 [9036-19-5]	Triton X-405 (70% solution) extrapure	500 ml	2200
78984 [76-05-1]	Trifluoroacetic Acid (TFA) pure, 99%	100 ml	650	[0000 10 0]	(Octylphenolethoxylate,Polyethylenegly	1000 ml	3600
[. 0 00 .]		500 ml	2500		col	2500 ml	8000
		2500 ml	12000		t-Octylphenylether,Polyoxyethylene(40)i sooctylphenylether)		
65415 [76-05-1]	Trifluoroacetic Acid (TFA) extrapure AR, 99.5%	100 ml	900	64315	Tropaeolin O Sodium Salt	25 Gms	640
[70-05-1]	extrapule Art, 33.3%	250 ml	1800	[547-57-9]	(Acid Orange 6, Chrysoin)	100 Gms	2290
		500 ml	2800	10233	DL-Tryptophan extrapure CHR, 99%	5 Gms	490
67869	Trifluoroacetic Acid (TFA)	100 ml	1050	[54-12-6]	DE-Tryptophan extrapare of it, 33/8	25 Gms	1500
[76-05-1]	extrapure AR, ExiPlus, Multi-Compendial, 99.5%	500 ml	3200			100 Gms	5800
	meets compendial specs of USP, BP,			10263	I Trustonhan outronura CHP 00%	100 Gms	
	Ph.Eur			[73-22-3]	L-Tryptophan extrapure CHR, 99%	1 Kg	750
82818	Trifluoroacetic Acid (TFA) for HPLC	25 ml	840	. ,		5 Kg	6200
[76-05-1]	& UV Spectroscopy, 99.9%	100 ml	1400				30000
		500 ml	4200	49102 [73-22-3]	L-Tryptophan for tissue culture, 99%	25 Gms	800
40801	Trifluoroacetic Acid (TFA) for	100 ml	1700	[/0 22 0]		100 Gms	2200
[76-05-1]	molecular biology, 99.9%	500 ml	5000	48288 [73-22-3]	L-Tryptophan ExiPlus, Multi-Compendial, 99%	100 Gms	900
23947	Trifluoroacetic Acid (TFA) for HPLC	10 x1 ml	18000	[/3-22-3]	•	1 Kg	6700
[76-05-1]	& Sequencing, 99.9%				meets compendial specs of BP, Ph.Eur		
78716 [599-00-8]	Trifluoroacetic Acid-d (TFA-d1) for NMR spectroscopy, 99.5 Atom %D	10 ml	8510	26579 [153-94-6]	D-Tryptophan (base) extrapure, 99%	10 Gms	2800
82395	Trimethyltetradecylammonium	25 Gms	1500	[.55 5 . 5]		25 Gms	5800
[4574-04-3]	Chloride extrapure, 99%	100 Gms	4200			100 Gms	15000
00470	Triphonylmothono puro 99%			10726	Tungsten AAS Standard Solution in H20 (Traceable to NIST)	100 ml	1600
38476 [519-73-3]	Triphenylmethane pure, 98%	100 Gms 500 Gms	1210		The (Tradeable to Title 1)	250 ml	2600
	T: D# 4D 4004		4960	71290	Tungstosilicic Acid Hydrate extrapure AR	25 Gms	1080
71033 [77-86-1]	Tris Buffer AR, ACS for molecular biology, 99.9%	100 Gms	880	[12027-43-9]	(Silicotungstic Acid Hydrate)	100 Gms	2800
[55 .]	(Tris (Hydroxymethyl) Aminomethane,	500 Gms	4150	67134	Tungstosilicic Acid Hydrate	25 Gms	1200
	Tromethamine)	5 Kg	34880	[12027-43-9]		100 Gms	3200
79420	Tris Buffer Superior extrapure AR, ACS, 99.9%	100 Gms	1040		Multi-Compendial (Silicotungstic Acid Hydrate)		
[77-86-1]	(Tris (Hydroxymethyl) Aminomethane,	500 Gms	4580		meets compendial specs of BP, Ph.Eur		
	Tromethamine)	5 Kg	39240	70600	D-Tyrosine extrapure, 98%	5 Gms	2000
37969	Tris Buffer Superior for molecular	100 Gms	1110	[556-02-5]		25 Gms	7000
[77-86-1]	biology, 99.9% (Tris (Hydroxymethyl) Aminomethane,	500 Gms	5240	10342	DL-Tyrosine extrapure CHR, 99%	5 Gms	1500
	Tromethamine)	5 Kg	44690	[556-03-6]	· · · · · · · · · · · · · · · · · · ·	25 Gms	3240
56995	Tris Buffer for HPLC, 99.9%	100 Gms	1530			100 Gms	12000
[77-86-1]	(Tris (Hydroxymethyl) Aminomethane,	500 Gms	6540	16796	L-Tyrosine extrapure CHR, 99%	25 Gms	350
16622	Tromethamine) Tris Buffer USP, 99-101% (Non	1 Kg	8000	[60-18-4]	• , , , , , , , , , , , , , , , , , , ,	100 Gms	850
[77-86-1]	Injectable Use)	5 Kg	8000 37500			500 Gms	4000
-	(Tris (Hydroxymethyl) Aminomethane,	J Ng	31300			1 Kg	7000
	Tromethamine)					ı ny	7000



Code	Name	Packing	Price	Code	Name	Packing	Price
18917	L-Tyrosine for tissue culture, 99%	25 Gms	500	76911 ✓	Vitamin A Palmitate (Retinyl	5 Gms	850
[60-18-4]		100 Gms	1400	[79-81-2]	Palmitate) for tissue culture,	25 Gms	3640
		500 Gms	5000	92605	1.615-1.860MIU/g Water for HPLC	1000 ml	400
91772	L-Tyrosine ExiPlus,	25 Gms	400	[7732-18-5]	Water for the Lo	2500 ml	900
[60-18-4]	Multi-Compendial, 99%	100 Gms	1050	50040	Water Distilled		
		500 Gms	4300	58348 [7732-18-5]	water distilled	5 Ltr	500
	meets compendial specs of BP, Ph.Eur			64236	Xanthan Gum ExiPlus,	100 Gms	430
62762	Urea extrapure, 99%	500 Gms	350	[11138-66-2]	Multi-Compendial	500 Gms	1500
[57-13-6]		5 Kg	3350		meets compendial specs of USP, BP,		
69120	Urea extrapure AR, 99.5%	500 Gms	620		Ph.Eur		
[57-13-6]		5 Kg	5800	23749	o-Xylene pure, 98%	500 ml	420
		25 Kg	27000	[95-47-6]	(1,2-Dimethylbenzene)	2500 ml	1580
86854	Urea extrapure AR, ACS, ExiPlus,	500 Gms	720	62231	o-Xylene extrapure AR, 99%	500 ml	650
[57-13-6]	Multi-Compendial, 99.5%	5 Kg	6200	[95-47-6]	(1,2-Dimethylbenzene)	2500 ml	3100
	meets compendial specs of USP, BP			29280	m-Xylene pure, 98%	500 ml	620
21113	Urea for molecular biology, 99.5%	500 Gms	950	[108-38-3]	(1,3-Dimethylbenzene)		
[57-13-6]		1 Kg	1700	24923	p-Xylene pure, 99%	500 ml	640
		5 Kg	7890	[106-42-3]	(1,4-Dimethylbenzene)	2500 ml	2790
44255	Urea for tissue culture, 99.5%	500 Gms	800	54717	Xylene pure, 99%	500 ml	360
[57-13-6]		1 Kg	1500	[1330-20-7]		2500 ml	1480
12859	L-Valine extrapure CHR, 99%	25 Gms	300			25 Ltr	10850
[72-18-4]		100 Gms	700	63797	Xylene Cyanol FF	5 Gms	1300
		1 Kg	4300	[2650-17-1]	(Acid Blue 147, C.I. No. 42135)	25 Gms	5200
55269	L-Valine for tissue culture, 99%	5 Gms	410			100 Gms	17690
[72-18-4]	2 valine for neede canare, 60%	100 Gms	1250	75122	Xylene Cyanol FF extrapure AR,	5 Gms	1500
		500 Gms	4980	[2650-17-1]	ExiPlus, Multi-Compendial	25 Gms	5600
42749	Vanadium AAS Standard Solution	100 ml			(Acid Blue 147, C.I. No. 42135)	100 Gms	20410
42749	in 2N H2SO4 (Traceable to NIST)	250 ml	1600 2600		meets compendial specs of USP		
	Variables Barbarida autoria AB			49672	p-Xylenol Blue extrapure AR, 95%	1 Gms	550
76132 [1314-62-1]	Vanadium Pentoxide extrapure AR, 99.5%	25 Gms	350	[125-31-5]	(p-Xylenosulphonaphthalein)	5 Gms	2550
[100 Gms 500 Gms	1150	49992	Xylenol Orange Tetrasodium Salt	5 Gms	520
			5400	[3618-43-7]	ACS	10 Gms	900
83822 [1314-62-1]	Vanadium Pentoxide extrapure AR, ExiPlus, Multi-Compendial, 99.5%	25 Gms	400	31557	Xylenol Orange Tetrasodium Salt	10 Gms	1100
[1014-02-1]	ZAII las, main compensial, colo	100 Gms	1280	[3618-43-7]		25 Gms	2600
		500 Gms	5650		meets compendial specs of BP, Ph.Eur		
	meets compendial specs of USP	25.0		96240	Xylene Sulphur Free extrapure,	500 ml	380
83080 [121-34-6]	Vanillic Acid extrapure, 99% (4-Hydroxy-3-Methoxybenzoic Acid)	25 Gms	1280	[1330-20-7]	99%	2500 ml	1520
		100 Gms	4370			25 Ltr	11210
98842 [121-33-5]	Vanillin pure, 99% (4-hydroxy-3-Methoxybenzaldehyde)	25 Gms	320	90998	Xylene extrapure AR, 99.5%	500 ml	450
[121-33-3]	(4 flydroxy o wethoxyberizaldeflyde)	100 Gms	600	[1330-20-7]	, , , , , , , , , , , , , , , , , , , ,	2500 ml	1640
		500 Gms	2300	90150	Xylene extrapure AR, ACS, ExiPlus,	500 ml	
20563	Vanillin extrapure AR, 99%	25 Gms	340	89159 [1330-20-7]	Multi-Compendial, 99.5%	2500 ml	500 1880
[121-33-5]	(4-hydroxy-3-Methoxybenzaldehyde)	100 Gms	650		mosts compandial chass of LISP	2500 1111	1000
		500 Gms	2500	/E122	meets compendial specs of USP Xylene for molecular biology,	250 ml	410
49456	Vanillin extrapure AR, ExiPlus,	25 Gms	360	45122 [1330-20-7]	99.5%	250 ml	410 720
[121-33-5]	Multi-Compendial, 99% (4-hydroxy-3-Methoxybenzaldehyde)	100 Gms	750			2500 ml	730
	(, droxy o modroxyborizadoriyae)	500 Gms	2700	0=	Videna Dried on Tay a corry		2180
	meets compendial specs of BP			85471 [1330-20-7]	Xylene Dried, 99.5%, 0.005% water	1000 ml	710
14553		5 Gms	650	46561	Yttrium (III) Oxide extrapure AR,	10 Gms	530
[127-47-9]	for tissue culture (Retinol Acetate)	25 Gms	2200	[1314-36-9]	99.9%	25 Gms	1240
	(100 Gms	6000				





	Catalogue 2024-23		
Code	Name	Packing	Price
76192 [5970-45-6]	Zinc Acetate Dihydrate extrapure, 98.5%	500 Gms	800
76205 [5970-45-6]	Zinc Acetate Dihydrate ACS, 99.5%	500 Gms	870
53174 [5970-45-6]	Zinc Acetate Dihydrate ACS, ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP, BP, Ph.	500 Gms	970
43758	Zinc AAS Standard Solution in 1N HNO3 (Traceable to NIST)	100 ml 250 ml	1600 2600
97765 [5263-02-5, 51839-25-9]	Zinc Carbonate Basic pure, 58% Zn (Zinc Hydroxide Carbonate, Carbonic Acid Zinc Salt Basic)	500 Gms	900
99367 [5990-32-9]	Zinc Citrate Dihydrate pure, 98% (Citric Acid Zinc Salt)	500 Gms	800
87288 [7646-85-7]	Zinc Chloride pure, 97%	500 Gms 5 Kg	400 3800
80004 [7646-85-7]	Zinc Chloride ACS, 98%	500 Gms 5 Kg	800 7500
67514 [7646-85-7]	Zinc Chloride for tissue culture, 98%	500 Gms	1870
86783 [7783-49-5]	Zinc Fluoride pure, 98%	100 Gms 500 Gms	300 840
46621 [7440-66-6]	Zinc Metal Dust pure, 95%, -325 mesh	500 Gms 2.5 Kg	900 4200
27008 [7440-66-6]	Zinc Metal Dust pure, 99%, -325 mesh	500 Gms 2.5 Kg	1080 5280
20050 [7440-66-6]	Zinc Metal Dust extrapure AR, 99.5%, -325 mesh	500 Gms 2.5 Kg	1260 5940
73932 [7440-66-6]	Zinc Metal Dust extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%, -325 mesh meets compendial specs of Ph.Eur	500 Gms 2.5 Kg	1380 6300
91229 [7440-66-6]	Zinc Metal Granules, 99%, 3-8 mm	500 Gms	1200
60357 [7440-66-6]	Zinc Metal Granules, 99.5%, 10-12mm	500 Gms	1350
75001 ✓ [10196-18-6]	Zinc Nitrate Hexahydrate extrapure, 98%	500 Gms	600
24693 ✓ [10196-18-6]	Zinc Nitrate Hexahydrate extrapure AR, 98%	500 Gms	700
87531 [1314-13-2]	Zinc Oxide extrapure, 99%	500 Gms 5 Kg	580 5200
67062 [1314-13-2]	Zinc Oxide ACS, 99.5%	500 Gms 5 Kg	650 5800
51508 [1314-13-2]	Zinc Oxide ACS, ExiPlus, Multi-Compendial, 99.5%	500 Gms 5 Kg	690 6100
13439	meets compendial specs of BP Zinc Stearate extrapure, 10-15% ZnO	500 Gms	600
[557-05-1] 67106	(Stearic acid zinc salt) Zinc Sulphate Heptahydrate for	1 Kg 500 Gms	1100 570
[7446-20-0]	tissue culture, 99%	1 Kg	1010

Code	Name	Packing	Price
76455	Zinc Sulphate Heptahydrate pure,	500 Gms	290
[7446-20-0]	99%	1 Kg	530
		5 Kg	2550
78494 [13597-44-9]	Zinc Sulphite Anhydrous extrapure, 80%	500 Gms	1380
62294 [7488-52-0]	Zinc Sulphite Dihydrate extrapure, 98%	500 Gms	1330
47482	Zinc Sulphide extrapure, 98%	100 Gms	720
[1314-98-3]		500 Gms	2400
75738	Zinc Sulphate Heptahydrate ACS,	500 Gms	340
[7446-20-0]	99.5%	5 Kg	3100
35243	Zinc Sulphate Heptahydrate	500 Gms	430
[7446-20-0]	ExiPlus, Multi-Compendial, 99.5%	5 Kg	3900
	meets compendial specs of BP		
12077	Zirconium Oxychloride Octahydrate	100 Gms	500
[13520-92-8]	extrapure, 99.5%	250 Gms	900
		500 Gms	1650
22047	Zirconium Oxychloride Octahydrate	100 Gms	1050
[13520-92-8]	ACS, 99.5%	250 Gms	1800
38028 [14644-61-2]	Zirconium Sulphate extrapure, 99.5%	100 Gms	2140
47985	Zirconyl Nitrate Hydrate ExiPlus,	100 Gms	1050
[13826-66-9]	Multi-Compendial, 99.5% (Zirconium Oxynitrate)	500 Gms	4300
	meets compendial specs of USP, Ph.Eur		



Sodium Lauryl Sulphate

A highly versatile product for Drug Dissolution Testing, Quality Control, Research and Electrophoresis applications.

For Drug Dissolution Testing Studies

Sodium Lauryl Sulphate (Sodium Dodecyl Sulphate, SLS, SDS) is a strong component of the media used for Dissolution Testing in In Vitro methods for water-soluble and slightly-water-soluble drugs. It's importance as a simulated gastric/intestinal media ingredient makes it's quality a critical factor in the accuracy of results.

Principally used as a QC Test, Dissolution Testing, SDS of AR & High Purity grades are the most prevalent reagents in use due to constant production improvements, testing and stability studies. SRL is one of the first developers of the High Purity SLS (99.5%) which is fast-becoming the industry standard across the Pharma QC Testing, with many scientists now adopting the newer improved grade as a Protocol standard.

Our Premier Product, Sodium Lauryl Sulphate High Purity (99.5%) (35825) can,

- Eliminate further purification by the customer by foaming & other processes, demonstrate exceptionally lower lauryl alcohol (LA) impurities
- Improve testing accuracy and confirm lot-to-lot bioequivalence
- Ensure consistent and reliable results in In Vitro Testing and Intrinsic Dissolution Rate (IDR) studies
- Secure accurate Dissolution profiles (suitable to fast-release and slow-release drugs)
- Assist in detection of relevant product changes so as to ensure the quality and consistent performance of final products



For SDS Polyacrylamide Gel Electrophoresis (SDS-PAGE) Studies

Primarily used in the denaturing of proteins, Sodium Lauryl Sulphate of high purity and molecular biology grades play a critical role in PAGE electrophoresis techniques as well as SDS Gradient Gel Electrophoresis to,

- Unfold normally buried polypeptide chains while retaining their normal (native) structure
- Bind to difficult regions (hydrophobic regions) within the protein chains
- Induce a predominant negative charge for the subsequent electrophoresis
- Ensure a electrophoretic separation for a large number (and types) of proteins

Types of Sodium Lauryl Sulphate we offer:

Product code	Product Name	Assay	Pack Size
54468	Sodium Lauryl Sulphate extrapure AR, ACS	(C12) min. 99% (GC)	100g, 250g, 500g, 1kg
99671	Sodium Lauryl Sulphate for HPLC	(C12) min. 99% (GC)	10g, 25g, 100g, 1kg
32096	Sodium Lauryl Sulphate for molecular biology	(C12) min. 99.5% (GC)	25g, 100g, 500g
35825	Sodium Lauryl Sulphate High Purity	(C12) min. 99.5% (GC)	25g, 100g, 500g
85369	Sodium Lauryl Sulphate (10%) solution	10%	100ml
87545	Sodium Lauryl Sulphate (20%) solution	20%	250ml
34378	Sodium Lauryl Sulphate BP	min. 85%	1kg
93117	Sodium Lauryl Sulphate IP	min. 85%	1kg
14374	Sodium Lauryl Sulphate pure	min. 85% (dry basis)	500g, 5kg


Larger pack sizes 1kg, 5kg, 25kg available on request

Part B

Bioreagents, Biochemicals & Speciality Fine Chemicals



Linkers & Cross-Linkers for Protein Chemistry



Cross-linking is the process of chemically joining two or more molecules by a covalent bond. SRL introduced linking and cross-linking reagents are important reagents used in protein chemistry applications. Typically, they are commonly used reagents to modify nucleic acids, drugs and solid surfaces. Areas of research where these products find application are bioconjugation, immobilization, surface modification and bio-molecule labeling. These reagents contain reactive ends to specific functional groups, such as primary amines and sulfhydryls, on proteins or other molecules. The availability of several chemical groups in proteins and peptides make them targets for conjugation and for study using cross-linking methods. Some common applications of cross-linkers is for the identification of near-neighbor protein relationships and for ligandreceptor interactions.

- 3-(Acetamidomethylthio)propanoic Acid (MPA(Acm))
- 3-(Benzylthio)-Propionic Acid
- DABCYL-N-Succinimidyl Ester
- DHP Linker (3,4-Dihydro-2H-Pyran-2-Methanol)
- 5-(Ethylthio)-1H-Tetrazole (ETT)
- HMBA Linker (4-(Hydroxymethyl)benzoic Acid)
- HMPA Linker
- Ramage Linker
- Rink Amide Linker (Knorr Linker)
- Sieber Linker
- Weinreb Linker

Compounds for Peptide Synthesis

Peptide synthesis is characterized as the formation of a peptide bond between two amino acids. While the definition of a peptide is not definitive, it usually refers to chains of up to 30-50 amino acids. Peptide synthesis today is a common approach in even high-throughput biological research and product and drug development, although it is a technique about 100 years old. We offer various types of peptide reagents that can be used for biological production and research work.

Amino Acids and Derivatives

- BOC
- FMOC
- L/D/DL
- Z/CBZ

N,N'-Dicyclohexylcarbodimide DCC

Diisopropylcarbodimide DIPC

1-(3 Dimethylaminopropyl)-3-Carbodimide Hydrochloride (EDC.HCl), EDAC.HCl)

1,4 Dithioerythritol (DTE)

DL-Dithiothreitol (DTT)

EEDQ

1,2 Ethanedithiol (EDT)

9-Fluorenylmethanol

9-Fluorenylmethyl-N-succinimidyl Carbonate

1-Fluoro-2,4 Dinitrobenzene

HABU

HOAT

HOBT

Hydrobromic Acid

2-Hydroxypyridine-N-oxide (1-Hydroxy-2-pyridone) (HOPO)

N-Hydroxysuccinamide

Di-(n-succinimidyl) Carbonate

TBTU

TNTU

Trifluoroacetic Acid

Wang Resin (100-200 mesh)

Z-OSU

For more details, please feel free to mail us at marketing@srlchem.com



Code	Name	Packing	Price	Code	Name	Packing	Price
66308		25 Mg	1470	24168	• • • • • • • • • • • • • • • • • • • •	5 Gms	2760
[21293-29-8]	for tissue culture, 98% (Dormin, Abscissin II)	100 Mg	4100	[66-23-9]	98%	25 Gms	9200
	(DOTTIIII, ADSCISSIII II)	500 Mg	18900	17884	N-Acetyl-L-Alanine extrapure, 99%	5 Gms	1250
31240	(+/-)-Abscisic Acid Synthetic (ABA)	25 Mg	1680	[97-69-8]		25 Gms	5040
[14375-45-2]	for tissue culture, 98%	100 Mg	4310	70538	N-Acetyl-L-Aspartic Acid extrapure,	5 Gms	2000
40457	(Dormin, Abscissin II)	100 Mm	0000	[997-55-7]	98%	25 Gms	8500
40157 (30931-67-0)	ABTS extrapure AR (2,2-Azino-bis (3-ethylbenzothiazoline-6-sulfonic	100 Mg	2800	23157	1-O-Acetyl-2,3,5-Tri-O-Benzoyl-b-D-	5 Gms	2500
	acid) Diammonium Salt), 98.5%	500 Mg	8500	[6974-32-9]	Ribofuranose extrapure, 98%	25 Gms	8000
28042	ABTS extrapure (2,2-Azino-bis	500 Mg	4600		(b-D-Ribofuranose 1-Acetate	20 00	0000
[30931-67-0]	(3-ethylbenzothiazoline-6-sulfonic acid) Diammonium Salt), 98%	1 Gms	7000		2,3,5-Tribenzoate)		
	acidy Diaminomum Sarty, 96%	5 Gms	26980	23598 J [3080-30-6]	1-O-Acetyl-2,3,5-Tri-O-Benzoyl-b-L- Ribofuranose extrapure, 98%	1 Gms	12210
83088	ABTS Peroxidase Stop Solution	25 ml	1630	[5555 55 5]	(b-L-Ribofuranose 1-Acetate	5 Gms	39540
	(5% SDS solution) suitable for	100 ml	4480		2,3,5-Tribenzoate)		
20100	molecular biology	051	1000		1-O-Acetyl-2,3,5-Tri-O-Benzoyl-D-Ri	5 Gms	2450
33108	ABTS Substrate Solution (Single Solution)	25 ml	1630	[14215-97-5]	bofuranose extrapure, 98% (D-Ribofuranose 1-Acetate	25 Gms	11050
		100 ml	3470		2,3,5-Tribenzoate)		
65457	Acarbose extrapure, 95%	1 Gms	6000		1-O-Acetyl-2,3,5-Tri-O-Benzyl-b-D-R	50 Mg	22680
[56180-94-0]		5 Gms	20000	[91110-24-6]	ibofuranose extrapure, 95%	200 Mg	50000
66822	ACES Buffer extrapure, 99%	25 Gms	1900	32993	1-O-Acetyl-2,3,5-Tri-O-Benzyl-D-Rib	50 Mg	22680
[7365-82-4]	(2-[(2-Amino-2-Oxoethylamino)Ethane]	100 Gms	7400		ofuranose extrapure, 98%	200 Mg	50000
	Sulphonic Acid)	250 Gms	18000	62929	Acetylcholine Chloride extrapure,	25 Gms	
27907	ACES Buffer for molecular biology,	5 Gms	720	[60-31-1]	99%	25 GITIS	5710
[7365-82-4]	99.5%	25 Gms	2700		Acetylcholine lodide extrapure,	5 Gms	2520
		100 Gms	9200	[2260-50-6]	99%	25 Gms	9000
62316	Acetone Sodium Bisulfite pure,	100 Gms	3980	26904	Acetyl Coenzyme A Trilithium Salt	5 Mg	2950
[540-92-1]	98%	250 Gms	9000		extrapure, 90%	25 Mg	11610
	(2-Hydroxy-2-Propanesulfonic Acid		0000	47000	N-Acetyl-L-Cysteine ExiPlus,	10 Gms	
00504	Monosodium Salt)	05.0	1000	47866 4 [616-91-1]	Multi-Compendial, 99%	25 Gms	400
89561 [127-06-0]	Acetoxime (Acetone Oxime) extrapure, 98%	25 Gms	1260		•	100 Gms	840
	• •	100 Gms 250 Gms	2840			500 Gms	2630
			6830		mosts compandial aposs of PD	300 ams	8400
89204 [30827-99-7]	AEBSF Hydrochloride extrapure	25 Mg	1150		meets compendial specs of BP N-Acetyl-D-Galactosamine	100 Mm	0500
[30027-99-7]	(4-	100 Mg	3550		extrapure, 98%	100 Mg	2520
	(2-Aminoethyl)benzenesulfonylfluoride	500 Mg	16870		•	1 Gms	7550
	Hydrochloride)			59012 8 [7512-17-6]	N-Acetyl-D-Glucosamine extrapure	10 Gms	940
59750 132489-69-1	PUGNAc extrapure, 95%	5 Mg	16230	[/512-17-0]	A11, 3376	50 Gms	2620
132409-09-1]	(2-Acetamido-2-Deoxy-D-Glucopyrano					100 Gms	4600
	sylidenamino) N-Phenylcarbamate)					500 Gms	20940
20140	' ' ' '	1 Gms	5260		N-Acetyl-L-Glutamic Acid	10 Gms	500
[52574-08-0]	Acid (MPA(Acm)) extrapure, 98%			[1188-37-0]	extrapure, 99%	100 Gms	4280
12052 [14691-89-5]	4-Acetamido-2,2,6,6-Tetramethylpip eridine-1-Oxyl (Acetamido TEMPO)	1 Gms	1950		N-Acetyl-L-Glutamine extrapure,	25 Gms	1550
[551 55-0]	pure, 97%	5 Gms	4330	[2490-97-3]	99%	100 Gms	4880
		25 Gms	10280	56115	N-Acetylglycine extrapure, 99%	25 Gms	1030
01101	Acetobromo-D-Glucose Stab. 1%	10 Gms	5200	[543-24-8]	(Acetamidoacetic Acid, Aceturic Acid)	100 Gms	2800
[572-09-8]	CaCO3 extrapure, 98%	25 Gms	12000			500 Gms	6600
	Acetobromo-D-Galatose w/ 2%	5 Gms	6500	76097	N-Acetyl-L-Leucine extrapure, 99%	5 Gms	450
[3068-32-4]	Calcium Carbonate extrapure, 98%			[1188-21-2]	• •	25 Gms	1800
43717 [941-98-0]	1-Acetonaphthone pure, 98% (Acetylnaphthalene, Naphthyl Ketone)	100 ml	1370			100 Gms	5200
[0-06-1-6]	(Assymmetric mapming Neture)	250 ml	2660	26124	N-Acetyl-L-Methionine extrapure,	5 Gms	810
21009	2-Acetonaphthone pure, 98%	100 Gms	1300	[65-82-7]	99%	25 Gms	
[93-08-3]	(Acetylnaphthalene, Methyl-2-Naphthyl	250 Gms	3000	. 1			3380
	Ketone)					100 Gms	11820



90430 [68-95-1]	N-Acetyl-L-Proline extrapure, 98%						
[68-95-1]		5 Gms	1560	35188	Acriflavine Hydrochloride for	5 Gms	540
		25 Gms	5880	[8063-24-9]	molecular biology, 98.5%-105%	25 Gms	2400
		100 Gms	15640		(3,6-Diamino-10-Methylacridinium Chloride Hydrochloride, Euflavine)		
81977	N-Acetylimidazole extrapure AR,	25 Gms	1970	39309	Actin extrapure, 99%	1 Mg	32560
[2466-76-4]	98%	100 Gms	6020	[51005-14-2]	<u> </u>		OLOGO
32414	N-Acetyl-DL-Methionine extrapure,	10 Gms	780	28269	Actinomycin D (AMD) extrapure,	2 Mg	5630
	99%	100 Gms		[50-76-0]	98%	5 Mg	13200
			1750	44597	Acylase 1 (ACY1) ex. Porcine	50 Mg	2750
	N-Acetylneuraminic Acid extrapure (NANA), 98%	100 Mg	1200	[9012-37-7]	Kidney, 1000U/mg	250 Mg	9620
[131-40-0]	(HANA), 50%	1 Gms	3000			1 Gms	30220
		5 Gms	5500	07000	ADA Buffer outronius 000/		
	2-Acetyl Pyridine extrapure, 99%	25 ml	1850	37690 [26239-55-4]	ADA Buffer extrapure, 98% (N-(2-Acetamido)Iminodiacetic Acid)	25 Gms	2450
[1122-62-9]		100 ml	6600	[20200 00 1]	(. (100 Gms	3000
14507	3-Acetyl Pyridine pure, 99%	25 ml	1600			500 Gms	7400
[350-03-8]		100 ml	4000	83468	ADA Monosodium Salt Buffer	5 Gms	4660
38998	S-Acetylthiocholine Iodide	1 Gms	2220	[7415-22-7]	extrapure, 98%	25 Gms	9310
	extrapure AR, 99%	5 Gms	8800	35609	ADA Disodium Salt Buffer	25 Gms	3800
				[41689-31-0]	extrapure, 98%		
99703 [88-15-3]	2-Acetyl Thiophene pure, 99%	100 ml	1100	50300	Adenine extrapure, 98%	5 Gms	320
[00-10-0]		500 ml	4500	[73-24-5]		25 Gms	1290
	N-Acetyl-L-Tryptophan extrapure,	5 Gms	1420	87583	Adenine Sulphate extrapure, 99%	10 Gms	550
[1218-34-4]	99%	25 Gms	6120	[321-30-2]		25 Gms	1320
48861	N-Acetyl-L-Tryptophan ExiPlus,	5 Gms	1630			100 Gms	4940
[1218-34-4]	Multi-Compendial, 99%	25 Gms	6050	81951	Adenine Sulphate for tissue	10 Gms	870
	meets compendial specs of BP, Ph.Eur			[321-30-2]	culture, 99%	25 Gms	2100
51031	•	25 Gms	2050			100 Gms	7350
		100 Gms	7980		Adamin a Ordent star Full Direct		
		1 Kg	75600	56603 [321-30-2]	Adenine Sulphate ExiPlus, Multi-Compendial, 99%	25 Gms 100 Gms	2520 8400
98070	N-Acetyl-L-Tyrosine extrapure, 98%	5 Gms	2080		meets compendial specs of USP		0100
[537-55-3]		25 Gms	7940	54865	Adenosine extrapure, 99%	5 Gms	350
16756	N-Acetyl-L-Tyrosine Ethyl Ester	5 Gms	5870	[58-61-7]	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	25 Gms	1340
	(ATEE) extrapure, 99%	10 Gms	10990				
	N. A. a.b.d. I. Walling and an array 2000/			94149 J [58-61-7]	Adenosine ExiPlus, Multi-Compendial, 99%	25 Gms	1870
61942 (96-81-1)	N-Acetyl-L-Valine extrapure, 99%	1 Gms	2700	[00 01 7]	meets compendial specs of USP, BP,		
97412	Acridine Orange hemi (Zinc	5 Gms	1100		Ph.Eur		
	Chloride) Salt	10 Gms	1850	84910	Adenosine-2',3' Cyclic	25 Mg	3510
	(C.I. No. 46005)	25 Gms	4190	[37063-35-7]	Monophosphate Sodium Salt	100 Mg	10730
07754	Acriding Overse hemi/Zing				extrapure, 98%		
	Acridine Orange hemi(Zinc Chloride) Salt for molecular	5 Gms	1650	98333 [60-92-4]	Adenosine-3',5'-Cyclic-Monophosp horic Acid extrapure, 98%	100 Mg	2000
	biology	10 Gms	2800	[00-32-4]	none Adia extrapare, 65%	500 Mg	6000
		25 Gms	5500		Adenosine-5-Diphosphate	500 Mg	750
	Acridine Orange hemi(Zinc	5 Gms	1580	[16178-48-6]	Disodium Salt (ADP-Na2) extrapure, 98%	1 Gms	1400
[10127-02-3]	Chloride) Salt for tissue culture	25 Gms	4800			5 Gms	5000
	Acridine Orange Hydrochloride	1 Gms	1410	99118	Adenosine-5-Diphosphate	500 Mg	1760
	Hydrate for molecular biology, 99%	5 Gms	6140	[72696-48-1]		1 Gms	3000
	(3,6-Bis(dimethylamino)Acridine Hydrochloride)				(ADP-K) extrapure, 97%	5 Gms	9000
	Acridine Yellow G	5 Gms	1570	90697	Adenosine-5-Monophosphate	5 Gms	840
	(Basic Yellow K,	25 Gms	5410	[4578-31-8]	Disodium Salt (AMP.Na2)	25 Gms	2000
	3,6-Diamino-2,7-Dimethylacridine		5410		extrapure, 95%	100 Gms	7000
	Hydrochloride)					500 Gms	
42428	Acriflavine Neutral for molecular	5 Gms	420				32000
[8048-52-0]	biology, 98% (3,6-Diamino-10-Methylacridinium	25 Gms	1800				



Code	Name	Packing	Price	Code	Name	Packing	Pri
34878 3 4369-07-8]	Adenosine-5'-Triphosphate Disodium Salt (ATP-Na2) extrapure	5 Gms 25 Gms	900 3200	12375	Agarose TBE mix 2.0%	100 Gms	853
	vanadium free, 98%	100 Gms	12000	19339	Ajmalicine (Raubasine) extrapure,	10 Mg	150
6600	S-(5-Adenosyl)-L-Homocysteine	10 Mg	37210	[483-04-5]	98%	50 Mg	600
[979-92-0]	extrapure, 99%	TO WIG	3/210			1 Gms	1120
	5'-Deoxy-S-adenosyl-L-homocysteine			52821	Ajmaline pure, 98%	50 Mg	800
	(S)Adenosyl-L-Methionine	500 Mg	1840	[4360-12-7]	(Ritmos)	1 Gms	1580
7540-22-2]	DisulphateTosylate, 98%	1 Gms	3470	74590	L-Alaninamide Hydrochloride	5 Gms	240
	Adipic Acid Dihydrazide (ADH)	25 Gms	3000	[33208-99-0]	extrapure, 97%	25 Gms	930
1071-93-8]	extrapure, 98% (Hexanedioic Acid Dihydrazide)	100 Gms	4700	04400	(L-Alanineamide Hydrochloride)	F C	
	(i o i a i o i o i o i o i o i o i o i o	250 Gms	7200	64422 [338-69-2]	D-Alanine extrapure CHR, 99%	5 Gms	42
5101	Adonitol (Ribitol) extrapure, 99%	5 Gms	1800	[000 00 2]		25 Gms	175
[488-81-3]		25 Gms	7550			100 Gms	600
7575	Adrenaline Bitartarate (Epinephrine	1 Gms	2300	96244	DL-Alanine extrapure CHR, 99%	100 Gms	61
[51-42-3]	Bitartrate) extrapure, 98%	5 Gms	8500	[302-72-7]		500 Gms	165
	(L-Adrenaline Hydrogen Bitartrate,					1 Kg	300
9783	L-Epinephrine Hydrogen Bitartrate) L-Adrenaline (L-Epinephrine)	1 Gms	3000		D-Alanine-7-Amido-4-Methylcoumar	10 Mg	1142
[51-43-4]	extrapure, 98%	5 Gms	14000	[77471-41-1]	in Free Base extrapure, 97% (D-Alanine-7-Amido-4-Methylcoumarin)	25 Mg	207
				11180	B-Alanine-7-Amido-4-Methylcoumar	10 Mg	123
0645 9012-36-6]	Agarose High EEO for molecular biology	25 Gms	1840		in Trifluoroacetate Salt extrapure,	25 Mg	252
9012-00-0]	z.o.o.gy	100 Gms	6610		99%	20 Mg	232
		500 Gms	31820		(ß-Alanine-7-Amido-4-Methylcoumarin Trifluoroacetate Salt,		
6601	Agarose Low EEO for molecular	10 Gms	680		B-Alanine-AMC.TFA salt)		
9012-36-6]	biology	25 Gms	1350	28760	D-Alanine-7-Amido-4-Methylcoumar	10 Mg	888
		100 Gms	4290	[201847-52-1]	in Trifluoroacetate Salt extrapure,	25 Mg	172
		500 Gms	19580		99% (D. Alonino, 7. Amido, 4. Methylogumerin	· ·	
		1 Kg	38550		(D-Alanine-7-Amido-4-Methylcoumarin Trifluoroacetate Salt,		
3287	Agarose Low EEO Superior Grade	10 Gms	800		D-Alanine-AMC.TFA salt)		
9012-36-6]	for molecular biology	25 Gms	1720		L-Alanine-7-Amido-4-Methylcoumar	25 Mg	59 ⁻
		100 Gms	5020	[96594-10-4]	in Trifluoroacetate Salt extrapure, 98%	100 Mg	1687
		500 Gms	22640		(L-Alanine-7-Amido-4-Methylcoumarin		
		1 Kg	42830		Trifluoroacetate Salt,		
0423	Agarose Medium EEO for	10 Gms	900		L-Alanine-AMC.TFA salt)		
9012-36-6]	molecular biology	25 Gms	2200		L-Alanine Benzyl Ester p-Toluene	25 Gms	623
		100 Gms	5800		Sulfonate extrapure, 98% L-Alanine Benzyl Ester	25 Gms	
		500 Gms	25700	17737 [5557-83-5]	Hydrochloride extrapure, 98%	25 GIIIS	541
7813	Agarose UltraPhor for molecular	10 Gms	6200	64048	L-Alanine-ß-Naphthylamide	100 Mg	636
9012-36-6]	biology	25 Gms	11000	[3513-56-2]	Hydrobromide extrapure, 98%		
		100 Gms	40000		L-Alanyl-L-Alanine extrapure, 99%	100 Mg	403
		500 Gms	185000	[1948-31-8]		500 Mg	1934
2417	Agarose Low Melting for molecular	5 Gms	3000	31622	L-Alanyl-L-Glutamine extrapure,	1 Gms	84
9012-36-6]	biology	10 Gms	3500	[39537-23-0]	99%	5 Gms	252
		25 Gms	8000	46620	L-Alanyl Glycine extrapure, 99%	1 Gms	373
		100 Gms	30000	[687-69-4]		5 Gms	1766
		250 Gms	70000	73721	L-Alanyl-L-Leucine extrapure, 99%	500 Mg	932
3419	Agarose TAE mix 1.0%	100 Gms	8530	[3303-34-2]	,	222 Mg	302
7900	Agarose TAE mix 2.0%	100 Gms	8530	31550	L-Alanyl-L-Leucine-L-Phenylalanine extrapure	100 Mg	800
	<u> </u>	.55 61110	5500	97088	L-Alanyl Methyl Ester	5 Gms	179
6171	Agarose TBE mix 1.0%	100 Gms	8530	[2491-20-5]	Hydrochloride extrapure, 99%	25 Gms	683
				41859 [3061-88-9]	L-Alanyl-L-Tyrosine extrapure, 99%	100 Mg	318



Code	Name	Packing	Price	Code	Name	Packing	Pric
	Alar extrapure AR, 99%	1 Gms	400	46822	Alcian Blue for tissue culture	5 Gms	3800
[1596-84-5]		5 Gms	1400	[33864-99-2]	(C.I. No. 74240, Alcian Blue 8 GX)	25 Gms	17380
		25 Gms	6000		Alcohol Dehydrogenase (ALD) ex.	7500 Units	4660
97350	, , , , , , , , , , , , ,	5 Gms	830	[9031-72-5]	Bakers Yeast, 300U/mg protein Alexidine Dihydrochloride	OEO Ma	FF10
[9048-46-8]	(Bovine Serum Albumin, BSA), 98%	50 Gms	7800	67482 [1715-30-6]	extrapure, 96%	250 Mg	5510
		100 Gms	15250	,	(1,1-Hexamethylene-bis(5-		
		250 Gms	35000		[2-Ethylhexyl]biguanide))		
3803	u /	5 Gms	800	86220 [9005-32-7]	Alginic Acid ex. Brown Algae, 19-25%	100 Gms	400
[9048-46-8]	(Bovine Serum Albumin, BSA), 98%	25 Gms	3800	[9005-32-7]	13-23 /6	250 Gms	940
		100 Gms	14500			500 Gms	1780
		250 Gms	34000	84554	N-Allylthiourea extrapure, 98%	25 Gms	1350
85171 •	и /	5 Gms	900	[109-57-9]	(1-Allyl-2-thiourea, Thiosinamine)	100 Gms	4800
[9048-46-8]	for molecular biology (Bovine Serum Albumin, BSA), 98%	25 Gms	4000	29186	Alizarin Red S	25 Gms	750
	Corum Albumin, BoAy, Cox	100 Gms	15800	[130-22-3]	(C.I. No. 58005)	100 Gms	2700
		500 Gms	72000			500 Gms	13000
4438	и ,	25 Gms	7960	60352	Alizarin Red S for tissue culture	25 Gms	950
[9048-46-8]	Lipid Enhanced (Bovine Serum Albumin, BSA), 98%	100 Gms	24230	[130-22-3]	(C.I. No. 58005)	100 Gms	3200
32257	Albumin Bovine (pH 7) fraction V	5 Gms	2330	95786	Alizarin Yellow GG, 90%	5 Gms	660
[9048-46-8]	for tissue culture (Bovine Serum	25 Gms	8820	[584-42-9]	(Metachrome Yellow, Mordant Yellow 1,	25 Gms	1320
	Albumin, BSA), 98%	20 01113	0020		Salicyl Yellow) (C.I. No. 14025)	400.14	
	и /	10 Gms	5120	12151 [9001-78-9]	Alkaline Phosphatase (ALP, AP, CIP) ex. Calf Intestine Mucosa, 20	100 Mg	6490
[9048-46-8]	Reagent Grade (Bovine Serum Albumin, BSA), 99%	25 Gms	9270	[3001-70-9]	DEA U/mg solids	500 Mg	12000
	Albanini, BOAJ, 30%	100 Gms	20110			1 Gms	21000
3630	Albumin Bovine (pH 7) fraction V	10 Gms	5120	97534	Alkalophilic Proteinase ex.	100 Units	36050
[9048-46-8]	Cohn Analog (Bovine Serum	25 Gms	9270		Streptomyces Sp., 20U/mg	200 Units	67440
	Albumin, BSA), 96%	100 Gms	20110	58020	Allopurinol extrapure, 98%	5 Gms	600
19007	Albumin Bovine Solution (20mg/ml)	1 ml	1200	[315-30-0]		25 Gms	2200
[9048-46-8]		5 x1 ml	2400	46287	ß-D-Allose extrapure, 98%	100 Mg	7740
77761	Albumin Bovine Solution 10%	10 ml	3300	[7283-09-2]			
[9048-46-8]	Diluent Solution in PBS (BSA 10%		0000		L-Allose extrapure, 97%	25 Mg	12670
	Diluent/Blocking Solution in PBS)			[7635-11-2]		50 Mg	21810
45017	Albumin Egg Powder extrapure,	100 Gms	750		L-Alpha Glycerophosphate Oxidase	500 Units	5260
[9006-59-1]	10%	500 Gms	3500		(GPO) ex. Microorganism, 15U/mg		
	Albumin Egg Flakes extrapure, 85%	100 Gms	1700	61973 [1990-29-0]	D-Altrose extrapure	25 Mg	14710
[9006-59-1]		500 Gms	7760	[1990-29-0]		100 Mg	56280
21840	Albumin Human Serum (Lipid	100 Mg	3970			200 Mg	125470
70024-90-7]	Enhanced), 95%	1 Gms	10210		7-Amino-4-Methylcoumarin	1 Gms	3030
		5 Gms	19280		(7-AMC) extrapure, 99% Amikacin (AMK) free base, 98%	50 Ma	6000
80879	r-Albumin Human - Type Standard	100 Mg	4000	81396 8 [37517-28-5]	Allikaciii (Alwik) ilee base, 90%	50 Mg 250 Mg	6000 25000
70024-90-7]	ACF ex. Plants, 97%	1 Gms	30000				
	(Human Serum Albumin Recombinant, rHSA)			18036 § [39831-55-5]	Amikacin Sulphate (AMKS)	1 Gms	2310
55955 ■	r-Albumin Human - Type EG ex.	100 Mg	4500			5 Gms	9890
	Yeast, 99%	1 Gms	35000	98062	p-Aminoacetanilide pure, 98%	100 Gms	510
	(Human Serum Albumin, rHSA)	i dilia	33000	[122-80-5]		500 Gms	1820
	r-Albumin Human - Type LE ex.	100 Mg	5500	40182	p-Aminoacetophenone extrapure	25 Gms	850
70024-90-7]	Yeast, 98% (Human Serum Albumin Recombinant,	1 Gms	39000	[99-92-3]	AR, 99%	100 Gms	3020
	rHSA)			62360	D-a-Amino Adipic Acid extrapure,	250 Mg	2200
18261	Alcian Blue	5 Gms	1960	[7620-28-2]	98%	1 Gms	6000
33864-99-2]	(C.I. No. 74240, Alcian Blue 8 GX)	10 Gms	3680	35418	L-a-Amino Adipic Acid extrapure,	250 Mg	2400
				[1118-90-7]	98%	1 Gms	7000



0-4-	Nama	Dld-	Delese	0-4-	Name	Da alde	D.,
Code	Name	Packing	Price	Code	Name	Packing	Pric
46832	Amino Acids Kit	1 Kit	3730	51812 [115-69-5]	2-Amino-2-Methyl-1,3-Propanediol (AMPD Buffer) extrapure, 99%	25 Gms 100 Gms	3800 13500
86936	L-Amino Acids Kit	1 Kit	4430		(Ammediol)		
68384 ■	D Amino Acid Ovideos (DAA DAO	50 Units	11000	91085 [84-89-9]	5-Aminonaphthalene-1-Sulphonic Acid pure, 90%	25 Gms	2630
68384 [9000-88-8]	D-Amino Acid Oxidase (DAA, DAO, DAMOX) ex. Porcine Kidney,	100 Units	11260	. ,	(1-Naphthylamine-5-Sulfonic Acid,	100 Gms	9450
	6000U/g	100 Office	19700		Laurents Acid)		
98437	p-Aminoazobenzene pure, 98%	100 Gms	620	98372 [119-79-9]	5-Aminonaphthalene-2-Sulphonic Acid pure, 98%	25 Gms	2940
[60-09-3]		500 Gms	2400			100 Gms	9980
79793	m-Aminobenzoic Acid pure, 98%	100 Gms	700	79911 [116-63-2]	1-Amino-2-Naphthol-4-Sulphonic Acid (1,2,4-Acid) , ACS, 90%	25 Gms	520
[99-05-8]		500 Gms	2600	[110-00-2]	(1-Amino-2-Hydroxy-4-Naphthalenesulf	100 Gms	1740
74004	m-Aminobenzoic Acid extrapure	25 Gms	800		onic acid)		
[99-05-8]	AR, 99%	100 Gms	2500	21407	2-Amino-5-Nitrobenzophenone extrapure, 98%	25 Gms	2940
99839	p-Aminobenzoic Acid pure, 99%	100 Gms	600	[1775-95-7]	extrapure, 30%	100 Gms	9670
[150-13-0]	(PABA)	250 Gms	1250	58513	2-Aminophenyl-Acetonitrile pure,	250 Mg	5980
		500 Gms	2400	[2973-50-4]	97%	1 Gms	15230
19196	p-Aminobenzoic Acid ExiPlus,	100 Gms	720	33993	(3-Aminopropyl)triethoxysilane	100 ml	1200
[150-13-0]	Multi-Compendial, 99% (PABA)	500 Gms	2700	[919-30-2]	(APTES) extrapure, 98% (3-(Triethoxysilyl)Propylamine)	500 ml	3400
	meets compendial specs of USP, BP,			17081	2-Aminopurine extrapure, 98%	100 Mg	3220
	Ph.Eur			[452-06-2]		250 Mg	6910
56960	2-Aminobenzophenone pure, 98%	5 Gms	1800			1 Gms	23300
[2835-77-0]		25 Gms	4640	65377	2-Aminopyridine pure, 98%	100 Gms	500
26345	4-Aminobutyric Acid extrapure	10 Gms	360	[504-29-0]		250 Gms	1200
[56-12-2]	CHR, 99%	25 Gms	890			500 Gms	2200
65081	DL-a-Aminobutyric Acid extrapure,	25 Gms	1960	29786	3-Aminopyridine pure, 98%	25 Gms	900
[2835-81-6]	99% (DL 0 Assissable Assis)	100 Gms	5850	[462-08-8]		100 Gms	3000
10400	(DL-2-Aminobutyric Acid) 2-Amino-5-Chlorobenzophenone	100 Cma	0760			500 Gms	10500
10498 [719-59-5]	pure, 98%	100 Gms 500 Gms	3760 18350	16104	4-Aminopyridine pure, 98%	10 Gms	470
10105	1-Amino-1-Cyclopropanecarbonitril			[504-24-5]		25 Gms	850
18125 [127946-77-4]	e Hydrochloride extrapure, 98%	1 Gms 5 Gms	2500 8000			100 Gms	2800
00070	2 Amine O Ethyl Corbonale (AEC)			12920	4-Amino-1,2,4-Triazole pure, 98%	25 Gms	900
68678 [132-32-1]	3-Amino-9-Ethyl Carbazole (AEC) extrapure, 95%	1 Gms 10 Gms	800 3500	[584-13-4]		100 Gms	3000
	·	25 Gms	8500	40057	Ammonium Phosphomolybdate	25 Gms	2630
44005	4-Amino-3-Hydrazino-5-Mercapto-1,			[54723-94-3]		100 Gms	3990
44285 [1750-12-5]	2,4-Triazole (AHMT), 98%	1 Gms 5 Gms	2200		(Ammonium-12-Molybdophosphate,M olybdophosphoric Acid		
	O Amilia a O Hardana mandalina arawa		9000		Ammonium, Phosphomolybdic Acid		
94283 [16867-03-1]	2-Amino-3-Hydroxypyridine pure, 98%	25 Gms 100 Gms	1200		Ammonium Hydrate)		
			4800	31438 [13820-40-1]	Ammonium Tetrachloropalladate (II) extrapure, 98%	250 Mg	3000
33864 [5451-09-2]	5-Amino Levulinic Acid Hydrochloride extrapure, 97%	100 Mg	2200	[13020-40-1]	(Palladium (II) Ammonium Chloride)	1 Gms	7500
[, ,	500 Mg	4540	32285	Ammonium Tetrachloroplatinate (II)	250 Mg	3500
10000	DI O Aminainahuhuis Asid	1 Gms	6870	[13820-41-2]	extrapure, 99%	1 Gms	9000
19902 [144-90-1]	DL-3-Aminoisobutyric Acid extrapure, 98%	1 Gms 5 Gms	4200	24645	(Platinum (II) Ammonium Chloride) Amoxicillin Trihydrate (AMOT), 97%	1 Gms	300
. ,	(2-Amino-2-Methyl-Propionic Acid)	o Gilis	12600	[61336-70-7]		5 Gms	1290
86898	DL-3-Aminoisobutyric Acid Hydrate	25 Mg	1160			10 Gms	2330
[214139-20-5]	extrapure, 98%	100 Mg	2630	54713	Amphotericin B (AMT)	250 Mg	1290
87907	5-Aminoisophthalic Acid (5-AIPA)	25 Gms	1190	[1397-89-3]		1 Gms	4910
[99-31-0]	pure, 99% (5-Aminobenzene-1,3-Dicarboxylic	100 Gms	3790			5 Gms	23950
	acid)			61314	Ampicillin Sodium Salt (AMP-Na)	1 Gms	380
50407	2-Amino-2-Methyl-1-Propanol (AMP	500 ml	2000	[69-52-3]	pionini oddanii odd (Alvir-Iva)	5 Gms	1730
[124-68-5]	Buffer) pure, 95%	2500 ml	9560			0 01110	.700



Code	Name	Packing	Price	Code	Name	Packing	Price
	Ampicillin Sodium Salt (AMP-Na)	1 Gms	460	23848	D-Arabinose extrapure	5 Gms	350
[69-52-3]	for tissue culture	5 Gms	1710	[10323-20-3]	(D-(-)-Arabinose)	25 Gms	1300
		25 Gms	6720			100 Gms	5000
82904	Ampicillin Trihydrate (AMP)	1 Gms	330	52392	L-Arabinose extrapure	100 Gms	900
[7177-48-2]		5 Gms	1420	[87-72-9,	(L-(+)-Arabinose)	500 Gms	4400
		10 Gms	2570	5328-37-0] 52384	L-Arabinose ExiPlus,	25 Gms	850
96459	AMPSO Buffer extrapure, 99%	5 Gms	4210	[87-72-9,	Multi-Compendial	500 Gms	6000
[68399-79-1]	(N-(1,1-Dimethyl-2-Hydroxyethyl) -3-Amino-2-Hydroxypropane Sulphonic Acid)	25 Gms	14020	5328-37-0]	(L-(+)-Arabinose) meets compendial specs of BP, Ph.Eur		
85441	D-Amygdalin extrapure, 97%	1 Gms	1440	74926	D(+)Arabitol (D-Arabinitol) extrapure 99%	1 Gms	730
[29883-15-6]		10 Gms	4410	[488-82-4]	extrapure 33 %	5 Gms	3040
		25 Gms	8940			25 Gms	10330
95114	a-Amylase ex. Porcine Pancreas,	1 Gms		91121	L-(-) Arabitol (L-Arabinitol)	1 Gms	1160
	5U/mg	5 Gms	940	[7643-75-6]	extrapure 99%	10 Gms	5170
			3280	89657	• ,	1 Gms	2500
28588 [9000-90-2]	a-Amylase ex. Porcine Pancreas, 10-25U/mg	100 Mg	3980	[506-30-9]	(Eicosanoic Acid, Arachic Acid,	5 Gms	6000
		100 Gms	510		Arachidinic Acid)	25 Gms	16000
[9000-92-4]	Diastase ex. Aspergillus Oryzae)	500 Gms	2150	20975	Arachidonic Acid (non-animal)	10 Mg	2500
	1:2000, (2000U/g powder)			[506-32-1]	extrapure, 99%	25 Mg	4500
40321	8-Anilino-1-Naphthalene Sulphonic Acid Ammonium Salt Hydrate (ANS	5 Gms	2730			100 Mg	11000
206659-00-9]	Hydrate) extrapure, 98%	25 Gms	7880	13492	p-Arbutin extrapure, 98%	10 Gms	4000
	(8-Anilino-1-Naphthalenesulfonic Acid	100 Gms	30350	[497-76-7]		25 Gms	8500
	Ammonium Salt Hydrate)			89184	D-Arginine (free base) extrapure	1 Gms	2380
42275	8-Anilino-1-Naphthalenesulphonic Acid (ANS) extrapure, 98%	5 Gms	2940	[157-06-2]	CHR, 99%	5 Gms	5000
[82-76-8]	(8-Anilino-1-Naphthalenesulfonic Acid,	25 Gms	8400		((R)-2-Amino-5-Guanidinopentanoic	5 55	0000
	N-Phenyl Peri Acid)	100 Gms	18900	04507	Acid)	5 O	1000
89119	Anisaldehyde extrapure, 99%	100 ml	400		L-Arginine Ethyl Ester Dihydrochloride extrapure, 98%	5 Gms	1280
[123-11-5]	(p-Methoxybenzaldehyde)	250 ml	940	[]	, ,	25 Gms 100 Gms	4940
		500 ml	1830				16060
90820	p-Anisic Acid extrapure, 98%	100 Gms	590		L-Arginine Methyl Ester Dihydrochloride extrapure, 98%	5 Gms	1150
[100-09-4]	(p-Methoxybenzoic Acid)	500 Gms	2450	[20040 00 0]	, ,,	25 Gms	4510
70940	Anisole extrapure, 99%	500 ml	650			100 Gms	14940
[100-66-3]	•			17299	Arsenazo I Trisodium (Neothorone) extrapure AR	1 Gms	1020
64447	Anisole extrapure AR, 99.5%	500 ml	1010	[320-10-3]		5 Gms	4310
[100-66-3] 59553	Anthrone pure, 95%	25 Gms	600	47014	Arsenazo III Free Acid (High Purity) extrapure AR, 85%	1 Gms	7500
[90-44-8]	Annual pare, se /s	100 Gms	1800	[1668-00-4]	(2,7-Bis(2-Arsonophenylazo)	5 Gms	35000
00470	Anthrone ACS, 98%				-1,8-Dihydroxynaphthaline-3,6-Disulfon		
96476 [90-44-8]	Antinone ACS, 98%	10 Gms 25 Gms	450 750		ic Acid)		
. ,		100 Gms	750 2600	57656 [9029-44-1]	L-Ascorbate Oxidase (Type 1) ex. Cucurbita Sp., 150U/mg	2500 Units	9350
	Authorite ACO FelDhia				L-Ascorbate Oxidase (Type 2) ex.	1000 Units	7130
63714 [90-44-8]	Anthrone ACS, ExiPlus, Multi-Compendial, 98%	25 Gms	850	[9029-44-1]	Acremonium Sp., 350U/mg		7100
[000]	•	100 Gms	2900	27999	Asiatic Acid pure, 97%	50 Mg	4090
44000 0	meets compendial specs of BP	050!	0000	[464-92-6]	(2a,23-Dihydroxyursolic Acid, Dammarolic acid, NSC 166063)	200 Mg	14370
44089 8 [85251-63-4]	Apple Seed (PyrusMalus) Oil	250 ml	2000	11479	D-Asparagine Monohydrate	5 Gms	700
		500 ml	3750	[5794-24-1]	extrapure, 99%	25 Gms	2200
	Aprotinin ex. Bovine Lung, 5400U/mg	5 Mg	1870				
[9007-70-1]	5-1555/mg	10 Mg	3630	86883 [5794-13-8]	L-Asparagine Monohydrate extrapure CHR, 99%	100 Gms	700
		25 Mg	6730	[5/94-13-8]	-p	1 Kg	5800
		100 Mg	23410			5 Kg	27000



Code	Name	Packing	Price	Code	Name	Packing	Pric
92468 [5794-13-8]	L-Asparagine Monohydrate for tissue culture, 99%	25 Gms 100 Gms	500 1100	13741 [78110-38-0]	Aztreonam (AZN), 96%	100 Mg	6000
		500 Gms	4500	53953	1-Cyclohexene-1-Carboxaldehyde	1 Gms	6000
44444	L-Asparagine Monohydrate	100 Gms		[1192-88-7]	extrapure, 97%	5 Gms	27000
44444 [5794-13-8]	ExiPlus, Multi-Compendial, 99%	1 Kg	900	76432	3-(Carbamimidoylthio)	5 Gms	2000
	manufacture and an analysis of DD LICD 9 FLI	i ng	6300	[21668-81-5]	-1-Propanesulfonic Acid extrapure,	25 Gms	4500
	meets compendial specs of BP,USP & EU Ph				98%	100 Gms	7000
90601	D-Aspartic Acid extrapure CHR,	5 Gms	800	11730	Azure B (Azure I)	25 Gms	650
[1783-96-6]	99%	25 Gms	2500	[531-55-5]	(C.I. No. 52010)	100 Gms	2400
71353	L-Aspartic Acid Diethyl Ester	5 Gms	2000		(N,N,N-Trimethylthionin, Methylene Azure A)	500 Gms	11000
[16115-68-7]	Hydrochloride extrapure, 98%	25 Gms	6000	62151	Azur II	10 Gms	340
50144	L-Aspartic Acid Dimethyl Ester	1 Gms	1060	[37247-10-2]	(C.I. 52010/52015)	25 Gms	600
	Hydrochloride extrapure, 98%	5 Gms	3940		(3-Chloro-6-Hydroxy-2-Pyridinecarboxy	100 Gms	2200
		25 Gms			lic Acid, Methylene Azure II)		
			12110	25003	Azure A Chloride (C.I. No. 52005) (3-Amino-7-	25 Gms	650
		100 Gms	41140	[531-53-3]	(Dimethylamino)phenothiazin-5-ium	100 Gms	2400
	Avidin ex. Egg White for molecular	10 Mg	2170		Chloride)	500 Gms	11000
[1405-69-2]	biology, 10U/mg Protein	25 Mg	5090	17327	Bacitracin (BCT) ex. Bacillus	50000	1440
		100 Mg	17310	[1405-87-4]	Licheniformis	Units	
34476	5-Azacytidine extrapure, 98%	100 Mg	1750			250000	3630
[320-67-2]		1 Gms	3000	F0F74	Porfood's Passent	Units	046
59070	Azaerythromycin (AZAE)	1 Gms	2260	52571	Barfoed`s Reagent	250 ml	610
76801-85-9]	,	5 Gms	5340	29090	Barium Diphenylamine Sulphonate	5 Gms	310
0				[6211-24-1]		25 Gms	960
B1947 [932-53-6]	6-Azathymine extrapure, 98%	1 Gms	5850		Dath a suggestion (DOD) ACC 2009		
-	3-Azido-3-Deoxythymidine	25 Mg	800	27297 [4733-39-5]	Bathocuproine (BCP) ACS, 99%	500 Mg	2500
	extrapure, 99%	1 Gms	3000	[4700 00 0]		1 Gms	4500
	(AZT, Azidothymidine, ZDV,	5 Gms				5 Gms	21000
	Zidovudine)	3 01113	7600	28242	Bathocuproinedisulphonate	100 Mg	1800
	Azithromycin Dihydrate (AZA), 96%	1 Gms	700	[52698-84-7]	84-7] Disodium Salt extrapure AR, 98%	250 Mg	4200
117772-70-0]		5 Gms	3300			1 Gms	14000
		10 Gms	6000	50221	Bathophenanthroline extrapure AR,	1 Gms	3200
47138	2,2-Azobis(2-Methylpropionamidine	5 Gms	2500	[1662-01-7]	99%	5 Gms	15000
[2997-92-4]) Dihydrochloride (AAPH)	25 Gms	4240		(4,7-Diphenyl-1,10-Phenanthroline, BPhen)		
	extrapure, 98% a,a'-Azodiisobutyramidine	100 Gms	6850	00000	1-Cyclohexene-1-Carboxylic Acid	1 Cma	0050
	dihydrochloride			82626 [636-82-8]	extrapure, 97%	1 Gms	2250
11029	2,2-Azobisisobutyronitrile (AIBN)	100 Gms	500	[]	(3,4,5,6-Tetrahydrobenzoic Acid)	5 Gms	10000
[78-67-1]	pure, 98%	500 Gms	2000	69160	3-Cyclohexene-1-Carboxaldehyde	25 ml	2000
	(2,2-Azobis(2-Methylpropionitrile))	5 Kg	16000	[100-50-5]	extrapure, 98%	100 ml	5200
95426	Azoalbumin (Bovine) prepared	250 Mg			(1,2,3,6-Tetrahydrobenzaldehyde, 4-Formyl-1-cyclohexene)		
	from Bovine fraction V powder	•	3420	98680	Bathophenanthroline Disulphonate	250 Mg	3500
	extrapure	500 Mg	6530	[52746-49-3,	Disodium Salt Hydrate extrapure,	1 Gms	
		1 Gms	12450	98645-86-4,	99%	5 Gms	11500
	Azocasein extrapure, 98%	250 Mg	2800	53744-42-6]	o DDN Talffata Color (o ====		50000
102110-74-7]		500 Mg	5200	36333	9-BBN Triflate Solution (0.5M in hexanes) pure	500 ml	7810
		1 Gms	9800	[21205-91-4]	(9-[{9-(Trifluoromethyl)sulfonyl}	1000 ml	12750
	Azomethine H Monosodium Salt	1 Gms	700		oxy]9-Borabicyclo(3.3.1)Nonane)		
206752-32-1]	Hydrate, 97%	5 Gms	3100	64733	Behenic Acid pure, 85%	25 Gms	400
		25 Gms	11000	[112-85-6]	(Docosanoic acid, 1-Docosanoic acid,	250 Gms	850
78130	Azomethine H Monosodium Salt,	1 Gms	1100		n-Docosanoic acid, Docosoic acid)		
78130 Azo (5941-07-1] 97 %		5 Gms	4500		Behenic Acid extrapure, 99% (Docosanoic acid, 1-Docosanoic acid,	5 Gms	4000
	31 /6		7000	[112-85-6]	TECHNOSOFICIE ACID. TELECOSTRICIO ACID.	25 Gms	7000



Code	Name	Packing	Price	Code	Name	Packing	Price
74710 [661-19-8]	1-Docosanol (Behenyl Alcohol) extrapure, 98%	25 Gms 500 Gms	700 5500	64554 [100-46-9]	Benzylamine extrapure AR, 99.5%	250 ml 500 ml	500 950
82142	Benzalacetophenone (Chalcone)	25 Gms	600	91695	4-Benzyloxy-Phenylboronic Acid	1 Gms	1430
[94-41-7]	pure, 98%	100 Gms	1800		extrapure, 97%	5 Gms	5700
	(1,3-Diphenyl-2-Propenone)	500 Gms	7000			25 Gms	16900
93014	Benzamidine Hydrochloride	5 Gms		47102	S-Benzyl-L-(+)-Cysteine extrapure,	25 Gms	
	Hydrate extrapure, 98%	25 Gms	950 2400	[3054-01-0]	98%	25 Gills	17450
		100 Gms	7500	26862	O-Benzyl-L-Serine extrapure, 99%	1 Gms	1660
10740	Pennanilida nura 000/			[472696-9]		5 Gms	6060
13740 [93-98-1]	Benzanilide pure, 98%	100 Gms 500 Gms	590			10 Gms	11680
			2310			25 Gms	26600
42689 [98-09-9]	Benzenesulphonyl Chloride pure, 98%	500 ml	980	50562	3-(Benzylthio)-Propionic Acid	1 Gms	3560
41035	Benzenesulphonyl Chloride	500 ml	1200	[2899-66-3]	extrapure, 98%	5 Gms	9490
[98-09-9]	ExiPlus, Multi-Compendial, 98%		1200	75036	5-(Benzylthio)-1H-Tetrazole (BTT	5 Gms	2110
	meets compendial specs of USP			[21871-47-6]		25 Gms	7010
57730	Benzhydrylamine pure, 97%	25 ml	600	29161	Benzyltriethylammonium Chloride	500 Gms	660
[91-00-9]	(a-Aminodiphenylmethane)	100 ml	1200	[56-37-1]	pure, 98%	5 Kg	6300
		500 ml	5000	00004	Pannultyimathylammanium		
17851	Benzohydroxamic Acid extrapure,	10 Gms	4510	98924 [56-39-9]	Benzyltrimethylammonium Chloride pure, 98%	100 Gms 500 Gms	270
[495-18-1]	99%	25 Gms	8830		· ·		1180
17192 [134-81-6]	Benzil extrapure, 98%	250 Gms	840	60168 [56-39-9]	Benzyltrimethylammonium Chloride ExiPlus, Multi-Compendial, 98%	100 Gms 500 Gms	370 1320
93528	Benzilic Acid extrapure, 99%	100 Gms	1280		meets compendial specs of USP, BP,		
[76-93-7]	(Diphenylglycolic Acid)	250 Gms	3140		Ph.Eur		
35034	Benzimidazole extrapure, 99%	25 Gms	240	30307	Benzyltrimethyl Ammonium	100 ml	1240
[51-17-2]		100 Gms	740	[100-85-6]	Hydroxide 40% in Methanol extrapure	500 ml	4060
		500 Gms	3470		(Triton B)		
31398	a-Benzoinoxime extrapure AR, 99%	25 Gms	450	18437 🗸	Bergamot Oil extrapure	500 ml	5660
[441-38-3]	(Cupron)	100 Gms	1320	[8007-75-8]		1000 ml	10190
44371	Benzophenone Hydrazone pure,	100 Gms	3040	34489	BES Buffer extrapure, 99%	25 Gms	900
[5350-57-2]	99%	500 Gms	12070	[10191-18-1]		100 Gms	3000
47554	1-Benzoylacetone pure, 98%	10 Gms	2210		esulphonic Acid)	500 Gms	12000
[93-91-4]	• • •	50 Gms	8430			1 Kg	22000
76356	N-a-Benzoyl-L-Arginine Ethyl Ester	1 Gms	950	59299	BES Sodium Salt Buffer extrapure,	25 Gms	3000
[2645-08-1]	Hydrochloride (BAEE) extrapure	5 Gms	4400	[66992-27-6]	99%	100 Gms	7000
	AR, 99%	25 Gms	21000			250 Gms	14000
96249	N-a-Benzoyl-DL-Arginine-4-Nitroani	100 Mg		83710	Bial's Reagent	250 ml	620
[911-77-3]	lide Hydrochloride (BANI,	250 Mg	1800 3000		<u> </u>		
	L-BAPNA) extrapure, 98%	1 Gms	8800	84867	Bicinchoninic Acid Disodium Salt	1 Gms	2840
E4000	N a Banwayi Di Avginina & Nanhth			[979-88-4]	(BCA) extrapure, 98% (2,2-Biquinoline-4,4-Dicarboxylic Acid	5 Gms	8400
51003 • [913-04-2]	N-a-Benzoyl-DL-Arginine-ß-Naphth ylamide Hydrochloride (BANA)	250 Mg 1 Gms	2930		Disodium Salt)		
. ,	extrapure, 97%	i Gilis	9230	39849	BICINE Buffer extrapure, 99%	25 Gms	630
	N-(Benzoyloxy)Succinimide	1 Gms	4000	[150-25-4]	(N,N-bis(2-Hydroxyethyl) Glycine)	100 Gms	1900
[23405-15-4]	(Bz-OSu) extrapure, 99% (Benzoic Acid N-Succinimidyl Ester,	5 Gms	8200			500 Gms	8500
	N-Succinimidyl Benzoate)			66466	Big CHAPS, 95%	500 Mg	9870
46651	• • • • • • • • • • • • • • • • • • • •	5 Gms	640	[86303-22-2]	N,N'-Bis(3-D-gluconamidopropyl)	1 Gms	17270
[1214-39-7]	AR, 99%	25 Gms	940		cholamide	5 Gms	55490
	(6-Benzylaminopurine)	100 Gms	3330	64839	Bilirubin extrapure AR, 99%	100 Mg	870
38728	Benzylamine pure, 99%	500 ml	720	[635-65-4]		1 Gms	6400
[100-46-9]		2500 ml	3400			5 Gms	26000
		25 Ltr	32000				



Code	Name	Packing	Price	Code	Name	Packing	Pri
	Bilirubin Oxidase ex. Myrothecium, 1.2U/mg powder	25 Units	5500		N,O-Bis-(Trimethylsilyl) Acetamide (BSA) extrapure, 95%	25 ml	78
	D-Biotin extrapure, 99%	1 Gms	650	[]		100 ml	230
[58-85-5]	(Vitamin H)	10 Gms	4850			250 ml	500
		25 Gms	9350		N,O-Bis-(Trimethylsilyl) Trifluoro Acetamide (BSTFA) extrapure, 99%	5 ml	45
9932	D-Biotin for tissue culture, 99%			[25561-30-2]	Acetainide (BSTFA) extrapure, 99%	25 ml	140
9932 J [58-85-5]	(Vitamin H)	1 Gms	780			100 ml	480
[00 00 0]	(10 Gms	5400			500 ml	2200
		25 Gms	11740	52353	BSA+TMCS(3-5%), 93-97%	10 ml	294
2196 [92-52-4]	Biphenyl extrapure, 99%	100 Gms	470		(N,O-Bis(trimethylsilyl) Acetamide, Trimethylchlorosilane)	25 ml	588
[92-32-4]		1 Kg	3380	22555 🗸	BSA+TMCS+TMSI, (3:2:3)	10 x1 ml	551
9363	2,2-Bipyridyl ACS, 99.5%	5 Gms	670	22555	N,O-Bis(trimethylsilyl)Acetamide,	25 ml	
366-18-7]		25 Gms	2770		Trimethylchlorosilane, Trimethylsilylimid	25 1111	845
		100 Gms	7830		azole (GC Derivatization)		
7025	Bis(Acetonitrile)Dichloropalladium	500 Mg	6500		N,O-Bis(trimethylsilyl) trifluoro	10 x1 ml	551
4592-56-4]	(II) extrapure, 99%, ~41% Pd	1 Gms	11000	[25561-30-2]	acetamide, Trimethylchlorosilane (BSTFA+TMCS) (99:1)	25 ml	245
	(Palladium (II) Chloride Diacetonitrile	5 Gms	40000		for GC Derivatization	100 ml	857
	Complex)			31817	Bisphenol A pure, 97%	500 Gms	40
8369 10526-07-5]	1,3-Bis(3-Aminophenoxy) Benzene (APB) pure, 98%	5 Gms	5610	[80-05-7]	(4,4-Isopropylidenediphenol)		
10320-07-3]	(Resorcinol bis(3-Aminophenyl) Ether)	25 Gms	20800	25417	BIS-TRIS Buffer extrapure, 99%	25 Gms	131
7063	4,4-Bis(4-Aminophenoxy)Diphenyl	5 Gms	3390	[6976-37-0]	(bis [2-Hydroxyethyl] Aminotris	100 Gms	479
3080-89-2]	Sulfone pure, 98%	25 Gms	12850		[Hydroxymethyl] Methane (bis-Tris) (free base)	500 Gms	2236
1866 🗸	Bis(benzonitrile)palladium(II)	500 Mg	3500	15893	BIS-TRIS Hydrochloride Buffer	10 Gms	311
4220-64-5]	Dichloride extrapure, 27.4% Pd	1 Gms	6200	[124763-51-5]	extrapure, 98%	25 Gms	582
	5 Gms	28000			100 Gms	1486	
4637	Bis(chloromethyl) Ether pure, 96% 25 Gms 5500 49084 BIS-TRIS Propane Buffer extrapure,	25 Gms	400				
[542-88-1]	Distance pare, 50%	100 Gms	16000	[64431-96-5]		100 Gms	1300
	Dis (Dib sussellations and analy					500 Gms	5250
32005-36-0]	Bis(Dibenzylideneacetone) Palladium extrapure, 16.5%-20.5%	250 Mg	2500				
32000 00 01	Pd	1 Gms	4200	77031	Biuret Reagent Solution ExiPlus, Multi-Compendial	250 ml	22
	(Palladium(0)	5 Gms	16000		meets compendial specs of BP, Ph.Eur		
0	bis(Dibenzylideneacetone), Pd(dba)2)			20899	Bleomycin Sulfate (BLM-S), 90%	10 Mg	600
	N,N-Bis(hydroxymethyl)urea (DMU)	25 Gms	760	[9041-93-4]	· · · · · · · · · · · · · · · · · · ·	50 Mg	2200
[140-95-4]	pure, 95% (1,3-Bis(hydroxymethyl)urea,	100 Gms	1600	00040	Plus Tetropolium Chlorida (PTC		
	Dimethylolurea)	500 Gms	5800		Blue Tetrazolium Chloride (BTC, Tetrazolium Blue Chloride)	1 Gms	120
16660	1,1`-Bis(Diphenylphosphino)Ferroc	250 Mg	3000	[1071 22 0]	extrapure AR	5 Gms	550
72287-26-4]	ene Palladium(II) Dichloride	1 Gms	5800	86204	BOC-D-Alanine extrapure, 99%	10 Gms	300
	extrapure, 14.5% Pd (Dichloro [(1,1-Bis-Diphenylphosphino	5 Gms	24000	[7764-95-6]		25 Gms	500
	Ferrocene)] Palladium (II) (14.5% Pd))			42849	BOC-L-Alanine extrapure, 99%	10 Gms	75
7281	1,1`-Bis(Diphenylphosphino)Ferroc	1 Gms	4000	[15761-38-3]	Boo I Alaimio extrapare, 00%	25 Gms	178
5464-05-04]	ene-Palladium(II)Dichloride-Dichlor	5 Gms	15000				
	omethane Complex extrapure, 98%	25 Gms	54000		BOC-L-Alanine Methyl Ester extrapure, 98%	10 Gms	834
0466	Dia/Triovolohovulahaanhira/Dalladi			[20073-17-4]	apar 0, 00 /0	25 Gms	1459
	Bis(Tricyclohexylphosphine)Palladi um(II) Dichloride extrapure, 98%	250 Mg	1800		BOC Amide pure, 98%	5 Gms	88
	(Dichlorobis(tricyclohexylphosphine)Pal	1 Gms	4600	[4248-19-5]	(tert-Butyl Carbamate)	25 Gms	198
	ladium(II))	5 Gms	21000			100 Gms	660
	Bis(Triphenylphosphine)	1 Gms	3400	23875	BOC-L-Amino Acids Kit	1 Kit	3162
13965-03-2]	Dichloropalladium (II) extrapure, 98%	5 Gms	12000				
	(Dichlorobis(triphenylphosphine)Palladi	25 Gms	47500		N-BOC-4-Aminopiperidine pure,	5 Gms	360
	um(II),			[73874-95-0]	97%	25 Gms	1317
	Palladium(II)bis(triphenylphosphine)			33534	N-BOC-O-Benzyl-L-Serine	10 Gms	2735
	Dichloride			[000000 04 4]	extrapure, 98%		



Code	Name	Packing	Price	Code	Name	Packing	Price
12320	, , ,	10 Gms	11490	39190	,	10 Gms	10230
[2130-96-3]	extrapure, 98% (BOC-L-Tyr(Bzl)-OH)	25 Gms	20100		Ester extrapure, 98% (N-Boc-Piperidine-4-Carboxylic Acid	25 Gms	17890
	BOC-L-Arginine Hydrochloride	25 Gms	4830		Methyl Ester)		
[35897-34-8]	extrapure, 98.5%	100 Gms	13580	22237 [16937-99-8]	BOC-D-Leucine extrapure, 99%	10 Gms	3800
12202		10 Gms	2600			25 Gms	8000
[7536-58-5]	extrapure, 98%	25 Gms	6500		BOC-L-Leucine Monohydrate extrapure, 99%	25 Gms	1700
19362	BOC-D-Aspargine extrapure, 99%	10 Gms	4710		•	100 Gms	6000
[75647-01-07]		25 Gms	10980		Na-BOC-Ne-Z-L-Lysine (BOC-Lys(Z)-OH) extrapure, 98%	5 Gms	4200
67012	BOC-L-Aspargine extrapure, 99%	10 Gms	1070	[2309-43-9]	(BOC-Lys(Z)-OH)	25 Gms	11980
[7536-55-2]		25 Gms	2380		N-a-e-T-BOC-L-Lysine-Dicyclohexyl	10 Gms	5820
		100 Gms	9020	[15098-69-8]	ammonium Salt extrapure, 99% (BOC-L-Lys(BOC)-OH.DCHA)	25 Gms	10180
38230	BOC-D-Aspartic Acid extrapure,	10 Gms	3910	69681	BOC-L-Lysine extrapure, 98%	10 Gms	3500
[62396-48-9]	99%	25 Gms	8800	[2418-95-3]	200 2 2, 00 0 	25 Gms	7000
30394	BOC-L-Aspartic Acid extrapure,	10 Gms	3000	81350	BOC-L-Methionine extrapure,	25 Gms	
[13726-67-5]				[2488-15-5]	· · · · · · · · · · · · · · · · · · ·	100 Gms	3940 12130
	BOC-L-Acetamidomethyl-L-Cystein e extrapure, 98%	10 Gms	17400	04440	NOO Niiraaatia Aalidaataanaa ooo		
[19/40-3/-3]	e extrapure, 50 %	25 Gms	30440	91418 [88495-54-9]	BOC-Nipecotic Acid extrapure, 99%	10 Gms	6390
44054		10 Gms	11960			25 Gms	11170
[5068-28-0]	extrapure, 98%	25 Gms	20930		BOC-Nipecotic Acid Methyl Ester extrapure, 98%	10 Gms	11240
53340		10 Gms	10510	1]	OAHapare, 00/0	25 Gms	19660
[132844-48-5]	98%	25 Gms	18390	53717	BOC-Nitro-L-Arginine extrapure,	10 Gms	5630
14930	BOC-L-Cystine extrapure, 99%	10 Gms	1060	[2188-18-3]	99% (Boc-Arg(NO2)-OH)	25 Gms	10580
[10389-65-8]		25 Gms	2350	14910	BOC-4-Nitro-L-Phenylalanine	10 Gms	6560
92584	BOC-D-Glutamic Acid extrapure,	10 Gms	5420		extrapure, 98%	25 Gms	11480
[34404-28-9]	99%	25 Gms	12190		(BOC-L-Phe(4 No2)-OH)		
69376	BOC-L-Glutamic acid extrapure,	10 Gms	1070		BOC-4-Nitro-L-Phenylalanine Ethyl Ester extrapure, 98%	10 Gms	11640
[2419-94-5]	99%	25 Gms	2380	[7535-56-0]	(BOC-Phe-Onp)	25 Gms	20360
		100 Gms	9020	40474	BOC-D-Phenylalanine extrapure,	10 Gms	5270
82284	BOC-L-Glutamic Acid-5-Benzyl	10 Gms	12330	[18942-49-9]	99%	25 Gms	11830
[13574-13-5]	Ester extrapure, 98%	25 Gms	21560	23293	BOC-L-Phenylalanine extrapure,	10 Gms	1250
45737	(BOC-I-Glu(OBzI)-OH) BOC-D-Glutamine extrapure, 99%	10 Gms	6500	[13734-34-4]	99%	25 Gms	2870
[61348-28-5]	BOC-B-Giutamine extrapure, 33%	25 Gms	6500 14620			100 Gms	9230
40075	POC I Clutemine outronure 000/			25694	BOC-D-Phenylalanine Methyl Ester	10 Gms	13050
46975 [13726-85-7]	BOC-L-Glutamine extrapure, 99%	25 Gms	2350	[35909-92-3]	extrapure, 98%	25 Gms	22830
		100 Gms	8820	60090	BOC-L-Phenylalanine Methyl Ester	10 Gms	10150
71943 [4530-20-5]	BOC-Glycine extrapure, 99%	25 Gms	2080	[51987-73-6]	extrapure, 98%	25 Gms	17760
		100 Gms	6260	46437	BOC-D-Phenylglycine extrapure,	1 Gms	1510
	BOC-Glycine Methyl Ester extrapure, 98%	10 ml	1900	[33125-05-2]	99%		
[01934-27-5]	(BOC-Gly-OMe)	25 ml	4500		BOC-L-Phenylglycine extrapure,	10 Gms	5440
10733	BOC-L-Histidine extrapure, 98.5%	10 Gms	4450	[2900-27-8]	99%	25 Gms	9520
[17791-52-5]		25 Gms	8610		BOC-Pipecolic Acid extrapure, 99%	10 Gms	5880
38544	BOC-L-Hydroxyproline extrapure,	5 Gms	5240	[26250-84-0]		25 Gms	10280
[13726-69-7]		25 Gms	11860	41311	BOC-Pipecolic Acid Methyl Ester	10 Gms	13120
74956	(BOC-Hyp-OH) BOC-L-Isoleucine extrapure, 99%	10 Gms	1190	[132910-79-3]	extrapure, 98%	25 Gms	22960
[13139-16-7]	222 2 locioacino extuputo, 00/0	25 Gms	2670	12098	1-BOC-Piperazine extrapure, 99%	10 Gms	2760
		100 Gms	9000	[57260-71-6]		25 Gms	5990
55665	BOC-Isonipecotic Acid extrapure,	10 Gms	6390	32298	1-BOC-4-Piperidone extrapure, 99%	5 Gms	1560
[84358-13-4]	•	25 Gms	11170	[79099-07-3]		25 Gms	5990
	(1-BOC-Piperidine-4-Carboxylic Acid)	20 01113	11170				



Code Name	Packing	Price	Code	Name	Packing	Price
	Ū				Ū	
43977 ■ BOC-L-Prolinamide extrapure, 98% [35150-07-3]	1 Gms 5 Gms	4240	19219	Bradford Reagent for Proteins	100 ml 500 ml	510
,	10 Gms	12690 18320				1700
O LOL A DOO D Durling and any or only				Brassinolide (BR) synthetic technical grade, 90%	25 Mg	3500
93481 ■ BOC-D-Proline extrapure, 99% [37784-17-1]	10 Gms	3570			100 Mg	12000
<u> </u>	25 Gms	8030	64222 [6104-58-1]	Brilliant Blue G-250 for molecular biology	5 Gms	620
91894 ■ BOC-L-Proline extrapure, 99% [15761-39-4] (BOC-Pro-OH)	25 Gms	1800	[0104-30-1]	(Coomassie Brilliant Blue G250)	25 Gms	2310
[10,01,00]	100 Gms	5900	93473	Brilliant Blue R-250 for molecular	5 Gms	580
	250 Gms	14000	[6104-59-2]	biology (Coomagaio Brilliant Blue B250)	25 Gms	2200
71026 • BOC-D-Proline Methyl Ester 733323-65-6] extrapure, 98%	10 Gms	16740	84778	(Coomassie Brilliant Blue R250) Brilliant Blue R Staining Solution	100 ml	3140
	25 Gms	29300	04770	(Coomassie Brilliant Blue R-250	100 1111	3140
31641 ■ BOC-L-Proline Methyl Ester [59936-29-7] extrapure, 98%	10 Gms	15220		solution)		
[39930-29-7] Extrapure , 3076	25 Gms	26630	75824	Brilliant Cresyl Blue	5 Gms	800
91810 BOC-D-Serine extrapure, 98%	10 Gms	13550	[81029-05-2]	(C.I. No. 51010 Brilliant Blue C, Brilliant Blue ALD)	25 Gms	3000
[6368-20-3]	25 Gms	30480		,	100 Gms	8000
77874 BOC-L-Serine extrapure, 99%	10 Gms	2300		Bromelain ex. Pineapple Stem,	25 Gms	700
[3262-72-4]	25 Gms	5160	[9001-00-7]	2400 GDU/g	100 Gms	2000
	100 Gms	16020			500 Gms	4000
20256 BOC-L-Serine Methyl Ester	10 ml	8710	36953	Bromoacetaldehyde Dimethyl	25 ml	1100
[2766-43-0] extrapure, 98%	25 ml	15220	[7252-83-7]	Acetal pure (Stabilized), 97% (2-Bromo-1,1-Dimethoxyethane)	100 ml	3570
73138 BOC-D-Threonine extrapure, 98%	10 Gms	4710		(2-Biorno-1, 1-bimethoxyethane)	500 ml	16330
[55674-67-4]	25 Gms	10980	96141	2-Bromoacetamide pure, 97%	5 Gms	2070
77340 BOC-L-Threonine extrapure, 99%	10 Gms	1190	[683-57-8]		25 Gms	6900
[2592-18-9]	25 Gms	2670	25038	p-Bromoacetanilide pure, 98%	100 Gms	1420
	100 Gms	9000	[103-88-8]	(4-Bromoactanilide)	500 Gms	6220
61017 BOC-D-Tryptophan extrapure, 99%	10 Gms	4000	39903	Bromoacetic Acid pure, 99%	100 Gms	810
[5241-64-5] (BOC-D-Trp-OH)	25 Gms	9000	[79-08-3]		500 Gms	3570
86659 BOC-L-Tryptophan extrapure, 99%	25 Gms	2150	15180	4-Bromoacetophenone pure, 98%	25 Gms	480
[13139-14-5] (BOC-L-Trp-PH, BOC-Trp-OH)	100 Gms	8000	[99-90-1]	(p-Bromoacetophenone)	100 Gms	1310
61475 ■ BOC-L-Tyrosine extrapure, 99%	10 Gms	2540			500 Gms	6400
[3978-80-1]	25 Gms	5340 5340	30930	3-Bromoacetophenone extrapure,	25 Gms	980
	100 Gms	16990	[2142-63-4]	99%	100 Gms	2880
77170 • BOC-L-Tyrosine Methyl Ester				(1-Acetyl-3-Bromobenzene,		2000
77170 • BOC-L-Tyrosine Methyl Ester [4326-36-7] extrapure, 98%	10 Gms 25 Gms	10150	47005	m-Bromoacetophenone)	05	4070
		17760	47085 [591-19-5]	m-Bromoaniline pure, 97%	25 ml	1870
35049 ■ BOC-D-Valine extrapure, 99% [22838-58-0]	25 Gms	3800			100 ml	6710
80577 • BOC-L-Valine extrapure, 99%	10 Gms	690	22912 [106-40-1]	p-Bromoaniline pure, 98% (4-Bromoaniline)	100 Gms	1300
[13734-41-3]	25 Gms	1380	[1.00.10.1]	. ,	500 Gms	5500
	100 Gms	4990	47405 [2398-37-0]	3-Bromoanisole pure, 98% (m-Bromoanisole)	50 ml	980
97810 ● BOC-L-Valine Methyl Ester	10 Gms	7330	[2090-37-0]	(m Diomoanisole)	100 ml	1800
[58561-04-9] extrapure, 98%	25 Gms	12820			500 ml	8000
59946 BOP Reagent extrapure AR, 98%	5 Gms		54364	4-Bromoanisole pure, 98%	100 Gms	1010
[56602-33-6] (Castros Reagent)	25 Gms	750 3500	[104-92-7]	(p-Bromoanisole)	500 Gms	3200
	100 Gms	13500	27879	Bromobenzene extrapure, 99%	250 ml	920
24700 Roron Trifluorido in Methodol (509/)			[108-86-1]		1000 ml	3570
24790 Boron Trifluoride in Methanol (50%) [2802-68-8] Complex	50 ml 250 ml	4370	61714	Bromobenzene extrapure AR, 99%	250 ml	1100
	1000 ml	18500 40000	[108-86-1]			
ACCAT			20107 [585-76-2]	3-Bromobenzoic Acid extrapure, 99%	10 Gms	890
48847 Boron Trifluoride in Methanol (14%) [373-57-9] Solution	25 ml	4850	[505-70-2]		25 Gms	2550
f	100 ml	6840				



Code	Name	Packing	Price	Code	Name	Packing	Price
17833	p-Bromobenzophenone pure, 98%	5 Gms	1180	20077	,	100 Mg	3500
[90-90-4]		25 Gms	3840	[114162-64-0]	ucuronide Cyclohexylammonium Salt (X-Gluc CHX) for tissue	500 Mg	9250
		100 Gms	12160		culture,		
69530	p-Bromobenzyl Bromide pure, 98%	100 Gms	6700		(X-beta-Glucuronide CHX Salt)		
[589-15-1]		=			5-Bromo-6-Chloro-3-Indolyl-ß-D-Gl	50 Mg	5000
79118 ✓ [536-38-9]	2-Bromo-4-Chloro Acetophenone pure, 98%	100 Gms	5300	[144110-43-0]	ucuronide Cyclohexylammonium Salt extrapure, 98%	250 Mg	9000
[550-50-9]	(O-Bromo-4-Chloro Acetophenone)				(Magenta-GlcA, Magenta Glucuronide)		
88685	1-Bromo-4-Chloro Benzene pure,	100 Gms	790		5-Bromo-6-Chloro-3-Indoxyl-B-D-G	50 Mg	2500
[106-39-8]	98%	500 Gms	3140	[93863-88-8]	alactopyranoside (Magenta-Gal) extrapure, 98.%	250 Mg	6000
11447	1-Bromo-2-Chloroethane pure, 97%	100 Gms	2000		(Magenta-beta-D-Gal)	1 Gms	12000
[107-04-0]		500 Gms	9000	62949	5-Bromo-4-Chloro-3-Indolyl-b-D-Gl	25 Mg	1200
83788	5-Bromo-4-Chloro-3-Indolyl Acetate	25 Mg	3000	[15548-60-4]		100 Mg	2400
[3252-36-6]	(X-3-Acetate, X-Acetate) extrapure,	250 Mg	12000		tissue culture, 98%	400 M	
	98%			51683 [15548-60-4]	5-Bromo-4-Chloro-3-Indolyl-ß-D-Gl ucopyranoside (X-Glu, X-Glc) for	100 Mg	1500
	5-Bromo-4-Chloro-3-Indolyl	10 Mg	900	[100.000.]	molecular biology, 98%	500 Mg	3500
[129541-42-0]	Caprylate (X-Caprylate) extrapure, 98%	25 Mg	2000		(X-Glucoside)	1 Gms	6000
	(5-Bromo-4-chloro-3-Indolyl	250 Mg	8000		5-Bromo-4-Chloro-3-Indolyl	100 Mg	2400
	Octanoate)			[102185-33-1]	Phosphate Disodium Salt (BCIP) extrapure, 98%	250 Mg	4400
	5-Bromo-6-Chloro-3-Indolyl-Capryl	25 Mg	1250		(X-Phosphate Disodium Salt)	500 Mg	8000
[209347-94-4]	ate (Magenta Caprylate) extrapure, 97%	100 Mg	3000			1 Gms	13000
		500 Mg	11000		5-Bromo-4-Chloro-3-Indolyl	100 Mg	3430
93775	5-Bromo-4-Chloro-3-Indolyl-a-D-Gal	25 Mg	2300	[102185-33-1]	Phosphate Disodium Salt (BCIP) for tissue culture, 98%	500 Mg	12910
[107021-38-5]	actopyranoside (X-a-Gal) for molecular biology, 99%	100 Mg	5000	14847	·	25 Mg	2000
	(X-a-D-Galactoside)			[6769-80-8]	ate-p-Toluidine Salt (BCIP Red)	100 Mg	4000
74021	5-Bromo-4-Chloro-3-Indolyl-a-D-Glu	50 Mg	5000		extrapure, 95%	500 Mg	8000
[108789-36-2]	copyranoside (X-a-Glc) for				(Magenta Phosphate p-Toludine Salt)		
	molecular biology, 98% (X-a-D-Glucoside)			45366 [6578-06-9]	5-Bromo-4-Chloro-3-Indolyl Phosphate p-Toluidine Salt (BCIP	25 Mg	2450
90349	5-Bromo-4-Chloro-3-IndolyI-b-D-Cel	25 Mg	2300	[0370-00-9]	p-toluidine salt) for molecular	100 Mg	4500
	lobioside (X-Cellobioside,	100 Mg	5000		biology,	500 Mg	9000
	X-B-D-Cel) extrapure, 99%				(X-phosphate p-Toluidine Salt)	400 1	
	5-Bromo-4-Chloro-3-Indolyl-b-D-Gal actopyranoside (X-Gal) for tissue	100 Mg	1800	75531	BCIP Red/NBT Solution A (BCIP Red Solution)	100 ml	17750
[7240-90-6]	culture, 98%	500 Mg	7100	73654	BCIP Red/NBT Solution B (NBT	100 ml	2270
	,	1 Gms	12000		Solution)		
10513	5-Bromo-4-Chloro-3-Indolyl-ß-D-Gal	100 Mg	1200		5-Bromo-4-Chloro-3-Indolyl-ß-D-Rib	25 Mg	20180
[7240-90-6]	actopyranoside (X-Gal) for molecular biology, 98%	500 Mg	3800	[518033-33-5]	ofuranoside extrapure, 95%	100 Mg	57640
	molecular biology, co/c	1 Gms	7000			250 Mg	115280
19185	5-Bromo-6-Chloro-3-Indolyl	250 Mg	7960	45924	5-Bromo-4-Chloro-3-Indoxyl-myo-In	20 Mg	5150
[93863-89-9]	b-D-Glucopyranoside	1 Gms	23870	[212515-11-2]	ositol-1-Phosphate Ammonium Salt	100 Mg	19580
	(Magenta-Glc) for molecular biology, 98%				(X-Phos-Inositol, X-IP) extrapure, (myo-Inositol 1-		
	(Magenta Glucoside)				(5-Bromo-4-Chloro-3-Indoxylphosphat		
	5-Bromo-4-Chloro-3-Indolyl-ß-D-Gl	25 Mg	2200		e) Ammonium Salt)		
[129541-41-9]	ucuronide Sodium Anhydrous (X-Gluc Sodium) extrapure, 98%	100 Mg	4800		5-Bromo-4-Chloro-3-Indoxyl-a-D-N-	2 Mg	16910
	(X-GlcA Sodium) extrapure, 98% (X-GlcA Sodium Salt, X-β-D-GLcA-Na ,	250 Mg	9800	[160369-85-7]	Acetylneuraminic Acid Sodium Salt extrapure (X-NANA.Na), 98%	5 Mg	28170
	X-Glucuronide, X-Glucurono Sodium	1 Gms	32000	37869	1-Bromo-3-Chloropropane pure,	100 ml	770
	Salt, BC-Indicator) (X-GlcA			[109-70-6]	98%	500 ml	3200
	5-Bromo-4-Chloro-3-Indolyl-ß-D-Gl	25 Mg	2200		(Trimethylene Bromochloride)		5_55
[5/0100-64-4]	ucuronide Sodium Salt Trihydrate extrapure, 98%	100 Mg	4400	78388	1-Bromodecane pure, 98%	100 ml	1210
		1 Gms	16000	[112-29-8]	(Decyl Bromide)	250 ml	2870
20402	5-Bromo-4-Chloro-3-Indolyl-B-D-Gl	100 Mg	2500		Bromodifluoroacetyl Chloride	1 Gms	9200
[114162-64-0]	ucuronide Cyclohexylammonium Salt (X-Gluc CHX) extrapure, 99%	250 Mg	4000	[3832-48-2]	extrapure, 97%		
	(X-beta-Glucuronide CHX Salt)	1 Gms	8000				



Name	Packing	Price	Code	Name	Packing	Pric
1-Bromo-2,4-Difluorobenzene pure, 98%	25 ml	3000		6-Bromo-2-Napthol pure, 98%	100 Gms	12140
1-Bromododecane pure, 98%	250 ml	3220	22753		1 Gms	6660
(Dodecyl Bromide, Lauryl Bromide)				·	100 Mg	2940
	•		[15548-61-5]	noside extrapure, 98%	500 Mg	13140
	•		79945 ■	6-Bromo-2-Naphthyl-a-D-Mannopyr	25 Mg	12160
			[15548-61-5]	anoside extrapure, 98%	100 Mg	44960
5-Bromo-2-Deoxyuridine EviPlus			51879 ✓	5-Bromo-5-Nitro-1,3-Dioxane	1 Gms	1470
Multi-Compendial, 98%			[30007-47-7]	(Bronidox) extrapure, 99%	5 Gms	3680
meets compendial specs of BP. Ph.Eur		20 120	93052	2-Bromo-2-Nitro-1,3-Propanediol	100 Gms	480
2-Bromoethylamine Hydrobromide	25 Gms	1030	[52-51-7]	(Bronopol, BNPD) ExiPlus,	500 Gms	1990
extrapure AR, 99%	100 Gms	2310		• •		
	500 Gms	5890	31868	1-Bromooctane pure, 98%	100 ml	900
2-Bromo Ethyl Ether pure, 98%	250 ml	18180	[111-83-1]	(Octyl Bromide)	250 ml	1900
			64493	1-Bromooctadecane pure, 98%	100 ml	1880
4-Bromo-2-Fluorobiphenyl pure,	10 Gms	4020	[112-89-0]	(Octadecyl Bromide)	500 ml	9100
90 /6		6700	10459	1-Bromopentane pure, 98%	100 ml	1050
		14050	[110-53-2]	(Pentyl Bromide, Amyl Bromide)	250 ml	1600
1-Bromoheptane pure, 98%	100 ml	1150			500 ml	3100
(i lepty) Bromide)	250 ml	2560	78478	3-Bromophenol pure, 98%	10 Gms	1480
1-Bromohexadecane pure, 98%	100 ml	2760	[591-20-8]	• • •	25 Gms	3000
(Hexadecyl Brofflide)					100 Gms	7500
			45609	p-Bromophenol pure, 99%	100 Gms	1580
•			[106-41-2]	(4-Bromophenol)	500 Gms	6820
			62771	Bromophenol Red (BPR), 90%	1 Gms	800
4-Bromoindole pure, 96%			[2800-80-8]	(3,3-Dibromophenolsulfonphthalein)	5 Gms	2000
					25 Gms	5000
5-Bromoindole pure, 99%			35675	4-Bromophenylboronic acid	5 Gms	2400
		1540	[5467-74-3]	extrapure, 97%	25 Gms	10250
	25 Mg	16710	88783	4-Bromophthalic Anhydride pure,	5 Gms	2310
CHX salt) extrapure, 97%			[86-90-8]	97%	25 Gms	7680
(Blue Glucuronide CHX,			98418	2-Bromopyridine-5-boronic acid	1 Gms	3350
	100 Ma	5000	[223463-14-7]	-	5 Gms	13380
noside (Bluo-Gal) for molecular	1 Gms	15000	93830		100 Gms	400
biology, 99%			[128-08-5]	2.2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2	500 Gms	1350
	=					12000
<u> </u>			51059	N-Bromosuccinimide extrapure AR,	100 Gms	530
	250 Mg	11040	[128-08-5]	ExiPlus, Multi-Compendial, 99%	500 Gms	1600
(Lapis-phos.p-tol, Lapis-phos PT)					5 Kg	14000
1-Bromo-3-Methylbutane	100 ml	1500		meets compendial specs of USP		
	250 ml	2640	22628	1-Bromotetradecane pure, 98%	250 ml	5010
(,,	500 ml	4200	[112-71-0]	(Myristyl Bromide)	1000 ml	18410
1-Bromonaphthalene pure, 98%	100 ml	1920	55570	2-Bromothiophene pure, 98%	50 ml	1600
	250 ml	4610	[1003-09-4]		100 ml	2900
2-Bromonaphthalene pure, 98%	5 Gms	1570	46714	3-Bromothiophene pure, 98%	10 ml	1100
	OF Cmo	5200	[872-31-1]		0= 1	2000
	25 Gms	5200	[072-01-1]		25 ml	2000
	1-Bromo-2,4-Difluorobenzene pure, 98% 1-Bromododecane pure, 98% (Dodecyl Bromide, Lauryl Bromide) 5-Bromo-2-Deoxyuridine extrapure, 98% 5-Bromo-2-Deoxyuridine ExiPlus, Multi-Compendial, 98% meets compendial specs of BP, Ph.Eur 2-Bromoethylamine Hydrobromide extrapure AR, 99% 2-Bromo Ethyl Ether pure, 98% 4-Bromo-2-Fluorobiphenyl pure, 98% (Heptyl Bromide) 1-Bromohexadecane pure, 98% (Hexadecyl Bromide) 1-Bromohexane pure, 99% (Hexyl Bromide) 4-Bromoindole pure, 96% 5-Bromo-3-Indolyl-B-D-Glucuronide Cyclohexylammonium Salt (X-GlcA CHX salt) extrapure, 97% (Blue Glucuronide CHX, X-beta-D-GlcA.CHX) 5-Bromo-3-Indolyl-B-D-Galactopyra noside (Bluo-Gal) for molecular biology, 99% 5-Bromoindoxylacetate extrapure AR, 99% 5-Bromo-3-Indoxyl Phosphate p-Toluidine Salt extrapure, 98% (Lapis-phos.p-tol, Lapis-phos PT) 1-Bromo-3-Methylbutane (Stabilized w/ Ag) pure, 98.5% (Isopentyl Bromide, Isoamyl Bromide) 1-Bromonaphthalene pure, 98%	1-Bromo-2,4-Diffuorobenzene pure, 98% 100 ml 1-Bromododecane pure, 98% 250 ml (Dodecyl Bromide, Lauryl Bromide) 5-Bromo-2-Deoxyuridine extrapure, 100 Mg 98% 500 Mg 1 Gms 5 Gms 5-Bromo-2-Deoxyuridine ExiPlus, 1 Gms Multi-Compendial, 98% 5 Gms meets compendial specs of BP, Ph.Eur 2-Bromoethylamine Hydrobromide extrapure AR, 99% 100 Gms 500 Gms 2-Bromo Ethyl Ether pure, 98% 250 ml 4-Bromo-2-Fluorobiphenyl pure, 98% 25 Gms 100 Gms 500 Gms 1-Bromoheptane pure, 98% 100 ml (Heptyl Bromide) 250 ml 1-Bromohexadecane pure, 98% 100 ml (Hexyl Bromide) 250 ml 1-Bromohexane pure, 98% 100 ml (Hexyl Bromide) 500 ml 1-Bromohexane pure, 99% 5 Gms 25 Gms 5 Gm	1-Bromo-2,4-Difluorobenzene pure, 98% 100 ml 10500 1-Bromododecane pure, 98% 250 ml 3220 1-Bromododecane pure, 98% 500 Mg 3350 1 Gms 5760 5 Gms 24080 5-Bromo-2-Deoxyuridine ExiPlus, 1 Gms 7360 Multi-Compendial, 98% 500 Gms 25420 meets compendial specs of BP, Ph.Eur 2-Bromoethylamine Hydrobromide extrapure AR, 99% 100 Gms 2310 500 Gms 5890 2-Bromoethylamine Hydrobromide extrapure AR, 99% 100 Gms 24080 2-Bromoethylamine Hydrobromide extrapure AR, 99% 100 Gms 24080 2-Bromoethylamine Hydrobromide extrapure AR, 99% 100 Gms 24080 2-Bromoethylamine Hydrobromide 25 Gms 1030 2-Bromoethylamine Hydrobromide 25 Gms 6700 100 Gms 24050 25 Gms 6700 100 Gms 14050 10	1-Bromo-2,4-Diffuorobenzene pure, 98% 100 ml 10500 [15231-91-1] 1-Bromododecane pure, 98% (250 ml 3220 [15572-30-2] 5-Bromo-2-Deoxyuridine extrapure, 98% 500 Mg 3350 79945 ■ 1558-861-5] 5-Bromo-2-Deoxyuridine ExiPlus, 1 Gms 5760 5 Gms 24080 5 Gms 25420 [15548-61-5] 5-Bromo-2-Deoxyuridine ExiPlus, 1 Gms 7360 5 Gms 25420 [15548-61-5] 5-Bromo-2-Deoxyuridine ExiPlus, 1 Gms 7360 5 Gms 25420 [15548-61-5] 5-Bromo-2-Deoxyuridine ExiPlus, 1 Gms 7360 5 Gms 25420 [15548-61-5] 5-Bromo-2-Deoxyuridine ExiPlus, 1 Gms 7360 5 Gms 25420 [15548-61-5] 5-Bromo-2-Deoxyuridine ExiPlus, 1 Gms 7360 5 Gms 25420 [15548-61-5] 5-Bromo-2-Deoxyuridine ExiPlus, 1 Gms 7360 5 Gms 25420 [15548-61-5] 5-Bromo-2-Deoxyuridine ExiPlus, 1 Gms 7360 5 Gms 25420 [15548-61-5] 6-Bromo-2-Deoxyuridine ExiPlus, 1 Gms 7360 5 Gms 25420 [15548-61-5] 6-Bromo-2-Deoxyuridine ExiPlus, 1 Gms 7360 5 Gms 25420 [15548-61-5] 6-Bromo-2-Deoxyuridine ExiPlus, 1 Gms 7360 6 Gms 25420 [15548-61-5] 6-Bromo-2-Deoxyuridine ExiPlus, 1 Gms 100 Gms 2310 5 Gms 24020 5	1-Bromododecane pure, 98% 25 ml 100 ml 10500	1-Bromo-2-A-Diffusorbenzene pure, 98% 100 mm 1950



Code	Name	Packing	Price	Code	Name	Packing	Price
11521	2-Bromotoluene pure, 98%	25 ml	1610		1-Butyl-3-Methylimidazolium	5 Gms	1200
[95-46-5]		100 ml	5670	[174501-64-5]	Hexafluorophosphate (BMIM PF6)	25 Gms	4000
92125	3-Bromotoluene pure, 98%	10 ml	1010		extrapure, 98%	100 Gms	13000
[591-17-3]		25 ml	2320	84903	1-Butyl-3-Methylimidazolium	10 Gms	3000
52250	4-Bromotoluene extrapure, 99%	100 Gms	1400	[80432-09-3]	Tetrachloroaluminate (BMIM AICI4)	25 Gms	5000
[106-38-7]	. Dromotomone oxumputo, oox	500 Gms	6250		extrapure, 95%	50 Gms	8000
07004	5 Buomanilanteanue 200/			92656	1-Butyl-3-Methylimidazolium	5 Gms	2200
27964 • [51-20-7]	5-Bromouracil extrapure, 99%	5 Gms	1300		Tetrafluoroborate (BMIMBF4)	25 Gms	5000
		25 Gms	4500		extrapure, 98%		
	5-Bromouridine extrapure, 99%	100 Mg	900		1-Butyl-3-Methylimidazolium	1 Gms	1000
[957-75-5]		500 Mg	1500	[174899-66-2]	Trifluoromethanesulfonate (BMIM Otf) extrapure, 95%	5 Gms	3000
42338 🗸	Borax Carmine (Grenacher)	25 Gms	1200		(1-Butyl-3-Methylimidazolium Triflate)	25 Gms	12000
				46178	1-Butyl-1-Methylpyrrolidinium	5 Gms	1700
32202	2,5-bis(5-tert-Butylbenzoxazol-2-yl)	5 Gms	1800	[223437-11-4]	Bis(trifluoromethylsulfonyl)imide	25 Gms	7000
[7128-64-5]	Thiophene (BBOT) scintillation grade, 99%	25 Gms	4000		(BMP TFSI) extrapure, 98%		
34186	n-Butyl Bromide pure, 98%	250 ml	750		1-Butyl-1-Methylpyrrolidinium Chloride extrapure, 98%	5 Gms	2100
[109-65-9]	(1-bromobutane)	500 ml	1350	[4/9500-35-1]	Cilioride extrapure, 90%	25 Gms	9500
		1000 ml	2500		1-Butyl-1-Methylpyrrolidinium	5 Gms	2000
F0000	and British Bramida nura 000/			[330671-29-9]	Hexafluorophosphate (BMP FP6)	25 Gms	8000
58390 [78-76-2]	sec-Butyl Bromide pure, 98% (2-bromobutane)	100 ml	450	20050 14	extrapure, 97.5%	1.0	
	· · · · · · · · · · · · · · · · · · ·	500 ml	1800		1-Butyl-1-Methylpyrrolidinium Tetrafluoroborate (BMP BF4)	1 Gms	800
33781	2-Bromo-2-Methylpropane	100 ml	1800	[,	extrapure, 97%	5 Gms	3000
[507-19-7]	(tert-Butyl Bromide) (Stabilized w/ Ag) pure, 98%	500 ml	7200	34317 ✓ [98-54-4]	p-tert-Butyl Phenol pure, 98%	500 Gms	660
88194 ✓ [98-29-3]	p-tert-Butyl Catechol pure, 98% (1,2-Benzenediol)	100 Gms	300		O-tert-Butyl-L-Serine extrapure,	1 Gms	2000
[90-29-3]	(1,2-Delizeriedioi)	500 Gms	1300	[18822-58-7]	97%	5 Gms	6000
91666 ✓ [870-46-2]	tert-Butyl Carbazate extrapure, 98% (BOC Hydrazide)	25 Gms 100 Gms	1400 5000	12749	n-Butyric Anhydride pure, 98%	500 ml	2270
22942	tert-Butyl Chloride extrapure, 99%	500 ml	1310	[106-31-0] 16490	n-Butyric Anhydride extrapure AR,	100 ml	680
[507-20-0]	(2-Chloro-2-Methylpropane)	1000 ml	2550	[106-31-0]	99%	500 ml	2700
32431	tert-Butylchlorodiphenylsilane	10 ml	1430	51971	Y-Butyrolactone extrapure, 99%	500 ml	750
[58479-61-1]	(TBDPSCI) extrapure AR, 98%	25 ml	3300	[96-48-0]		2500 ml	3500
	(tert-Butyldiphenylchlorosilane, tert-Butyl(chloro)diphenylsilane)	100 ml	12100	29850	Butyryl Chloride extrapure, 98%	100 ml	350
90611	N-tert-Butyldimethylsilyl Imidazole	1 ml	2040	[141-75-3]		500 ml	1200
	(TBDMSIM) pure, 97%	5 ml	9550	C0400 V4	Butyrylcholine Chloride extrapure,		
20007	tert-Butyldimethylsilyl Chloride			60400 ✓ [2963-78-2]	• •	1 Gms 5 Gms	2370
39227 [18162-48-6]	(TBDMS.CI) extrapure, 98%	25 Gms	530				8200
. ,		100 Gms	1900		S-Butyrylthiocholine Iodide extrapure, 98%	1 Gms	2040
		500 Gms	8200	[1866-16-6]	extrapure, 90%	5 Gms	7080
	tert-Butyldimethylsilyl Trifluoromethanesulfonate (TBDMS	5 ml	1300			25 Gms	30000
[69739-34-0]	triflate) extrapure, 98%	25 ml	5500	56522	Cacotheline Monohydrate	5 Gms	950
	(Trifluoromethanesulfonic Acid tert-Butyldimethylsilylester)	100 ml	15000	[561-20-6]	extrapure, 95% (Redox Indicator)	25 Gms	4000
29972	n-Butyl lodide extrapure, 98%	25 ml	1400		Cadaverine Free Base	1 ml	1500
[542-69-8]		100 ml	4900	[462-94-2]	(1,5-Diaminopentane) extrapure, 97%	5 ml	4250
		500 ml	22000		(Pentamethylenediamine, 1,5-Pentanediamine)	25 ml	14250
48792	sec-Butyl Iodide pure, 98%	25 ml	2200	35547	Cadaverin Dihydrochloride	1 Gms	2500
[513-48-4]	(2-lodobutane)	100 ml	8000	[1476-39-7]	extrapure, 98%	5 Gms	4500 4500
28791 🗸	1-Butyl-3-Methylimidazolium	25 Gms	1500		(1,5-Diaminopentane Dihydrochloride,	25 Gms	9750
[79917-90-1]	Chloride (BMIM CI) extrapure, 98%	250 Gms	9000		Pentamethylenediamine	20 01113	9130
50807 🗸	1-Butyl-3-Methylimidazolium	5 Gms	3500	E027E 4	Hydrochloride) Cadmium Telluride ultrapure,	5 Gms	2570
	Dicyanamide (BMIM.DC) pure, 98%	25 Gms	12000	50375 ✓ [1306-25-8]	• •		3570
		20 01110	12000	[.555 25 0]		25 Gms	11080



Code	Name	Packing	Price	Code	Name	Packing	Pric
				0	Carbenicillin Disodium Salt, 90%	•	
42062 ✓ [331-39-5]	Caffeic Acid extrapure, 98% (3,4-Dihydroxybenzeneacrylic Acid,	5 Gms	2250	10566 4 [4800-94-6]	Carbeniciiin Disodium Sait, 90%	500 Mg	880
[]	3,4-Dihydroxycinnamic Acid, 3-	25 Gms	6000	[]		1 Gms	1450
	(3,4-Dihydroxyphenyl)-2-Propenoic A					5 Gms	5800
65201 ✓ [1461-15-0]	Calcein Reagent extrapure AR (Fluorescein Complexone)	1 Gms	260	32943 ✓ [638-23-3]	Carbocysteine extrapure, 98% (s-Carboxymethyl-l-Cysteine)	1 Gms	1000
[1461-15-0]	(Fluoresceni Complexone)	5 Gms	770	[000-20-0]	(3 Garboxymethyr r Gysteine)	5 Gms	3110
		25 Gms	3190	98536	Carbohydrates Kit Type I	1 Kit	4100
99100	Calciferol (Vitamin D2), 97%	500 Mg	2000	00545	Carbohydratos Kit Typo II	4 I/:t	0000
[50-14-6]		1 Gms	3500	88515	Carbohydrates Kit Type II	1 Kit	8080
		5 Gms	17000	67852	N,N-Carbonyldiimidazole (CDI)	25 Gms	400
47700	Calcium Caseinate extrapure, 90%	100 Gms	880	[530-62-1]	extrapure AR, 98%	100 Gms	1100
[9005-43-0]	Protein (Cassin Coloium Solt)	500 Gms	3020			500 Gms	5000
21060	(Casein Calcium Salt) Calcium-D-Pantothenate pure, 98%	25 Gms	400	87379	3-Carboxybenzeneboronic Acid	1 Gms	3000
31269 [137-08-6]	(D-Pantothenic Acid Calcium Salt,	25 Gms 100 Gms	400		extrapure, 97%	5 Gms	8530
. ,	Vitamin B5)	500 Gms	1100		(3-Carboxyphenylboronic Acid)	25 Gms	19090
			5200		4 Carbournbourdboronic Acid		
65326 [3737-95-9]	Calconcarboxylic Acid extrapure AR	5 Gms	200		4-Carboxyphenylboronic Acid extrapure, 97%	1 Gms	1400
[3737-93-9]	(Patton & Reeders Indicator for	25 Gms	810		-	5 Gms	4480
	Calcium)				5-Carboxyuracil extrapure, 98%	5 Gms	3520
66406	Calconcarboxylic Acid extrapure	25 Gms	880	[23945-44-0]		10 Gms	6820
[3737-95-9]	AR, ExiPlus, Multi-Compendial	100 Gms	3110	24352	L-Carnitine extrapure, 99%	5 Gms	1080
	(Patton & Reeders Indicator for Calcium)			[541-15-1]		25 Gms	4620
	meets compendial specs of BP, Ph.Eur			85641	ß-Carotene extrapure, 90%	1 Gms	1600
42532	Calmagite AR	1 Gms	220	[7235-40-7]		5 Gms	3400
[3147-14-6]	(Calver II)	5 Gms	690			25 Gms	8000
		100 Gms	8580	71953	Casein Protein Rich Alkali Soluble	500 Gms	1430
94340	D-10 Camphor Sulphonic Acid	25 Gms	860	[9000-71-9]	extrapure, 80% Protein	5 Kg	12670
[3144-16-9]	pure, 99%	100 Gms	2330	07010	Casein Fat Free Ultrapurified, 0.2%		
	(D-Camphor Sulphonic Acid)	500 Gms	11020	27012 [9000-71-9]	Fat	500 Gms	2750
25421	D-10 Camphor Sulphonic Acid	100 Gms		23845	Casein acc. to Hammarsten, 95%	100 Gms	2630
[3144-16-9]	ExiPlus, Multi-Compendial, 99%	500 Gms	2510 12000	[9000-71-9]	Protein	500 Gms	11540
	(D-Camphor Sulphonic Acid)	500 GIIIS	12000			1 Kg	20590
	meets compendial specs of BP, Ph.Eur			42168	Catalase (CAT) (Type 1) ex. Bovine	25 Mg	3460
20940	L-10 Camphor Sulphonic Acid pure,	25 Gms	1050		Liver, 11700U/mg	100 Mg	7600
[35963-20-3]	99% (L-(-)-Camphor Sulphonic Acid)	100 Gms	3310		Ostalasa (OAT) (Tana O) an Banda		
74616	Canada Balsam Natural for	100 ml	380		Catalase (CAT) (Type 2) ex. Bovine Liver, 2000-5000U/mg protein	1 Gms	6930
[8007-47-4]	microscopy	500 ml	1840		Cefaclor (CFC), 95%	1 Gms	900
	CARS Buffer autremune 000/			[53994-73-3]	(c. c), co./c	5 Gms	3000
64210 [1135-40-6]	CAPS Buffer extrapure, 99% (3-[Cyclohexylamino]-1-Propane	25 Gms	1130	45000	Cafe dwayil Manahydysta (CCD)		
[1100 40 0]	Sulphonic Acid)	100 Gms	3490	15689 [66592-87-8]	Cefadroxil Monohydrate (CFD), 95%	1 Gms	900
		500 Gms	13670			5 Gms	4000
39271	CAPSO Buffer extrapure, 99%	25 Gms	1400		Cefoperazone Sodium (CFZ,	1 Gms	1210
[73463-39-5]	(3-(Cyclohexylamino) -2-Hydroxypropane Sulphonic Acid)	100 Gms	3500	[02093-20-3]	Cefaperazone Sodium)	5 Gms	4950
	. , , , , , , , , , , , , , , , , , , ,	500 Gms	15000		Cefotetan Disodium Salt extrapure,	25 Mg	6000
71222	CAPSO Sodium Salt Buffer	25 Gms	2200	[74356-00-6]	85%	100 Mg	18000
102601-34-3]	extrapure, 99%	100 Gms	6500	14299	Cefazolin Sodium Salt (CFZL),	100 Mg	4440
		500 Gms	25000	[27164-46-1]	89-110%	500 Mg	7600
54338	Carbazole pure, 95%	100 Gms	1700	13910	Cefixime Trihydrate (CFX), 95-101%	1 Gms	930
[86-74-8]	(9-Azaflluorene, 9H-Carbazole,	500 Gms	8000	[125110-14-7]	· // //	5 Gms	2000
n	Dibenzopyrrole, Diphenylenimine)	05-11		12200	Cefpodoxime (CFPD) free acid		
6 6964 [4800-94-6]	Carbenicillin Disodium Salt for tissue culture, 90%	250 Mg	1960		extrapure, 96%	25 Mg	3000
[-1000-94-0]		1 Gms	2860	,	• •	100 Mg	9000



Code	Name	Packing	Price	Code	Name	Packing	Price
58597	Cefoxitin Sodium Salt (CTX), 94%	100 Mg	1200	32355	Cesium Chloride ultrapure for	25 Gms	2400
[33564-30-6]		250 Mg	3000	[7647-17-8]	molecular biology, 99.9%	100 Gms	9000
		1 Gms	5000			500 Gms	43500
80223	Cefsulodin Sodium Salt (CFS)	10 Mg	900	36117	Cesium Fluoride extrapure AR, 99%	25 Gms	2150
	extrapure, 97%	250 Mg	7490	[13400-13-0]	. • • • • • • • • • • • • • • • • • • •	100 Gms	8200
79364	Ceftriaxone Disodium Salt	1 Gms	1400	22941	Cesium Iodide extrapure, 99.5%	10 Gms	1600
	Hemiheptahydrate (CFTZ)	5 Gms	4000	[7789-17-5]		50 Gms	8000
	(Ceftriazone Sodium Salt)			73254	Cesium Iodide ultrapure, 99.999%	5 Gms	
	Cefuroxime Sodium Salt, 86-100%	2 Gms	1250	[7789-17-5]	Cesium louide unrapure, 33.33376	10 Gms	1500 2800
[56238-63-2]		10 Gms	3500			25 Gms	5250
		25 Gms	8000			100 Gms	16000
85294	D-Cellobiose extrapure	5 Gms	1100		One in the Nithead and the Control of the Control o		
[528-50-7]		25 Gms	4840	88733 [7789-18-6]	Cesium Nitrate extrapure, 99% (Nitric Acid Cesium Salt)	5 Gms	1450
		100 Gms	18800	[,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10 Gms	2600
	Cellulase (Meicellase) ex.	100 Mg	1450			50 Gms	6800
[9012-54-8]	Aspergillus Niger, 0.3 U/mg powder	1 Gms	3200	57455 [10294-54-9]	Cesium Sulphate extrapure for molecular biology, 99.9%	10 Gms	1000
	Cellulase (Meicellase) ex. Aspergillus Niger, 0.3U/mg powder	5 Gms	9500	[10294-54-9]	molecular biology, 33.376	25 Gms	2550
	3 / 31	25 Gms	40000	40649	Benzyldimethylhexadecylammoniu	100 Gms	760
32970	Cellulase Onozuka FA ex.	1 Gms	6080	[122-18-9]	m Chloride (BDHDAC) pure, 97% (Cetyldimethylbenzylammonium	1 Kg	5000
[9012-54-8]	Trichoderma Viride, 2500U/g	5 Gms	23430		Chloride, Cetalkonium Chloride)		
	(Meicellase)			77040	Cetylpyridinium Bromide (CPB)	100 Gms	1200
	Cellulase Onozuka R-10 ex. Trichoderma Viride, 10000U/g	1 Gms	8000	[140-72-7]	pure, 98%	500 Gms	5000
[00.20.0]	(Meicellase)	5 Gms	38000	50000	(Hexadecylpyridinium Bromide) Cetylpyridinium Chloride (CPC)	100 Cms	700
65480 ■	Cellulase Onozuka RS ex.	1 Gms	12030	59088 [6004-24-6]	extrapure, 98%	100 Gms 500 Gms	700
[9012-54-8]	Trichoderma Viride, 16000U/g						2500
45662	(Meicellase) Cellulose Acetate Phthalate	100 Gms	700	99698 [6004-24-6]	Cetylpyridinium Chloride (CPC) ExiPlus, Multi-Compendial, 98%	100 Gms	800
[9004-38-0]	extrapure	500 Gms	3000	[0001210]	•	500 Gms	3000
00040	Collisions maiore amendalling marks for				meets compendial specs of BP, Ph.Eur	100.0	400
33340 [9004-34-6]	Cellulose microcrystalline pure for TLC, 98%	500 Gms	620	66302 [57-09-0]	Cetyltrimethyl Ammonium Bromide (CTAB) extrapure AR, 99%	100 Gms	490
	•	5 Kg 25 Kg	5720 20590	. ,	(Hexadecyltrimethyl Ammonium	500 Gms	2070
0	2 1 1 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2				Bromide)	5 Kg	18500
	Cephalexin Hydrate (CFL), 95-103% (Cefalexin Hydrate)	1 Gms	2220	59771	Cetyltrimethyl Ammonium Bromide (CTAB) extrapure AR, ExiPlus,	100 Gms	540
[10000 7 1 2]	(Condomining and Condomination	5 Gms	8240	[57-09-0]	Multi-Compendial, 99%	500 Gms	2440
		25 Gms	19380		(Hexadecyltrimethyl Ammonium	5 Kg	22000
	Cephalothin Sodium Salt (CF), 97%	1 Gms	3170		Bromide)		
[58-71-9]		5 Gms	8110	10770	meets compendial specs of BP, Ph.Eur	100 0	F00
	Cephotaxime Sodium Salt (CFT),	1 Gms	1400	12779 [57-09-0]	Cetyltrimethyl Ammonium Bromide (CTAB) for molecular biology, 99%	100 Gms 500 Gms	560
[64485-93-4]	916-964ug/mg	5 Gms	3000	[]	(Hexadecyltrimethyl Ammonium		2640
40111	Cerium (III)	5 Gms	4180		Bromide)	5 Kg	23500
[76089-77-5]	Trifluoromethanesulfonate	25 Gms	13860	23595	Cetyltrimethyl Ammonium Chloride	25 Gms	2020
	extrapure, 98% (Cerium triflate,			[112-02-7]	(CTAC) extrapure AR, 99% (Cetrimonium Bromide,	100 Gms	5940
	Trifluoromethanesulfonic Acid Cerium Salt)				Hexadecyltrimethyl Ammonium Bromide)	500 Gms	8910
54784	Cesium Bromide extrapure AR,	10 Gms	1200	68623	Cetyltrimethyl Ammonium Chloride	25 Gms	2970
[7787-69-1]	99.5%	50 Gms	5400	[112-02-7]	(Catrimonium Promide	100 Gms	8080
95125	Cesium Carbonate extrapure, 99%	25 Gms	1540		(Cetrimonium Bromide, Hexadecyltrimethyl Ammonium		
[534-17-8]		100 Gms	6050		Bromide)		
		500 Gms	22500		CHAPS Buffer extrapure, 99%	1 Gms	900
22966	Cesium Chloride extrapure AR for	25 Gms	1950	•	(3-[(3-Cholamidopropyl)	5 Gms	3000
	molecular biology, 99.9%			JJ1/1/-45-4]	Dimethylaminonio] -1-Propanesulphonate)	25 Gms	13000
[7647-17-8]	molecular biology, 33.3%	100 Gms	7250		- I-Propanesulphonaiei		



Code	Name	Packing	Price	Code	Name	Packing	Pric
21420 ✓ [75621-03-3, 331717-45-4]	biology, 99.5%	1 Gms 5 Gms 25 Gms	1200 4400 18000	77863 [539-03-7]	p-Chloroacetanilide extrapure AR, ExiPlus, Multi-Compendial, 99% meets compendial specs of USP, BP, Ph.Eur	100 Gms	2050
66903		1 Gms	5540	70179	2-Chloroactophenone pure, 97%	25 Gms	2300
82473-24-3]	(3-[(3-Cholamidopropyl) Dimethylammonio]-2-Hydroxy	5 Gms	21990	[532-27-4]	(Phenacyl Chloride)	100 Gms	7300
	1-Propanesulphonate)			40585	p-Chloroacetophenone extrapure,	100 ml	1420
18081 🗸	CHES Buffer extrapure, 99%	25 Gms	2500	[99-91-2]	98%	500 ml	5760
[103-47-9]	(2-(N-Cyclohexylamino) Ethanesulphonic Acid)	100 Gms	7900			1000 ml	10880
	Ethanesulphonic Acid)	500 Gms	32000	92804	m-Chloroaniline (MCA) pure, 99%	500 ml	1400
98507 🗸	Chitin (Poly-(b1-4)-N-acetyl	25 Gms	3430	[108-42-9]		2500 ml	6100
[1398-61-4]	glucosamine) extrapure	100 Gms	10140	43265	o-Chlorobenzaldehyde pure, 98%	100 ml	300
7391	Chitosan (Low MW) extrapure,	25 Gms	960	[89-98-5]	(2-Chlorobenzaldehyde)	500 ml	750
[9012-76-4]	10-150m.Pas, 90% DA	100 Gms	3110			2500 ml	3300
	(Deacetylated Chitin)	500 Gms	11270	47007	n Chlorobonzoldobydo puro 97%		
8824 🗸	Chitosan (Medium MW) extrapure,	10 Gms	580	17927 [104-88-1]	p-Chlorobenzaldehyde pure, 97% (4-Chlorobenzaldehyde)	100 Gms 500 Gms	450
9012-76-4]	150-500m.Pas, 90% DA	25 Gms	1130	. ,	, ,	500 Gills 5 Kg	1050
	(Deacetylated Chitin)	100 Gms	3680				9500
		500 Gms	12160	91019 ✓ [119-56-2]	4-Chlorobenzhydrol pure, 98%	50 Gms	2400
96266 Y	Chitosan (High MW) extrapure,	25 Gms	1930			100 Gms	4200
[9012-76-4]	800m.Pas, 90% DA	100 Gms	6600	69159	o-Chlorobenzoic Acid pure, 98%	100 Gms	300
	(Deacetylated Chitin)	500 Gms	24200	[118-91-2]		500 Gms	1200
l4097 ■	Chitosan Oligosaccharide (water	10 Gms	4350	30519	o-Chlorobenzoic Acid extrapure	100 Gms	400
	soluble) extrapure, 90% DA	25 Gms	7710	[118-91-2]	AR, 99.5%	500 Gms	170
		100 Gms	13050	34366	m-Chlorobenzoic Acid extrapure,	25 Gms	810
9811	Chitosan Dimer Dihydrochloride			[535-80-8]	99%	100 Gms	3030
5 9811 5 [577-76-4]	extrapure, 98%	5 Mg 10 Mg	20000			500 Gms	9540
. ,	(Chitobiose Dihydrochloride)	TO Mg	33000	24711	p-Chlorobenzoic Acid pure, 99%	100 Gms	330
	Chitosan Trimer Trihydrochloride	5 Mg	57880	[74-11-3]		500 Gms	1200
41708-93-4]	extrapure, 98% (Chitotriose Trihydrochloride)			97199	p-Chlorobenzoic Acid extrapure	100 Gms	600
S2506 ■	Chitosan Tetramer	5 Mg	22000	[74-11-3]	AR, 99.7%		
	Tetrahydrochloride extrapure, 98%	g	22000	53378	p-Chlorobenzophenone extrapure,	100 Gms	600
	(Chitotetraose Tetrahydrochloride)			[134-85-0]	99%	500 Gms	2200
	Chitosan Pentamer Pentahydrochloride extrapure, 98%	5 Mg	15520	98001	2-Chlorobenzylamine pure, 98%	25 ml	1200
35001-50-7]	(Chitopentaose Pentahydrochloride)			[89-97-4]	(o-Chlorobenzylamine)	100 ml	4200
36824 ■	Chitosan Hexamer	5 Mg	42000	95074	4-Chlorobutyronitrile pure, 98%	100 ml	3020
41708-95-6]				[628-20-6]		500 ml	13140
	(Chitohexaose Hexahydrochloride)	05.0		29440	4-Chlorobutyryl Chloride pure, 98%	250 ml	1100
1 1975 ✓ 15879-93-3]	a-Chloralose pure, 98% (Anhydro-D-Glucochloral,	25 Gms	2970	[4635-59-0]		500 ml	2000
	a-D-Glucochloralose)					1000 ml	3600
50146		1 Gms	3400	23843	Chlorocholine Chloride (CCC)	5 Gms	1300
[2829-43-8]	(C.I. No. 25380)	5 Gms	4760	[999-81-5]	extrapure, 98%	25 Gms	4000
28812	Chloramphenicol (CFP) for tissue	5 Gms	1090		(2-Chloroethyl)trimethylammonium chloride, Chlormequat chloride,		
[56-75-7]	culture, 98-102%	25 Gms	2530		Choline dichloride, Cycocel)		
97686	Chloramphenicol (CFP), 98-102%	5 Gms	830	10231	2-Chloro-4,6 Dimethoxy-1,3,5	5 Gms	900
[56-75-7]		25 Gms	2310	[3140-73-6]	Triazine extrapure, 99%	25 Gms	3500
		100 Gms	5720			100 Gms	12000
37281	p-Chloroacetanilide extrapure AR,	25 Gms	630	42687	1-Chloro-2,4-Dinitrobenzene	500 Gms	740
[539-03-7]	99%	100 Gms	1930	[97-00-7]	extrapure, 99%		
				69297	1-Chloro-2,4-Dinitrobenzene	25 Gms	190
				[97-00-7]	extrapure AR, 99%	100 Gms	570



hloro-2,4-Dinitrobenzene rapure AR, ExiPlus, tit-Compendial, 99% ets compendial specs of BP hloro-3,5-Dinitropyridine rapure AR, 99% hlorophenylboronic Acid rapure, 97% hloroethylphosphonic Acid HREL, Ethephon) 40% soln. hloro-4-Fluoroaniline pure, 98% hloro-5-Fluorobenzoic Acid e, 98% hloro-6-Fluorobenzoic Acid e, 98% hloro-2-Fluorobenzoic Acid e, 98% hloro-2-Fluorobenzoic Acid e, 98% hloro-1-Fluorobenzoic Acid e, 98% hloro-2-Fluorobenzoic Acid e, 98%	100 Gms 500 Gms 1 Gms 5 Gms 5 Gms 25 Gms 100 ml 250 ml 25 Gms 100 Gms 500 Gms 5 Gms 25 Gms 100 Gms 5 Gms 25 Gms 100 Gms 5 Gms 100 Gms	5120 15720 1800 7430 800 1700 700 1400 6000 1650 5340 2940 15300 2760 6450	71848 [130-26-7]	6-Chloro-3-Indoxyl-a-D-Glucopyran oside (Salmon-a-D-Glc) extrapure, 98% (Salmon-alpha-D-Glucoside) 5-Chloro-7-Iodo-8-Quinolinol (Clioquinol, Iodochlorohydroxyquinoline) ExiPlus, 97-103% (5-Chloro-8-Hydroxy-7-Iodoquinoline) 4-Chloromercuribenzenesulphonic Acid Monosodium Salt (pCMBS) extrapure, 95% (p-Chloromercuriphenylsulfonic Acid Sodium Salt) p-Chloromercuribenzoic Acid Sodium Salt extrapure, 98% 4-Chloro-1-Naphthol Substrate Grade extrapure, 99%	100 Mg 500 Mg 25 Gms 100 Gms 500 Gms 10 Mg 1 Gms 5 Gms 5 Gms 2.5 Gms 25 Gms	4900 17380 2200 5800 22000 30600 3390 12260 2630 3980 19260
ets compendial specs of BP hloro-3,5-Dinitropyridine rapure AR, 99% hlorophenylboronic Acid rapure, 97% hloroethylphosphonic Acid HREL, Ethephon) 40% soln. hloro-4-Fluoroaniline pure, 98% hloro-5-Fluorobenzoic Acid e, 98% hloro-6-Fluorobenzoic Acid e, 98% hloro-2-Fluorobenzoic Acid e, 98% hloro-2-Fluorobenzoic Acid e, 98%	5 Gms 5 Gms 25 Gms 100 ml 250 ml 25 Gms 100 Gms 500 Gms 5 Gms 25 Gms 10 Gms 10 Gms 5 Gms 25 Gms 5 Gms 5 Gms	15720 1800 7430 800 1700 700 1400 6000 1650 5340 2940 15300 2760 6450	[130-26-7] 25898	(Salmon-alpha-D-Glucoside) 5-Chloro-7-lodo-8-Quinolinol (Clioquinol, lodochlorohydroxyquinoline) ExiPlus, 97-103% (5-Chloro-8-Hydroxy-7-lodoquinoline) 4-Chloromercuribenzenesulphonic Acid Monosodium Salt (pCMBS) extrapure, 95% (p-Chloromercuriphenylsulfonic Acid Sodium Salt) p-Chloromercuribenzoic Acid Sodium Salt extrapure, 98% 4-Chloro-1-Naphthol Substrate Grade extrapure, 99%	100 Gms 500 Gms 10 Mg 1 Gms 5 Gms 5 Gms 5 Gms 25 Gms	30600 3390 12260 2630 3980
hlorophenylboronic Acid rapure, 97% hloroethylphosphonic Acid HREL, Ethephon) 40% soln. hloro-4-Fluoroaniline pure, 98% hloro-4-Fluorobenzoic Acid e, 98% hloro-5-Fluorobenzoic Acid e, 98% hloro-6-Fluorobenzoic Acid e, 98% hloro-2-Fluorobenzoic Acid e, 98%	5 Gms 5 Gms 25 Gms 100 ml 250 ml 25 Gms 100 Gms 500 Gms 5 Gms 25 Gms 10 Gms 10 Gms 5 Gms 25 Gms 5 Gms 5 Gms	15720 1800 7430 800 1700 700 1400 6000 1650 5340 2940 15300 2760 6450	[130-26-7] 25898	(Clioquinol, Iodochlorohydroxyquinoline) ExiPlus, 97-103% (5-Chloro-8-Hydroxy-7-lodoquinoline) 4-Chloromercuribenzenesulphonic Acid Monosodium Salt (pCMBS) extrapure, 95% (p-Chloromercuriphenylsulfonic Acid Sodium Salt) p-Chloromercuribenzoic Acid Sodium Salt extrapure, 98% 4-Chloro-1-Naphthol Substrate Grade extrapure, 99%	100 Gms 500 Gms 10 Mg 1 Gms 5 Gms 5 Gms 5 Gms 25 Gms	30600 3390 12260 2630 3980
hlorophenylboronic Acid rapure, 97% hloroethylphosphonic Acid HREL, Ethephon) 40% soln. hloro-4-Fluoroaniline pure, 98% hloro-4-Fluorobenzoic Acid e, 98% hloro-5-Fluorobenzoic Acid e, 98% hloro-6-Fluorobenzoic Acid e, 98% hloro-2-Fluorobenzoic Acid e, 98% hloro-2-Fluorobenzoic Acid e, 98%	5 Gms 25 Gms 100 ml 250 ml 25 Gms 100 Gms 500 Gms 5 Gms 25 Gms 10 Gms 10 Gms 5 Gms 25 Gms 5 Gms	1800 7430 800 1700 700 1400 6000 1650 5340 2940 15300 2760 6450	25898	Iodochlorohydroxyquinoline) ExiPlus, 97-103% (5-Chloro-8-Hydroxy-7-lodoquinoline) 4-Chloromercuribenzenesulphonic Acid Monosodium Salt (pCMBS) extrapure, 95% (p-Chloromercuriphenylsulfonic Acid Sodium Salt) p-Chloromercuribenzoic Acid Sodium Salt extrapure, 98% 4-Chloro-1-Naphthol Substrate Grade extrapure, 99%	10 Mg 1 Gms 5 Gms 2.5 Gms 5 Gms 25 Gms	30600 3390 12260 2630 3980
hloroethylphosphonic Acid HREL, Ethephon) 40% soln. hloro-4-Fluoroaniline pure, 98% hloro-4-Fluorobenzoic Acid e, 98% hloro-5-Fluorobenzoic Acid e, 98% hloro-6-Fluorobenzoic Acid e, 98% hloro-2-Fluorobenzoic Acid e, 98%	25 Gms 100 ml 250 ml 25 Gms 100 Gms 500 Gms 5 Gms 25 Gms 10 Gms 10 Gms 5 Gms 5 Gms 5 Gms	7430 800 1700 700 1400 6000 1650 5340 2940 15300 2760 6450	[14110-97-5] 26004	ExiPlus, 97-103% (5-Chloro-8-Hydroxy-7-lodoquinoline) 4-Chloromercuribenzenesulphonic Acid Monosodium Salt (pCMBS) extrapure, 95% (p-Chloromercuriphenylsulfonic Acid Sodium Salt) p-Chloromercuribenzoic Acid Sodium Salt extrapure, 98% 4-Chloro-1-Naphthol Substrate Grade extrapure, 99%	1 Gms 5 Gms 2.5 Gms 5 Gms 25 Gms	30600 3390 12260 2630 3980
hloroethylphosphonic Acid HREL, Ethephon) 40% soln. hloro-4-Fluoroaniline pure, 98% hloro-4-Fluorobenzoic Acid e, 98% hloro-5-Fluorobenzoic Acid e, 98% hloro-6-Fluorobenzoic Acid e, 98% hloro-2-Fluorobenzoic Acid e, 98%	100 ml 250 ml 25 Gms 100 Gms 500 Gms 5 Gms 25 Gms 10 Gms 100 Gms 5 Gms 25 Gms	800 1700 700 1400 6000 1650 5340 2940 15300 2760 6450	[14110-97-5] 26004	4-Chloromercuribenzenesulphonic Acid Monosodium Salt (pCMBS) extrapure, 95% (p-Chloromercuriphenylsulfonic Acid Sodium Salt) p-Chloromercuribenzoic Acid Sodium Salt extrapure, 98% 4-Chloro-1-Naphthol Substrate Grade extrapure, 99%	1 Gms 5 Gms 2.5 Gms 5 Gms 25 Gms	3390 12260 2630 3980
HREL, Ethephon) 40% soln. hloro-4-Fluoroaniline pure, 98% hloro-4-Fluorobenzoic Acid e, 98% hloro-5-Fluorobenzoic Acid e, 98% hloro-6-Fluorobenzoic Acid e, 98% hloro-2-Fluorobenzoic Acid e, 98% hloro-4-Nitrophenyl	250 ml 25 Gms 100 Gms 500 Gms 5 Gms 25 Gms 10 Gms 10 Gms 10 Gms 5 Gms 5 Gms	1700 700 1400 6000 1650 5340 2940 15300 2760 6450	[14110-97-5] 26004	Acid Monosodium Salt (pCMBS) extrapure, 95% (p-Chloromercuriphenylsulfonic Acid Sodium Salt) p-Chloromercuribenzoic Acid Sodium Salt extrapure, 98% 4-Chloro-1-Naphthol Substrate Grade extrapure, 99%	1 Gms 5 Gms 2.5 Gms 5 Gms 25 Gms	3390 12260 2630 3980
hloro-4-Fluorobenzoic Acid e, 98% hloro-5-Fluorobenzoic Acid e, 98% hloro-6-Fluorobenzoic Acid e, 98% hloro-2-Fluorobenzoic Acid e, 98%	25 Gms 100 Gms 500 Gms 5 Gms 25 Gms 10 Gms 100 Gms 5 Gms 5 Gms 5 Gms	700 1400 6000 1650 5340 2940 15300 2760 6450	[138-85-2] 81929 [604-44-4] 85267	(p-Chloromercuriphenylsulfonic Acid Sodium Salt) p-Chloromercuribenzoic Acid Sodium Salt extrapure, 98% 4-Chloro-1-Naphthol Substrate Grade extrapure, 99%	5 Gms 2.5 Gms 5 Gms 25 Gms	12260 2630 3980
hloro-4-Fluorobenzoic Acid e, 98% hloro-5-Fluorobenzoic Acid e, 98% hloro-6-Fluorobenzoic Acid e, 98% hloro-2-Fluorobenzoic Acid e, 98%	100 Gms 500 Gms 5 Gms 25 Gms 10 Gms 100 Gms 5 Gms 25 Gms	1400 6000 1650 5340 2940 15300 2760 6450	[138-85-2] 81929 [604-44-4] 85267	p-Chloromercuribenzoic Acid Sodium Salt extrapure, 98% 4-Chloro-1-Naphthol Substrate Grade extrapure, 99%	5 Gms 2.5 Gms 5 Gms 25 Gms	12260 2630 3980
e, 98% hloro-5-Fluorobenzoic Acid e, 98% hloro-6-Fluorobenzoic Acid e, 98% hloro-2-Fluorobenzoic Acid e, 98% hloro-4-Nitrophenyl	500 Gms 5 Gms 25 Gms 10 Gms 100 Gms 5 Gms 25 Gms	6000 1650 5340 2940 15300 2760 6450	[138-85-2] 81929 [604-44-4] 85267	Sodium Salt extrapure, 98% 4-Chloro-1-Naphthol Substrate Grade extrapure, 99%	5 Gms 2.5 Gms 5 Gms 25 Gms	12260 2630 3980
e, 98% hloro-5-Fluorobenzoic Acid e, 98% hloro-6-Fluorobenzoic Acid e, 98% hloro-2-Fluorobenzoic Acid e, 98% hloro-4-Nitrophenyl	5 Gms 25 Gms 10 Gms 100 Gms 5 Gms 25 Gms	1650 5340 2940 15300 2760 6450	81929 • [604-44-4]	4-Chloro-1-Naphthol Substrate Grade extrapure, 99%	2.5 Gms 5 Gms 25 Gms	2630 3980
e, 98% hloro-5-Fluorobenzoic Acid e, 98% hloro-6-Fluorobenzoic Acid e, 98% hloro-2-Fluorobenzoic Acid e, 98% hloro-4-Nitrophenyl	25 Gms 10 Gms 100 Gms 5 Gms 25 Gms	5340 2940 15300 2760 6450	[604-44-4] 85267	Grade extrapure, 99%	5 Gms 25 Gms	3980
e, 98% hloro-6-Fluorobenzoic Acid e, 98% hloro-2-Fluorobenzoic Acid e, 98% hloro-4-Nitrophenyl	10 Gms 100 Gms 5 Gms 25 Gms 5 Gms	2940 15300 2760 6450	85267	. ,	25 Gms	
e, 98% hloro-6-Fluorobenzoic Acid e, 98% hloro-2-Fluorobenzoic Acid e, 98% hloro-4-Nitrophenyl	100 Gms 5 Gms 25 Gms 5 Gms	15300 2760 6450		1-Chloro-3-Nitrobenzene pure. 98%		19260
e, 98% hloro-2-Fluorobenzoic Acid e, 98% hloro-4-Nitrophenyl	5 Gms 25 Gms 5 Gms	2760 6450		1-Chloro-3-Nitrobenzene pure. 98%	250 Gmc	
e, 98% hloro-2-Fluorobenzoic Acid e, 98% hloro-4-Nitrophenyl	25 Gms 5 Gms	6450	[121-/3-3]	pare, 00%	200 01118	540
hloro-2-Fluorobenzoic Acid e, 98% hloro-4-Nitrophenyl	5 Gms				500 Gms	1040
e, 98% hloro-4-Nitrophenyl		4400	77459	2-Chloro-5-Nitrobenzoic Acid pure,	25 Gms	360
hloro-4-Nitrophenyl	10 Gms	4480	[2516-96-3]	99%	100 Gms	1050
• •		7680			500 Gms	4000
	250 Mg	12000	21259	2-Chloro-4-Nitrophenyl	25 Mg	8450
Gal-G2-a-CNP, Gal CNPG2)	1 Gms	35000	[157843-41-9]	a-L-Fucopyranoside (CNPF)		
apure, 90%	5 Gms	150000		extrapure, 98% (AFU)		
2-Chloro-4-Nitrophenyl)			48958	2-Chloro-4-Nitrophenyl	25 Mg	3920
,4-Galactopyranosylmaltoside) oroform : Isoamyl Alcohol (24:1)	100 ml	1130	[118291-90-0]	a-D-Maltotrioside (CNPG3)	100 Mg	9000
molecular biology	500 ml	2370		extrapure, 95%		
hloro-1-Phenyl Propanone pure,	25 Gms		66684 [3970-40-9]	2-Chloro-3-Nitrotoluene extrapure, 98%	1 Gms	1500
6	100 Gms	2370 8700			5 Gms	6000
Chloropropiophenone,	100 dilis	6700	41107 [108-43-0]	3-Chlorophenol pure, 98% (m-Chlorophenol)	25 Gms	980
hloropropiophenone)			[100 10 0]	(in emercement)	100 Gms	3500
• •	•					17000
(4-chloro-2-Phosphonobenzolazo)	500 Mg	17600		o-Chlorophenol pure, 98%		880
omotropic acid)			[00 07 0]			1730
· ·	•					3340
	1 Gms	2300			500 Gms	900
hloroguanine extrapure, 98%	1 Gms	1900		Chlorophenol Red	5 Gms	620
iriiiio-o-oriioiopaiiiie)	5 Gms	7580	[4430-20-0]	•	25 Gms	2430
hloro-3-Indolyl-Caprylate	50 Mg	6000	87976	Chlorophenol	25 Mg	8480
limon Caprylate) for molecular logy, 97% Chloro-3-Indoxyl-Octanoate)			[99792-79-7]	Red-ß-D-Galactopyranoside (CPRG) extrapure, 90%		0400
hloro-3-Indolyl-B-Galactopyrano	100 Mg	6050		. , ,	25 Gms	450
e extrapure, 98%			[122-88-3]	•	100 Gms	1590
hloro-3-Indolyl	100 Mg	3400		(i aradiioropriciioxyacette acia)	500 Gms	7370
-Galactopyranoside (Salmon) extrapure, 98%	500 Mg	6580	91145 🗸		10 Gms	2000
•			[101-10-0]	Acid (3-CPA) technical grade, 99%	25 Gms	4000
a a.a., . 1000 aarj	10 Mg	4070	28272 🗸	4-Chlorophenylacetic Acid pure,	100 Gms	1800
hloro-3-Indolyl-ß-D-Glucuronide	50 Ma	13540		98%	500 Gms	8000
or all his	notropic acid) ogenic Acid Hemihydrate oure, 98% oroguanine extrapure, 98% ino-6-Chloropurine) oro-3-Indolyl-Caprylate oro-3-Indoxyl-Octanoate) oro-3-Indolyl-B-Galactopyrano extrapure, 98% oro-3-Indolyl ialactopyranoside (Salmon extrapure, 98% Gal, Rose Gal)	trophotometry 500 Mg -chloro-2-Phosphonobenzolazo) notropic acid) ogenic Acid Hemihydrate 100 Mg oure, 98% 1 Gms oroguanine extrapure, 98% 1 Gms oro-3-Indolyl-Caprylate 50 Mg on Caprylate) for molecular gy, 97% oro-3-Indolyl-B-Galactopyrano 100 Mg extrapure, 98% oro-3-Indolyl-B-Galactopyrano 500 Mg extrapure, 98% oro-3-Indolyl-B-Galactopyrano 500 Mg extrapure, 98% Gal, Rose Gal) oro-3-Indolyl-B-D-Glucuronide 10 Mg othexylammonium Salt 50 Mg	17600 1760	17600 94280 17600 94280 17600 94280 17600 95-57-8 17600 17600 95-57-8 17600 1	prophotometry chloro-2-Phosphonobenzolazo) notropic acid) ogenic Acid Hemihydrate pure, 98% 1 Gms 2300 p-Chlorophenol pure, 98% 1 Gms 2300 p-Chlorophenol pure, 98% (4-Chlorophenol) ino-6-Chloropurine) 5 Gms 7580 [106-48-9] (4-Chlorophenol) ino-6-Chlorophenol pure, 98% [106-48-9] (4-Chlorophenol) ino-6-Chlorophenol Red ino-6-B-D-Galactopyrano ino-6-Chlorophenol Red ino-6-B-D-Galactopyran	Solid Soli



ode	Name	Packing	Price	Code	Name	Packing	Pri
10881 🗸	. ,	100 Mg	500	31723	Chromotropic Acid Disodium Salt	10 Gms	75
[327-97-9]	(1,3,4,5-Tetrahydroxycyclohexanecarb	1 Gms	2500	[5808-22-0]	Dihydrate extrapure AR, 99%	25 Gms	174
	oxylic acid 3-(3,4-dihydroxycinnamate), 3-(3,4-Dihydroxycinnamoy	5 Gms	11750			100 Gms	400
3727	2-Chloropropionic Acid pure, 97%	100 ml	1350			500 Gms	1600
[598-78-7]		500 ml	5880	72580	Chromotropic Acid Disodium Salt	10 Gms	103
0217	S-2-Chloropropionic Acid pure,	5 ml	980	[5808-22-0]	Dihydrate extrapure AR, ACS,	25 Gms	200
29617-66-1]		25 ml	3060		ExiPlus, Multi-Compendial, 99%	100 Gms	480
	(S-(-)-2-Chloropropionic Acid)	100 ml	11020			500 Gms	1850
0774	3-Chloropropiophenone pure, 98%	25 Gms	2820		meets compendial specs of USP, BP,		
4841-35-5]		100 Gms	10240		Ph.Eur		
		500 Gms	44780		a-Chymotrypsin ex. Bovine	25 Mg	270
2010	4 Chlorenzenienhenene nure 000/			[9004-07-3]	Pancreas, 40 U/mg protein	250 Mg	500
3313 3285-05-8]	4-Chloropropiophenone pure, 98%	100 Gms	2830			1 Gms	800
		500 Gms	12770			5 Gms	2500
2020 [87-42-3]	6-Chloropurine extrapure, 99%	1 Gms	880	13225	a-Chymotrypsin ex. Porcine,	250 Mg	250
[07-42-3]		5 Gms	3110	[9004-07-3]	40U/mg protein	1 Gms	450
		25 Gms	12300			5 Gms	2100
7430	6-Chloropurine Riboside extrapure	250 Mg	2160	87063	a-Chymotrypsinogen A (5x cryst)	100 Mg	286
004-06-0]		1 Gms	7310	[9035-75-0]	ex. Bovine Pancreas, 45U/mg	250 Mg	603
6176	5-Chlorosalicylic Acid pure, 98%	100 Gms	570			1 Gms	167
321-14-2]		500 Gms	1650			5 Gms	8073
9838	p-Chlorotoluene pure, 98%	500 ml	1310	88213	Cinnamonitrile extrapure, 97%	25 ml	88
106-43-4]		1000 ml	2210	[1885-38-7]	(3-Phenylacrylonitrile)	100 ml	262
7389	Cholecalciferol (Vitamin D3) for	1 Gms	1210	26591	Cinnamoyl Chloride pure, 98%	100 ml	237
[67-97-0]	tissue culture, 97%	5 Gms	4600	[102-92-1]	,	500 ml	938
	(7-Dehydrocholesterol Activated)	25 Gms	22000	78079	Ciprofloxacin Hydrochloride	1 Gms	44
4181	Cholesterol ex. Sheep Wool	5 Gms	580		Hydrate (CPFX), 98-102%	5 Gms	165
[57-88-5]	(Lanolin) extrapure AR, 99%	25 Gms	2530		Other Lawrence O.F.O.		
		100 Gms	9350	29965 [5392-40-5]	Citral pure, 95% (3,7-Dimethyl-2,6-Octadienal)	100 ml	58
		500 Gms	38500			500 ml	280
8615	Cholesterol ex. Sheep Wool	5 Gms	1290	13294 ✓ [8000-29-1]	Citronella Oil extrapure, 34%	250 ml	275
[57-88-5]	(Lanolin) Reference Standard	25 Gms	3860	[0000-29-1]		500 ml	504
	Grade for molecular biology, 99%	100 Gms	14730	35417	L-Citrulline extrapure CHR, 99%	25 Gms	45
	Cholesterol Esterase (CE) ex.			[372-75-8]		100 Gms	120
1 626 • 026-00-0]	Porcine Pancreas, 35U/mg solids	10 Mg	10430			500 Gms	450
5091	· · · · · ·	500 Units	7460	41694	Citrazinic Acid extrapure, 97%	25 Gms	220
028-76-6]		2500 Units	32300	[99-11-6]	(2,6-Dihydroxypyridine-4-Carboxylic	100 Gms	500
7645 •	Cholesteryl Acetate extrapure, 99%	5 Gms	860		acid, Dihydroxyisonicotinic Acid)	500 Gms	1550
604-35-3]	onologicity: Addition example 10, 00%	25 Gms	3800	78746	Clove Oil extrapure, 80%	100 ml	112
1000 4	Chalia Asid autronura 000/			[8000-34-8]		500 ml	482
4908 ✓ [81-25-4]	Cholic Acid extrapure, 98%	25 Gms	3400	68320	CP-OSu (N-	25 Gms	700
',		100 Gms	12000		(Cyclopentyloxycarbonyloxy)Succi		. 50
		500 Gms	55000		nimide) extrapure, 99%		
3645 ✓ 361-09-1,	Cholic Acid Sodium Salt Hydrate pure, 99%	25 Gms	3800		Cloxacillin Sodium Monohydrate	1 Gms	165
	(Sodium Cholate Hydrate)	100 Gms	13000	[/001-44-9]	(CSX), 95-102%	5 Gms	550
	· ,	500 Gms	60000		Coelenterazine Native (CLZN) ex.	250 mcg	1429
3319	Chromotrope 2R	10 Gms	620	[55779-48-1]	Aequorea Sp., 95%	1 Mg	2360
197-07-3]		25 Gms	1230	40804	Coenzyme A Free Acid extrapure,	10 Mg	331
				[85-61-0]	90%	25 Mg	551
						100 Mg	1714



Code	Name	Packing	Price	Code	Name	Packing	Price
95225	•	10 Mg	6500	29121	o-Cresolphthalein AR, 95%	5 Gms	160
[55672-92-9 (anhy)]	(CoA Na2) for molecular biology, 85%	25 Mg	11500	[596-27-0]		25 Gms	580
64147	Coenzyme A Trilithium Salt ex.	25 Mg	6050			100 Gms	2240
[18439-24-2]	Yeast extrapure, 90% CoA			64982	o-Cresolphthalein Complexone	1 Gms	480
15039	Coenzyme Q10 extrapure, 99%	100 Mg	730	[2411-89-4]	(Phthalein Purple) extrapure AR, 80%	5 Gms	1850
[303-98-0]		500 Mg	2800			25 Gms	6000
		1 Gms	5550	72278	o-Cresolphthalein Complexone	1 Gms	1320
		5 Gms	10860	[94442-10-1]	Disodium Salt extrapure	5 Gms	5500
	Colchicine extrapure, 98%	1 Gms	1840	31393	m-Cresol Purple extrapure AR	1 Gms	260
[64-86-8]		5 Gms	8820	[2303-01-7]		5 Gms	1140
		10 Gms	17140	60837	Crotonic Acid pure, 99%	100 Gms	630
93156	' ,	1 Gms	2230	[107-93-7]		250 Gms	1100
[64-86-8]	Multi-Compendial, 98%	5 Gms	10510			500 Gms	2060
	meets compendial specs of USP, BP, Ph.Eur			51665	r-CRP ex. E.Coli (Recombinant C-reactive protein) extrapure	1 Mg	11800
	Colchicine for tissue culture, 98%	1 Gms	2090	12295	Cuelure pure, 95%	25 Gms	750
[64-86-8]		5 Gms	10040	[3572-06-3]	(4-[4-(Acetyloxy)phenyl]-2-Butanone)	100 Gms	2510
51681	Colistin Sulphate (CLS)	500 Mg	1650			500 Gms	11630
[1264-72-8]		1 Gms	3300			1 Kg	22280
		5 Gms	9900			2.5 Kg	49320
90443	Collagen ex. Marine Fish extrapure,	5 Gms	2200		4-Cyanophenylboronic Acid	1 Gms	1500
[9007-34-5]	95%	25 Gms	6600	[126747-14-6]	extrapure, 95%	5 Gms	6500
		100 Gms	20900			25 Gms	19000
51581	Colloidal Protein Staining Solution	100 ml	3400	86320 🗸	3-Cyanophenylboronic Acid	1 Gms	1350
	·			[150255-96-2]	extrapure, 97%	5 Gms	3360
94278	2,4,6-Collidine pure, 98%	100 ml	1400			25 Gms	13980
[108-75-8]	(2,4,6-Trimethylpyridine)	500 ml	6200	57446	Cyanuric Chloride extrapure, 99%	100 Gms	300
24275	Congo Red ACS, 75%	25 Gms	360	[108-77-0]	(2,4,6-Trichloro-1,3,5-Triazine)	250 Gms	600
[573-58-0]		100 Gms	1300			500 Gms	1100
10408	Cotrimoxazole (CTX), 95%	100 Mg	2530	51458	1-Cyano-4-Dimethylaminopyridiniu	100 Mg	6840
[8064-90-2]		500 Mg	12000	[59016-56-7]	m Tetrafluoroborate (CDAP)	250 Mg	15530
42074	Coumarin pure, 98%	100 Gms	600		extrapure, 97.5%	1 Gms	60240
[91-64-5]	(1-Benzopyran-2-one)	500 Gms	2740	57902 ¥	1-(3-Cyanopropyl)	5 Gms	6620
76072	Creatine Monohydrate extrapure,	25 Gms	320	[879866-74-7]	-3-Methylimidazolium Dicyanamide	25 Gms	28000
[6020-87-7]	99%	100 Gms	950		(CPMIM.DC) pure, 98% (1-Methyl-3-		
		1 Kg	9000		(3-Cyanopropyl)imidazolium		
25758	Creatine Phosphate Disodium Salt	1 Gms	1250		Dicyanamide)		
[71519-72-7]	-	5 Gms	4310		Cyanogen Bromide pure, 98%	25 Gms	850
	(Sodium Creatine Phosphate Dibasic Tetrahydrate, Phosphocreatine			[506-68-3]		100 Gms	2240
	Disodium Salt Tetrahydrate)			31787	- , , ,	25 Gms	1050
25074	Creatininase ex. Recombinant	2 K.Units	6740	[506-68-3]	Multi-Compendial, 98%	100 Gms	2540
[9025-13-2]	E.Coli, 500U/mg	5 K.Units	14690		meets compendial specs of USP, Ph.Eur		
65142 ✓ [60-27-5]	Creatinine extrapure CHR, 99%	25 Gms	780	81778 [506-68-3]	Cyanogen Bromide Solution (5.0M in Acetonitrile)	100 ml	6000
[-22, 0]		100 Gms	3000		3-Cyanoindole pure, 98%	5 Gms	2860
		500 Gms	12000	[5457-28-3]		25 Gms	11800
19428 ✓ [60-27-5]	Creatinine extrapure AR, 99%	25 Gms	900	33202	5-Cyanoindole pure, 98%	10 Gms	26430
[6-12-00]		100 Gms	3400	[15861-24-2]		25 Gms	65590
		500 Gms	14000	83244	ß-Cyclodextrin, base (BCD) for	100 Gms	700
62000	Creatinine Deiminase ex.	250 Units	9790		tissue culture, 98%		



Name	Packing	Price	Code	Name	Packing	Pri
ß-Cyclodextrin, base (BCD), 98%	5 Gms	560	62682		100 Mg	115
	25 Gms	1500	[147-94-4]		1 Gms	520
	100 Gms	3800		(Cytosine Arabinoside)	5 Gms	850
Cyclohexanecarboxaldehyde pure,	25 ml	3490	75543	DABCYL-N-Succinimidyl Ester	50 Mg	560
97%	100 ml	13540	[146998-31-4]		250 Mg	1839
1,4-Cyclohexanedione pure, 99%						
	100 Gms	1300	31920	· · ·	25 Mg	661
Cyclohexanol extrapure, 99%	500 ml	610	[552-66-9]	(Daidzein-7-O-B-D-Glucopyranoside)	100 Mg	2234
	2500 ml	2590	90//1	Danofloxacin Mesylate (DM) 98%	100 Mg	684
Cyclohexene (Tetrahydrobenzene)	100 ml	380		• • • •	100 Mg	004
pure, 99%	500 ml	1650			1 Gms	418
	2500 ml	7800	[605-65-2]	99%	5 Gms	1595
Cycloheximide extrapure, 94%	100 Ma	440		(5-Dimethylaminonaphthalene-1-Sulfon		1000
(Actidione)	•			• •		
				•	=	435
			[20710-90-0]	Dihydrochloride) for molecular	25 Mg	895
	•			biology, 95%		
	1 Gms	2640	28488	DAPI Dihydrochloride	100 Mg	539
	5 Gms	10780	[28718-90-3]	•		
Cyclopentanone (Keto	100 ml	470				
Cyclopentane) pure, 99%	500 ml	1430	8014E Î		1 ml	86
(Keto Cyclopentane)	2500 ml	5280				
Cyclopentyl Methyl Ether (CPME)	250 ml	1600		Dihydrochloride) Solution (1mg/ml	3 X 1 1111	404
extrapure AR, 99%				in H2O)		
					1 Gms	67
Contamoran and another which			[38078-09-0]	Sulturtrifluoride) extrapure AH, 95%	5 Gms	300
					25 Gms	1000
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					100 Gms	3700
		7000	40396		2 Gms	99
	1 Gms	850	[14933-08-5]		10 Gms	296
Mononydrate extrapure, 97%	5 Gms	3200			50 Gms	1450
D-Cycloserine (D-CSR), 98%	1 Gms	2500	47478		5 Gms	245
(D-4-Amino-3-Isoxazolidone)	5 Gms	8000	[9013-34-7]	for molecular biology		1004
D-Cysteine (base) extrapure, 99%	1 Gms	3060				
((S)-2-Amino-3-Mercaptopropionic				• •		276
Acid)			[9013-34-7]	ioi moleculai biology	25 Gms	1163
Cytidine extrapure, 99%	5 Gms	590	92321	DEAE Cellulose 32 analytical grade	5 Gms	343
	25 Gms	1540	[9013-34-7]	for molecular biology	25 Gms	1444
	500 Gms	28600	10529	DEAE Cellulose 52 analytical grade	5 Gms	217
Cytidine-5-Monophosphate	1 Gms	620	[9013-34-7]	for molecular biology	25 Gms	1006
(5-CMP) extrapure, 99%	5 Gms	2450			100 Gms	3500
Cytidine-5-Triphosphate Disodium	100 Ma		5/665	Decalin (Decahydronanhthalana)		
Salt (5-CTP-Na2) extrapure, 97%	•			pure, 98%		190
				•		900
	•		47112	1,10-Decanediol pure, 98%	100 Gms	180
	_		[112-4/-0]	1,10-Dihydroxydecane)	500 Gms	700
	•	51000	72007		100 ml	560
	1 Gms	95000	[143-10-2]			2485
Cytochrome C (Oxidized) (Type 2)	25 Mg	4000		December Oblavida nove 2007		
			91106	Decanoyl Chloride pure, 98%	100 ml	92
ex. Horse Heart, 95%	100 Mg	13000	[112-13-0]	(Capric Acid Chloride)	500 ml	441
	B-Cyclodextrin, base (BCD), 98% Cyclohexanecarboxaldehyde pure, 97% (Hexahydrobenzaldehyde) 1,4-Cyclohexanedione pure, 99% Cyclohexanol extrapure, 99% Cyclohexene (Tetrahydrobenzene) pure, 99% Cycloheximide extrapure, 94% (Actidione) Cyclopentanone (Keto Cyclopentane) pure, 99% (Keto Cyclopentane) Cyclopentyl Methyl Ether (CPME) extrapure AR, 99% Cyclopropanecarboxylic Acid (CPC-Acid) pure, 98% Cyclopropylboronic Acid Monohydrate extrapure, 97% D-Cycloserine (D-CSR), 98% (D-4-Amino-3-Isoxazolidone) D-Cysteine (base) extrapure, 99% ((S)-2-Amino-3-Mercaptopropionic Acid) Cytidine extrapure, 99% Cytidine-5-Monophosphate (5-CMP) extrapure, 99% Cytidine-5-Triphosphate Disodium Salt (5-CTP-Na2) extrapure, 97% Cytochrome C (Oxidized) (Type 1) ex. Horse Heart extrapure, 90%	B-Cyclodextrin, base (BCD), 98%	B-Cyclodextrin, base (BCD), 98% 5 Gms 560 25 Gms 1500 100 Gms 3800 25 Gms 1500 100 Gms 3800 25 Gms 13540 1	B-Cyclodextrin, base (BCD), 98% 5 Gms 560 [147-94-4] 100 Gms 3800 [147-94-4] 100 ml 13540 [146999-31-4] 100 ml 13540 [146999-31-4] 100 ml 13540 [146999-31-4] 100 ml 13540 [146999-31-4] 100 ml 13540 [1552-96-9] 100 Gms 1300 [552-96-9] 100 Gms 1300 [552-96-9] 100 Gms 1300 [552-96-9] 100 ml 1380 [1552-96-9] 100 ml 1380 [1552-96-9] 100 ml 1380 [1650 64018 [605-65-2] 100 ml 1380 [605-65-2]	B-Cyclodextrin, base (BCD), 98% 5 Gms 560 25 Gms 1500 100 Gms 3800 100 Gms	B-Cyclodextrin, base (BCD), 98% 5 Gms 5 Gms 5 Gms 1



Code	Name	Packing	Price	Code	Name	Packing	Price
48467	Decyl Alcohol pure, 99%	100 ml	280		Deoxyribonuclease I - Type 2B	10 Mg	620
[112-30-1]	(1-Decanol)	500 ml	870	[9003-98-9]	(DNase I) ex. Bovine Pancreas for	100 Mg	5880
		2500 ml	4250		MB, 180Kunitz U/mg	1 Gms	22030
43940	Decyltrimethylammonium Bromide	25 Gms	2500	74322	Deoxyribonucleic Acid Free Acid	5 Gms	2100
[2082-84-0]	(DTMAB) extrapure, 98%	100 Gms	8000	[100403-24-5]	(DNA) ex. Fish Sperm	10 Gms	4000
40133	Deoxy Big CHAPS extrapure, 95%	500 Mg	24850			25 Gms	8000
[86303-23-3]	N,N'-Bis(3-D-gluconamidopropyl			30295	Deoxyribonucleic Acid Sodium Salt	5 Gms	2250
	deoxycholamide			[9007-49-2,	(DNA Sodium Salt) ex. Salmon Milt	25 Gms	8500
83158 • [16373-93-6]	2-Deoxyadenosine Monohydrate extrapure, 98%	1 Gms	1270	68938-01-2]	(SS-DNA, sm-DNA)	05.14	0750
·	· ·	5 Gms	5660	68451 [73049-39-5]	Deoxyribonucleic Acid Sodium Salt (DNA Sodium Salt Highly	25 Mg	2750
39192 [2922-74-9]	2'-Deoxyadenosine-5'-Monophosph ate Disodium Salt (dAMP-Na2)	100 Mg	2870		Polymerized) ex. Calf Thymus	100 Mg 250 Mg	6000
[2922-74-9]	extrapure, 98%				extrapure		14000
49092	2-Deoxycytidine extrapure, 98%	100 Mg	790	84384 [533-67-5]	2-Deoxy-D-Ribose extrapure	1 Gms	500
[951-77-9]		500 Mg	2240	[555-67-5]		5 Gms	1990
		1 Gms	3610			25 Gms	7340
55193	2`-Deoxycytidine	500 Mg	10000		2'-Deoxyuridine extrapure, 98%	250 Mg	2300
[13085-50-2]	-5`-Monophosphate Disodium Salt			[951-78-0]		1 Gms	8350
	(dCMP-Na2) extrapure, 98%			41602		100 Mg	5000
84476 [1949-89-9]	2-Deoxy-D-Galactose extrapure, 98%	1 Gms	9000	[42155-08-8]	e Disodium Salt (dUMP-Na2) extrapure, 98%		
[1949-09-9]	(2-Deoxygalactose)	5 Gms	34000	41143	Deoxycholic Acid extrapure, 99%	25 Gms	3600
43421	2-Deoxy-D-Glucose (2-DG)	1 Gms	900	[83-44-3]	,	100 Gms	12800
[154-17-6]	extrapure AR, 99.9%	5 Gms	4100	24417	Deoxycholic Acid Sodium Salt	25 Gms	2200
		25 Gms	20000	[302-95-4]	(Sodium Deoxycholate) Bacto	100 Gms	7920
22350	● 2-Deoxyguanosine Monohydrate	100 Mg	2600		grade, 99%	500 Gms	38720
[312693-72-4]	extrapure, 99%	500 Mg	8030	00070	Deoxycholic Acid Sodium Salt		
		1 Gms	13580	96876 [145224-92-6]	Monohydrate (Sodium	25 Gms 100 Gms	2420
		5 Gms	42850		Deoxycholate Monohydrate) Bacto	500 Gms	8140 40700
25695	2'-Deoxyguanosine	500 Mg	16770		grade, 99%		40700
[52558-16-4,	-5'-Monophosphate Sodium Salt	1 Gms	29810	43767 8 [87413-09-0]	Dess Martin Periodinane extrapure,	1 Gms	280
33430-61-4]	(dGMP) extrapure, 98%	5 Gms	136620	[07410-03-0]	5. %	5 Gms	650
16516	2'-Deoxyinosine extrapure, 98%	100 Mg	630			25 Gms	2730
[890-38-0]		250 Mg	1470			100 Gms	10320
		1 Gms	5220	47601 [9004-54-0]	Dextran ex. Leuconostoc Sp Tech	5 Gms	3000
66280	Deoxyguansine Triphosphate	10 Mg	2860	[9004-54-0]	10 (3-11)	25 Gms	5500
[93919-41-6]	Trisodium Salt (dGTP), 97%	25 Mg	5460			100 Gms	16000
	dGTP	100 Mg	19880			500 Gms	48000
		500 Mg	92530		Dextran ex. Leuconostoc Sp Tech	5 Gms	3000
61824	Deoxyribonuclease I (DNase I) -	10 K.Units	2420	[9004-54-0]	40 (35-45)	25 Gms	5500
[9003-98-9]	Type 1A ex. Bovine Pancreas for	50 K.Units	7700			100 Gms	14000
	MB, 2000Kunitz U/mg Protein, 80%	200	25300			500 Gms	32000
	Pr	K.Units			Dextran ex. Leuconostoc Sp Tech	5 Gms	3000
	Deoxyribonuclease I (DNase I) -	10 Mg	3910	[9004-54-0]	70 (65-75)	25 Gms	5500
[9003-98-9]	Type 1B ex. Bovine Pancreas for MB, 2000Kunitz U/mg Protein, 80%	50 Mg	17600			100 Gms	14000
	Pr	100 Mg	31900			500 Gms	42000
14658	Deoxyribonuclease I - Type 2A	5000 Units	1100		Dextran ex. Leuconostoc Sp Tech	5 Gms	3000
[9003-98-9]	(DNase I) ex. Bovine Pancreas for	50000	5600	[9004-54-0]	110 (100-120)	25 Gms	5500
	MB, 180Kunitz U/mg, 85% Protein	Units				100 Gms	16000
		100000	10560			500 Gms	48000



Code	Name	Packing	Price	Code	Name	Packing	Price
62753	Dextran ex. Leuconostoc Sp Tech	5 Gms	3000	10006	1,4-(Diacryloyl) Piperazine	5 Gms	17390
[9004-54-0]	250 (225-275)	25 Gms	5500	[6342-17-2]	-		
		100 Gms	16000		(Piperazine Diacrylamide)		
		500 Gms	48000	62736 ✓ [1482-98-0]	L-2,4 Diaminobutyric Acid Monohydrochloride extrapure, 98%	1 Gms	2490
19301	Dextran ex. Leuconostoc Sp Tech	10 Gms	3000	[1402 00 0]	,	5 Gms	11800
[9004-54-0]	500 (450-550)	25 Gms	5500			25 Gms	45340
		100 Gms	16000		3,3-Diaminobenzidine (DAB) pure,	5 Gms	1650
		500 Gms	48000	[91-95-2]	98%	25 Gms	6560
28354	Dextran Blue 5 ex. Leuconostoc Sp.	500 Mg	21510			100 Gms	22820
[87915-38-6]		ooo mg	21310	17076	•	1 Gms	1310
82575	Dextran Blue 40 ex. Leuconostoc	1 Gms	23000	[868272-85-9]	Tetrahydrochloride Hydrate (DAB.4HCl.xH2O) extrapure AR,	5 Gms	4500
[87915-38-6]	Sp.				98%	25 Gms	16000
	Dextran Blue 110 ex. Leuconostoc	1 Gms	23000	98465	3,3-Diaminobenzidine	100 ml	7460
[87915-38-6]					Tetrahydrochloride (DAB.4HCI)		
14420 [87915-38-6]	Dextran Blue 500 ex. Leuconostoc	1 Gms	23000		Buffer Substrate Solution for Peroxidase		
	Dextran Blue 2000 ex. Leuconostoc	1 Gms	16000	17758	3,5-Diaminobenzoic Acid extrapure,	100 Gms	920
[87915-38-6]		5 Gms	60000	[535-87-5]	98%	500 Gms	920 4170
83826 [9015-73-0]	DEAE-Dextran 500 ex. Leuconostoc	1 Gms	9680	20723	3,5-Diaminobenzoic Acid Dihydrochloride extrapure, 98%	25 Gms	5510
[8013-70-0]		5 Gms	24890	[618-56-4] 16368	trans-1,2-Diaminocyclohexane-N,N,	10 Gms	1410
	DEAE-Dextran Hydrochloride 500	5 Gms	3000		N,N Tetraacetic Acid Monohydrate	25 Gms	2600
[9064-91-9]	ex. Leuconostoc Sp.	25 Gms	7000		extrapure AR (CDTA), 99%	100 Gms	9500
		100 Gms	21000				
62250	FITC-Dextran 4000 ex. Leuconostoc 100 Mg 6600	6600	85122 [137-09-7]	2,4-Diaminophenol Dihydrochloride (Amidol) extrapure, 98%	5 Gms	3850	
[60842-46-8]	-	250 Mg	14300	[107-00-7]	(Annual) extrapare, 00%	25 Gms	9320
36454	(Fluorescein Isothiocyanate–Dextran) FITC-Dextran 40000 ex.	100 Mg	7150	34124	2,6-Diaminopurine extrapure, 98%	1 Gms	800
	Leuconostoc Sp.	250 Mg	16500	[1904-98-9]		5 Gms	3800
	(Fluorescein Isothiocyanate–Dextran)	250 Wg	10500			25 Gms	15500
92901	FITC-Dextran 70000 ex.	100 Mg	6600	13261	•	1 Gms	850
[60842-46-8]	Leuconostoc Sp. (Fluorescein Isothiocyanate–Dextran)	250 Mg	14300	[20325-40-0]	extrapure, 98% (3,3-Dimethoxybenzidine	5 Gms	2000
82221	FITC-Dextran 2000000 ex.	100 Mg	6490		Dihydrochloride)	25 Gms	9500
	Leuconostoc Sp.	250 Mg	13200	94912	1,1-Dianthrimide extrapure AR, 98%	1 Gms	3080
	(Fluorescein Isothiocyanate-Dextran)	200 Mg	10200	[82-22-4]	(Di(1-anthraquinoyl)amine)	5 Gms	13200
65163	Dextran Phenyl 40 (30-50)	1 Gms	7310		(1,1-Iminodianthraquinone) (for determination of Boron)		
		5 Gms	23970	90405	Diaphorase ex. Clostridium Sp.,	500 Units	5340
76203	Dextran Sulphate Sodium Salt	10 Gms	4250	[9001-18-7]	30U/mg	300 011113	3340
[9011-18-1]	30-50(DSS 35-50) ex. Leuconostoc	25 Gms	9500	23144	Dibenzylamine pure, 98%	100 ml	860
	Sp.Colitis Grade for molecular biology	100 Gms	32500	[103-49-1]		500 ml	4040
		250 Gms	62500	96661	Dibenzyl Ether pure, 97%	500 ml	910
99629	Dextran Sulphate Sodium Salt 500	10 Gms	4000	[103-50-4]	(Benzyl Ether)	2500 ml	3290
[9011-18-1]	(DSS 500) ex. Leuconostoc Sp. for	25 Gms	9000	00740	1,4-Dibromobenzene pure, 98%		
	molecular biology	100 Gms	30000	88749 ✓ [106-37-6]	1,4-Dibiofilobelizerie pure, 90 %	500 Gms	2420
		250 Gms	60000	43589	1,4-Dibromobutane pure, 98%	250 ml	2100
17379	DHP Linker	5 ml	12290	[110-52-1]	· · · · · · · · · · · · · · · · · · ·		
[3749-36-8]	(3,4-Dihydro-2H-Pyran-2-Methanol) extrapure, 98%	25 ml	44310	74600 ✓ [77-48-5]	1,3-Dibromo-5,5-Dimethylhydantoin (DBDMH) extrapure, 98%	500 Gms	1200
34224 🗸	Diacetone-D-Glucose (DAG)	25 Gms	2620	00004	(Dibromantin)	050!	4 400
[582-52-5]	extrapure, 98%	100 Gms	7950	33384 [106-93-4]	1,2-Dibromoethane pure, 98% (Ethylene Dibromide)	250 ml	1430
	(1,2:5,6-Di-O-Isopropylidene-a-D-Gluc ofuranose, D-Glucose Diacetonide)	500 Gms	29810			1000 ml	4740
72352	Diacetylmonoxime extrapure AR,	25 Gms	490	31575	3,5-Dibromophenol pure, 98%	1 Gms	3080
[57-71-6]	99%	100 Gms	1580	[626-41-5]		5 Gms	13950
	(2,3-Butanedione Monoxime)	500 Gms	7710				



Code	Name	Packing	Price	Code	Name	Packing	Price
34890	1,3-Dibromopropane pure, 99%	100 ml	1130	21942	Dichlorobis(Triphenylphosphine)Pa	1 Gms	2600
[109-64-8]	(Trimethylene Dibromide)	500 ml	4600	[13965-03-02]	Iladium(II) extrapure, 98% (Pd(PPh2)2C)	5 Gms	12000
96763	Di-tert-Butyldicarbonate (BOC	25 Gms	350		(i u(i i iiz)zo)	25 Gms	55000
[24424-99-5]	Anhydride, DiBOC) extrapure, 98%	100 Gms	550	85048	2,7-Dichlorofluorescein Diacetate	25 Mg	2600
		500 Gms	1800	[4091-99-0]	(DCFH) extrapure, 97%	100 Mg	7200
		5 Kg	15000		(DCFH-DA, 2,7-Dichlorodihydrofluorescein		
69246	N6,2-O-Dibutyryl-Adenosine-3,5-Cy	25 Mg	5600		Diacetate)		
[16980-89-5]	clic-Monophosphate Sodium Salt,	100 Mg	13670	86428	2,3-Dichloro-5,6-Dicyano-1,4-Benzo	25 Gms	1410
00444	97%	050 Ma	4500	[84-58-2]	quinone (DDQ) pure, 98%	100 Gms	5030
26414 [1918-00-9]	DICAMBA for tissue culture, 95% (3,6-Dichloro-2-Methoxybenzoic Acid)	250 Mg	1500			500 Gms	24530
[]	,	1 Gms	5500	52979	Dichloromethyl Methyl Ether pure,	5 ml	2200
0		5 Gms	12000	[4885-02-3]	97%	25 ml	5500
	Di-(N-Succinimidyl) Carbonate extrapure, 95%	5 Gms	850			100 ml	21000
[74124-79-1]	extrapare, 35%	25 Gms	2800	88912	2,5-Dichloronitrobenzene pure,	100 Gms	450
		100 Gms	7200	[89-61-2]	99%	250 Gms	900
29154	2,4-Dichloroacetophenone pure,	100 Gms	700		(1,4-Dichloro-2-Nitrobenzene)		
[2234-16-4]	98%	500 Gms	2200		2,4-Dichlorophenol pure, 98%	25 Gms	500
94453	1,3-Dichlorobenzene extrapure,	250 ml	700	[120-83-2]		250 Gms	1500
[541-73-1]	99%	1000 ml	2600	87188	2,6-Dichlorophenol extrapure, 99%	10 Gms	310
	(m-Dichlorobenzene)	2500 ml	5800	[87-65-0]		25 Gms	690
91427	2,3-Dichlorobenzoic Acid pure, 98%	25 Gms	1200			100 Gms	2350
[50-45-3]		100 Gms	4200	42180	2,4-Dichlorophenylboronic Acid	1 Gms	1070
62122	2,4-Dichlorobenzoic Acid	100 Gms	350	[68716-47-2]	extrapure, 98%	5 Gms	2970
[50-84-0]	extrapure, 98%	500 Gms	1600			25 Gms	10380
66481	3,4-Dichlorobenzoic Acid pure, 98%	25 Gms	2300	93611	3,4-Dichlorophenylboronic Acid	1 Gms	1000
[51-44-5]		100 Gms	7000	[151169-75-4]	extrapure, 97%	5 Gms	2500
40583 ■	Dichloro[1,1`-bis(di-t-Butylphosphi	250 Mg				25 Gms	8900
40583 [95408-45-0]		1 Gms	2900	33017	2,6-Dichloroquinone-4-Chlorimide	5 Gms	1610
	extrapure, 98%	5 Gms	4800 19000	[101-38-2]	(Gibbs Reagent) extrapure AR, 99%	25 Gms	6530
	(1,1`-Bis(di-tert-Butylphosphino)Ferroc ene)Dichloropalladium(II))	3 dins	19000		(N,2,6-Trichloro-p-Benzoquinoneimide)	100 Gms	21350
33604	Dichloro(1,2-bis(Diphenylphosphin	250 Mg	1900	38762 ✓	2,4-Dichloro-1,3,5-Triazine pure,	1 Gms	17650
[19978-61-1]	o)Ethane)Palladium (II) extrapure,	1 Gms	4000	[2831-66-5]	98%	5 Gms	58810
	98%	5 Gms	19500	57262	Dicyclohexylamine pure, 99%	500 ml	830
	([1,2-Bis(Diphenylphosphino)Ethane]Di chloropalladium(II))	o amo	19300	[101-83-7]	Zieyeienexy pane, ee z	2500 ml	3800
97111	Dichloro(1,3-bis(Diphenylphosphin	250 Mg	2800	79596	N,N-Dicyclohexyl Carbodiimide	100 Gms	550
[59831-02-6]	o)Propane)Palladium(II) extrapure,	1 Gms	5500	[538-75-0]	(DCC) pure, 99%	500 Gms	
	98%	5 Gms	25000		, , ,	5 Kg	2100 18000
	([1,2-Bis(Diphenylphosphino)Ethane]Di chloropalladium(II))		20000				
99494	Dichloro[1,4-bis(Diphenylphosphin	250 Mg	2800		2,3-Dideoxyadenosine (ddA) extrapure, 98%	5 Mg	2940
[29964-62-3]	o)Butane]Palladium(II) extrapure,	1 Gms	5500		2,3-Dideoxycytidine (ddC)	25 Mg	3150
	98%	5 Gms	25000		extrapure, 98%		
70264	Dichloro-	250 Mg	3000		2,3-Dideoxyinosine (ddl, ddlno)	25 Mg	5200
	[1,3-bis(Diisopropylphenyl)	1 Gms	9200		extrapure, 98%		
	-2-Imidazolidinylidene]-	5 Gms	40000	22328 [3416-05-5]	2,3-Dideoxythymidine (3-Deoxythymidine, ddT) extrapure,	25 Mg	6300
	(3-Chloropyridyl) Palladium(II), 98%	o dillo	10000	[0410-05-5]	98%		
	((1,3-Bis(2,6-Diisopropylphenyl)Imidaz			17412	2,3-Dideoxyuridine (ddU)	25 Mg	8400
	olidene)(3-Chloropyridyl) Palladium(II)			[5983-09-5]	extrapure, 98%	100 Mg	25200
n	Dichloride)			16312	DEPBT (3-(Diethoxyphosphoryloxy)	5 Gms	3680
18602 8 [821-10-3]	1,4-Dichloro-2-Butyne pure, 97%	5 Gms	3000		-1,2,3-benzotriazin-4(3H)-one)	25 Gms	10240
[021-10-0]		25 Gms	10500		extrapure, 98%		



Code	Name	Packing	Price	Code	Name	Packing	Pri
86283 ✓	p-Diethylaminobenzaldhyde pure, 99%	100 Gms	2610	86580 ✓	3,4-Dihydro-2H-pyran (3,4-DHP) pure, 97%	25 ml 100 ml	71
19885	2-Diethylaminoethyl Chloride	25 Gms	800		(2,3-Dihydropyran)		164
[869-24-9]	Hydrochloride extrapure, 99%	100 Gms	1600			500 ml	608
	(2-Chlorotriethylamine Hydrochloride)	500 Gms	6000	65437	2,4-Dihydroxyacetophenone	25 Gms	70
0	Bladed Andread Harris and			[89-84-9]	extrapure, 99% (Resacetophenone)	100 Gms	222
33684 I	Diethyl Aminoethyl Hexanoate (DA-6) technical grade, 98%	5 Gms	2200	41384	2,5-Dihydroxyacetophenone	5 Gms	125
	(, 3 ,	25 Gms	7710	[490-78-8]	extrapure, 99%	25 Gms	500
12915	Diethyl	5 Gms	2400		(2-Acetylhydroquinone,	29 55	000
20605-01-0]	bis(hydroxymethyl)malonate pure, 97%	25 Gms	6000		Quinacetophenone)		
	(Diethyl	100 Gms	22000	58494	2,6-Dihydroxyacetophenone extrapure, 99%	5 Gms	142
	2,2-bis(hydroxymethyl)malonate)			[699-83-2]	(2-Acetylresorcin)	10 Gms	256
9628	Diethyl Chlorophosphate pure, 97%	25 Gms	3800			25 Gms	561
[814-49-3]	(Chlorophosphoric Acid Diethyl Ester, Diethyl Phosphoryl Chloride)	100 Gms	12000			100 Gms	1957
6701	O,O-Diethyl Dithiophosphate	5 Gms	1800	15395	2,4-Dihydroxybenzoic Acid pure,	25 Gms	95
[298-06-6]	extrapure, 95%	25 Gms		[89-86-1]	98% (ß Possovilia Acid)	100 Gms	187
	• ′		4200		(ß-Resocylic Acid)	500 Gms	717
0		100 Gms	15000	69911	1,3-Dihydroxynaphthalene	1 Gms	250
4699	Diethylenetriaminepentaacetic Acid	100 Gms	490	[132-86-5]	(Naphthoresorcinol) extrapure AR,	5 Gms	1000
[67-43-6]	(DTPA) extrapure AR, 99% (Pentetic Acid)	500 Gms	1910		99%	25 Gms	3800
1346 🗸	Diethylenetriaminepentaacetic Acid	500 ml	710	4440	(1,3-Naphthalenediol)	100.0	
[140-01-2]	Pentasodium Salt (DTPA)	1000 ml	1370	41110 8 [83-56-7]	1,5-Dihydroxynaphthalene pure, 98%	100 Gms	252
	extrapure, 40% (Liquid)		1070			500 Gms	970
7598	Diethylenetriamine pure, 98%	500 ml	850		1,7-Dihydroxynaphthalene pure,	5 Gms	594
[111-40-0]		2500 ml	3800	[575-38-2]	97% (1,7-Naphthalenediol)	25 Gms	2135
6791	Diethyl Pyrocarbonate (DEPC) for	5 ml	1200	33580		5 Gms	130
1609-47-8]	molecular biology, 99%	25 ml	2510	[582-17-2]	98%	25 Gms	260
		100 ml	8880		(2,7-Naphthalenediol)	100 Gms	574
4254	N,N-Diethyl-m-Toluidine pure, 98%	100 ml	1010		Q.4 Dibuduana E Nitra		
[91-67-8]	•	500 ml	3150		3,4-Dihydroxy-5-Nitro Benzaldehyde pure, 98%	25 Gms	373
0000	2,4-Difluoroaniline extrapure, 99%					100 Gms	932
9823 [367-25-9]	2,4-Dinuoroannine extrapure, 99%	25 Gms	1340	33878	• •	25 Gms	130
		100 Gms	4790	[608-25-3]	(2,6-Dihydroxytoluene)	100 Gms	388
9553	1,3-Difluorobenzene (MDFB)	25 ml	1000			250 Gms	952
372-18-9]	extrapure, 99% (m-Diflourobenzene)	100 ml	2110	16517	DL-Dihydrozeatin (DHZ) pure, 98%	10 Mg	653
	(in Billoui obstillatio)	500 ml	9930	[14894-18-9]		25 Mg	1079
2081	2,4-Difluorobenzoic Acid pure, 98%	5 Gms	2260		(4-Hydroxy-3-Methylbutylamino)Purine)	25.0	
1583-58-0]		25 Gms	7710	19022 [83-73-8]	5,7-Diiodo-8-Quinolinol (Diiodohydroxyquinoline,	25 Gms	220
3488	1,5-Difluoro-2,4-Dinitrobenzene	5 Gms	2800	[00-70-0]	lodoquinol) ExiPlus, 96.5%	100 Gms	580
[327-92-4]	(DFDNB) pure, 97%	25 Gms	11000		(5,7-Diiodo-8-Hydroxyquinoline)	500 Gms	2200
0670	2,4-Difluoronitrobenzene extrapure,	25 Gms			N,N-Diisopropyl Carbodiimide	25 Gms	107
0670 [446-35-5]	99%	25 Gms 100 Gms	1990	[693-13-0]	(DIPC) extrapure, 99%	100 Gms	392
1			4730			500 Gms	1803
		500 Gms	21740	95423	1,2,3,4-Di-O-Isopropylidene	10 Gms	691
0309	2,4-Difluorophenylboronic Acid	5 Gms	5460		L-Arabinopyranoside extrapure		
44∪∠5-∪3-6]	extrapure, 95%	10 Gms	9490	94784	1,2,3,4-Di-O-Isopropylidene	10 Gms	691
3755	Digitonin (Digitin) extrapure, 50%	100 Mg	3180	[4064-06-6]	a-D-Galactopyranoside extrapure,		
11024-24-1]		1 Gms	27220	40000	98%	4.0	
8712	Digoxin extrapure, 95%	50 Mg	600	10232 [304-55-2]	2,3-Dimercaptosuccinic Acid (DMSA, Succimer) extrapure, 98%	1 Gms	174
20830-75-5]		1 Gms	3500	[00+00-2]	(meso-2,3-Dimercaptosuccinic Acid)	5 Gms	574
		5 Gms	15000	98526	Bismuthiol	25 Gms	95
1274 0	3 4-Dibudro-3-Hudrovy 4 Ove 1 0 3			[1072-71-5]	(2,5-Dimercapto-1,3,4-Thiadiazole,	100 Gms	230
28230-32-2]	3,4-Dihydro-3-Hydroxy-4-Oxo-1,2,3- Benzotriazine (DHOBT, DHBT)	5 Gms	1890		DMTD) pure, 98%	500 Gms	350
	extrapure, 98%	25 Gms	6510		(1,3,4-Thiadiazole-2,5-Dithiol)		500



Code	Name	Packing	Price	Code	Name	Packing	Price
76620 [1201-38-3]	2,5-Dimethoxyacetophenone pure, 99%	100 Gms	7990	14157 [77-71-4]	5,5-Dimethylhydantoin (DMH) extrapure, 99%	100 Gms	700
[.20.000]		500 Gms	31110	[]	(4,4-Dimethyl-2,5-Dioxoimidazolidine,	500 Gms	1500
40824 🗸	2,5-Dimethoxybenzaldehyde	25 Gms	1370		Fennosurf 300)		
[93-02-7]	(2,5-DMB) pure, 98%	100 Gms	5250	83177	Dimethyl Malonate pure, 98%	250 ml	540
24116	2,4-Dimethoxybenzaldehyde	25 Gms	2370	[108-59-8]		500 ml	600
[613-45-6]	extrapure AR, 98%	100 Gms	4470		3,3-Dimethylnaphthidine extrapure	200 Mg	3680
82410 ✓ [150-78-7]	1,4-Dimethoxybenzene pure, 99% (Hydroquinone Dimethyl Ether)	250 Gms	1870	[13138-48-2]	AR, 98% (4,4'-Diamino-3,3'dimethyl-1,1'-binapht hyl)	1 Gms	10080
66053	2,2-Dimethoxypropane pure, 98%	500 ml	500	35047 🗸	Dimethyl 5-Nitroisophthalate pure,	25 Gms	1360
[77-76-9]		1000 ml	980	[13290-96-5]	99%	100 Gms	2720
		2500 ml	2400	20923 🗸	3,5-Dimethyl-4-Nitroisoxazole	5 Gms	2760
	• • • • • • • • • • • • • • • • • • • •	25 Gms	1680	[1123-49-5]	extrapure, 98%	25 Gms	8820
[58-15-1]	(Aminopyrine) extrapure, 99% (4-Dimethylamino-2,3-Dimethyl-1-Phen	100 Gms	6300	98950 🗸	2,5-Dimethyl Phenol pure, 98%	100 Gms	
	yl-3-Pyrazolin-5-one)			[95-87-4]	(2,5-Xylenol)	100 Gills	1990
42442	5-(4-Dimethylaminobenzylidene)	1 Gms	1100	83834	N,N-Dimethyl-L-Phenylalanine	1 Gms	3000
[536-17-4]	Rhodanine pure, 98%	5 Gms	2400	[17469-89-5]	extrapure, 98%	5 Gms	9000
		25 Gms	7200	93287 🗸	N,N-Dimethyl-p-Phenylenediamine	5 Gms	2500
58451	p-Dimethylamino-Cinnamaldehyde	5 Gms	2710	[99-98-9]	(DMPPDA) pure, 98%	25 Gms	4990
[6203-18-5]	extrapure, 98%	25 Gms	11550		(4-(Dimethylamino)Aniline,	100 Gms	16370
58048	2-Dimethylaminoethanol extrapure,	500 ml	580		4-Amino-N,N-Dimethylaniline, N,N-Dimethyl-1,4-Phenylenediamine,		10070
[108-01-0]	98%	2500 ml	2610		DMPD)		
	(N,N-Dimethylethanolamine)	2000 1111	2010	67318	Dimethyl Terephthalate pure, 99%	500 Gms	680
18814	2-Dimethylaminoethyl Chloride	100 Gms	420	[120-61-6]	•		
[4584-46-7]	Hydrochloride pure, 98% (2-Chloro-N,N-Dimethylethylamine	500 Gms	1580		Dimidium Bromide extrapure, 98%	500 Mg	1450
	Hydrochloride)			[518-67-2]	(3,8-Diamino-5-Methyl-6-Phenylphenan thridinium Bromide, Trypadine)	1 Gms	2625
49235	1-(3-Dimethylaminopropyl)-3-Ethyl	25 Gms	980			5 Gms	11000
[25952-53-8]	Carbodiimide Hydrochloride	100 Gms	3300		2,4-Dinitroaniline pure, 98%	100 Gms	1130
	(EDC.HCI, EDAC.HCI) extrapure,	500 Gms	12980	[97-02-9]		500 Gms	4730
	(N-Ethyl-N'-(3-Dimethylaminopropyl			58586	3,5-Dinitrobenzoic Acid extrapure,	100 Gms	560
	Ethylcarbodimide Hydrochloride)			[99-34-3]	98%	500 Gms	2210
93088 ✓ [1122-58-3]	4-Dimethylaminopyridine (DMAP) extrapure, 98%	25 Gms	490	66764	3,5-Dinitrobenzoic Acid extrapure	100 Gms	720
[1122-30-3]	extrapare, 50%	100 Gms	1250	[99-34-3]	AR, 99%	500 Gms	3000
		500 Gms	4440	87464	3,5-Dinitrobenzoic Acid extrapure	100 Gms	840
50593	2,4-Dimethylaniline pure, 98%	250 ml	630	[99-34-3]	AR, ExiPlus, Multi-Compendial,	500 Gms	3250
[95-68-1]	(2,4-Xylidine)	2500 ml	5500		99%		
33029	2,6-Dimethylaniline pure, 99%	250 ml	850		meets compendial specs of BP, Ph.Eur	050 M-	
[87-62-7]	(2,6-Xylidine)	1000 ml	3200	56569 [14323-43-4]	Dinitrodiaminepalladium (II) extrapure, 45-50% Pd	250 Mg	3800
86330	Dimethyl Carbonate pure, 99%	500 ml	240			1 Gms	10000
[616-38-6]		2500 ml	1100	88639 [119-26-6]	2,4-Dinitrophenylhydrazine extrapure AR, 99%	25 Gms	230
		25 Ltr	10000	[118-20-0]	on apart on i, 00 /0	100 Gms	740
21800	Dimethyl Dichlorosilane (DMDCS)	250 ml	700			500 Gms	3570
[75-78-5]	pure, 98%	500 ml	1200	85387 [119-26-6]	2,4-Dinitrophenylhydrazine extrapure AR, ExiPlus,	25 Gms	280
	(Dichlorodimethylsilane)	1000 ml	2100	[118-20-0]	Multi-Compendial, 99%	100 Gms	940
10192 🗸	N,N-Dimethyldodecylamine	100 ml	1200		meets compendial specs of BP, Ph.Eur		
[1643-20-5]	N-Oxide Solution (DDAO) pure, 30% (Lauryldimethylamine N-Oxide, LDAO)	500 ml	3000	75477	2,4-Dinitrophenylhydrazine Reagent Solution (2,4-DNP Reagent)	100 ml	260
58764 🗸	N,N-Dimethyldodecylamine	5 Gms	6000	10253	3,5-Dinitrosalicylic Acid pure, 98%	25 Gms	720
[1643-20-5]	N-Oxide (DDAO) extrapure, 95%	25 Gms	25000	[609-99-4]	5,5 Dilitiodulicyllo Acid pure, 30/6	100 Gms	720 2620
	(Lauryldimethylamine N-Oxide, LDAO)					500 Gms	12250
70976	N,N-Dimethyl Glycine	10 Gms	1600			223 01113	12230



[609-99-4] 13313 [609-99-4] 41131 [512-04-9] 37187 [102-04-5]	3,5-Dinitrosalicylic Acid extrapure AR, 99% 3,5-Dinitrosalicylic Acid Reagent Solution Diosgenin extrapure, 95% ((25R)-5-Spirosten-3f-ol, 3f-Hydroxy-5-Spirostene) 1,3-Diphenylacetone extrapure, 98%	25 Gms 100 Gms 100 ml 1 Gms 5 Gms	1380 5010 670	53384 [6892-68-8]	Dithioerythritol (DTE) for molecular biology, 99% (Clelands Other reagent)	1 Gms 5 Gms	1270 6200
13313 [609-99-4] 41131 [512-04-9] 37187 • [102-04-5]	3,5-Dinitrosalicylic Acid Reagent Solution Diosgenin extrapure, 95% ((25R)-5-Spirosten-3ß-ol, 3ß-Hydroxy-5-Spirostene) 1,3-Diphenylacetone extrapure,	100 ml 1 Gms 5 Gms	670			5 Gms	6200
[609-99-4] 41131 [512-04-9] 37187 [102-04-5]	Solution Diosgenin extrapure, 95% ((25R)-5-Spirosten-3ß-ol, 3ß-Hydroxy-5-Spirostene) 1,3-Diphenylacetone extrapure,	1 Gms 5 Gms		48086	(Sicialide Striet reagont)		
41131 [512-04-9] 37187 • [102-04-5]	Diosgenin extrapure, 95% ((25R)-5-Spirosten-3ß-ol, 3ß-Hydroxy-5-Spirostene) 1,3-Diphenylacetone extrapure,	5 Gms	1700		Dithiooxamide (Rubeanic Acid)	1 Gms	900
[512-04-9] 37187 [102-04-5] 54164 ✓	((25R)-5-Spirosten-3ß-ol, 3ß-Hydroxy-5-Spirostene) 1,3-Diphenylacetone extrapure,	5 Gms	1700	[79-40-3]	extrapure AR, 99%	5 Gms	3250
37187 ● [102-04-5] 54164 ✓	1,3-Diphenylacetone extrapure,		5000			25 Gms	14250
[102-04-5] 54164		25 Gms		84834	DL-Dithiothreitol (DTT) extrapure,	1 Gms	580
54164 🗸			2310	[3483-12-3]	98% (Clelands Reagent)	5 Gms	2050
		100 Gms	6300		(Oblands Heageril)	25 Gms	9660
	Dish and a stanibilia was 2000	500 Gms	26250			100 Gms	37500
	Diphenylacetonitrile pure, 98%	100 Gms	880	46220 [3483-12-3]	DL-Dithiothreitol (DTT) ExiPlus, Multi-Compendial, 98%	5 Gms	2260
	Diphenylcarbinol pure, 99%	100 Gms	430		meets compendial specs of BP		
[91-01-0]	(Benzhydrol)	500 Gms	1630		DL-Dithiothreitol (DTT) for	1 Gms	690
	Diphenyl Ether pure, 98%	500 ml	730	[3483-12-3]	molecular biology, 98% (Clelands Reagent)	5 Gms	2420
[101-84-8]	(Diphenyl Oxide)	1000 ml	1410		,	25 Gms	11340
	N,N-Dimethyl-p-Phenylenediamine	10 Gms	3800			100 Gms	43000
	Dihydrochloride (DMPPDA.2HCI) pure, 98%	50 Gms	16600	15248	DL-Dithiothreitol 0.1M Solution (DTT 0.1M Solution)	10 ml	840
	(4-(Dimethylamino)aniline				,	100 ml	2630
	dihydrohchloride, 4-Amino-N,N-dimethylaniline			16927	DL-Dithiothreitol 1M Solution (DTT 1M Solution)	10 ml	1260
	dihydrochloride, N,N-Dimethy				·	50 ml	3680
	1,6-Diphenyl-1,3,5-Hexatriene (DPH) pure, 98%	1 Gms	8500	97980 [60-10-6]	Dithizone pure, 70% (Diphenyl Thiocarbazone, Dithiozone)	5 Gms	650
-	(Dicinnamyl, 1,6-Diphenylhexatriene)	5 Gms	40000	89257	Dithizone extrapure AR, 85%	5 Gms	780
	5,5-Diphenylhydantoin (Phenytoin)	100 Gms	1500	[60-10-6]	(Diphenyl Thiocarbazone, Dithiozone)	25 Gms	3700
	pure, 98%			46141	Dithizone extrapure AR, ACS,	5 Gms	850
	Diphenylhydrazine Hydrochloride, 97%	5 Gms 25 Gms	1650 4800	[60-10-6]	ExiPlus, Multi-Compendial, 85% (Diphenyl Thiocarbazone, Dithiozone)	25 Gms	3900
41855	Diphenylmethane pure, 98%	100 Gms	730		meets compendial specs of BP, Ph.Eur		
[101-81-5]		500 Gms	2270	56266	Dithizone Reagent	100 ml	920
	2,2-Diphenyl-1-Picrylhydrazyl	250 Mg	3300	37237	Divinyl Sulfone (DVS) pure, 96%	5 ml	2000
[1898-66-4]	(DPPH) extrapure, 95%	1 Gms	6500	[77-77-0]	(Vinyl Sulfone)	25 ml	5780
		5 Gms	24500	80704	Lauroyl Chloride extrapure, 99%	100 Gms	1400
	1,3-Diphenyl-1,3-Propanedione (Dibenzoylmethane) extrapure, 98%	25 Gms	3000	[112-16-3]	(Dodecanoyl Chloride)	250 Gms	3200
[120-46-7]	(Dibenzoyimethane) extrapure, 56%	100 Gms	6800			500 Gms	6200
	Diphenyl Thiourea pure, 98%	100 Gms	820		Dodecylamine (Laurylamine) pure,	100 Gms	350
[102-08-9]		500 Gms	2460	[124-22-1]	98%	500 Gms	1400
	DIPSO Buffer extrapure, 99% (2,2-bis(2-Hydroxyethyl)	25 Gms	5990	85985	1-Dodecyl-3-Methylimidazolium	5 Gms	4440
	-3-Amino-2-Hydroxypropane Sulphonic Acid)	100 Gms	20000	[219947-93-0]	Hexafluorophosphate (DMIM.PF6, C12MIMPF6) extrapure, 98%	25 Gms	16940
	DIPSO Buffer Sodium Salt	10 Gms	7010		(1-Lauryl-3-Methylimidazolium Hexafluorophosphate)		
[102783-62-0]	extrapure, 98%			85755	n-Dodecyl-b-D-Maltoside (DDM)	500 Mg	4000
	2,2-Biquinoline (2,2-Diquinolyl, Cuproine) extrapure AR, 99%	1 Gms	1020	[69227-93-6]	extrapure, 98% (Dodecyl-Maltoside,	1 Gms	7000
	(2,2'-Diquinoline)	5 Gms	4630		n-Dodecyl-Maltoside, n-Dodecyl-b-D-Maltopyranoside)	5 Gms	30000
	5,5'-Dithiobis(2-Nitro Benzoic Acid)	1 Gms	1220	24940	Dodecyltrimethylammonium	25 Gms	740
-	extrapure (DTNB), 98% (Ellmans Reagent)	5 Gms	3600	[1119-94-4]	Bromide (DOTAB) pure, 99% (Lauryl Trimethylammonium Bromide)	100 Gms	1480
		25 Gms	15530	42020	Dodecyltrimethylammonium	100 Gms	1630
	Dull 1 1 1 (DTE)	100 Gms	52000	[112-00-5]	Chloride (DOTAC) pure, 98% (Lauryl Trimethylammonium Chloride)	500 Gms	6720
	Dithioerythritol (DTE) extrapure, 99%	1 Gms	950	77201	L-Dopa extrapure, 99%	5 Gms	930
	(Clelands Other reagent)	5 Gms 25 Gms	4590 22050	[59-92-7]	(L-Hydroxy Phenylalanine)	25 Gms	4210



Code	Name	Packing	Price	Code	Name	Packing	Price
87943	DL-Dopa extrapure, 99%	1 Gms	330	59508	Epiprogoitrin Potassium Salt	10 Mg	26310
[63-84-3]	(DL-Dihydroxy Phenylalanine)	5 Gms	750	[21087-74-1]	Reference Standard Grade, 80%	J	
		25 Gms	3000		((S)-2-Hydroxy-3-Butenylglucosinolate		
45462	Dopamine Hydrochloride	5 Gms			Potassium Salt)	40.14-	
45462 4 [62-31-7]	(Dopamine HCI) extrapure, 98%		1050		Epirubicin Hydrochloride (EPR.HCI), 97%	10 Mg	3600
[02 0]	(25 Gms	3680	[30390-09-1]	(2.11.1161), 57 %	25 Mg	7000
		100 Gms	13500	49470	EPPS Buffer extrapure, 99.5%	10 Gms	1860
65094		1 Gms	2260	[16052-06-5]		50 Gms	5920
[24390-14-5]	800U/mg	5 Gms	4390			100 Gms	11720
		10 Gms	6530	50062	N-(epsilon-Maleimidocaproyloxy)	10 Mg	5110
78985 v	DPPB	5 Gms	1780	[55750-63-5]	Succinimide extrapure, 98%	50 Mg	9340
[7688-25-7]	(1,4-Bis(Diphenylphosphino)Butan	25 Gms	7120		(EMCS)		
	e) extrapure, 98%			41120	Erbium (III) Chloride Hexahydrate	5 Gms	3150
	(1,4-Butanediylbis(Diphenylphosphine)			[10025-75-9]	ultrapure, 99.99%	25 Gms	7880
	Tetramethylenebis(Diphenylphosphine)			54788	Erbium (III) Nitrate Hexahydrate	5 Gms	3300
)			[13476-05-6]	extrapure, 99.9%	25 Gms	8250
48237 ~	DPPE	5 Gms	960	29831	Erbium (III) Oxide ultrapure,	5 Gms	3150
[1663-45-2]	(1,2-Bis(Diphenylphosphino)Ethane	25 Gms	4750	[12061-16-4]			
) extrapure, 98%					25 Gms	7880
	(Diphos, Ethylenebis(Diphenylphosphine))			12485	Erbium (III)	5 Gms	3570
23660 🗸	DPPF	1 Gms	960	[139177-64-3]	Trifluoromethanesulfonate extrapure, 97%	25 Gms	11550
	(1,1-Bis(Diphenylphosphino)Ferroc	5 Gms			(Erbium Triflate,		
	ene) extrapure, 98%		3600		Trifluoromethanesulfonic Acid Erbium		
	(1,1-Ferrocenediyl-bis(Diphenylphosph	25 Gms	12270		Salt)		
	ine))			56488	Erythritol extrapure, 99%	25 Gms	520
34103		1 Gms	720	[149-32-6]	(Erythrite, meso-Erythritol)	100 Gms	1520
[6737-42-4]	(1,3-Bis(Diphenylphosphino)Propa ne) extrapure, 98%	5 Gms	2140			500 Gms	4980
	ne) extrapare, 30%	25 Gms	9490	48535	Erythromycin for tissue culture	1 Gms	380
75470	Dulcitol (D-Galactitol) extrapure,	25 Gms	1460	[114-07-8]	,,,	5 Gms	1640
[608-66-2]	99%	100 Gms	4990				
	(D-Galactitol)			51114 [66778-17-4,	Esculin Sesquihydrate extrapure, 98%	5 Gms	1290
62813	• •	10 Gms	1430	531-75-9]	(Aesculin)	25 Gms	5950
[16357-59-8]	(N-Ethoxycarbonyl-2-Ethoxy-1,2-di- Hydroxyquinoline)	25 Gms	2300	77688 🗸	Ethambutol Dihydrochloride	1 Gms	750
	туаголучантонно)	100 Gms	8000		(ETB.2HCI), 98%	5 Gms	1990
17398	Ehrlich`s Aldehyde Reagent	100 ml	160				
				89737 [540-63-6]	1,2-Ethanedithiol extrapure, 98.5%	25 ml	3500
99640	Ehrlich`s Amino Sugar Reagent	100 ml	180	[540-63-6]		100 ml	13000
	<u> </u>					500 ml	60000
81802	,	1 Gms	5000	16844 🗸	7-Ethoxycoumarin extrapure, 98%	25 Mg	1780
[112-79-8]	99%(GC) (trans-9-Octadecenoic Acid,	5 Gms	18000	[31005-02-4]		100 Mg	4750
	trans-Oleic Acid)			23545	2-Ethylaniline pure, 98%	100 ml	1350
11814	Elastase (ELA, PPE) ex. Porcine	10 Mg	7950	[578-54-1]		500 ml	4000
[39445-21-1]		9	7000				
19764	Emamectin Benzoate extrapure,	100 Mg	2520	96669 [105-39-5]	Ethyl Chloroacetate pure, 98%	500 ml	460
155569-91-8]	90%	1 Gms	6300	[103-39-3]		2500 ml	2000
73363	Emodin ex. Polygonum	25 Mg		95953	Ethyl 2-Chloropropionate practical	100 ml	1260
[518-82-1]	Cuspidatum, 90%	=	2200	[535-13-7]	grade, 95%		
,	(Emodin ex. Fallopia Japonica,	500 Mg	6000	92052	Ethyl Cyanoacetate extrapure, 98%	500 ml	720
	1,3,8-Trihydroxy-6-Methyl-9,10-Anthrac	1 Gms	9000	[105-56-6]		2500 ml	3300
	enedione, 1,3,8-Tri-hydroxy-6-M	5 Gms	18000	69674	3,4-Ethylenedioxythiophene	5 Gms	2800
90310	Emulgen B-66 (Eumulgin B66)	100 ml	4090	[126213-50-1]	(EDOT) pure, 98%	25 Gms	6000
	(Polyoxyethylene Alkyl Ether)	500 ml	15660	62858	Ethylene Glycol C O bio		
20790	Enrofloxacin (EFX), 98%	5 Gms	1950	62858 67 -42-5]	Ethylene Glycol-O-O-bis- (2-Aminoethyl) N,N,N,N-Tetraacetic	10 Gms	2200
		0 01113	1930	[01-42-0]	\	25 Gms	4000
[93106-60-6]					Acid (EGTA) extrapure, 98%	100 Gms	10000



Code	Name	Packing	Price	Code	Name	Packing	Pri
78214	2-Ethylhexanoic Acid extrapure,	250 ml	250	64770	1-Ethyl-1-Methylpyrrolidinium	1 Gms	2000
[149-57-5]	99%	1000 ml	900	[223436-99-5]	Bis(trifluoromethylsulfonyl)imide (EMP TFSI) extrapure, 99%	5 Gms	320
32021	2-Ethyl-1-Hexanol pure, 99%	500 ml	300		(EMF 1F31) extrapure, 95%	25 Gms	13000
[104-76-7]		2500 ml	1350	70945	Ethyl Oleate pure	500 ml	650
69647	Ethylhexadecyldimethylammonium	25 Gms	1420	[111-62-6]		2500 ml	310
[124-03-8]	Bromide (EHDDMAB) extrapure,	100 Gms	4730	24489	2-Ethylphenylboronic Acid pure,	1 Gms	221
	98% (Cetyldimethylethylammonium Bromide,	500 Gms	12600	[90002-36-1]	95% (2-Ethylbenzeneboronic Acid, o-Ethylphenylboronic Acid)	5 Gms	945
	Dimethylethylhexadecylammonium Bromide)			42676	1-Ethylpiperazine pure, 99%	50 Gms	80
71407	2-Ethylhexyl Acrylate extrapure,	500 ml	590	[5308-25-8]	(N-Ethylpiperazine)	250 Gms	200
[103-11-7]	99%	2500 ml	2570	72424	Ethyl p-Toluenesulfonate pure, 98%	25 ml	77
	(Acrylic acid 2-ethylhexyl Ester)			[80-40-0]	(Ethyl Tosylate, p-Toluenesulfonic Acid	500 ml	647
80484 88122-99-0]	Ethylhexyl Triazone extrapure, 98% (2,4,6-Trianilino(p-Carbo-2-Ethylhexyl-1	100 Mg	2000	50000	Ethyl Ester)	1.Cma	
00122-00-0]	-oxy)-1,3,5-Triazine)	1 Gms	6800	59863 [89797-68-2]	5-(Ethylthio)-1H-Tetrazole(ETT Activator) extrapure,99%	1 Gms 5 Gms	80
		5 Gms	9500				240
	Ethylidene Glucose extrapure, 90%	1 Gms	4090	65770 [1530-32-1]	Ethyltriphenylphosphonium Bromide pure, 97%	25 Gms	48
3224-99-2]		5 Gms	10520	[1000 02 1]	·	100 Gms	120
0674	Ethyl lodide extrapure, 99%	25 ml	2100	57056 [121-32-4]	Ethyl Vanillin extrapure, 98%	100 Gms	75
[75-03-6]		100 ml	7600	[121-32-4]		500 Gms	340
		250 ml	18000		Ethyl Vinyl Ether pure, 98%	100 ml	55
8503	N-Ethylmaleimide extrapure, 99%	5 Gms	2000	[109-92-2]		500 ml	175
[128-53-0]	25 Gms	9000			2500 ml	850	
		100 Gms	36000	93050	Eucalyptus Oil extrapure, 60%	250 ml	110
1176 & N-Ethylmaleimide ExiPlus,	5 Gms	2200	[8000-48-4] 69553	Eugenol extrapure, 99%	100 ml		
[128-53-0]	Multi-Compendial, 99%	25 Gms	10000	[97-53-0]	(2-Methoxy-4-(2-Propenyl)phenol,	500 ml	110 400
	meets compendial specs of BP, Ph.Eur	100 Gms	40000		4-Allyl-2-Methoxyphenol, 4-Allylguaiacol)	300 1111	400
5108	Ethyl Methanesulphonate (EMS)	10 Gms	710	98345	Europium (III) Chloride	1 Gms	231
[62-50-0]	extrapure, 99%	100 Gms	6010	[13759-92-7]	Hexahydrate ultrapure, 99.99%	5 Gms	620
7035	Ethyl Methanesulphonate (EMS)	10 Gms	2150			25 Gms	1785
[62-50-0]	for tissue culture, 99% 1-Ethyl-3-Methylimidazolium	r. 0	0000	97625 [10031-53-5]	Europium (III) Nitrate Hexahydrate ultrapure, 99.99%	5 Gms	649
	Chloride (EMIM CI) extrapure, 98%	5 Gms	2200		umapare, 00:00%	25 Gms	1870
,	, , ,	25 Gms 100 Gms	4000	44088	Europium (III) Oxide extrapure, 99.9%	1 Gms	147
			8000	[1308-96-9]	99.976	5 Gms	525
	1-Ethyl-3-Methylimidazolium Ethyl Sulfate (EMIM EtOSO3) extrapure, 99%	5 Gms 25 Gms	2120 6850	91883 [52093-25-1]	Europium (III) Trifluoromethanesulfonate extrapure, 98%	1 Gms 5 Gms	200 504
4543	1-Ethyl-3-Methylimidazolium	5 Gms	1500		(Europium Triflate,		
55371-19-0]	Hexafluorophosphate (EMIM PF6) extrapure, 97%	25 Gms	6200		Trifluoromethanesulfonic Acid Europium Salt)		
	1-Ethyl-3-Methylimidazolium	5 Gms	2400	46650	Evans Blue	10 Gms	169
30432-05-9]	Tetrachloroaluminate (EMIM AICI4) extrapure, 95%	25 Gms	9000	[314-13-6]		25 Gms	400
	1-Ethyl-3-Methylimidazolium Tetrafluoroborate (EMIM BF4)	5 Gms	4740	33138	Exton`s Reagent	100 ml	23
	extrapure, 97%	25 Gms	6110		Fast Blue B Salt (DBB)	25 Gms	70
	1-Ethyl-3-Methylimidazolium	1 Gms	1300	[14263-94-6]	(o-Dianisidine bis(Diazotized) Zinc	100 Gms	250
45022-44-2]	Trifluoromethanesulfonate (EMIM Otf), 98%	5 Gms	4000		Double Salt, Azoic Diazo No. 48, Diazo Blue B)	500 Gms	1100
	(1-Ethyl-3-Methylimidazolium Triflate)	25 Gms	12200	94315	Fast Blue BB Salt Hemi Zinc	5 Gms	241
9544	5-Ethyl-2-Methylpyridine pure, 97%	100 ml	860	[5486-84-0]	Chloride Salt, 99%	10 Gms	401
[104-90-5]	· · ·	250 ml	1520		(4-Amino-2,5-Diethoxybenzanilide Diazotated Zinc Double Salt,	25 Gms	601



Code	Name	Packing	Price	Code	Name	Packing	Pri
62003	Fast Blue RR Hemi(Zinc Chloride)	1 Gms	4000	50389	Fluorescein Free Acid (C.I. No.	25 Gms	270
[14726-29-5]	Salt	5 Gms	18000	[2321-07-5]	45350:1), 96%	100 Gms	900
	4-Benzoylamino-2,5-Dimethoxybenzen ediazonium Chloride Hemi(Zinc			73698	(Solvent Yellow 94) Fluorescein Isothiocyanate Isomer	25 Mg	001
	Chloride) salt, Azoic Diazo No. 24S			[3326-32-7]	I (FITC) extrapure, 95%	25 Mg 100 Mg	2310 3500
0339	Fast Green FCF (Food Green 3),	5 Gms	400			250 Mg	8200
[2353-45-9]	85% (C.I. No. 42053)	25 Gms	1520			1 Gms	2150
9950	Fast Red TR Salt Hemi Zinc	100 Mg	0670		Florence and October Oct 100		
39453-69-0]	Chloride Salt	500 Mg	2670 10680	55091 [518-47-8]	Fluorescein Sodium Salt (C.I. No. 45350)	25 Gms	32
	(4-Chloro-2-Methylbenzenediazonium	ooo wg	10000	[0.00]	(Acid Yellow 73)	100 Gms	120
	Salt, Azoic Diazo No.11) (C.I. No.					1 Kg	1050
4977 ✓	37085) Ferrocene extrapure, 98%	25 Gms	500	92458 [403-42-9]	4-Fluoroacetophenone pure, 98%	25 Gms	143
[102-54-5]	Terrocene extrapare, 50%	100 Gms	1900	[403-42-9]		100 Gms	450
		500 Gms	8500	57482	2-Fluoroaniline pure, 98%	100 ml	200
	F			[348-54-9]		500 ml	920
8082 ✓ 69898-45-9]		1 Gms	2110	61820	3-Fluoroaniline pure, 98%	25 ml	300
	(5,6-Diphenyl-3-(2-pyridyl)	5 Gms	9350	[372-19-0]		100 ml	1150
	-1,2,4-triazine-4',4"-disulfonic acid	25 Gms	44390	62395	4-Fluoroaniline pure, 98%	100 ml	180
n	sodium salt, PDT disulfonate)			[371-40-4]		500 ml	840
0096 I	Ferulic Acid pure, 98% (4-Hydroxy-3-Methoxycinnamic Acid)	5 Gms	830	55482	2-Fluoroanisole pure, 98%	25 ml	315
. 100-24-0]	(, aroxy o mornoxyonmarme nota)	25 Gms	2410	[321-28-8]	aoroamosto pare, 50/6	25 IIII 100 ml	998
		100 Gms	8510		0 Fluoreaniasis 2007		
		5 Gms	2080	45810 [456-49-5]	3-Fluoroanisole pure, 98%	25 Gms	263
:6873-85-8]	(Polysucrose 400)	25 Gms	9490	[400 40 0]		100 Gms	945
		100 Gms	35570	51009	4-Fluoroanisole extrapure, 99%	25 Gms	120
7939	Flavine Adenine Dinucleotide	25 Mg	2140	[459-60-9]		100 Gms	450
146-14-5]	Sodium Salt (FAD) extrapure, 95%	100 Mg	6880	90335	4-Fluorobenzaldehyde pure, 98%	100 ml	350
		250 Mg	11860	[459-57-4]		500 ml	1400
		500 Mg	21350	88879	Fluorobenzene pure, 99%	100 ml	100
9510	Flavone extrapure	5 Gms	800	[462-06-6]		500 ml	400
[525-82-6]		25 Gms	3600			1000 ml	760
9465	Florisil 60-100 mesh for	100 Gms	2500	68427	4-Fluorobenzoic Acid pure, 98%	25 Gms	84
[1343-88-0]	chromatography	250 Gms	5000	[456-22-4]		100 Gms	231
		1 Kg	19000	94304	4-Fluorobenzonitrile pure, 98%	25 ml	243
2239	Fluconazole (FLC), 98%	1 Gms	800	[1194-02-1]	, , , , , , , , , , , , , , , , , , ,	100 ml	845
86386-73-4]	(20), 00%	5 Gms	1600		4 Eluorobonzulamina autranura		
4000	9 Elugranylmathyl Chlarafa			13212 [140-75-0]	4-Fluorobenzylamine extrapure, 99%	5 Gms	84
28920-43-6]	9-Fluorenylmethyl Chloroformate (FMOC Chloride, FMOC-CI)	5 Gms	450			25 Gms	221
5 5]	extrapure, 99%	25 Gms	1800	11821 [2341-22-2]	5-Fluorocytidine (5-FCytd) extrapure, 99%	1 Gms	420
	O Florence de la Contra	100 Gms	6500	24245		1 Gms	210
	9-Fluorenylmethanol (FMOC-OH) extrapure, 98%	25 Gms	2200	[2022-85-7]	extrapure, 98%	5 Gms	683
LTUZ4-11-Z]	(9-Fluorenemethanol, 9-	100 Gms	7000		(5-FA,	o dillo	000
	(Hydroxymethyl)fluorene)				4-Amino-5-Fluoro-2-Hydroxypyrimidine)		
	Fluorescamine extrapure AR, 99%	25 Mg	1680	81015	5-Fluoro-2-Deoxyuridine extrapure,	25 Mg	168
8183-12-9]		100 Mg	4310	[50-91-9]	98%	100 Mg	526
		500 Mg	9450			1 Gms	3244
		1 Gms	13920	67700	1-Eluoro-2 4-Dinitrohonzono		
5445	Fluorescamine extrapure AR,	25 Mg	1890	67782 [70-34-8]	1-Fluoro-2,4-Dinitrobenzene (FDNB) extrapure AR, 99%	25 ml	140
88183-12-9]	ExiPlus, Multi-Compendial, 99%	100 Mg	4620	[3 , 9]	· , · , ·	100 ml	480
		500 Mg	10770			250 ml	1025
	meets compendial specs of USP, BP,			42199 [70-34-8]	1-Fluoro-2,4-Dinitrobenzene (FDNB) for HPLC, 99%	5 ml	800
	Ph.Eur			[]	(Sanger Reagent)		



Code	Name	Packing	Price	Code	Name	Packing	Pric
68632	5-Fluoro-2-Methoxyphenyl Boronic	5 Gms	5000		FMOC-S-Acetamido	5 Gms	2000
179897-94-0]	Acid extrapure, 95%	10 Gms	8000	[86060-81-3]	Methyl-L-Cysteine (Fmoc-Cys(Acm) -OH) extrapure, 98%	25 Gms	9000
78447	1-Fluoro-4-Nitrobenzene extrapure,	100 Gms	1400	77535	FMOC-D-Alanine extrapure, 99%	5 Gms	2470
[350-46-9]	99%	500 Gms	5500	[79990-15-1]		25 Gms	8000
27492	2-Fluoro-3-Nitrotoluene extrapure,	1 Gms	4000	33213	FMOC-L-Alanine extrapure, 99%	5 Gms	520
[3013-27-2]	98% (3-Fluoro-2-nitrotoluene)			[35661-39-3]		25 Gms	2300
78510 ■	5-Fluoroorotic Acid (5-FOA) for	250 Mg	3970			100 Gms	8450
[703-95-7]	molecular biology, 98%	1 Gms	13050		FMOC-2-Aminobutric Acid	1 Gms	3650
50958	5-Fluoroorotic Acid Hydrate (5-FOA	250 Mg	4200	[135112-27-5]	extrapure, 99%	5 Gms	16610
207291-81-4]	Hydrate) for molecular biology, 98%	1 Gms	13610		FMOC-D-Arginine extrapure, 99%	1 Gms	2180
11933	5-Fluoroorotic Acid Monohydrate	250 Mg	4090	[130752-32-8]		5 Gms	9670
220141-70-8]	(5-FOA Monohydrate) for molecular	1 Gms	13390			25 Gms	43500
	biology, 98%	40	4700		FMOC-L-Arginine extrapure, 98%	1 Gms	430
66079 [367-12-4]	2-Fluorophenol pure, 98%	10 ml	1730	[91000-69-0]		5 Gms	1470
		100 ml	8910			25 Gms	6180
47982 [372-20-3]	3-Fluorophenol pure, 98%	10 ml	3410			100 Gms	22200
[372-20-0]		50 ml	11550		FMOC-D-Asparagine extrapure,	1 Gms	720
41593	4-Fluorophenol pure, 98%	100 Gms	3410	[108321-39-7]	99%	5 Gms	3000
[371-41-5]		500 Gms	12980			25 Gms	1250
10573	4-Fluorophenylacetic Acid pure,	5 Gms	960		FMOC-L-Asparagine extrapure,	5 Gms	52
[405-50-5]	98%	25 Gms	2820	[71989-16-7]	99%	25 Gms	230
		100 Gms	8660			100 Gms	845
86567	o-Fluoro-DL-Phenylalanine	•	FMOC-N-Trityl-L-Asparagine	5 Gms	3510		
[2629-55-2]	extrapure, 99%			[132388-59-1]	(FMOC-Asn(Trt)-OH) extrapure, 99%	100 Gms	2220
5 3933 8 [2629-54-1]	m-Fluoro-DL-Phenylalanine extrapure, 98%	500 Mg	4410	30074	FMOC-L-Aspartic Acid extrapure,	1 Gms	6850
96044	p-Fluoro-DL-Phenylalanine	1 Gms	7420	[119062-05-4]	99%	5 Gms	12330
[51-65-0]	extrapure, 99%			59022	FMOC-L-Aspartic Acid-4- Benzy	10 Gms	11410
11280	2-Fluorophenylboronic Acid	1 Gms	980	[86060-84-6]	Ester extrapure, 98%	25 Gms	19950
[1993-03-9]	extrapure, 97%	5 Gms	1990	24407	FMOC-S-Benzyl-L-Cysteine	10 Gms	12150
		25 Gms	8710		extrapure, 98%	25 Gms	21260
54271	3-Fluorophenylboronic Acid	1 Gms	790	52208	FMOC-O-Benzyl-L-Serine	10 Gms	27830
[768-35-4]	extrapure, 98%	5 Gms	1720		extrapure, 98%	25 Gms	48690
		25 Gms	7330	0440	FMOC O Barred I Turcaina		
68733	4-Fluorophenylboronic Acid	1 Gms	740		FMOC-O-Benzyl-L-Tyrosine extrapure, 98%	10 Gms	11410
[1765-93-1]	extrapure, 98%	5 Gms	1720		•	25 Gms	19970
		25 Gms	6110	22303 [200344-33-8]	FMOC-D-Citrulline extrapure, 99%	100 Mg	3060
		100 Gms	21990	[200344-33-0]		1 Gms	4550
37042	4-Fluorotoluene pure, 99%	100 ml	2850		FMOC-L-Citrulline extrapure, 99% (FMOC-CIT-OH)	1 Gms	1790
[352-32-9] 21015	4-Fluoro-3-Nitrotoluene extrapure,	5 Gms	2000			5 Gms	6300
21015 [446-11-7]	98%	25 Gms	7000	65668 [135248-89-4]	FMOC-L-Cysteine extrapure, 95%	25 Mg	4490
	5-Elugrauracil /5 Ell\ avtranura					100 Mg	14940
1 5088 5 [51-21-8]	5-Fluorouracil (5-FU) extrapure, 99%	1 Gms 5 Gms	530		FMOC-L-Glutamic Acid extrapure,	10 Gms	4990
,		5 Gms 25 Gms	1680	[121343-82-6]		25 Gms	9840
n	E Electronidado (E Ett. 1)		5670		FMOC -L-Glutamic Acid g-Benzyl	10 Gms	1154
2 8329 [316-46-1]	5-Fluorouridine (5-FUrd) extrapure, 98%	1 Gms	4200	[123639-61-2]	Ester extrapure, 98%	25 Gms	20190
		5 Gms	9980		FMOC-L-Glutamic Acid 5-Tert-Butyl	10 Gms	4740
53061	FMOC-L-Amino Acids Kit	1 Kit	27080	[71989-18-9]	Ester (FMOC-Glu(OtBu)-OH)	25 Gms	11830
					extrapure, 99%	100 Gms	22410



Name	Packing	Price	Code	Name	Packing	Price
FMOC-D-Glutamic Acid 5-Tert-Butyl	5 Gms	3000			1 Gms	630
	25 Gms	12000	[86123-10-6]	99%	5 Gms	2560
FMOC-D-Glutamine extrapure, 99%	500 Mg	630				8950
	2.5 Gms	2520			100 Gms	32200
	25 Gms	22360			5 Gms	600
FMOC-L-Glutamine extrapure, 99%	25 Gms	1800	[33001-40-0]	3376	25 Gms	2000
	100 Gms	6000			25 Gms	5000
Na-FMOC-No-Trityl-L-Glutamine	5 Gms	2500	33014	FMOC-L-Phenylglycine extrapure,	10 Gms	1800
(FMOC-GIn(TRT)-OH) extrapure, 98%	100 Gms	18000	[102410-65-1]	98%	25 Gms	3000
FMOC-Glycine extrapure, 99%	5 Gms	840			5 Gms	4330
	25 Gms	2730			5 Gme	630
FMOC-L-Histidine extrapure, 98%	5 Gms	3860	[71989-31-6]	Timoo-L-Floime extrapule, 99%	25 Gms	2610
FMOC-D-Isoleucine extrapure, 99%	500 Ma	17160			100 Gms	9200
		17100	53534	FMOC-D-Serine extrapure, 99%	25 Gms	5000
FMOC-L-Isoleucine extrapure, 99%	5 Gms	630				
	25 Gms	2610		FMOC-L-Serine extrapure, 99%	1 Gms	1490
	100 Gms	9200	[/3/24-45-5]		5 Gms	3230
FMOC-D-Leucine extrapure, 99%	1 Gms	630		•	10 Gms	3000
	5 Gms	2520	[71989-33-8]	(FMOC-Ser(tBu)-OH) extrapure,	100 Gms	16000
	25 Gms	10490	56859	FMOC-D-Threonine extrapure, 98%	1 Gms	3500
FMOC-L-Leucine extrapure, 99%	25 Gms	2300	[157355-81-2]		5 Gms	13000
	100 Gms	6490	64712	FMOC-L-Threonine extrapure, 99%	5 Gms	960
Na-FMOC-Ne-BOC-L-Lysine	10 Gms	3100	[73731-37-0]		25 Gms	4030
	25 Gms	7350			100 Gms	14390
	100 Gms	13130	36877	Na-FMOC-N(im)-Trityl-L-Histidine	10 Gms	3000
FMOC-N-e-Z-L-Lysine extrapure,	10 Gms	14260	[109425-51-6]	(FMOC-His(Trt)-OH) extrapure, 99%	100 Gms	16000
98%	25 Gms	24240	38217	FMOC-O-Tert-Butyl-D-Threonine	1 Gms	1500
FMOC-L-Lysine extrapure, 99%	1 Gms	1410	[138797-71-4]		5 Gms	6000
	5 Gms	5380			5.0	
FMOC-D-Methionine extrapure,	1 Gms	1040				2200 8000
99%	5 Gms	4330				
	25 Gms	18030		** *		1000
FMOC-L-Methionine extrapure, 99%	5 Gms	520				2630
	25 Gms	2300		. ,		2200
	100 Gms	8450	[100010 04 0]	98%	5 Gms	8000
N-a-Fmoc-N-e-4-Methyltrityl-L-Lysin	1 Gms	3000			1 Gms	1040
	5 Gms	11000	[112883-29-1]		5 Gms	4330
FMOC-D-Norleucine extrapure, 99%	1 Gms	3810			25 Gms	18030
· · · · · · · · · · · · · · · · · · ·	5 Gms	17330		FMOC-L-Tyrosine extrapure, 99%	5 Gms	1430
FMOC-L-Norleucine extrapure, 99%	1 Gms	2700	[92954-90-0]		25 Gms	6000
	5 Gms	12260			100 Gms	21160
FMOC-D-Norvaline extrapure, 99%	1 Gms	3810			5 Gms	2110
	5 Gms	17330	[/1989-38-3]	(FMOC-Tyr(tBu)-OH) extrapure,	100 Gms	16000
FMOC-L-Norvaline extrapure, 99%	1 Gms	3020	15917	FMOC-D-Valine extrapure, 99%	1 Gms	1360
	5 Gms	13730	[84624-17-9]		5 Gms	5620
FMOC-4-Nitro-L-Phenylalanine	10 Gms	8550			25 Gms	23410
•		5550				
	FMOC-D-Glutamic Acid 5-Tert-Butyl Ester (FMOC-D-Glu(OtBu)-OH) extrapure, 99% FMOC-D-Glutamine extrapure, 99% FMOC-D-Glutamine extrapure, 99% FMOC-L-Glutamine extrapure, 99% FMOC-Gln(TRT)-OH) extrapure, 98% FMOC-L-Histidine extrapure, 99% FMOC-D-Isoleucine extrapure, 99% FMOC-D-Isoleucine extrapure, 99% FMOC-D-Leucine extrapure, 99% FMOC-D-Leucine extrapure, 99% FMOC-N-BOC-L-Lysine (FMOC-Lys(BOC)-OH) extrapure, 98% FMOC-N-e-Z-L-Lysine extrapure, 99% FMOC-D-Methionine extrapure, 99% FMOC-D-Methionine extrapure, 99% FMOC-D-Norleucine extrapure, 99% FMOC-D-Norleucine extrapure, 99% FMOC-D-Norleucine extrapure, 99% FMOC-D-Norleucine extrapure, 99% FMOC-L-Norleucine extrapure, 99% FMOC-L-Norleucine extrapure, 99% FMOC-L-Norvaline extrapure, 99%	### Ester (FMOC-D-Glu(OtBu)-OH)	FMOC-D-Glutamic Acid 5-Tert-Butyl Ester (FMOC-D-Glut(OtBu)-OH)	FMOC-D-Glutamic Acid 5-Tert-Buty Ester (FMOC-D-Glu(OlBu)-OH) 25 Gms 12000 25 Gms 12000 25 Gms 12000 25 Gms 12000 25 Gms 22300 25 Gms 2500 25 Gms 25	FMOC-D-Guitamine Acid 5-Tert-Butyl	FMOC-D-Glutamine Acid 6-Tert-Butyl



Code	Name	Packing	Price	Code	Name	Packing	Price
47834	FMOC-L-Valine extrapure, 99%	5 Gms	410	81309 🗸	2-Furoic Acid pure, 98%	100 Gms	1000
[68858-20-8]		25 Gms	1870	[88-14-2]	(Furan-2-Carboxylic Acid)	500 Gms	3800
		100 Gms	7010	81294	3-Furoic Acid pure, 98%	5 Gms	2500
79235	FMOC-OSu extrapure AR, 99%	5 Gms	650	[488-93-7]	(Furan-3-Carboxylic Acid)	25 Gms	9500
[82911-69-1]		25 Gms	2400	99124	2-Furoyl Chloride pure, 98%	20 ml	1500
		100 Gms	7250	[527-69-5]	(Furan-2-Carbonyl Chloride)	100 ml	5000
		500 Gms	33000	90068	3-Furoyl Chloride pure, 97%	1 Gms	4000
	Folcisteine (ATCA, NATCA) pure,	1 Gms	1600	[26214-65-3]	(Furan-3-Carbonyl Chloride)	5 Gms	14500
[5025-82-1/54 323-50-1]	99% (3-Acetyl-1,3-Thiazolidine-4-Carboxylic	5 Gms	5000	79108 🗸	Furylacrylic Acid pure, 99%	25 Gms	2020
020 00 1]	acid, R-Aminofol)			[539-47-9]	(3-(2-Furyl)acrylic Acid, Furan-2-Acrylic		
43164	Folic Acid pure, 98%	25 Gms	500		Acid, Furfurylideneacetic Acid)		
[59-30-3]	(Vitamin B9, Vitamin M,	100 Gms	1800	58327 8 [108321-42-2]	G-418 Sulphate (Geneticin)	100 Mg	1260
	Pteroyl-L-Glutamic acid)	500 Gms	8000	[100321-42-2]	extrapure	1 Gms	6300
24791 🗸	Folic Acid ExiPlus,	10 Gms	320			5 Gms	29400
[59-30-3]	Multi-Compendial, 98%	25 Gms	650		G-418 Sulphate (Geneticin) for	100 Mg	2220
	(Vitamin B9, Vitamin M,			[108321-42-2]	tissue culture	1 Gms	8060
	Pteroyl-L-Glutamic acid) meets compendial specs of BP					5 Gms	36510
17989 🗸	<u> </u>	25 Gms	700	45734	Gaby-Hadley Reagent A	100 ml	300
[59-30-3]	(Vitamin B9, Vitamin M,	100 Gms	2200				
	Pteroyl-L-Glutamic acid)	500 Gms	9800	94536	Gaby-Hadley Reagent B	100 ml	430
39520	Folin & Ciocalteus Phenol (FCP)	100 ml	600	45781	Gadolinium (III) Chloride	5 Gms	2500
03320	Reagent AR	250 ml	1400		Hexahydrate ultrapure, 99.99%	25 Gms	5000
		500 ml	2500	10438	Gadolinium (III) Nitrate	5 Gms	2600
64604	Enlin's Unio Acid Decemb				Hexahydrate ultrapure, 99.99%	25 Gms	5300
64684	Folin's Uric Acid Reagent	250 ml	590		On dell'alcone (III) Onlide contra accord		
49244	Forchlorfenuron (KT-30, CPPU, N-	1 Gms	3040	31353 [12064-62-9]	Gadolinium (III) Oxide extrapure, 99.9%	5 Gms	920
[68157-60-8]		5 Gms	7360			25 Gms 100 Gms	3360
	extrapure, 99%	5.0			0.1.1.1.410		11900
53870 [87199-17-5]	4-Formylphenylboronic Acid extrapure, 95%	5 Gms	1550	52480 [52093-29-5]	Gadolinium (III) Trifluoromethanesulfonate	1 Gms	1890
	<u> </u>	25 Gms	6200	[02000 20 0]	extrapure, 98%	5 Gms	4200
85925	Fouchet`s Reagent	100 ml	250		(Gadolinium(III) Triflate,		
54704	D-Fructose-1,6-Diphosphate	250 Mg	480		Trifluoromethanesulfonic Acid Gadolinium(III) Salt)		
	Octahydrate Trisodium Salt	1 Gms	1250	14725	D-Galactosamine Hydrochloride	250 Mg	580
	extrapure, 99%		1230	[1772-03-8]		1 Gms	1400
	D-Fructose-6-Phosphate Disodium	100 Mg	3170			5 Gms	4200
[26177-86-6]	Salt extrapure, 95%	500 Mg	9490	88176	D-Galactose extrapure	25 Gms	500
73212	' '	500 Mg	1520	[59-23-4]	D data of the contract of the	100 Gms	1500
[2438-80-4]	(L-Fuc, 6-Deoxy-L-Galactose)	1 Gms	2460			500 Gms	6200
		5 Gms	9930	07146	B-Galactosidase (BGAL) ex. E. Coli,	5 K.Units	
76007	' '	500 Mg	7200	27146 9 031-11-2]	500U/mg solids	J N.UIIIS	38550
[3615-37-0]	(6-Deoxy-L-Galactose, Rhodeose)	1 Gms	12500		(Lactase, B-D-Galactoside		
47462	Furfural pure, 99%	500 ml	700		Galactohydrolase)		
[98-01-1]		2500 ml	2800	20096 [4163-60-4]	ß-D-Galactose Pentaacetate extrapure, 99%	25 Gms	8000
86133 [98-01-1]	Furfural extrapure AR, ACS, 99%	500 ml	1130		Galantamine Hydrobromide extrapure, 98%	250 Mg	7000
11049	Furfurylamine pure, 98%	500 ml	1480	14101	Gallium (III) Nitrate Hydrate	5 Gms	3860
[617-89-0]		2500 ml	5780	[69365-72-6]		25 Gms	14690
18641	Furosemide (Frusemide), 98.5%	5 Gms	3560		Geldanamycin (GLD), 98%	5 Mg	65210
[54-31-9]		25 Gms	9930	[30562-34-6]			



Code	Name	Packing	Price	Code	Name	Packing	Pric
72394	Gelrite Gellan Gum	100 Gms	2010	57400		25 Mg	6510
[71010-52-1]		250 Gms	4720	[52153-09-0]	(3,4,5-Trihydroxy-6- (Hydroxymethyl)Tetrahydro-2H-Pyran-2		
		500 Gms	8660		-one, L-Gluconolactone)		
		1 Kg	14550	55195	D-Glucono-1,5-Lactone extrapure,	100 Gms	1580
		5 Kg	67870	[90-80-2]	99%	500 Gms	2420
53409	Genipin extrapure, 98%	25 Mg	3000		(D-(+)-Gluconic Acid d-Lactone, D-Gluconolactone,		
[6902-77-8]		100 Mg	8000		Glucono-Delta-Lactone)		
37636	Gentamicin Sulphate (GM)	1 Gms	410	74587	Glucoraphanin Potassium Salt	10 Mg	33600
[1405-41-0]		5 Gms	1640	[21414-41-5]	Reference Standard Grade, 90%		
		25 Gms	6080		(4-Methylsulfinylbutyl Glucosinolate Potassium Salt)		
50827	Gentamicin Sulphate (GM) for	1 Gms	960	15546	Glucoraphenin Potassium Salt	10 Mg	36750
[1405-41-0]	tissue culture	5 Gms	2400	[108844-81-1]		10 Mg	00750
		25 Gms	7890		(4-Methylsulfinyl		
95677	β-D-Gentiobiose extrapure, 95%				3-Butenylglucosinolate Potassium Salt)		
95677 5 [554-91-6]	(Amygdalose)	100 Mg	2800	, 0000	D-Glucorono-3,6-Lactone extrapure, 99%	25 Gms	2310
		500 Mg	9000	[32449-92-0]	extrapure, 35%	100 Gms	3460
32614	Germanium Dioxide electronic grade ultrapure, 99.999%	10 Gms	7120			500 Gms	10290
[1310-53-8]	grade ditrapure, 55.555 %	25 Gms	16800		Glucoamylase ex. Rhizopus Sp.,	1000 Units	7050
		100 Gms	46830	[9032-08-0]	-	05.0	750
	Gitoxin extrapure, 98%	5 Mg	6000	45648 ✓ [66-84-2]	Glucosamine Hydrochloride extrapure, 99%	25 Gms	750
[4562-36-1]		25 Mg	12000	[00 0 . 2]		100 Gms	1650
		500 Mg	52000			500 Gms	6850
3 8490 [5996-06-5]	Glaucine Hydrobromide, 97%	10 Gms	6000	14810 [9028-53-9]	Glucose Dehydrogenase ex. Microorganism, 250U/mg	5 K.Units	15500
76052	β-Glucanase ex. Aspergillus Niger,	5 Gms	900		Glucose Oxidase (GOD) ex.	10 K.Units	2170
[9074-98-0]	10U/mg powder	25 Gms	4000	[9001-37-0]	Aspergillus Niger, 100U/mg solids	25 K.Units	4870
40193 • [21087-78-5]	Glucobarbarin Potassium Salt Reference Standard Grade, 90%	10 Mg	47250	12419 [604-68-2]	a-D-Glucose Pentaacetate extrapure, 99%	25 Gms	1260
63878	Glucocheirolin Potassium Salt	10 Mg	57750	65776	ß-D-Glucose Pentaacetate	25 Gms	1080
	Reference Standard Grade, 95%	3	07700	[604-69-3]	extrapure, 99%	100 Gms	3570
	(3-Methylsulfonylpropyl Glucosinolate			23208	D-Glucose-1-Phosphate	1 Gms	1470
61404	Potassium Salt) Glucoerucin Potassium Salt	10 Ma	50000	[6736-77-2	Dipotassium Salt Hydrate (G1P.K2	5 Gms	6830
01707	Reference Standard Grade, 95%	10 Mg	58800	(anhy)]	Hydrate) extrapure, 98% (Cori Ester Dipotassium Salt Hydrate)		
[]	(4-Methylthiobutyl Glucosinolate			62591	, , ,	1 Gms	580
	Potassium Salt)			02001	Salt Tetrahydrate (G1P.Na2	5 Gms	2100
	D-Glucoheptonic Acid-1,4-Lactone	5 Gms	7600		Tetrahydrate) extrapure, 98%	25 Gms	9720
[60046-25-5]	pure, 98% (D-Glycero-D-Gulo-Heptono-1,4-Lacto	10 Gms	14610		(Cori Ester Disodium Salt Tetrahydrate)		
	ne,			32994 [3671-99-6]	D-Glucose-6-Phosphate Disodium Salt Dihydrate (G6P.Na2 Dihydrate)	1 Gms	1020
	D-Gluco-Heptono-Gamma-Lactone)			[3071-99-0]	extrapure, 99%	5 Gms	4400
20378	Glucoiberin Potassium Salt	10 Mg	35700		(Robinson Ester)	25 Gms	21000
[15592-34-4]	Reference Standard, 85% (3-Methylsulfinylpropyl Glucosinolate				Glucose-6-Phosphate	1 K.Units	7580
	Potassium Salt)			[9001-40-5]	Dehydrogenase ex. Leuconostoc Mesenteroides, 400U/mg solids	5 K.Units	20550
84553	Gluconapin Potassium Salt	10 Mg	35700	11997	r-Glucose-6-Phosphate-Dehydroge	5 K.Units	8420
245550-57-6]	Reference Standard, 90% (3-Butenyl Glucosinolate Potassium			[9001-40-5]	nase ex. Leuconostoc Mesenteroides, 500U/mg solids	o raorinto	0420
	Salt)			75551	I a-Glucosidase (Maltase) ex. Yeast,	10 Mg	3210
	Gluconasturtiin Potassium Salt Reference Standard, 95%	10 Mg	44100	[9001-42-7]		100 Mg	29050
[18425-76-8]	(2-Phenylethyl Glucosinolate			12075	R.Glucocidase ov Sweet Almondo		
	Potassium Salt)			13275 [9001-22-3]	B-Glucosidase ex. Sweet Almonds (Type 2A), 10U/mg solids	250 Units	3740
45063 Å	D-Glucono-1,4-Lactone pure, 85%	50 Mg	7140		(Gentiobiase, Cellobiase)	1000 Units	8500
[1198-69-2]				41369	B-Glucosidase ex. Sweet Almonds	25 Mg	2000
				[9001-22-3]	(Type 2B), 10U/mg solids	100 Mg	6000
					(Gentiobiase, Cellobiase)		



Code	Name	Packing	Price	Code	Name	Packing	Price
	Glucotropaeolin Potassium Salt Reference Standard Grade, 95%	10 Mg	18000	11514	Glutathione Reduced (GSH) for molecular biology, 99.5%	1 Gms	740
[5115-71-9] 88229		1 Gms	050	[70-18-8]	molecular biology, 99.5%	5 Gms	2150
[6556-12-3]	D-Gluculonic Acid extrapare, 30%	5 Gms	950			25 Gms	8060
,			3500			100 Gms	18710
74117	Glutamate Dehydrogenase	25 Gms 100 Mg	12000 8180	14210 ✓ [453-17-8]	D-(+)-Glyceraldehyde extrapure, 85%	1 Gms	15000
[9029-12-3]	(L-GLDH) ex. Bovine Liver, 10U/mg			62423	Glycerol Kinase (GK) ex.	1 K.Units	9470
61126	D-Glutamic Acid extrapure CHR,	1 Gms	630	[9030-66-4]	Microorganism, 30U/mg solids		
		5 Gms	1680	36324 [9075-65-4]	Glycerol-3-Phosphate Dehydrogenase ex. Rabbit Muscle,	500 Units	6900
20655 [72669-53-5]	g-L-Glutamic Acid 7-Amido-4-Methylcoumarin	10 Mg	6810		15U/mg		
[. 2000 00 0]	extrapure, 98%	25 Mg	13230	36451	Glycidyl Methacrylate pure, 97%	100 ml	670
	(y-L-Glutamic Acid-AMC)	100 Mg	37790	[106-91-2]		500 ml	2420
	L-Glutamic Acid r-Benzyl Ester	5 Gms	1200	63956	Glycine-7-Amido-4-Methylcoumarin	10 Mg	9980
[1676-73-9]	extrapure, 99% (5-Benzyl-L-Glutamate)	25 Gms	2500	[113728-13-5]	Hydrobromide Salt extrapure, 98%	25 Mg	19400
	(3-Derizyi-L-Giutamate)	100 Gms	8000		(Glycine-AMC.HBr sal)		
98087 9	Glutamic Oxaloacetic Transaminase (GOT) ex. Porcine	1 K.Units	14020	56204 [2462-31-9]	Glycine Benzyl Ester Hydrochloride extrapure, 98%	5 Gms 25 Gms	2970 11530
. ,	Heart, 180U/mg Solids			67536	Glycine Benzyl Ester p-Toluene	25 Gms	6050
17632	D-Glutamine extrapure, 99%	1 Gms	3000	[1738-76-7]	Sulfonate extrapure, 98%		
[5959-95-5]		5 Gms	5500	85055	Betaine (Glycine Betaine) pure,	25 Gms	900
12381	L-Glutamine extrapure CHR, 99%	100 Gms	800	[107-43-7]	98%	100 Gms	1900
[56-85-9]		500 Gms	3200			500 Gms	5000
		1 Kg	6000	99993	Glycine Ethyl Ester Hydrochloride	100 Gms	560
31498	L-r-Glutamyl-p-Nitroanilide	500 Mg	2740	[623-33-6]	extrapure, 99%	500 Gms	2170
	Hydrochloride extrapure, 99%	1 Gms	4600		Glycyl Histidine Glycine extrapure,	100 Mg	9140
37394 🗸	Glutaric Acid pure, 99%	100 Gms	960	[7758-33-0]		100 Mm	10010
[110-94-1]		500 Gms	4390		Glycine-L-Histidine-L-Lysine extrapure, 98%	100 Mg	12210
87175 🗸	Glutaric Anhydride pure, 98%	100 Gms	1500	98803	Glycofurol extrapure, 99%	100 ml	3000
[108-55-4]	·	500 Gms	6000	[31692-85-0]	(Tetraglycol, Tetrahydrofurfurylalcohol Polyethylene Glycolether)	500 ml	12000
94980	Glutathione Oxidized (GSSG) extrapure, 99%	250 Mg	1350	74078	Glycogen ex. Oyster extrapure,	5 Gms	3400
[27025-41-6]	extrapure, 33%	1 Gms	3550	[9005-79-2]	85%	25 Gms	15000
		5 Gms	15300	49740	Glycogen ex. Oyster for molecular	1 Gms	1000
		25 Gms	42000	[9005-79-2]	biology, 85%	5 Gms	4100
		100 Gms	85000			25 Gms	18900
41422	, ` '	1 Gms	4540	50006 ✓	Glycolaldehyde Dimer	500 Mg	3990
[27025-41-8]	ExiPlus, Multi-Compendial, 99%	25 Gms	45000		extrapure,95%	300 Mg	3990
		100 Gms	105000	50391	Glycoursodeoxycholic Acid	1 Gms	4680
	meets compendial specs of BP, Ph.Eur			[64480-66-6]	(GUDCA) extrapure, 97%	5 Gms	17060
	Glutathione Oxidized (GSSG) for	250 Mg	3000		(Glycylursodeoxycholic Acid,		
[27025-41-8]	molecular biology, 99.5%	1 Gms	4990	97291	Ursodeoxycholylglycine) Glycyl-L-Glutamine extrapure, 99%	1 Gms	1960
		5 Gms	23000	[13115-71-4]	alycyl-L-didtamine extrapure, 35%	5 Gms	
48938	Glutathione Reduced (GSH)	5 Gms	850		Ohard Oharlas auton		7830
[70-18-8]	extrapure, 99%	25 Gms	3800	11530 J [556-50-3]	Glycyl Glycine extrapure, 99%	10 Gms	940
		100 Gms	14000	[0-00-00-0]		25 Gms	2080
16111	Glutathione Reduced (GSH) for	1 Gms	380			100 Gms	6540
[70-18-8]	tissue culture, 99.5%	5 Gms	1740		Z-Glycyl-Glycyl-L-Arginine	5 Mg	9360
		25 Gms	6930	[102601-58-1]	7-Amido-4-Methylcoumarin Hydrochloride Salt extrapure, 95%	25 Mg	38950
77285	Glutathione Reduced (GSH)	5 Gms	1950		(Z-Glycine-Glycine-Arginine-AMC.HCl		
[70-18-8]	ExiPlus, Multi-Compendial, 99%	25 Gms	6490		Salt)		
-	meets compandial space of Ph Eur	25 01115	0480		Z-Glycyl-LProline-4-Nitroanilide	25 Mg	4000
	meets compendial specs of Ph.Eur			[65022-15-3]	(Z-Gly-Pro-4-Nitroanilide)	100 Mg	8000



Code	Name	Packing	Price	Code	Name	Packing	Price
	Glycyl-Glycyl-L-Glycine (Triglycine)	1 Gms	1640		D-Gulono-1,4-Lactone extrapure,	1 Gms	2340
[556-33-2]	extrapure, 99%	5 Gms	7310	[6322-07-2]	98%	5 Gms	11220
		25 Gms	26870	97514	L-Gulono-1,4-Lactone extrapure,	10 Gms	5440
	Glycyl-Glycyl-L- Isoleucine	1 Gms	4660	[1128-23-0]	98%	25 Gms	9810
[69242-40-6]	extrapure, 99%	5 Gms	19180	37421	Gunzburg Reagent	100 ml	620
		1 Gms	4470				
[14857-82-0]	99%	5 Gms	18900	95068 [9008-02-0]	Haemoglobin Powder ex. Bovine Erythrocytes	100 Gms	1950
		25 Mg	7120		Harmaline pure, 98%	1 Gms	4860
[20274-89-9]	99%	100 Mg	21350	[304-21-2]			
	Glycyl-L-Isoleucine extrapure, 99%	1 Gms	1960		HATU extrapure, 98%	5 Gms	1100
[19461-38-2]		5 Gms	7570	[148893-10-1]		25 Gms	4500
	Glycyl-L-Leucine extrapure, 99%	1 Gms	1700			100 Gms	16000
[869-19-2]		5 Gms	7510	44424 [94790-37-1]	HBTU extrapure, 98%	5 Gms	360
27587	Glycyl Leucine Phenylalanine	100 Mg	16310	[94790-37-1]		25 Gms	1600
	extrapure, 99%	05.14				100 Gms	5500
	Glycyl-L-Proline-7-Amido-4-Methylc oumarin Hydrobromide Salt	25 Mg	34000		HOTH 1	500 Gms	24000
	extrapure, 98%				HCTU extrapure, 98% (O-(6-Chlorobenzotriazol-1-yl)	5 Gms	850
	(H-Gly-Pro-AMC-HBr, GP-AMC.HBr Salt)			[,	-N,N,N',N'-Tetramethyluronium	25 Gms 100 Gms	2400 8500
74329	Glycyl-L-Tyrosine extrapure, 99%	1 Gms	1960		Hexafluorophosphate)		
[658-79-7]		5 Gms	7830	23315 J [150-39-0]	HEDTA (N-(2-Hydroxyethyl) ethylenediaminetriacetic acid)	25 Gms	1200
34601	Glycyl-L-Valine extrapure, 99%	1 Gms	2470	[100 00 0]	extrapure, 99%	100 Gms 500 Gms	3700
[1963-21-9]	, ,	5 Gms	10210		Hamatandia Manahaduata		16000
92245	Glyoxal 40% aq. solution pure	500 ml	430	28394 [517-28-2]	Hematoxylin Monohydrate (Natural Black I)	5 Gms 25 Gms	2100
[107-22-2]		2500 ml	1680			100 Gms	9870 32000
35657	Griess Reagent for Nitrite extrapure	100 ml	3490	78372	Hemin Chloride cryst. ex. Bovine	1 Gms	1470
					extrapure, 98%	5 Gms	5250
53613	Guaiacol extrapure, 99%	250 Gms	900		(Hematin Hydrochloride, Chlorohemin)		0200
[90-05-1]		1 Kg	3400		Hemin Chloride cryst. ex. Porcine extrapure, 98%	1 Gms	1470
	Guanine extrapure, 99%	25 Gms	560	[10009-10-0]	(Hematin Hydrochloride, Chlorohemin)	5 Gms	5250
[73-40-5]		100 Gms	1200	58389	Heparin Sodium Salt ex. Bovine	20 K.Units	1100
		1 Kg	9500	[9041-08-1]	Intestinal Mucosa, 150 IU/mg	100	3400
	Guanine Hydrochloride extrapure,	5 Gms	330		Handala Ondhan Onban Barina	K.Units	
[635-39-2]	98%	25 Gms	1410	50661 [9041-08-1]	Heparin Sodium Salt ex. Bovine Intestinal Mucosa, 150 IU/mg	100 Mg 1 Gms	1200
	Guanine Sulphate extrapure, 98%	1 Gms	1600		UEDDO Doffer colonia con		5000
[10333-92-3] 57892	Guanosine extrapure, 99%	25 Gms	640	29768 [161308-36-7]	HEPBS Buffer extrapure, 99%	10 Gms 25 Gms	7410
[118-00-3]	dualiosine extrapare, 55/5	100 Gms	2400			100 Gms	9870 35760
		500 Gms	8000	62720	HEDES Buffer extremure 90%		
95494	Guanosine-5-Monophosphate	1 Gms	330	63732 [7365-45-9]	HEPES Buffer extrapure, 99% (N-[2-Hydroxyethyl]	25 Gms 100 Gms	530 1680
[5550-12-9]	Disodium Salt (5-GMP-Na2)	5 Gms	1220		Piperazine-N[2-Ethane Sulphonic	500 Gms	7350
	extrapure, 96%	25 Gms	5080		Acid])	1 Kg	13650
		100 Gms	17380	48489	HEPES Buffer for tissue culture,	25 Gms	790
70564	Guanosine-5-Triphosphate	100 Mg	3000	[7365-45-9]	99%	100 Gms	2100
[56001-37-7]	Disodium Salt (5-GTP-Na2) extrapure, 90%	500 Mg	5000		(N-[2-Hydroxyethyl] Piperazine-N[2-Ethane Sulphonic		
	Guayule (DCPTA) for tissue	25 Gms	2310	16826	Acid]) HEPES Buffer for molecular	25 Gms	840
11945				10020	Lo barror for infolectulal	20 UIII3	040
11945 [65202-07-5]	culture, 98% (2-(3,4-Dichlorophenoxy)	100 Gms	7880	[7365-45-9]	biology, 99.5%	100 Gms	2310



Code	Name	Packing	Price	Code	Name	Packing	Price
78805	HEPES Buffer 1M Solution pH-7.3 for molecular biology	100 ml	3360	97843 [495-69-2]	Hippuric Acid Reference Standard, 100%	10 Gms	4200
68744	HEPES Sodium Salt extrapure, 99%	25 Gms	950	98808	Hippuryl-L-Phenylalanine, 99%	100 Mg	2970
[75277-39-3]	(N-2-Hydroxyethyl piperazine N-2-Ethane Sulphonic Acid Sodium	100 Gms	2730	[744-59-2]		250 Mg	7000
	Salt)	500 Gms	9240	83597	Histamine Dihydrochloride (HSM),	1 Gms	1070
32225	HEPES Sodium Salt for molecular	25 Gms	1580	[56-92-8]	98%	5 Gms	2970
[75277-39-3]	biology, 99% (N-2-Hydroxyethyl piperazine	100 Gms	3780			25 Gms	8000
	N-2-Ethane Sulphonic Acid Sodium	500 Gms	12600	81240	HOAT	1 Gms	780
	Salt)			[39968-33-7]	(1-Hydroxy-7-azobenzotriazole) pure, 98%	5 Gms	2000
39764	HEPES Sodium Salt for tissue	25 Gms	1470		pure, 30%	25 Gms	8500
[75277-39-3]	culture, 99.5% (N-2-Hydroxyethyl piperazine	100 Gms	3360	38653	HOBT Anhydrous extrapure, 99%	25 Gms	300
	N-2-Ethane Sulphonic Acid Sodium			[2592-95-2]		100 Gms	1050
	Salt)					500 Gms	3500
86017 [110-43-0]	2-Heptanone (Methyl-n-Amyl Ketone, MAK) extrapure 99%	100 ml	400			1 Kg	6500
[110-43-0]	(Methyl Pentyl Ketone)	500 ml	1500	27645	HOBT Monohydrate pure, 99%	25 Gms	300
18338	Heptanoyl Chloride pure, 98%	25 Gms	1900	[123333-53-9]		100 Gms	1080
[2528-61-2]	(Enanthic Chloride, Oenanthic	100 Gms	3560			500 Gms	3200
00001	Chloride)	E Cma	0000			1 Kg	6000
29681 [10534-89-1]	Hexaammine Cobalt (III) Chloride extrapure, 99%	5 Gms 25 Gms	3000	93864	D-Homocitrulline extrapure CHR,	1 Gms	8540
	(Cobalt Hexammine Trichloride,	25 Gills	9000	[121080-96-4]	98%	5 Gms	29050
	Hexaamminecobalt Trichloride, Luteo-cobaltic Chloride)			94194	D-Homophenylalanine extrapure,	500 Mg	2380
28373	Hexadecylamine (Cetylamine) pure,	5 Gms	800	[82795-51-5]	97%	5 Gms	9490
[143-27-1]	98%	25 Gms	1800	78523 ✓	L-Homophenylalanine extrapure,	500 Mg	1780
		100 Gms	3400	[943-73-7]	97%	1 Gms	2970
21437	1,1,1,3,3,3-Hexafluoro-2-Propanol	25 ml				5 Gms	7120
[920-66-1]	(HFIP) extrapure, 99%	100 ml	2400 7200			25 Gms	22530
	(Hexafluoroisopropanol)	500 ml	34000	58931	Homophthalic Acid pure, 98%	25 Gms	1440
98573	1,1,1,3,3,3-Hexafluoro-2-Propanol	25 ml		[89-51-0]		100 Gms	5110
[920-66-1]	(HFIP) for UV spectroscopy, 99%	100 ml	3980 9930	69080	Homovanillic Acid extrapure, 99%	250 Mg	1170
	(Hexafluoroisopropanol)	100 1111	9930	[306-08-1]	• •	1 Gms	3900
28437	1,1,1,3,3,3-Hexamethyldisilazane	100 ml	400			10 Gms	22540
[999-97-3]	pure (HMDS), 98%	500 ml	1500	27698	Hyaluronic Acid Sodium Salt - Type	100 Mg	5500
		2500 ml	6500	[9067-32-7]	1 (600-1000 KD) extrapure, 90%	.559	3300
	(2S,5S)-2,5-Hexanediol extrapure,	1 Gms	15390		(HA, Hyaluronan, Hyaluronate, Hyasis		
[34338-96-0]	99%	2.5 Gms	37830		850P, Sodium hyaluronate, Poly(b-glucuronic acid-[1?3]-b-N-acet		
56464	n-Hexanol pure, 98%	500 ml	700	75810	Hyaluronic Acid Sodium Salt - Type	100 Mg	5500
[111-27-3]		2500 ml	3300	[9067-32-7]	2 (1000-2000 kD) extrapure, 90%		
98669	n-Hexanol extrapure AR, 99%	250 ml	725		(HA, Hyaluronan, Hyaluronate, Hyasis 850P, Sodium hyaluronate,		
[111-27-3]		500 ml	1200		Poly(b-glucuronic acid-[1?3]-b-N-acet		
		2500 ml	5000	39678	, ,,	100 Mg	5000
68497	Hexanoyl Chloride pure, 98%	100 ml	1100	[9067-32-7]	3 (80-100 kD) extrapure, 90% (HA, Hyaluronan, Hyaluronate, Sodium		
[142-61-0]		500 ml	4200		hyaluronate, Poly(b-glucuronic acid-		
69502 [9001-51-8]	Hexokinase ex. Saccharomyces Sp. 150U/mg	5000 Units	6530	89002	[1->3]-b-N-acetylglucosamin	100 Mg	5000
46639	4-Hexylresorcinol extrapure, 99%	5 Gms	1050	[9067-32-7]	4 (40-50 kD) extrapure, 90%	100 1119	5500
[136-77-6]	(Antascarin, Ascarinol,	25 Gms	3700		(HA, Hyaluronan, Hyaluronate, Sodium		
	4-Hexyl-1,3-Dihydroxybenzene)	100 Gms	11200		hyaluronate, Poly(b-glucuronic acid- [1?3]-b-N-acetylglucosamine		
35696	Hippuric Acid pure, 99%	100 Gms	410		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
00000		100 01113	410				



Code	Name	Packing	Price	Code	Name	Packing	Price
	, , , , , , , , , , , , , , , , , , ,	100 Mg	5000	81073	'	1 Gms	3210
[9067-32-7]	5 (8-15 kD) extrapure, 90% (HA, Hyaluronan, Hyaluronate, Sodium			[3006-96-0]	(Hydroxymethyl)benzoic Acid) extrapure, 99%	5 Gms	13050
	hyaluronate, Poly(b-glucuronic acid-					25 Gms	29640
	[1?3]-b-N-acetylglucosamine				HMPA Linker (4-	250 Mg	1900
98512 [5341-61-7]	Hydrazine Dihydrochloride pure, 98%	100 Gms 500 Gms	490	[68858-21-9]	(Hydroxymethyl)phenoxyacetic Acid) extrapure, 98%	1 Gms	4280
			1880	56043	Hydroxypropyl-B-Cyclodextrin	25 Gms	2970
36681 [619-67-0]	4-Hydrazinobenzoic Acid extrapure, 95%	25 Gms	3140	[128446-35-5]	(HPBCD) ExiPlus,	100 Gms	8310
[019-01-0]		100 Gms	9340		Multi-Compendial, 98% meets compendial specs of USP		
40935 [122-66-7]	Hydrazobenzene pure, 97% (1,2-Diphenylhydrazine)	25 Gms	540	58240	2-Hydroxypyridine-N-oxide pure	25 Gms	4940
[122-00-7]	(1,2-Diprienyinyurazine)	100 Gms	2000	[13161-30-3]	(HOPO), 98%	100 Gms	18060
13542 [50-23-7]	Hydrocortisone pure, 97%	1 Gms	440	44923	Hydroxylapatite ~ 25% solids	40 ml	1980
28449	Hydroquinone pure, 98%	100 Gms	450	[1306-06-5]	suspension (10g solids/40ml) in	100 ml	3770
[123-31-9]	(1,4-Dihydroxybenzene, Quinol)	500 Gms	2000		0.001M		
25311	Hydroquinone extrapure AR, 99%	100 Gms	520	62953 [67-47-0]	5-Hydroxymethylfurfural (HMF) extrapure, 98%	1 Gms	1670
[123-31-9]	Tryanoquinone example Art, 00%	500 Gms	2400	[07-47-0]	oxuapare, 55%	5 Gms	5500
47700	Hadrania and autonoma AD					25 Gms	25000
17732 [123-31-9]	Hydroquinone extrapure AR, ExiPlus, Multi-Compendial, 99%	100 Gms 500 Gms	600			100 Gms	58000
[•	500 Gms	2600		5-Hydroxymethylfurfural (HMF) ExiPlus, Multi-Compendial, 98%	1 Gms	2100
	meets compendial specs of USP, BP, Ph.Eur			[67-47-0]	Exirus, Mutti-Compendial, 90%	5 Gms	8100
91893	o-Hydroxyacetophenone pure, 95%	100 ml	980			25 Gms	28000
[118-93-4]		500 ml	4110		meets compendial specs of BP, Ph.Eur		
58245	m-Hydroxyacetophenone pure, 98%	25 Gms	570	79897 [87199-15-3]	3-(Hydroxymethyl) Phenylboronic acid extrapure, 95%	1 Gms	2500
[121-71-1]	in-riyaroxyacetophenone pure, 30%	100 Gms	1410	[07 199-13-0]	acia cha aparc, con	5 Gms	11800
E4504	n Hadronson atombon and andrews					10 Gms	21940
54564 [99-93-4]	p-Hydroxyacetophenone extrapure, 98%	100 Gms 500 Gms	520	93740 [63451-35-4]	Hydroxynaphthol Blue	5 Gms	350
			2130	[03431-33-4]		25 Gms	1300
66616 [100-83-4]	m-Hydroxybenzaldehyde pure, 98%	25 Gms	540	69399	N-Hydroxyphthalimide pure, 98%	25 Gms	430
[100 00 4]		100 Gms	1200	[524-38-9]		100 Gms	1450
		500 Gms	5500			500 Gms	5000
85692 [123-08-0]	p-Hydroxybenzaldehyde pure, 99%	100 Gms	480	26921	L-Hydroxyproline extrapure CHR,	25 Gms	600
[120 00 0]		500 Gms	2050	[51-35-4]	99%	100 Gms	2300
		5 Kg	18000	57803	2-Hydroxypyridine pure, 98%	100 Gms	2800
78957 [99-96-7]	p-Hydroxybenzoic Acid pure, 99%	100 Gms	310	[142-08-5]		500 Gms	10500
[99-90-7]		500 Gms	950	64675	3-Hydroxypyridine pure, 98%	25 Gms	720
59645	4-Hydroxybenzophenone pure, 98%	100 Gms	3670	[109-00-2]		100 Gms	2420
[1137-42-4]		500 Gms	12420			500 Gms	10960
29893	4-Hydroxybenzyl Alcohol (4-HBA)	25 Gms	1310	87228	4-Hydroxypyridine practical grade,	25 Gms	1500
[623-05-2]	pure, 98%	100 Gms	4630	[626-64-2]	95%	100 Gms	5110
		500 Gms	9000	47913	N-Hydroxysuccinimide pure, 97%	25 Gms	760
	D-3-Hydroxybutyrate	1000 Units	27300	[6066-82-6]	(NHS)	100 Gms	2490
[9028-38-0]	Dehydrogenase (3-HBDH) ex. Pseudomonas Sp., 100U/mg					500 Gms	11360
	(b-Hydroxybutyrate Dehydrogenase,			88997	3-Hydroxy-2,4,6-Tribromo-Benzoic	1 Gms	710
	(R)-3-Hydroxybutanoate: NAD+			[14348-40-4]	Acid (TBHBA), 97%	5 Gms	3280
82739	oxidoreductase) 2-Hydroxy-3,5,- Dichlorobenzene Sulphonic Acid Sodium Salt	5 Gms	3410		3-Hydroxy-2,4,6-Triiodobenzoic Acid (HTBA), 97%	1 Gms	5000
[54970-72-8]	(DCHBS), 98%	25 Gms	15770	67941	5-Hydroxy-L-Tryptophan extrapure,	1 Gms	1800
	(DHBS, 3,5-Dichloro-2-hydroxybenzenesulfonic	100 Gms	60000	[4350-09-8]	98% (Serotonin precursor)	5 Gms	8000
	acid, Sodium			11056	Hygromycin B (HGR) for tissue	100 Mg	2460
	acia, obalam						



Code	Name	Packing	Price	Code	Name	Packing	Pric
	Hygromycin B (HGR), 90%	100 Mg	1410	60704		1 Gms	2900
[31282-04-9]		250 Mg	3390	[1204-06-4]	99.5% (3-Indoleacrylic Acid)	5 Gms	14470
		1 Gms	11000	97637	Indole-3-Propionic Acid pure, 98%	5 Gms	1100
94663	Hygromycin B (HGR Solution),	20 ml	9800	[830-96-6]	madic-6-1 repletite Acia pare, 50%	25 Gms	3290
[31282-04-9]	50mg/ml in Aq. Solution	100 ml	38500		Indele 2 Carbon addebude autom.		
63573	Hypoxanthine extrapure, 99%	5 Gms	270	69447 4 [487-89-8]	Indole-3-Carboxyaldehyde extrapu re, 99%	10 Gms	1250
[68-94-0]	, ,	25 Gms	840	[10, 00 0]	(3-Indolylaldehyde)	25 Gms	1890
		100 Gms	3150			100 Gms	6000
36693	4-Imidazolecarboxaldehyde pure,	1 Gms	2460		Indoxyl-ß-D-Galactopyranoside extrapure, 98%	25 Mg	3800
[3034-50-2]	98%	5 Gms	5500	39627	•	25 Mg	3390
	(4-Formylimidazole,	o dino	3300	[3318-43-2]	•	100 Mg	
	1H-Imidazole-4-Carbaldehyde,				•	•	6430
-0100	5-Imidazolecarboxaldehyde) 1,3-Indanedione pure, 96%	E Cma	0.460			500 Mg	22200
52106 [606-23-5]	(1,3-Diketohydrindene, 1,3-Dioxoindan)	5 Gms	2460		3-Indoxyl Sulfate Potassium Salt extrapure, 98%	50 Mg	2580
		25 Gms	9930	[2642-37-7]	ехнарше, 96%	250 Mg	5960
32328	2-Indanone pure, 98%	10 Gms	2000		Inosine extrapure, 99%	10 Gms	620
[615-13-4]		25 Gms	4000	[58-63-9]		25 Gms	1300
		100 Gms	14000			100 Gms	4950
6486	Indigo Carmine extrapure AR	25 Gms	350			500 Gms	21000
[860-22-0]		100 Gms	1050	19594	Inosine-5-Monophosphate	5 Gms	1160
		500 Gms	4300	[352195-40-5]	Disodium Salt Hydrate (5-IMP-Na2		
1016	Indium (III) Chloride Tetrahydrate	5 Gms	4500		Hydrate) extrapure, 99%		
22519-64-8]	ultrapure, 99.99%	25 Gms	8000	77985	(Disodium Inosate) Inosine-5-Triphosphate Disodium	25 Mg	007
	(Indium Chloride)			[36051-67-9]	• • •	•	2970
52859	Indium (III) Hydroxide ultrapure, 99.99%	5 Gms	2630			100 Mg	5940
20661-21-6]	33.33%	25 Gms	7350	98211	Inositol pure, 99% (Vitamin B8)	100 Gms	780
34697	Indium Metal Ingots, 99.9%	10 Gms	3500	[87-89-8]	(vitattiii bo)	500 Gms	2700
[7440-74-6]						1 Kg	4600
95867	Indium (III) Nitrate Hydrate extrapure, 99.9%	5 Gms	4500			5 Kg	20000
207390-97-0]	extrapare, 33.3%	10 Gms	8000	87114	Inositol for tissue culture, 99%	100 Gms	850
		50 Gms	24000	[87-89-8]	(Vitamin B8)	500 Gms	3000
43095	Indium (III) Oxide extrapure, 99.9%	5 Gms	4500			1 Kg	5000
[1312-43-2]	(Diindium Trioxide, Indium Sesquioxide)	10 Gms	6400			5 Kg	22000
	Jesquioxide)	25 Gms	12500	53860	Inulin extrapure	25 Gms	1050
64331	Indium (III) Sulphate Anhydrous	10 Gms	2200	[9005-80-5]		100 Gms	3520
13464-82-9]	extrapure, 99%	25 Gms	5000	61568	Invertase (Saccharase) ex. Candida	2 K.Units	12250
75920	Indium (III) Sulphate Anhydrous	10 Gms	4500	[9001-57-4]	Sp., 100U/mg	2 14.011110	12200
13464-82-9]	ultrapure, 99.99%	50 Gms	21000		(Invertase-ß-D-Fructofuranoside		
	In all one William G.O. E. comp. 00.00/				Fructohydrolase)		
96535 [7440-74-6]	Indium Wire Ø 0.5 mm, 99.9%	5 Gms	3800		2-Iodobenzoic Acid pure, 98%	25 Gms	1200
		10 Gms	7000	[88-67-5]		100 Gms	3600
19228	Indole crystalline extrapure AR,	25 Gms	540		lodocyclohexane (Stabilized w/ Cu)	10 Gms	3360
[120-72-9]	99%	100 Gms	6800	[626-62-0]	extrapure, 98% (Cyclohexyl lodide)	25 Gms	7200
	Indole-3-Acetic Acid Methyl Ester	1 Gms	1640		(Oyolorioxyr Iodide)	100 Gms	10800
[1912-33-0]	extrapure, 98%	10 Gms	9350	82104	1-lododecane (Stabilized with Cu)	25 ml	1860
20004 0	(Methyl-3-Indolylacetate) Indole-3-Acetyl-L-Phenylalanine	4.0	0.4540	[2050-77-3]	extrapure, 98%	100 ml	5940
53661 5 7105-50-7]	extrapure, 98%	1 Gms	34510		(Decyl lodide, Decyliodide)		
	(N-(3-Indolylacetyl)-L-Phenylalanine,	5 Gms	103520	83441	5-lodo-2-Deoxyuridine extrapure, 98%	500 Mg	1520
	IAA-L-Phe)			[54-42-2]		5 Gms	10450
	•	25 Mg	2340	40686	2(4-lodophenyl)-3 (4-Nitrophenyl)	1 Gms	1800
57105-42-7]	99%			[146-68-9]	-5-Phenyl-2H-Tetrazolium Chloride	5 Gms	8000



Code	Name	Packing	Price	Code	Name	Packing	Price
99918	5-lodouracil extrapure, 98%	5 Gms	2000	36321	Isopropyl Acetate pure, 99%	500 ml	400
[696-07-1]		10 Gms	3400	[108-21-4]		2500 ml	1700
63088	Isobutyl Benzene pure, 98%	500 ml	480	61386		50 Mg	2000
[538-93-2]		2500 ml	2300	[7724-76-7]	98% (6-(?,?-Dimethylallylamino)purine	200 Mg	7000
34516	Isobutylboronic Acid extrapure,	1 Gms	1530		riboside, N6-		
[84110-40-7]		5 Gms	3460		(3,3-Dimethylallylamino)purine		
	(2-Methylpropylboronic acid)	25 Gms	15540		riboside, 6-(3,3-Dimet		
78521	Isobutyl Bromide (Stabilized w/ Ag)	100 ml	850	58571 [2210-25-5]	N-Isopropylacrylamide (NIPAM) extrapure, 99%	10 Gms	1600
[78-77-3]	pure, 98%	500 ml	4000	[2210-25-5]	extrapare, 55%	25 Gms	3200
30671	Isobutyl Iodide	25 ml	4000			100 Gms	12000
[513-38-2]	(1-lodo-2-Methylpropane)	100 ml	11000	45273	Isopropylboronic Acid extrapure,	1 Gms	2970
	(Stabilized w/Ag) pure, 97%	250 ml	25000	[80041-89-0]	97%	5 Gms	13050
00004	lackuturia Aaid autranura 000/					25 Gms	23120
39634 [79-31-2]	Isobutyric Acid extrapure, 99%	500 ml	1000	16390	Isopropyl Bromide (Stab w/ Ag)	100 ml	350
[70012]		2500 ml	4680	[75-26-3]	pure, 99%	500 ml	1410
35853	Isobutyryl Chloride pure, 98.5%	250 ml	1340	18346	Isopropyl Chloroacetate pure, 98%	500 ml	770
[79-30-1]		1000 ml	4860	[105-48-6]			
70170	Isobutyryl Chloride specially	250 ml	1800	38525	Isopropyl lodide pure, 98%	25 ml	1800
[79-30-1]	purified, 98.5%	1000 ml	6100	[75-30-9]		100 ml	6200
42615	DL-Isocitrate Trisodium Salt, 94%	1 Gms	2050			250 ml	15000
[1637-73-6]		5 Gms	7500	52469	Isopropyl Palmitate pure, 90%	500 ml	670
90189	Isodecanol pure, 98%	500 ml	1080	[142-91-6]		2500 ml	6000
[25339-17-7]				54110	Isopropyl-B-D-Thiogalactopyranosi	5 Gms	1780
60672	Isoeugenol (mixture of cis and	100 ml	1200	[367-93-1]	de (IPTG) (dioxan free), 99%	25 Gms	8070
[97-54-1]	trans) pure, 98%	500 ml	5000			100 Gms	29640
33401	D-Isoleucine extrapure, 98%	250 Mg	9000			1 Kg	260000
[319-78-8]		1 Gms	22000	67208	Isopropyl-B-D-Thiogalactopyranosi	5 Gms	1950
		5 Gms	72000	[367-93-1]	de (IPTG) (dioxan-free) for MB,	25 Gms	8660
26731	L-Isoleucine extrapure CHR, 99%	25 Gms	490		99%	100 Gms	32010
[73-32-5]	• .	100 Gms	850				285000
		500 Gms	4000	20000	IPTG Solution (20mg/ml)		
		1 Kg	7000	82202	PIG Solution (20mg/ml)	1 ml	1100
94082 🗸	Isomaltose extrapure, 98%	25 Mg	4500			5 x1 ml	2500
[499-40-1]	isomanose extrapure, 30%	25 Mg 100 Mg	4500 8800		Isovaleraldehyde pure, 98%	100 ml	450
				[590-86-3]		500 ml	1500
42021 ✓ [3371-50-4]	Isomaltotriose extrapure, 97% (6-O-[6-O-(a-D-Glucopyranosyl)	25 Mg	8500			1000 ml	2800
[0071 00 4]	-a-D-Glucopyranosyl]-D-Glucose)			51656	Isovaleryl Chloride pure, 98%	100 Gms	1100
88109 🗸	Isomaltotetraose extrapure, 95%	5 Mg	3500	[108-12-3]	(Isopentanoyl Chloride, 3-Methylbutyryl Chloride)	500 Gms	4000
[35997-20-7]				35798	Itaconic Acid pure, 99%	250 Gms	630
45433 🗸	Isomaltopentaose extrapure, 95%	1 Mg	51580	[97-65-4]		255 55	
[6082-32-2] 94885	Isoniazid extrapure, 99%	5 Gms	200		Ivermectin (IVM), 95-102%	1 Gms	800
[54-85-3]	(Isonicotinic Acid Hydrazide,	100 Gms	300 800	[70288-86-7]		5 Gms	2000
	4-Pyridinecarboxylic Acid Hydrazide)	500 Gms				25 Gms	6000
00000 0	No to leaventered Adams		3600	79238	Jasmonic Acid for molecular	25 Mg	16120
68866 [2365-40-4]	N6-[2-Isopentenyl] Adenine extrapure, 98%	250 Mg	2700	[77026-92-7]	biology, 95%		
[==20 .0 4]	. ,	500 Mg	4500	98314	Jojoba oil extrapure	250 ml	2200
		1 Gms	8000	[61789-91-1]		500 ml	3500
18018	Isophthalic Acid pure, 99%	500 Gms	300	70878	Kanamycin Acid Sulphate (KS)	1 Gms	500
[121-91-5]	Isophthaloyl Chloride pure, 98%	100 0~~	1600	[64013-70-3]	extrapure, 670U/mg	5 Gms	2000
67742 [99-63-8]	130philialoyi Ciliotide pure, 30%	100 Gms	1600		(Kanamycin Disulfate, Kanamycin A, Kanamycin Acid Sulfate)	25 Gms	7500
[20 0]		500 Gms	5000		· ····································		



Code	Name	Packing	Price	Code	Name	Packing	Pric
89346 [64013-70-3]	Kanamycin Acid Sulphate (KS) for tissue culture, 670U/mg	1 Gms 5 Gms	700 3000	15932 [8006-54-0]	Lanolin anhydrous extrapure (Wool Wax, Wool Grease)	500 Gms	2080
	(Kanamycin Disulfate, Kanamycin A, Kanamycin Acid Sulfate)	25 Gms	9500	56839 [79-63-0]	Lanosterol pure, ~60%	1 Gms	1160
99311	Kanamycin Monosulphate (KM)	1 Gms	580			10 Gms	8000
[25389-94-0]	extrapure, 750mcg/mg	5 Gms	2290	20351 [10025-84-0]	Lanthanum Chloride Heptahydrate extrapure AR, ACS, 99%	100 Gms	1700
		25 Gms	8560	[10023-04-0]		500 Gms	6500
76061	Kanamycin Monosulphate (KM) for	1 Gms	750	34032	Lanthanum Nitrate Hexahydrate	100 Gms	1200
25389-94-0]	tissue culture, 750mcg/mg	5 Gms	3100	[10277-43-7]	extrapure AR, 99%	500 Gms	3800
		25 Gms	10810	91288	Lanthanum Nitrate 0.1M	500 ml	1540
4259	2-Ketobutyric Acid pure, 97%	5 Gms	7500	[10277-43-7]		1000 ml	2970
[600-18-0]	(a-Ketobutyric acid, Propionylformic	25 Gms	30000	36917	Lanthanum Oxalate Hydrate	10 Gms	440
	Acid, 2-Oxobutyric Acid)			[312696-10-9]	extrapure AR, 99.5%	100 Gms	2630
3929 ✓ [328-50-7]	a-Ketoglutaric Acid extrapure, 99%	25 Gms	610			500 Gms	12600
[020 00 7]		100 Gms	2110	59415	Lanthanum Oxide extrapure, 99.9%	100 Gms	980
		500 Gms	8770	[1312-81-8]		500 Gms	4400
8386	, , , ,,	25 Gms	770	47835	Lanthanum (III)	1 Gms	1050
[328-50-7]	extrapure AR, 99.5%	100 Gms	2930	[52093-26-2]	Trifluoromethanesulfonate	5 Gms	3250
		500 Gms	13440		extrapure, 98%		
2826	a-Ketoglutaric Acid Disodium Salt	25 Gms	3010		(Lanthanum Triflate, Trifluoromethanesulfonic Acid		
[305-72-6]	Anhydrous extrapure, 95%	100 Gms	10070		Lanthanum Salt)		
		500 Gms	46000	92044	Lauric Acid Methyl Ester Reference	5 Gms	180
8223 🗸	a-Ketoglutaric Acid Disodium	25 Gms	2580	[111-82-0]	Standard, 99.5%(GC)	25 Gms	650
[305-72-6]	Dihydrate extrapure, 98%	100 Gms	8420	87444	(Methyl Laurate) L-Lauroyl-Rac-Glycerol extrapure	1 Gms	007
	(2-Oxoglutaric Acid Sodium Salt)	500 Gms	40000	67444 • [142-18-7]	(Imwitor 312), 99%	5 Gms	3870
0814	a-Ketoglutaric Acid Monosodium	25 Gms	5000				15570
22202-68-2]	Salt extrapure, 98%	100 Gms	19000	74090 8 [137-16-6]	N-Lauroylsarcosine Sodium Salt (Sarkosyl Sodium) pure, 98%	25 Gms	1520
	(2-Oxoglutaric acid monosodium salt, 2-Oxopentanedioic acid monosodium			[107 10 0]	(cance), comain, pare, co/c	100 Gms	400
	salt, Sodium 2-oxoglutarate m					500 Gms	900
1341	Kinetin extrapure AR, 99%	1 Gms	270			2.5 Kg	4100
[525-79-1]		5 Gms	950	15448 4 [137-16-6]	N-Lauroylsarcosine Sodium Salt (Sarkosyl Sodium) for molecular	25 Gms	2400
		25 Gms	4730	[107-10-0]	biology, 98%	100 Gms	4800
84154	Kinetin for tissue culture, 99%	1 Gms	580		(Sodium Lauroyl Sarcosine)	250 Gms	7000
[525-79-1]		5 Gms	2310			1 Kg	22000
		25 Gms	9450	67983	N-Lauroylsarcosine Sodium Salt (Sarkosyl Sodium Solution) 30%	500 ml	900
3296	Kinetin Riboside extrapure, 98%	100 Mg	3680	[137-16-6]	Aq. Solution	2500 ml	4000
4338-47-0]		1 Gms	12600	63645	Lavender oil extrapure, 30-60% LA	10 ml	600
9744	Kojic acid extrapure, 99%	5 Gms	210	[8000-28-0]		25 ml	1100
[501-30-4]	(5-Hydroxy-2-Hydroxymethyl-4-Pyrano	25 Gms	550			100 ml	3000
	ne)	100 Gms	2050	71707	Lead (II) Chromate pure, 98%	500 Gms	1050
8158	Kojibiose extrapure, 99%	10 Mg	3180	[7758-97-6]	(Plumbous Chromate)		
[2140-29-6]		50 Mg	10780	21854 [7439-92-1]	Lead Metal Lumps, 99%	500 Gms	680
1662	Kovac`s Indole Reagent for microbiology	100 ml	330	62603 [7439-92-1]	Lead Metal Powder extrapure AR, 99.5%	500 Gms	1000
9068	Kraut`s Reagent	100 ml	680	59557	Lecithin ex. Egg, 60%	25 Gms	5470
	•			[8002-43-5]	(L-a-Phosphatidylcholine)	100 Gms	1944
3110	, , ,	2500 Units	5000	59561	Lecithin ex. Soya, 30%	100 Gms	177
9028-36-8]	ex. Microorganism, 400U/mg solids	5000 Units	9500	[8002-43-5]	(L-a-Phosphatidylcholine)	500 Gms	3890
	r-D-Lactate Dehydrogenase	5000 Units	7010	64613	L-Leucinamide Hydrochloride	5 Gms	1650
[9001-60-9]	(r-D-LDH) ex. E. Coli	10000	12620		extrapure, 99%	5 Gills	1000



Code	Name	Packing	Price	Code	Name	Packing	Price
61304	D-Leucine extrapure, 99%	5 Gms	1890	89141	Lithium Lactate (specially purified)	100 Gms	3000
[328-38-1]		25 Gms	5000	[867-55-0]	extrapure, 99%	500 Gms	14000
99664 [33105-81-6]	tert-DL-Leucine extrapure, 98%	500 Mg	5250	69375 [7439-93-2]	(Lactic Acid Lithium Salt) Lithium Metal, 99.5%	100 Gms	23000
47736	L-Leucine	10 Mg	8400	23410	Lithium Oxalate extrapure, 99%	25 Gms	2200
[62480-44-8]	7-Amido-4-Methylcoumarin Hydrochloride Salt extrapure, 98%	25 Mg	16800	[553-91-3]	. • •	100 Gms	4200
	(L-Leucine-AMC.HCl Salt)			16350	Lithium Tetraflouroborate Dried,	5 Gms	3300
40528 [9082-71-7]	Leucine Dehydrogenase (LeuDH) ex. Bacillus Sp., 20U/mg	100 Units	14230		99%, water 1%	25 Gms	15000
27029 [893-36-7]		100 Mg	2630	29288 [434-13-9]	Lithocholic Acid (LCA) pure, 98%	10 Gms 25 Gms	7500 18000
11127	L-Leucyl-L-Alanine Hydrate	1 Gms	4800	52737	Lomefloxacin Hydrochloride (LMF),	1 Gms	1260
[7298-84-2]	extrapure, 98%	5 Gms	20000	[98079-52-8]	• , • • •	5 Gms	3260
37520	D-Leucyl-Glycine extrapure, 98%	100 Mg	2520	50320	D-Luciferin ex. Firefly, 99%	10 Mg	
[997-05-7]	-,,	500 Mg	11900		((S)-4,5-Dihydro-2-	50 Mg	4000 18000
23467	Levofloxacin (LVX), 98%	1 Gms	2800		(6-Hydroxy-2-Benzothiazolyl) -4-Thiazolecarboxylic Acid)	50 Mg	10000
100986-85-4,		5 Gms	5500	58891	D-Luciferin Potassium Salt ex.	25 Mg	3000
138199-71-0]		25 Gms	17000		Firefly, 99%	100 Mg	6000
60011	Light Green SF Yellowish, 65%	25 Gms	900			500 Mg	22000
[5141-20-8]	(C.I. No. 42095)	100 Gms	3250	62851	D-Luciferin Sodium Salt ex. Firefly,	25 Mg	4000
		500 Gms	15000	[103404-75-7]	•	100 Mg	11000
98099	Linoleic Acid (Free Acid) extrapure,	5 ml	3000			500 Mg	40000
[60-33-3]	98%	25 ml	5500	49982	Luminol extrapure, 98%	5 Gms	1070
		100 ml	8000	[521-31-3]		25 Gms	4160
13562 • [60-33-3]	Linoleic Acid (Free Acid) Reference Standard, 99%(GC)	1 Gms 5 Gms	1640	60445 🗸	Luminol - Peroxide Chemiluminisence Solution for	100 ml	1900
			6830		ELISA		
49462 [112-63-0]	Linoleic Acid Methyl Ester Reference Standard, 99%(GC)	1 Gms 5 Gms	2630	70795	L-Lysine	10 Mg	8870
[]	(Methyl Linoleate)	25 Gms	4730 17850	[201853-23-8]	7-Amido-4-Methylcoumarin Acetate Salt extrapure, 98%	25 Mg	18150
60770	1 1 7 1 3	25 Gms	520		(L-Lysine-AMC.Acetate salt)		
[9001-62-1]	Sp., 40U/mg solids	100 Gms	1500		L-a-Lysophosphatidylethanolamine (Egg Lyso PE) ex. Egg, 99%	10 Mg	8120
		500 Gms	6000	. ,	(L-a-Lysocephalin,	25 Mg	18390
	Lipoprotein Lipase (LPL) ex.	10 Mg	2460		3-sn-Lysophosphatidylethanolamine)		
[9004-02-8]	Pseudomonas Sp., 20U/mg solids	50 Mg	7010		Lysozyme (3x cryst) ex. Egg white (Muramidase) for molecular	1 Gms	840
92661	•	100 Mg	6300	[biology, 15000U/mg	5 Gms 25 Gms	3090
[9029-60-1]	(Soyabean), 50000U/mg solids	250 Mg	13130		D.L. and a contractive		14230
		1 Gms	39900	35355 [1114-34-7]	D-Lyxose extrapure	1 Gms	1890
68457	Lithium Acetate Dihydrate	100 Gms	3300			5 Gms	5670
[6108-17-4]	ultrapure, 99%	250 Gms	7900	38894 [1949-78-6]	L-Lyxose extrapure	100 Mg	1470
		500 Gms	15500		M	1 Gms	8400
86701 [16853-85-3]	Lithium Aluminium Hydride extrapure, 95%	100 Gms	24000	81889 [9032-75-1]	_	500 Mg 1 Gms	5000 9000
24966	Lithium Citrate Tribasic	100 Gms	1400		(Pectinase)	5 Gms	43000
[6080-58-6]	Tetrahydrate extrapure AR (High Purity), 99.5%	250 Gms	3200		Macerozyme "R-10" ex. Trichoderma & Aspergillus Niger,	500 Mg	3250
91740 [17023-24-4]	Lithium lodide Monohydrate pure, 98%	25 Gms	2000	[9032-75-1]	10000U/g	1 Gms	5500
		100 Gms	6500	/0160 •	(Pectinase) Malate Dehydrogenase (MDH) ex.	1 K.Units	0710
43904	Lithium Lauryl Sulphate extrapure, 99%	5 Gms	2010	40169 [9001-64-3]	Microorganism, 40U/mg	1 K.Units 5 K.Units	2710 6390
[2044-56-6]		25 Gms	8160		-	J N.OHIIS	บงษบ



Code	Name	Packing	Price	Code	Name	Packing	Pri
87448	r-Malate Dehydrogenase (r-MDH) (Thermostable), 500U/mg	5000 Units 10000	7600 14020		D-Mannose-6-Phosphate Barium Salt Hydrate extrapure, 98%	25 Mg	25080
		Units			Marfeys Reagent extrapure AR,	50 Mg	5000
84225	Maleic Anhydride extrapure AR,	500 Gms	450	[95713-52-3]	98% (FDAA, FDNP-ALA-NH2, Na-	200 Mg	9000
[108-31-6]	99%	5 Kg	4200		(2,4-Dinitro-5-Fluorophenyl)	1 Gms	3800
18808 ✓ [13676-54-5]	Bis-Maleimide pure, 95%	100 Gms	6850	70902 ■	-L-Alaninamide) Melatonin extrapure, 99%	1 Gms	60
55114	4-Maleimidobutyric Acid	25 Mg	8100	[73-31-4]	melatoliii extrapare, 33%	5 Gms	140
	N-Hydroxysuccinimide Ester	100 Mg	21790			25 Gms	500
57096	extrapure (GMBS), 99% Malonamide extrapure, 98%	25 Gms	380	10030	Meldolas Blue extrapure	5 Gms	200
[108-13-4]		100 Gms	1050	[7057-57-0]	(8-Dimethylamino-2,3-Benzophenoxazi		
		500 Gms	4510		ne Hemi(zinc Chloride) Salt, Naphthol Blue R, Basic Blue 6)		
13541	Malonic Acid pure, 99%	250 Gms	550	71405	Meldrum`s Acid extrapure, 98%	25 Gms	70
[141-82-2]		500 Gms	950	[2033-24-1]	(2,2-Dimethyl-1,3-dioxane-4,6-dione	100 Gms	2000
26504	Malonic Acid extrapure AR, 99%	100 Gms	330		cycl-Isopropylidene Malonate Malonic Acid Cyclic Isopropylidene	500 Gms	700
[141-82-2]	maiomo Aoia oxirapare Ari, 00%	250 Gms	650	77393	D(+) Melibiose Monohydrate	1 Gms	160
		500 Gms	1200		extrapure, 98%	5 Gms	320
32261	Malononitrile extrapure, 98%	100 Gms	630	85-99-9]		25 Gms	900
[109-77-3]	(Malonic Dinitrile, Dicyanomethane)	500 Gms	2740	83709	D-Melezitose Monohydrate	25 Gms	1500
13786	Maltotriose (DP3) extrapure, 90%	250 Mg	3200	[10030-67-8]	extrapure, 99%		1000
[1109-28-0]	(a-1,4-Glucotriose)	1 Gms	6900	61495	Menadione O/S (Vitamin K3) pure,	25 Gms	100
		5 Gms	33000	[58-27-5]	98%	25.0	
28083	Maltotetraose (DP4) extrapure, 97%	10 Mg	6000	44111 ✓ [6147-37-1]	Menadione Sodium Bisulphite Trihydrate W/S (Vitamin K3 Sodium	25 Gms	75
34612-38-9]	(a-D-Glucopyranosyl-1,4-O-a-D-Gluco	25 Mg	10000	[Bisulphite Trihydrate) pure, 95%	100 Gms 500 Gms	330
	pyranosyl-1,4-O-a-D-Glucopyranosyl-1,4-D-Glucopyranose)	25 Wg	10000		(2-Methyl-1,4-Napthoquinone Sodium Bisulfite)	500 Gms	1250
10450	Maltopentaose (DP5) extrapure,	10 Mg	12000	26531	1-Thioglycerol	25 ml	114
34620-76-3]	95%	25 Mg	26900	[96-27-5]	(3-Mercapto-1,2-Propanediol) pure, 90%	100 ml	351
27607	Maltohexaose (DP6) extrapure,	50 Mg	12000		(Monothioglycerol)	500 ml	1694
34620-77-4]	65%				Mecillinam (MCL) extrapure, 95%	25 Mg	300
1 2894 3 4620-78-5]	Maltoheptaose (DP7) extrapure, 80%	25 Mg	7900	[32887-01-7]		100 Mg	900
	(Amyloheptaose)			56868	3-Mercaptopropionic Acid pure,	100 ml	115
	R-(-)-Mandelic Acid extrapure, 99%	25 Gms	920	[107-96-0]	98%	500 ml	500
[611-71-2]	(D-(-)-Mandelic Acid)	100 Gms	2820		6-Mercaptopurine Monohydrate	1 Gms	950
30727	S-(+)-Mandelic Acid extrapure,	25 Gms	920	[6112-76-1]	extrapure, 99%	5 Gms	4600
17199-29-0]	99% (L-(+)-Mandelic Acid,	100 Gms	2490	81439	MES Free Acid Buffer extrapure,	25 Gms	1050
	S-Z-Hydroxyphenyl Acetic Acid)			[4432-31-9]	99% (4-Morpholineethanesulfonic Acid)	100 Gms	378
27072	DL-Mandelic Acid pure, 99%	100 Gms	1200		(4-iviorpriorineetrariesurioriic Acid)	500 Gms	1365
[90-64-2]		500 Gms	5500	31808	MES Monohydrate Buffer	25 Gms	950
94551	D-Mannosamine Hydrochloride	100 Mg	2020	[145224-94-8]	extrapure, 99% (2-Morpholineethane Sulphonic Acid	100 Gms	3470
[5505-63-5]	extrapure, 98%	500 Mg	9610		Monohydrate)	500 Gms	1208
13735	D-Mannose extrapure AR, 99%	25 Gms	600	86751	MES Monohydrate Buffer for tissue	25 Gms	1160
[3458-28-4]		100 Gms	1800	[145224-94-8]	culture, 99% (2-Morpholineethane Sulphonic Acid	100 Gms	3730
		500 Gms	8000		Monohydrate)		
58476	D-Mannose for tissue culture, 99%	25 Gms	950	26854	MES Monohydrate Buffer for	25 Gms	1470
[3458-28-4]		100 Gms	3200	[145224-94-8]	molecular biology, 99%	100 Gms	389
37875	D-Mannose extrapure AR, ExiPlus,	25 Gms	1200		(2-Morpholineethane Sulphonic Acid Monohydrate)		
[3458-28-4]	Multi-Compendial, 99%	100 Gms	3600	43396	MES Hemisodium Salt Buffer	25 Gms	5430
				[117961-21-4]	extrapure, 98%		



Code	Name	Packing	Price	Code	Name	Packing	Price
69408 [71119-23-8]	MES Sodium Salt Buffer extrapure, 99%	10 Gms 25 Gms	2290 3270	97799	✓ MES12: ICP 68 Element Multi Standard 2	100 ml	36000
70941	Monitriana autronura 99%	100 Gms	10120		Ag, Ge, Hf, Mo, Nb, Sb, Si, Sn, Ta, Ti, W, Zr @ 100µg/ml (Standard 2 contains 12		
72841 [104206-82-8]	Mesitrione extrapure, 98% (2-(4-Mesyl-2-nitrobenzoyl)	100 Mg 1 Gms	800 5000	45688	elements) 5% HNO3, tr. HF ✓ MES13: ICP 68 Element Multi	100 ml	45000
47062	-1,3-cyclohexanedione) MES1: Spectrometric Oil Standard D12	100 Gms	38000		Standard 3 Au, Ir, Os, Pd, Pt, Rh, Ru, Te @ 100 μg/ml (Standard 3 contains 8 elements) 10% HCl		
	Ag, Al, Cr, Cu, Fe, Mg, Na, Ni, Pb, Si, Sn, Ti @ 10 µg/g Aviation Reference Oil			53816	✓ MES14: ICP Detector Calibration Multi-Element Mix	100 ml	58000
19278 ✓	MES2: Metals in Biodiesel Standard	100 Gms	96000		7Li, Be, Mg, Sc, Co, Y, In, Ce, Tb, Tl, U (various conc.) 5% HNO3		
55049	Ca, K, Mg, Na, P @ 10 μg/g MES3: ICP Alkali's & Alkaline Earths	100 ml	33000	91353	✓ MES15: ICP Internal Standard Multi-Element Mix 1	100 ml	58000
	Ba, Be, Ca, Cs, K, Li, Mg, Na, Rb, Sr @ 100 μg/ml 5% HNO3				6Li, Sc, Ga, Y, In, Tb, Bi @ 100 μg/ml 5% HNO3		
25562	MES4: ICP Noble Metals	100 ml	42000	51587	✓ MES16: ICP Internal Standard Multi-Element Mix 2	100 ml	58000
	Au, Ir, Os, Pd, Pt, Re, Rh, Ru @ 100 μg/ml 20% HCl				6Li, Sc, Ga, Y, In, Tb, Bi (various conc.) 2% HNO3		
21551 🗸	MES5: ICP Rare Earth & Geo Elements Ba, Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr,	100 ml	64000	67084	 MES17: ICP Internal Standard Multi-Element Mix 3 6Li, Sc, Ge, In, Tb, Lu, Bi @ 100 μg/ml 5% 	100 ml	58000
	Rb, Sc, Sm, Sr, Tb, Th, Tm, U, Y, Yb @ $100 \mu g/ml 5\%$ HNO3			31805	HNO3, tr. HF ✓ MES18: ICP Internal Standard	100 ml	58000
82634	MES6: ICP Non-Metals	100 ml	30000		Multi-Element Mix 4 6Li, Sc, Ge, Te, In, Tb, Bi (various conc.) 5% HNO3, tr. HF		
	As, B, P, S, Se, Si, Te @ 100 μg/ml 5% HCl, tr. HF			86382	✓ MES19: ICP Calibration Standard for Petroleum Mix 1	100 Gms	50000
18263	MES7: ICP Common Elements Mix 1 Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100	100 ml	35000	26027	✓ MES20: ICP Calibration Standard for EPA 6020	100 ml	41000
	μg/ml 5% HNO3			83069	✓ MES21: ICP 21 Calibration Standard	100 ml	41000
63924	MES8: ICP Common Elements Mix 2	100 ml	54000	73584	✓ MES22: ICP 19 Calibration Standard	100 ml	41000
	Ag, Al, B, Ca, Co, Cr, Cu, Fe, K, Mg, Mn, Na, Ni, P, Pb, Si, Sn, Ti, V, Zn @ 100 μg/ml 5% HNO3, tr. HF			59878	✓ MES23: ICP 29 Calibration Standard	25 ml	43000
58498	MES9: ICP Comprehensive Mix A	100 ml	64000	50138	✓ MES24: ICP Environmental Calibration Standard A	100 ml	58000
	Ag, Al, As, Ba, Bi, Ca, Cd, Ce, Dy, Er, Eu,			73844	✓ MES25: ICP Calibration Standard for EPA 6010	25 ml	43000
	Ga, Gd, Ho, La, Lu, Mg, Na, Nd, P, Pb, Pr, Rb, Sc, Se, Sm, Sr, Tb, Th, Tl, Tm, U, Y, Yb			57183	✓ MES26: ICP Water Pollution Standard 1	25 ml	35000
36719	@ 10 µg/ml 40% Aqua Regia MES10: ICP Comprehensive Mix B	100 ml	85000	60648	✓ MES27: ICP Common & Transition Elements Standard (1000 μg/mL)	100 ml	58000
	Au, B, Be, Co, Cr, Cu, Fe, Ge, Hf, Ir, K, Li,			76332 [121-47-1	Metanilic Acid pure, 98%	250 Gms	200
	Mn, Mo, Nb, Ni, Os, Pd, Pt, Re, Rh, Ru, Sb, Si, Sn, Ta, Te, Ti, V, W, Zn, Zr @ 10 μg/ml				✓ Methane Sulphonic Anhydride	1 Kg 5 Gms	720 590
	40% Aqua Regia, tr. HF			[7143-01-3		25 Gms	1670
76134 Y	MES11: ICP 68 Element Multi Standard 1	100 ml	55000		(Mesic Arinyunde)	100 Gms	6430
	Al, As, B, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr, Cs, Cu, Dy, Er, Eu, Fe, Ga, Gd, Ho, In, K,			54322 [348-67-4	D-Methionine extrapure, 99%	5 Gms 25 Gms	1220 4630
	La, Li, Lu, Mg, Mn, Na, Nd, Ni, P, Pb, Pr,			65309	DL-Methionine extrapure CHR, 99%	100 Gms	460
	Rb, Re, Sc, Se, Sm, Sr, Tb, Th, Tl, Tm, U, V, Y, Yb, Zn @100 µg/ml (Standard 1 contains 48 elements) 5% HNO3			[59-51-8]		500 Gms 1 Kg	1750 3200



Code	Name	Packing	Price	Code	Name	Packing	Pric
98183 ✓ [15985-39-4]	L-Methionine Sulfoximine (MSX) extrapure, 95%	250 Mg 500 Mg	9400 16000	34428 [116-54-1]	Methyl Dichloroacetate extrapure, 99%	500 ml	1200
	(L-S-(3-Amino-3-Carboxypropyl)	1 Gms	26000	45880	3-Methyl-1,5-Di-p-Tolyl-1,4-Pentaza	1 Gms	4160
	-S-Methylsulfoximine, L-Methionine	5 Gms	105000	[41798-81-6]	diene pure, 97%	5 Gms	19570
10043	Sulphoximine) L-Methionine Sulphone extrapure,	1 Gms			(N,N-bis[(4-Methylphenyl)diazenyl]Met hanamine)		
[7314-32-1]	99%	i dilis	3430	31535	New Methylene Blue N extrapure,	1 Gms	1400
19485	L-Methionine Sulphoxide extrapure,	1 Gms	3770	[1934-16-3]	70%	5 Gms	3700
[3226-65-1]	99%	5 Gms	7500		(Basic Blue 24, Methylene Blue N)	25 Gms	12000
6596	Methotrexate Hydrate (MTR), 98%	100 Mg	3000	28710	New Methylene Blue N Zinc	5 Gms	1540
33073-73-1]		500 Mg	9000	[6586-05-6]	Chloride Double Salt, 90%	25 Gms	6000
		1 Gms	16000	73603	New Methylene Blue N Zinc	5 Gms	3510
1842	p-Methoxyacetophenone pure, 99%	100 Gms	610	[6586-05-6]	Chloride Double Salt for tissue	o ams	5511
[100-06-1]	(4-Acetylanisole)	500 Gms	1500		culture, 90%		
31142	4-Methoxyazobenzene (4-MAB)	1 Gms	1320	84753	Methyl Eugenol extrapure, 99%	100 ml	1310
[2396-60-3]	extrapure AR, 98%	5 Gms	4870	[93-15-2]		500 ml	5580
	(p-Methyoxyazobenzene,	5 dilis	4070			2500 ml	2570
	4-Phenylazoanisole)			28409	N-Methylformanilide extrapure,	100 ml	75
5797 [105-13-5]	4-Methoxybenzyl Alcohol (p-Anisyl Alcohol) pure, 98%	100 Gms	940	[93-61-8]	99%	500 ml	303
[105-13-5]	(p-Methoxybenzyl Alcohol)	500 Gms	3200	77007	Methyl Formate pure, 99%	500 ml	80
3573	N-Methoxymethyl-N-Trimethylsilylm	5 Gms	10140	[107-31-3]		2500 ml	380
3102-05-7]	ethyl-Benzylamine extrapure, 98%	25 Gms	38020	49281	Methyl-a-D-Glucopyranoside	100 Gms	214
1234	2-Methoxyphenylboronic Acid	1 Gms	1380	[97-30-3]	extrapure, 99%	500 Gms	860
5720-06-9]	extrapure, 95%	5 Gms	6170		(a-Methyl-D-Glucoside)		
	(Boronic Acid,		00	37685	1-Methylindole pure, 97%	5 ml	120
0630	2-Methoxyphenylboronic Acid) 4-Methoxyphenylboronic Acid	1 Gms	000	[603-76-9]		25 ml	300
0632 5720-07-0]	extrapure, 98%	5 Gms	860			100 ml	900
•	•	25 Gms	1670 8070	96595	Methyl Green Zinc Chloride Double	5 Gms	86
0400	O Mathamanidina 5 Davania Asid			[7114-03-6]	Salt	25 Gms	400
3 438 63105-89-3]	2-Methoxypyridine-5-Boronic Acid extrapure, 98%	1 Gms 5 Gms	1570	74916	Methyl Green Zinc Chloride Double	5 Gms	94
	(6-Methoxy-3-Pyridinylboronic Acid)	5 GITIS	4800	[7114-03-6]	Salt ExiPlus, Multi-Compendial	25 Gms	414
	4-Methoxy-2,3,6-Trimethyl	1 Gms	3000		meets compendial specs of BP, Ph.Eur		
4344- 92-2]	Benzaldehyde extrapure, 98%	5 Gms	9000	85544	1-O-Methyl-beta-D-Glucuronic Acid	50 Mg	380
8381	(2,3,6-Trimethyl-p-Anisaldehyde) Methyl Acetoacetate pure, 98%	500 ml	980	[134253-42-2]	Sodium Salt extrapure, 99% (1-OMe-b-D-GlcA.Na)		
[105-45-3]	metriyi Acetoacetate pure, 30%	2500 ml	960 4410	86720	2-Methylimidazole pure, 99%	100 Gms	38
		25 Ltr	42000	[693-98-1]	Z menyimazolo pare, ee/c	500 Gms	150
	Maddad Acada and an administration AB					1 Kg	274
2 1392 [105-45-3]	Methyl Acetoacetate extrapure AR, 99%	500 ml	1160	45040	Methylisoeugenol (mixture of cis		
		2500 ml	5150	15913 [93-16-3]	and trans)	25 ml 100 ml	60
4330 [122-00-9]	p-Methylacetophenone pure, 98%	100 Gms	510		(1,2-Dimethoxy-4-propenylbenzene	500 ml	180
[122-00-9]		250 Gms	1170) pure, 98% (4-(1-Propenyl)	300 1111	600
3149	N-Methylaniline pure, 98%	500 ml	650		-1,2-Dimethoxybenzene, Isoeugenyl		
[100-61-8]		2500 ml	3100		Methyl Ether)		
9879	•	1 Gms	1230	74384	Methyl Methanesulphonate (MMS)	25 ml	98
88894-11-0]	Hydrazone HCI Monohydrate (MBTH) extrapure AR (High Purity),	5 Gms	3980	[66-27-3]	extrapure, 99%	100 ml	357
	99%	25 Gms	17760	42067	Methyl Methanesulphonate (MMS)	10 ml	158
3343	3-Methylbutylboronic acid	1 Gms	3610	[66-27-3]	for tissue culture, 99%		
98139-72-1]	extrapure, 95%	5 Gms	17550	71512	6-Methylmercaptopurine extrapure, 98%	100 Mg	240
9876	Methyl Chloroacetate extrapure,	500 ml	680	[50-66-8]	(6-Methyl(thio)purine)	1 Gms	1450
[96-34-4]	99%			66960	Methyl 2-Naphthyl Ether pure, 99%	250 Gms	45
4426		100 Mg	2800	[93-04-9]	(Yara Yara)	1 Kg	1250
3100-04-7]	98%	500 Mg	8000				



0-4-	News	Da alda a	Delas	0-4-	M	Da alda a	Delas
Code	Name	Packing	Price	Code	Name	Packing	Price
67915	1-Methylpiperazine extrapure, 99%	100 ml	300		4-Methylumbelliferyl-b-D-Glucuroni	100 Mg	1890
[109-01-3]	(N-Methylpiperazine)	500 ml	1300	[199329-67-4, 881005-91-0]	de Trihydrate (MUG) extrapure, 99%	1 Gms	3200
		2500 ml	6100			5 Gms	12000
40610	2-Methylphenylboronic Acid	1 Gms	1580	77337	5-Methyluridine extrapure, 98%	5 Gms	2110
[16419-60-6]	extrapure, 97%	5 Gms	2500	[1463-10-1]	(Ribothymidine)	25 Gms	6660
		25 Gms	10380		Miconazole Nitrate	1 Gms	860
20622	3-Methylphenylboronic Acid	1 Gms	840	[22832-87-7]	(MCN)extrapure, 98%	5 Gms	2500
[17933-03-8]	extrapure (m-Tolylboronic Acid)	5 Gms	2380			25 Gms	5000
	extrapure, 97%	25 Gms	11500	67424	Miglitol extrapure, 98%	1 Gms	5500
43322	Methyl-n-Propyl Ketone pure, 99%	500 ml	1100	[72432-03-2]	(N-(b-Hydroxyethyl)	5 Gms	12000
[107-87-9]		2500 ml	4600		-1-Deoxynojirimycin, Glyset)		
87964	Methyl Purple Indicator 0.1%	250 ml	810	15761	Molisch Reagent	100 ml	410
[1340-02-9]	Solution extrapure AR			64563	Mimosine ex. Koa Hoale Seeds,	25 Mg	4560
29783	Methyl Salicylate pure, 99%	500 ml	750	[500-44-7]	98%	100 Mg	13000
[119-36-8]		2500 ml	3300		Monensin Sodium Salt (MSN), 97%		
41652	Methyl p-Toluenesulfonate pure,	100 ml	900	55690 [22373-78-0]	Monensin Sodium Sait (MSN), 97%	1 Gms 5 Gms	2970
[80-48-8]	98%	500 ml	2620				7710
	(Methyl p-Tosylate, p-Toluenesulfonic			37233 [1317-33-5]	Molybdenum Disulfide pure, 98%	100 Gms	1300
44243	Acid Methyl Ester) Methyltriphenylphosphonium	100 Gms	1070	[1317-33-3]		250 Gms	5500
[1779-49-3]	Bromide pure, 98%	500 Gms	1070 4200			500 Gms	10500
18040	β-Methylumbelliferone extrapure	10 Gms	520	75556 [7439-98-7]	Molybdenum Metal Sheet 99.9%	1 piece	25700
[90-33-5]	AR, 99%	25 Gms	840		10X MOPS Buffer for molecular	100 ml	600
		100 Gms	2250	555.5	biology	500 ml	1960
13050	4-Methylumbelliferyl-N-Acetyl-B-D-	25 Mg	5400	69824	MOPS Buffer extrapure, 99%	25 Gms	1000
	Glucosaminide extrapure, 99%	50 Mg	9000	[1132-61-2]	(3-Morpholinopropane Sulphonic Acid)	100 Gms	2310
		100 Mg	17100			500 Gms	9450
15208	4-Methylumbelliferyl Caprylate	25 Mg	2000	85123	MOPS Hemisodium Salt Buffer	25 Gms	5190
	extrapure, 99%	50 Mg	3500		extrapure, 99%	100 Gms	16650
		100 Mg	6000	F70F4	MOPS Sodium Salt Buffer	50 Gms	
21896	4-Methylumbelliferyl-ß-D-Cellobiosi	25 Mg		57851 [71119-22-7]	extrapure, 99.5%	100 Gms	3210 6050
[72626-61-0]		50 Mg	3710			500 Gms	25000
0			6490		MODO D. # for mode and a bid a mo		
34391 [6160-78-7]		100 Mg	1070	66043 [1132-61-2]	MOPS Buffer for molecular biology, 99%	25 Gms	1370
		250 Mg	1600	[=]	(3-Morpholinopropane Sulphonic Acid)	100 Gms 500 Gms	3360
48838 [18997-57-4]	4-Methylumbelliferyl-ß-D- Glucopyranoside extrapure	100 Mg	1290				12000
[10997-57-4]	didopyranoside extrapure	500 Mg	5780	38602 [68399-77-9]	MOPSO Buffer extrapure, 99% (3-Morpholino-2-Hydroxy Propane	25 Gms	2110
92009	N-Methyl-N-Trimethylsilyl	5 ml	2800	[00399-11-9]	Sulphonic Acid)	100 Gms	8060
[24589-78-4]	Trifluoroacetamide (MSTFA) extrapure, 98%	25 ml	10000	82595	MOPSO Sodium Salt Buffer	50 Gms	4000
		100 ml	30000	[79803-73-9]	extrapure, 99%	250 Gms	17000
83294	MSTFA+TMCS (99:1)	10 x1 ml	6000	24829	Morin Hydrate (Aluminium	1 Gms	1140
[24589-78-4]	(N-Methyl-N- (trimethylsilyl)trifluoroacetamide,			[480-16-0,	Ionophore I, C.I. 75660) extrapure	5 Gms	4200
	Trimethylchlorosilane)			6472-38-4]	AR, 98%		
86338	4-Methylumbelliferyl-a-L-Iduronide	1 Mg	26250	14189	(2',3,4',5,7-Pentahydroxyflavone) Mucic Acid extrapure, 99%	25 Gms	690
[66966-09-4]	Free Acid extrapure, 97%			[526-99-8]		100 Gms	2210
49959	4-Methylumbelliferyl	25 Mg	15180	•		500 Gms	7880
	Myo-Inositol-1-Phosphate, N-Methyl-Morpholine Salt, Biosynth			00007	Musin av Davaina Stanzach Tura		
	patent(WO99/48899)			93027 [84082-64-4]	Mucin ex. Porcine Stomach, Type III, 90%	10 Gms	5800
21400	4-Methylumbelliferyl Sulfate	100 Mg	4620	57868	Myosin II (in 4% SDS) ex. rabbit	1 Mg	10680
21400						9	



ode	Name	Packing	Price	Code	Name	Packing	Pri
	Myricetin cryst pure, 98%	10 Mg	2250		ß-Naphthyl Acetate extrapure AR,	5 Gms	100
[529-44-2]		25 Mg	3870	[1523-11-1]	99%	10 Gms	185
		100 Mg	11830			25 Gms	317
5945	Myristic Acid pure, C14-95% (GC)	500 Gms	590			100 Gms	1073
[544-63-8]					1-Naphthylacetonitrile pure, 97%	25 Gms	490
6459 [544-63-8]	Myristic Acid extrapure AR, C14-99% (GC)	100 Gms	240	[132-75-2]		100 Gms	1898
544-05-0]		500 Gms	1070	61166	N-(1-Naphthyl)Ethylenediamine	5 Gms	60
6442	Myristic Acid (High Purity)	5 Gms	300	[1465-25-4]	Dihydrochloride (NEDA) extrapure	10 Gms	90
544-63-8]	extrapure, C14-99.5% (GC)	25 Gms	1070		AR, ACS, 98% (Bratton-Marshall Reagent, Marshall's	25 Gms	200
0718	Myristic Acid Methyl Ester	5 Gms	1600		Reagent)	100 Gms	700
124-10-7]	Reference Standard, 99%(GC)	25 Gms	3200	84942	N-(1-Naphthyl)Ethylenediamine	5 Gms	80
		100 Gms	9000	[1465-25-4]	Dihydrochloride (NEDA) extrapure	10 Gms	120
3136	Myristyl Alcohol (1-Tetradecanol)	100 ml	210		AR,ACS,ExiPlus, Multi-Compendial,	25 Gms	230
112-72-1]	pure, 98%	500 ml	840		98% (Bratton-Marshall Reagent, Marshall's		
0346 🗸	Nalidixic Acid free acid extrapure,	1 Gms	300		Reagent)		
389-08-2]	99%	5 Gms	1320		meets compendial specs of BP		
	(8-Naphthyridine-3-Carboxylic Acid)	- Camb	1020		Naringin pure, 97%	5 Gms	90
6676	Naphthalene-2-Sulphonic Acid	25 Gms	1250	[10236-47-2]		25 Gms	200
120-18-3]	Monohydrate extrapure, 98%	100 Gms	3980			100 Gms	600
5335	1,3,6-Naphthalenetrisulfonic Acid	250 Gms	7000	95956	Naringenin pure, 95%	1 Gms	110
3409-01-8]	Trisodium Salt Hydrate (NTSA	1 Kg	16000	[67604-48-2]		5 Gms	200
	Sodium Hydrate) extrapure, 95%	1.0	700			25 Gms	500
7955 604-59-1]	a-Naphthoflavone extrapure AR, 98%	1 Gms	730	93007	Neocuproine extrapure, 99%	1 Gms	131
.,		5 Gms	2650	[484-11-7,	(2,9-Dimethyl-1,10-Phenanthroline)	5 Gms	520
0		25 Gms	12040	654054-57-6]		25 Gms	2000
	Naphthol-AS-Acetate extrapure,	100 Mg	1430	05440	Neocuproine Hydrochloride	1 Gms	
	99%	500 Mg	5220	35449 [7296-20-0]	Monohydrate extrapure AR,99%	5 Gms	164
6061 237-75-8]	Naphthol AS-BI extrapure, 98%	5 Gms	720		(2,9 Dimethyl-1-10-Phenanthroline Hydrochloride)	3 dillis	760
^	Naphthol-AS-BI-b-D- Glucuronide	25 Mg	8310	23049	Neodymium (III) Chloride	5 Gms	392
[37-87-6]	extrapure, 99%	100 Mg	26090	[10024-93-8]	Anhydrous, 99.9%	25 Gms	961
7408	Naphthol-AS-Phosphate extrapure,	250 Mg	8310	70440	Needymium (III) Chlorida		
3989-98-5]		500 Mg	11620	78442 [13477-89-9]	Neodymium (III) Chloride Hexahydrate extrapure, 99.9%	25 Gms 100 Gms	262
	Nambahal AC DI Dhaamhata						653
919-91-1	Naphthol-AS-BI- Phosphate extrapure, 98%	100 Mg	4160	37499 [1313-97-9]	Neodymium (III) Oxide extrapure AR, 99.9%	10 Gms	99
		250 Mg	9490	[1313-97-9]	Aii, 33.376	25 Gms	240
7791	Naphthol Blue Black B	25 Gms	530			100 Gms	850
064-48-8]		100 Gms	1900	86879	Neodymium (III) Nitrate	25 Gms	264
5838	1,2-Naphthoquinone-4- Sulphonic	5 Gms	500	[16454-60-7]	Hexahydrate extrapure, 99.9%	100 Gms	720
521-24-4]	Acid Sodium Salt extrapure AR, 99%	25 Gms	2200	99080	Neodymium (III)	1 Gms	158
0150	1-Naphthyl Acetamide (NAD)	5 Gms	3490	[34622-08-7]	Trifluoromethanesulfonate	5 Gms	399
[86-86-2]	technical grade, 98%	25 Gms	13700		extrapure, 98% (Neodymium Triflate, Neodymium		
2000	1 Nonbibul Dhoonbete Disadium				Perfluoromethanesulfonate)		
2383 • 183-17-7]	1-Naphthyl Phosphate Disodium Salt extrapure	25 Mg 250 Mg	1830 5470		Neomycin Sulphate (NMS),	25 Gms	65
	(a-Naphthyl Phosphate Disodium Salt,	250 Mig	5470	[1405-10-3]	600U/mg	100 Gms	150
	Disodium 1-Naphthyl Phosphate)			27309	Neopentyl Glycol pure, 98%	500 Gms	54
9523	2-Naphthoxyacetic Acid (BNOA)	25 Gms	570	[126-30-7]			
120-23-0]	extrapure, 98%	100 Gms	1950		Neopentyl Iodide extrapure, 98%	5 ml	618
	a-Naphthyl Acetate extrapure AR,	5 Gms	1000	[15501-33-4]	(2,2-Dimethyl-1-lodopropane, 1-lodo-2,2-Mimethylpropane)	25 ml	1978
830-81-9]	99%	10 Gms	1810	14678	Nessler`s Reagent	100 ml	60



Code	Name	Packing	Price	Code	Name	Packing	Prid
60609 [56391-57-2]	Netilmicin Sulphate (NTC Sulphate), 595ug/mg	100 Mg	4200	55615 [68141-45-7]	β-Nicotinamide Adenine Dinucleotide Phosphate	100 Mg	2940
72860	Nicotinamide extrapure, 99.5%	100 Gms	320	[100.71.70-7]	Monopotassium Salt (Oxidized)	500 Mg	4700
[98-92-0]	(Niacinamide, Pyridine-3-Carboxylic Acid Amide)	500 Gms	1200	88991	(β-NADP.K)extrapure, 95% β-Nicotinamide Adenine	1 Gms 500 Mg	9400
6759	B-Nicotinamide Adenine	1 Gms	900	[20111-18-6]	Dinucleotide Sodium Salt	1 Gms	
[53-84-9]	Dinucleotide (Oxidized) (ß-NAD,	5 Gms			(ß-NAD.Na) extrapure, 95%	5 Gms	2970
	DPN) extrapure, 98%	25 Gms	3800				11270
		100 Gms	17000 60000	95130 [1094-61-7]	ß-Nicotinamide Mononucleotide (ß-NMN) extrapure, 95%	100 Mg	200
				[1094-01-7]	(ß-Nicotinamide ribose	1 Gms	400
[53-84-9]	β-Nicotinamide Adenine Dinucleotide (Oxidized) (β-NAD,	1 Gms	970		monophosphate, NMN, Nicotinamide	5 Gms	1600
[50-04-9]	DPN) ExiPlus, Multi-Compendial,	5 Gms	4100		ribotide,		
	98%	25 Gms	19000	00470	Nicotinamide-1-ium-1-ß-D-ribofuran	F C	
		100 Gms	70000	26478 [10026-12-7]	Niobium Chloride ultrapure, 99.9% (Niobium Pentachloride)	5 Gms	200
	meets compendial specs of BP, Ph.Eur				,	25 Gms	600
	B-Nicotinamide Adenine	1 Gms	1410	73387	Niobium Pentoxide extrapure AR,	10 Gms	63
[53-84-9]	Dinucleotide (Oxidized) (ß-NAD, DPN) for molecular biology, 98%	5 Gms	5100	[1313-96-8]	99.9%	25 Gms	128
77268	ß-Nicotinamide Adenine	500 Mg	1250			100 Gms	421
[606-68-8]	Dinucleotide Disodium Salt	1 Gms	2000			500 Gms	2021
	(Reduced) (B-NADH.Na2,	5 Gms	8000	0	Nitenpyram extrapure, 98%	1 Gms	231
	DPNH.Na2) extrapure, 98%	25 Gms	27000	[150824-47-8]		5 Gms	840
i4941 ■	β-Nicotinamide Adenine	100 Mg	700	39180	m-Nitroacetophenone pure, 98%	100 Gms	63
[606-68-8]	Dinucleotide Disodium Salt	1 Gms	2500	[121-89-1]		500 Gms	295
-	(Reduced) (ß-NADH.Na2,	5 Gms	9800	21254	2-Nitrobenzaldehyde extrapure AR,	25 Gms	74
	DPNH.Na2) for MB, 98%			[552-89-6]	99%	100 Gms	258
	ß-Nicotinamide Adenine Dinucleotide Lithium Salt	500 Mg	2280		(o-Nitrobenzaldehyde)		
64417-72-7]	(Oxidized) (β-NAD.Li) extrapure,	1 Gms	4320	17735	p-Nitrobenzaldehyde extrapure, 99%	25 Gms	64
	95%	5 Gms	11380	[555-16-8]	33 %	100 Gms	166
32819	β-Nicotinamide Adenine	100 Mg	820	17644	m-Nitrobenzaldehyde pure, 98%	100 Gms	73
[1184-16-3]	Dinucleotide Phosphate Monosodium Salt (β-NADP.Na,	1 Gms	2000	[99-61-6]		500 Gms	299
	TPN.Na) extrapure, 98%	5 Gms	8000	17003	m-Nitrobenzene Sulphonic Acid	1 Kg	88
	, .	25 Gms	31000	[127-68-4]	Sodium Salt pure, 98%	5 Kg	385
72970	β-Nicotinamide Adenine	100 Mg	1200		(Sodium 3-Nitrobenzenesulfonate, Resist Salt)		
[1184-16-3]	Dinucleotide Phosphate	1 Gms	3200	96144	m-Nitrobenzoic Acid pure, 99%	100 Gms	50
	Monosodium Salt (β-NADP.Na) for MB, 98%			[121-92-6]		500 Gms	223
57451 ■	ß-Nicotinamide Adenine	100 Mg	850	04.404	m Nitrobonzoio Acid cutronura AD		
24292-60-2]	Dinucleotide Phosphate Disodium	500 Mg	3280	81431 [121-92-6]	m-Nitrobenzoic Acid extrapure AR, 99%	25 Gms	43
	Salt (ß-NADP.Na2, TPN.Na2)	1 Gms	5610	[.=. 02 0]		100 Gms	128
	extrapure, 95%	5 Gms	18110			250 Gms	280
	β-Nicotinamide Adenine			79303 [62-23-7]	p-Nitrobenzoic Acid pure, 99%	100 Gms	39
24292-60-2]	Dinucleotide Phosphate Disodium	100 Mg	1230	[02-23-7]		500 Gms	178
1	Salt (B-NADP.Na2, TPN.Na2) for	1 Gms	10280	27500	4-Nitrobenzoyl Chloride (PNBC)	25 Gms	74
	MB, 95%			[122-04-3]	pure, 98% (p-Nitrobenzoic Acid Chloride)	100 Gms	147
	ß-Nicotinamide Adenine	25 Mg	940		The state of the s	500 Gms	429
[2646-71-1]	Dinucleotide Phosphate Tetrasodium Salt (Reduced)	100 Mg	2690	39996	p-Nitrobenzyl Alcohol pure, 97%	25 Gms	109
	(B-NADPH.Na4) extrapure, 98%	1 Gms	22780	[619-73-8]		100 Gms	3420
	(TPNH2.Na4)			12790	p-Nitrobenzyl Bromide (PNBBR)	25 Gms	510
	B-Nicotinamide Adenine	25 Mg	2580	[100-11-8]	pure, 99%	100 Gms	91
[2646-71-1]	Dinucleotide Phosphate Tetrasodium Salt (Reduced)	100 Mg	5610			500 Gms	431
	(B-NADPH.Na4) for MB, 98%			97695	4-(4-Nitrobenzyl)Pyridine extrapure	5 Gms	
	(TPNH2.Na4)			[1083-48-3]	AR, 99%	J Gills	570



Code	Name	Packing	Price	Code	Name	Packing	Pric
11207	Nitro Blue Tetrazolium Chloride	100 Mg	610	92734		100 Mg	920
[298-83-9]	(Nitro BT) (NBT) extrapure AR, 99%	250 Mg	1100	[2492-87-7]	extrapure, 98%	1 Gms	4400
		1 Gms	3300			5 Gms	14500
		5 Gms	15400	12735	p-Nitrophenyl-a-D-Glucopyranoside	100 Mg	1170
18898	Nitro Blue Tetrazolium Chloride	100 Mg	880	[3767-28-0]	extrapure, 98%	250 Mg	2010
[298-83-9]	(Nitro BT) (NBT) for molecular	250 Mg	1540			1 Gms	4530
	biology, 99%	1 Gms	4840			5 Gms	17000
13001	Nitro Blue Tetrazolium Chloride	100 Mg	1760	92822	p-Nitrophenyl-ß-D-Glucuronide	50 Mg	2450
[298-83-9]	(Nitro BT) (NBT) for tissue culture,	_		[10344-94-2]	(PNPG (Gus)) extrapure, 99%	100 Mg	4900
	99%					500 Mg	13470
[88-73-3]	o-Nitrochlorobenzene (ONCB) pure, 99%	500 Gms	470	27166	3-Nitrophenylboronic Acid	1 Gms	1130
[00-73-3]	pure, 3376	5 Kg	3800		extrapure, 97%	5 Gms	2240
76773	2-Nitrocyclohexanone extrapure,	5 Gms	20500			25 Gms	10250
[4883-67-4]	99%			20500	n Nitranhanulhudravina autranura		
3 4258 5 [67-20-9]	Nitrofurantoin extrapure, 98-102% (N-(5-Nitro-2-Furfurylidene)	5 Gms	1320	82582 [100-16-3]	p-Nitrophenylhydrazine extrapure AR, 99%	10 Gms	930
[07 20 0]	-1-Aminohydantoin, Furadoxyl)	25 Gms	2970			25 Gms	1560
		100 Gms	5940		p-Nitrophenylphosphate Disodium Salt Hexahydrate (PNPP)	5 Gms	690
0728	o-Nitrophenol extrapure AR, 99%	25 Gms	390	[333338-18-4/ 4264-83-9]	• • •	25 Gms	3080
[88-75-5]		100 Gms	1180		,	250 Gms	2750
1059	3,4-Dinitrophenol pure, 97%	1 Gms	7800		p-Nitrophenylphosphate Disodium	5 Gms	75
[577-71-9]		5 Gms	24000	[333338-18-4/ 4264-83-9]	Salt Hexahydrate (pNPP) for	25 Gms	363
8432	p-Nitrophenyl Acetate extrapure,	1 Gms	440	93413	p-Nitrophenylphosphate Ditris Salt	1 Gms	64
[830-03-5]	99%	5 Gms	1500		·	5 Gms	64
		25 Gms	4350		99%	25 Gms	1900
3463	2-Nitrophenylacetic Acid pure, 98%	5 Gms	700				680
[3740-52-1]	p,	25 Gms	2430	53456 [398128-60-4]	4-Nitrophenyl trans-Ferulate extrapure, 98%	25 Mg	5500
		100 Gms	8470	[000120 00 4]	(3-Methoxy-4-Hydroxycinnamic Acid	100 Mg	16000
8146	p-Nitrophenylacetic Acid pure, 98%	25 Gms			4-Nitrophenyl Ester,		
[104-03-0]	p-remoprierry access Acid pure, 30%	100 Gms	1240 4300		PNP-trans-Ferulate)	100 0	
	A Nikosak anad N Asatal B B Okasa			85173 [603-11-2]	3-Nitrophthalic Acid pure, 98%	100 Gms	620
72565 3 459-18-5]	4-Nitrophenyl-N-Acetyl-B-D-Glucos aminide extrapure, 99%	100 Mg	3200			500 Gms	2550
	·	1 Gms	24000	46384	4-Nitrophthalic Acid pure, 98%	100 Gms	2420
		25 Gms	10770	[610-27-5]		500 Gms	7830
,		100 M=	11000	43713	Nitroso R-Salt extrapure AR	25 Gms	410
3 3602 [3482-57-3]	p-Nitrophenyl ß-D-Cellobioside extrapure, 98%	100 Mg	11800	[525-05-3]		100 Gms	1230
[(4-Nitrophenyl-beta-D-Cellobioside,	500 Mg	30440	21872	3-Nitrotoluene extrapure, 99%	250 ml	340
	PNP-beta-D-cellobioside)			[99-08-1]	·		
	4-Nitrophenyl-4,6-Ethylidene-a-D-M	25 Mg	5510		5-Nitrouracil extrapure, 98%	10 Gms	2700
96597-16-9]	altoheptaoside (pNP-G7, EPS), EPS 90%	100 Mg	11630	[611-08-5]		25 Gms	5510
	(Ethylidene-4-Nitrophenyl-a-D-Maltohe			81787 🗸	• •	5 Gms	2800
	ptaoside, EPS-PNP-G7)			[6635-20-7]	(3-Methoxy-4-Hydroxy-5-Nitrobenzalde	25 Gms	5600
66398	o-Nitrophenyl-ß-D-Galacto	1 Gms	900	6/6FO	hyde) 2-Nonanone pure, 98%	25 ml	
[369-07-3]	Pyranoside (ONPG) extrapure, 99%	5 Gms	3150	64659 [821-55-6]	(n-Heptyl Methyl Ketone)	25 mi 100 ml	550
		25 Gms	14000			500 ml	1300 3200
4685	p-Nitrophenyl	250 Mg	3730	n	Navathistanana At-t		
[7493-95-0]	a-D-Galactopyranoside extrapure,	1 Gms	10560	56986 [51-98-9]	Norethisterone Acetate extrapure, 99%	100 Mg	3450
16226 •	98% p-Nitrophenyl-ß-D-Galactopyranosi	250 Ma	1000	[21-90-9]	(Norethindrone Acetate)	1 Gms	8250
3150-24-1	de (PNPG) extrapure, 98%	250 Mg	1220			5 Gms	1500
		500 Mg	2200		Norfloxacin (NFX), 98%	1 Gms	2140
		1 Gms	3950	[70458-96-7]		5 Gms	4990
				49021	DL-Norleucine extrapure, 99%	5 Gms	800
				[616-06-8]		25 Gms	3000



Code	Name	Packing	Price	Code	Name	Packing	Price
27434 [1476-53-5]	Novobiocin Sodium Salt (NVB), 95%	100 Mg 1 Gms	1110	76207	Oxidase Reagent (Gordon-Macleod Reagent)	100 ml	450
. ,		5 Gms	5250 14700	91088 [14698-29-4]	Oxolinic Acid (OXO), 99%	5 Gms	5000
56221 [6600-40-4]	L-Norvaline extrapure, 99%	1 Gms	1780	29779	Oxolinic Acid Sodium (OXO-Na),	1 Gms	2690
		5 Gms	3680	[59587-05-8]	98%	5 Gms	9140
68547 [6409-77-4]	Nuclear Fast Red (C.I. No. 60760)	1 Gms 5 Gms	1500 7400	55540 [6153-64-6]	Oxytetracycline Dihydrate (OTC.2H2O) extrapure, 98%	1 Gms	410
89249	Nylander`s Reagent	50 ml	430	12455 [2058-46-0]	Oxytetracycline Hydrochloride (OTC), 95%	1 Gms	830
56083	Obermayor`s Reagent	100 ml	190			5 Gms	3810
				61799 [9006-59-1]	for molecular biology, 90%	1 Gms 5 Gms	2800 12500
62339	Octadecylamine technical, 70%	500 Gms	300			25 Gms	60000
[124-30-1]	(Stearylamine)	5 Kg	2800	13788	Ovalbumin ex. Chicken Egg White	250 Mg	8200
51038	Octadecylamine pure, 98%	250 Gms	600		for molecular biology, 98%	1 Gms	16000
[124-30-1]		1 Kg	2200	E7500 I	Paclobutrazol pure, 95%	5 Gms	
		5 Kg	8500		(a-tert-Butyl-B-(4-Chlorobenzyl)	25 Gms	900 3500
27703	Octanoyl Chloride pure, 99%	25 ml	470		-1H-1,2,4-Triazole-1-Ethanol, PACZEE)	20 41110	
[111-64-8]		100 ml	1230		Paclitaxel (Taxol, PCXL), 99%	10 Mg	1260
		500 ml	3790	[33069-62-4]		50 Mg	4000
60507 [149342-80-3]	Octyl a-D-Galactopyranoside extrapure, 98%	50 Mg	2800	45000	Delmitie Asid name C4C 000/	250 Mg	7500
	Octyl ß-D-Galactopyranoside	50 Mg	2800	15028 [57-10-3]	Palmitic Acid pure, C16-98%	500 Gms 5 Kg	650 6400
[40427-75-6] 25253	extrapure, 98% Octyl a-D-Glucopyranoside	100 Mg	14000	34262	Palmitic Acid Reference Standard,	5 Gms	580
[29781-80-4]	extrapure, 98%	100 Mg	14000	[57-10-3]	C16-99% (GC)	25 Gms	2200
33134	Octyl ß-D-Glucopyranoside	1 Gms	5500			100 Gms	7600
[29836-26-8]	extrapure, 98%	5 Gms	25000	77065	Palmitic Acid Methyl Ester	5 Gms	2000
33910 🗸	Octylphenyl Polyethylene Glycol	100 ml	900	[112-39-0]	Reference Standard, 99%(GC)	25 Gms	5880
[9002-93-1]	(IGEPAL CA-630®) for molecular biology	500 ml	4000	62199 🗸	(Methyl Palmitate) Palmitoyl Chloride pure, 98%	25 ml	1900
	((Octylphenoxy)polyethoxyethanol)			[112-67-4]	(Hexadecanoyl Chloride, Palmitic Acid	100 ml	1800 4000
62799 🗸	Ofloxacin (OFX), 98%	1 Gms	3000		Chloride)	500 ml	8000
[82419-36-1]		5 Gms	6000	83162	Pamoic Acid pure, 98%	25 Gms	1200
23576	Oil Red O for molecular biology,	25 Gms	710	[130-85-8]	Tamolo Aola pare, ee A	100 Gms	4000
[1320-06-5]	75%	100 Gms	2220	74635	PAN Indicator (1(2-Pyridylazo)-2-	1 Gms	1000
	(Solvent Red 27, Sudan Red 5B) (C. I. No. 26125)			[85-85-8]	Naphthol) extrapure AR, 99%	5 Gms	4000
23534 🗸	Oleandomycin Phosphate	100 Mg	4000		(1(2-Pyridylazo)-2- Naphthol)	25 Gms	18000
[7060-74-4]	extrapure, 100U/mg	1 Gms	10000	37740	Pancreatin 3x ex. Porcine	100 Gms	1010
70855 🗸	(Matromycin) Orange Oil extrapure	100 ml	840	[8049-47-6]	Pancreas, 75U/mg	500 Gms	4910
[8008-57-9]	orange on extrapare	500 ml	3890	41421	Pancreatin 4NF ex. Porcine	100 Gms	2900
30774	Orcein	5 Gms	1370	[8049-47-6]	Pancreas, 100U/mg	500 Gms	11950
[1400-62-0]		10 Gms	2400	95907	Papain 1x USP ex. Papaya Latex,	100 Gms	400
		25 Gms	5000	[9001-73-4]	6000USP U/mg	500 Gms	1730
86848	L-Ornithine Monohydrochloride	25 Gms	550	80400	Papain 5x USP ex. Papaya Latex,	25 Gms	940
[3184-13-2]	extrapure CHR, 99%	100 Gms	990	[9001-73-4]	30000USP U/mg	100 Gms	3500
		500 Gms	4400		(Papainase, Carica Papaya)	500 Gms	11500
98499	Oxacillin Sodium Salt Monohydrate	5 Gms	4330	59196	PAR extrapure, 99%	1 Gms	860
[7240-38-2]	(OXC.Na.H2O), 815ug/mg			[16593-81-0]	(4-(2-Pyridylazo)-Resorcinol	5 Gms	3680
62704	Oxalacetic Acid extrapure, 98% (Oxaloacetic Acid, Ketosuccinic Acid,	1 Gms	1110	27436	Monosodium Salt Hydrate) Paromomycin Sulfate (PRM)	1 Cmc	0150
[328-42-7]	Oxobutanedioic Acid, 2-Oxosuccinic	5 Gms	4680	27436 [1263-89-4]	raiomomyom Sunate (PRIVI)	1 Gms 5 Gms	3150
	Acid)	25 Gms	18900	. ,		25 Gms	8900 34270



Code	Name	Packing	Price	Code	Name	Packing	Prid
13684 [9046-40-6]	Pectic Acid pure	100 Gms	3700	87913 [9003-99-0]	Peroxidase ex. Horseradish RZ >2.0, w/o Stab., Salt free (HRP	5 K.Units	4310
	Pectinase ex. Aspergillus Niger,	1000 Units	2200	[3000-33-0]	Type 3), 180U/mg solids	25 K.Units	9370
[9032-75-1]	3U/mg powder	5000 Units	5000	30709	1,10-Phenanthroline Anhydrous	5 Gms	800
	(Macerozyme)	10000	8000	[66-71-7]	extrapure, 99%, water 2%	25 Gms	2800
		Units	8000			100 Gms	8000
27295	Pectinase ex. Aspergillus Niger,	100 Gms	2800	65898	1,10-Phenanthroline Monohydrate	5 Gms	560
[9032-75-1]	3000 IU/g powder	500 Gms	8000	[5144-89-8]	extrapure AR, 99.5%	25 Gms	2000
20045	(Macerozyme) Pentadecanoic Acid (Pentadecylic	E Cmo	0500			100 Gms	5800
38215 [1002-84-2]	Acid) extrapure, 98%	5 Gms 25 Gms	2500			500 Gms	26000
. ,	(Pentadecyclate, n-Pentadecylate)	100 Gms	6500 18900	81067	1,10-Phenanthroline Monohydrate	5 Gms	680
				[5144-89-8]	extrapure AR, ACS, ExiPlus,	25 Gms	2400
41991 [602-94-8]	Pentafluorobenzoic Acid pure, 98% (2,3,4,5,6-Pentafluorobenzoic Acid)	5 Gms	940		Multi-Compendial, 99.5%	100 Gms	6600
[002-94-6]	(2,5,4,5,64 entandoroberizoic Acid)	25 Gms	3280			500 Gms	29000
		100 Gms	7540		meets compendial specs of USP	333 35	23000
	Penicillin G Sodium Salt (PNL),	1 Gms	2500	31888	1,10-Phenanthroline Hydrochloride	5 Gms	900
[69-57-8]	98%	5 Gms	6500	[18851-33-7]	Monohydrate extrapure AR, 99.5%	25 Gms	4000
13585	Pentafluorophenol (PFP) extrapure,	5 Gms	1420		Dhanasanian Mathanalahata		
[771-61-9]	99%	25 Gms	5880	55782 [299-11-6]	Phenazonium Methosulphate (PMS) extrapure, 99%	1 Gms	810
20895	(2,3,4,5,6-Pentafluorophenol) (2R,4R)-2,4-Pentanediol extrapure,	1 Gms	00040	[200 11 0]	(N-Methylphenazonium Methyl	5 Gms	3280
20895 6 [42075-32-1]		2.5 Gms	33240		Sulphate, N-Methylphenazonium		
0			80550		Methosulphate, Phenazine Methosulphate)		
1 0610 5 72345-23-4]	(2S,4S)-2,4-Pentanediol extrapure, 99%	1 Gms	27700	13920		1 Gms	1060
72040-20-4]		2.5 Gms	67160	[299-11-6]	(PMS) for tissue culture, 99%	5 Gms	4910
	Pentylenetetrazole (Pentetrazole)	5 Gms	900		(N-Methylphenazonium Methyl	25 Gms	20450
[54-95-5]	extrapure, 99% (1,5-Pentamethylenetetrazole)	25 Gms	3000		Sulphate, N-Methylphenazonium Methosulphate, Phenazine		20400
	(Pentylenetetrazole, 1,5-Pentamethylen				Methosulphate)		
	etetrazole)			48914	Phenolphthalein Diphosphate	1 Gms	1800
32212	Peppermint oil extrapure, 50%	100 ml	600	[68807-90-9]	Tetrasodium Salt extrapure AR,	5 Gms	4340
[8006-90-4]		500 ml	2200		95% (Phenolphthalein Bisphosphate	25 Gms	16650
	Pepsin 1:3000 ex. Porcine Stomach	25 Gms	950		Tetrasodium Salt)		
[9001-75-6]	Mucosa, 0.8Anson U/mg	100 Gms	2310	95444	Phenoxyacetic Acid extrapure, 99%	100 Gms	510
		500 Gms	10500	[122-59-8]	(Glycolic Phenyl Ether)	500 Gms	1890
48062 ■	Pepsin 1:10000 ex. Porcine	25 Gms	1890	19630	L-Phenylalanine-7-Amido-4-Methylc	25 Mg	11650
[9001-75-6]	Stomach Mucosa, 2.5Anson U/mg	100 Gms	6720		oumarin Trifluoroacetate Salt	50 Mg	16940
		500 Gms	30450		extrapure, 98%		
11787	Pepsin 1:10000 ex. Porcine	25 Gms	2100	79455	(L-Phenylalanine-AMC.TFA Salt) L-Phenylalanine Benzyl Ester	25 Gms	44746
[9001-75-6]	Stomach Mucosa extrapure AR,	100 Gms	7350	[2462-32-0]	Hydrochloride extrapure, 99%	25 GIIIS	11710
	2.5Anson U/mg	500 Gms	34130		L-Phenylalanine Ethyl Ester	1 Gms	1000
63364	Pepsin 2x cryst. ex. Porcine	1 Gms	3000	[3182-93-2]	Hydrochloride extrapure, 99%	5 Gms	4110
[9001-75-6]	Stomach Mucosa, 2500U/mg solids	5 Gms	9500			25 Gms	12210
		25 Gms	35000	78586 •	L-Phenylalanine Methyl Ester	1 Gms	880
		100 Gms	75000	[7524-50-7]		5 Gms	2500
20400	Peroxidase ex. Horseradish RZ					25 Gms	7700
2 8498 • [9003-99-0]	>3.0, w/o Stab., Salt free (HRP	1.25 K.Units	3150	90044	7 Phonylolopylerginine		
>*)	Type 1), 250U/mg solids	5 K.Units	5780		Z-Phenylalanylarginine 7-Amido-4-Methylcoumarin	25 Mg	35050
		25 K.Units	23630	,	Hydrochloride Salt extrapure, 99%		
73292	Peroxidase ex. Horseradish RZ	5 K.Units	3210		(Z-Phe-Arg-AMC.HCl Salt)		
[9003-99-0]	>2.0, w/ 30% Stab., Salt free (HRP	25 K.Units	8070	14059	N-Phenylanthranilic Acid	25 Gms	1430
	Type 2), 110U/mg solids	50 K.Units	13640	[91-40-7]	(2-Anilinobenzoic Acid) extrapure AR, 99%	100 Gms	5340



Code	Name	Packing	Price	Code	Name	Packing	Price
53993	4-Phenylazophenol (Solvent Yellow	25 Gms	840	90365	Phenylphosphate Disodium Salt	25 Gms	2140
[1689-82-3]	7, 4-HAB) extrapure, 98%	100 Gms	2940	[66778-08-3]	Dihydrate (High Purity) extrapure	100 Gms	6410
	(p-Hydroxyazobenzene)(C.I. No. 11800)				AR, 98%	250 Gms	16010
92890	Phenylboronic Acid extrapure, 95%	25 Gms	1900	50478	Phenyl Salicylate (Salol) extrapure,	100 Gms	1030
[98-80-6]		100 Gms	7000	[118-55-8]	99%	500 Gms	3900
70291	4-Phenyl Butyric Acid pure, 99%	25 Gms	3500	21726	Phenyl ß-D-Thioglucopyranoside	25 Mg	4510
[1821-12-1]		100 Gms	11000	[2936-70-1]	extrapure, 98%	50 Mg	7870
27644	o-Phenylenediamine free base	5 Gms	2400	16795	N-Phenylthiourea extrapure, 97%	10 Gms	2140
[95-54-5]	(OPD) extrapure AR, 99%	25 Gms	8000	[103-85-5]		25 Gms	3800
		100 Gms	18000	30746	Phleomycin (PLM) Solution	1 ml	7500
73229	o-Phenylenediamine	5 Gms	3800		(20mg/mL in 20mM HEPES)		
[615-28-1]	Dihydrochloride (OPD.2HCI)	25 Gms	10790	69353	Phloroglucinol Anhydrous	25 Gms	1300
	extrapure AR, 99%			[108-73-6]	extrapure AR, 99%	100 Gms	4500
59576 [64-04-0]	2-Phenyl Ethylamine pure, 99%	250 ml	1130	99529	Phloxin B	25 Gms	400
[64-04-0]		500 ml	2140	[18472-87-2]		100 Gms	1400
27861	Phenyl-a-D-Galactopyranoside	250 Mg	10950			500 Gms	6000
[2871-15-0] 77334	extrapure, 98% Phenyl-ß-D-Galactopyranoside	1 Gms	6000	95131	1X Phosphate Buffered Saline	100 ml	530
[2818-58-8]	extrapure, 97%	i Gilis	6830		(PBS) for molecular biology	500 ml	1290
45754	Phenyl Glycidyl Ether (PGE)	100 ml	650	78529	10X Phosphate Buffered Saline	100 ml	660
[122-60-1]	extrapure, 98%	500 ml	2000		(PBS) for molecular biology	500 ml	1520
	(2,3-Epoxypropyl Phenyl Ether, 1,2-Epoxy-3-phenoxypropane)			13435	10X Phosphate Buffered Saline	200 ml	600
23116	L-Phenyl Glycine extrapure, 99%	10 Gms	300	10.100	Tween-20 (PBST) for molecular	1000 ml	2500
[2935-35-5]		25 Gms	720		biology		
		100 Gms	1670	40083 [10526-80-4]	Phosphoenolpyruvate Monocyclohexylammonium Salt	100 Mg	710
		500 Gms	7360	[10320-00-4]	(PEP MCHA Salt) extrapure, 98%	250 Mg	1420
17083	Phenyl Isothiocyanate (PITC) pure,	25 ml	1500			1 Gms	3410
[103-72-0]	98%	100 ml	4000			5 Gms	16610
		500 ml	17500		Phosphoenolpyruvate Tricyclohexylammonium Salt (PEP	100 Mg	1180
18962	Phenyl Isothiocyanate (PITC)	25 ml	2800	[00000700]	TCHA Salt) extrapure, 98%	250 Mg	1770
[103-72-0]	extrapure AR, 99%	100 ml	6020			1 Gms	5290
15127	Phenyl Isothiocyanate (PITC) for	5 x1 ml	2000	69400 [9001-87-0]	Phospholipase D (Lecithinase D) ex. Streptomyces chromofuscus,	200 Units	17960
[103-72-0]	HPLC & Sequencing, 99%	5 ml	1800	[9001-07-0]	40U/mg	400 Units	28730
		5 x5 ml	8200	84122	Phosphomycin Disodium Salt	1 Gms	3570
98152	N-Phenylmaleimide extrapure, 98%	5 Gms	800	[26016-99-9]	(Fosfomycin Disodium Salt)	5 Gms	7140
[941-69-5]	N-F Herry IIII alei IIII de extrapare, 30%	25 Gms	2200		extrapure, 99% ((-)-(1R,2S)-		
		100 Gms	3500		(1,2-Epoxypropyl)Phosphonic Acid,		
89793	Phenylmercuric Acetate (PMA)	5 Gms			Phosphonomycin)		
[62-38-4]	pure, 98%	25 Gms	800 3100	65312 [9012-69-5]	Phosphorylase B ex. Rabbit Muscle, 50U/mg	10 Mg	6000
	(Mercury Phenyl Acetate)	100 Gms	11000	27329	o-Phthalaldehyde (OPA) extrapure	5 Gms	940
02250	Phenylmercuric Nitrate (Basic)			[643-79-8]	AR, 99%	25 Gms	4030
23358 [8003-05-2]	(PMN) pure, 98%	5 Gms 25 Gms	1600 6500		(Phthaldialdehyde)		
	(Mercury Phenyl Nitrate)	100 Gms	22500	89886 [88-96-0]	Phthalamide (Phthalic Acid Diamide) pure, 98%	25 Gms	1260
87606	Phenylmethane Sulphonyl Fluoride	1 Gms				100 Gms	2310
87606 • [329-98-6]	(PMSF) extrapure, 99%	5 Gms	750 2400	62747	Phthalimide extrapure, 99% (Phthalic Dicarboximide,	500 Gms	580
-		25 Gms	8500	[85-41-6]	1,3-Dihydro-1,3-Dioxoisoindole,	5 Kg	5570
		100 Gms	28000		1,3-Dioxoisoindoline)		
04275	Dhonylmothana Sulphanyl Elyavida			45501	Phthalide pure, 98%	100 Gms	530
84375	Phenylmethane Sulphonyl Fluoride (PMSF) for molecular biology, 99%	1 Gms	950 3000	[87-41-2]	(1-Iso-Benzofuranone)	500 Gms	2210
[329-98-6]	(FINISE) IOI IIIOIECUIAI DIOIOGY, 35%		. *t 1t 1()				
[329-98-6]	(FMSF) for molecular biology, 99%	5 Gms 25 Gms	12000	26603 ✓ [4192-28-3]	N-Phthaloyl-L-Alanine extrapure,	1 Gms	1080



Code	Name	Packing	Price	Code	Name	Packing	Price
0			FIICE			-	FIICE
44729 [340-90-9]	N-Phthaloyl-L-Glutamic Acid extrapure, 98%	5 Gms	4450	72328 [110-85-0]	Piperazine Anhydrous pure, 98%	250 Gms 500 Gms	900 1600
19971	N-Phthaloyl-L-Methionine	1 Gms	1830			5 Kg	13500
	extrapure, 98%	5 Gms	7690	15861	Pivaloyl Chloride extrapure, 99%	100 ml	480
15187	N-Phthaloyl-L- Phenylalanine	1 Gms	910	[3282-30-2]		250 ml	850
[5123-55-7]	extrapure, 99%	5 Gms	3170			500 ml	1650
64073	N-Phthaloyl-L-Valine extrapure,	1 Gms	1670	20924	Polyadenylic Acid Potassium Salt	25 Mg	2000
	98%	5 Gms	7690	[26763-19-9]	(POLY A Potassium) extrapure	100 Mg	5500
92486	Phthalyl Hydrazide pure, 98%	25 Gms	2000			1 Gms	35000
[1445-69-8]		100 Gms	4680	44196	Polycytidylic Acid Potassium Salt	25 Mg	5250
58924 ■	Phytosphingosine Hydrochloride	1 Gms	6800	[26936-40-3]	(POLY C Potassium) extrapure		
[554-62-1]	extrapure, 98%	5 Gms	18000		Polyinosinic Acid Potassium Salt	10 Mg	5250
67432	Picloram extrapure, 95%	1 Gms	1600		(POLY I Potassium) extrapure	05 M=	2522
[1918-02-1]	(4-Amino-3,5,6-Trichloropicolinic Acid,	5 Gms	4000		Poly-L-Lysine Hydrobromide (PLL HBr), 70-150kDa	25 Mg	6500
	4-Amino-3,5,6-Trichloropyridine-2-Carb oxylic Acid)	25 Gms	12000	[=======]	(L-Lysine Homopolymer	100 Mg	23000
41238	a-Picolinic Acid pure, 98%	25 Gms	600		Hydrobromide)	250 Mg	50000
[98-98-6]	a Floomic Acia parc, 00%	100 Gms	1800		Poly-D-Lysine Hydrobromide (PDL	25 Mg	6500
		500 Gms	8000	[27964-99-4]	HBr), 70-150KDa (D-Lysine Homopolymer	100 Mg	18000
00440	Picrotoxin pure, 98%				Hydrobromide)		
93418 [124-87-8]	Picrotoxiii pure, 96%	1 Gms 5 Gms	1600 7000		Poly-e-L-Lysine Hydrochloride (PLL	25 Gms	9000
	Physics Asid (Handan adials asid)			[28211-04-3]	HCI), 3500-4500Da (e-Poly-L-Lysine HCI, N6-	100 Gms	31000
90670 [160-60-0]	Pimelic Acid (Heptanedioic acid) extrapure, 98%	25 Gms	3290		[(Phenylmethoxy)carbonyl]-L-Lysine		
[100-00-0]		100 Gms	11650		Homopolymer)		
99487	Pinacol pure, 98% (2,3-Dimethyl-2,3-Butanediol,	25 Gms	800		r-Polyglutamic Acid technical	1 Gms	800
[76-09-5]	Tetramethylethylene Glycol)	100 Gms	2500	[25513-46-6]	grade, 20%	5 Gms	3000
		500 Gms	9000	67258	Polyguluronic Acid extrapure, 80%	1 Gms	14500
31826	Piperonylamine pure, 97%	5 ml	7000	[36562-70-6]		5 Gms	62000
[2620-50-0]	(1,3-Benzodioxole-5-Methylamine, 3,4- (Methylenedioxy)Benzylamine)				Polymyxin B Sulphate (Aerosporin,	250 Mg	1400
70375	PIPES Buffer extrapure, 99%	25 Gms	1000	[1405-20-5]	PXNS), 6000U/mg	1 Gms	4000
[5625-37-6]	(Piperazine-1,4-bis(2-Ethanesulphonic,	100 Gms	3100	22810	Polyoxyethylene (5)	100 Gms	1100
	Acid))	500 Gms	10710	[68412-54-4]	Nonylphenylether Branched	500 Gms	3700
49159	PIPES Buffer for molecular biology,	100 Gms	3470		(IGEPAL CO-520) for molecular biology		
[5625-37-6]	99%	500 Gms	12500	20659	Polyoxyethylene (9)	100 Gms	1200
	(Piperazine-1,4-bis(2-Ethanesulphonic,		.2000		Nonylphenylether Branched	500 Gms	4000
48112	Acid)) PIPES Buffer for tissue culture,	25 Gms	1.470		(IGEPAL CO-630) for molecular	555 55	4000
[5625-37-6]	99%	100 Gms	1470		Bolyand 40 Undergraphed Coates	500 0	0500
	(Piperazine-1,4-bis(2-Ethanesulphonic, Acid))	100 dilis	4200	47380 [61788-85-0]	Polyoxyl 40 Hydrogenated Castor Oil extrapure	500 Gms	2520
58842	PIPES Dipotassium Salt Buffer	25 Gms	8630		(Macr(Macrogolglycerol		
[108321-27-3]	extrapure, 99%	20 01110	0000		Hydroxystearate, PEG-40 hydrogenated castor oil)		
55025	PIPES Disodium Salt Buffer	25 Gms	4810	14749	Polyuridylic Acid Potassium Salt	25 Mg	3000
[76836-02-7]	extrapure, 99%	100 Gms	12190	[27416-86-0]	(POLY U Potassium) extrapure		
		500 Gms	35710	38610	Ponceau S	25 Gms	790
44033	PIPES Sesquisodium Salt Buffer	25 Gms	3580	[6226-79-5]		100 Gms	3050
[100037-69-2]	extrapure, 99%	100 Gms	12320	14092	Ponceau S Staining Solution	100 ml	1750
		250 Gms	30170				
94348	PIPES Sodium Salt Buffer	25 Gms	2940	41186 [68189-43-5]	POPSO Buffer extrapure, 99% (Piperazine-1,4-bis	25 Gms	3000
[10010-67-0]	extrapure, 99%	100 Gms	7880	[05,00-40-0]	(2-Hydroxypropanesulphonic Acid)	100 Gms	10000
		250 Gms	15960	81800	POPSO Sesquisodium Salt Buffer	25 Gms	6000
		250 01110	10000		extrapure, 98%		-



Code	Name	Packing	Price	Code	Name	Packing	Price
20883	Potassium Gluconate extrapure,	100 Gms	300	35981	L-Prolinamide extrapure, 98%	5 Gms	900
[299-27-4]	99% (D. Chusania Asid Patassium Salt	500 Gms	1260	[7531-52-4]	((2S)-2-Pyrrolidinecarboxamide, (-)	25 Gms	2500
	(D-Gluconic Acid Potassium Salt, Potassium-D-Gluconate)				-Prolinamide, (2S) -2-Carbamoylpyrrolidine)	100 Gms	9000
48320	Potassium tert-Butoxide pure, 98%	100 Gms	750		,	500 Gms	42000
[865-47-4]		500 Gms	3200	57732	D-Prolinol extrapure, 98%	1 ml	2050
95056	Potassium Sorbate pure, 99%	500 Gms	1100	[68832-13-3]	((R)-(-)-2-(Hydroxymethyl)pyrrolidine,	5 ml	8010
[24634-61-5]	Totalonam consule pare, com	1 Kg	2000		(R)-(-)-2-Pyrrolidinemethanol)	25 ml	13790
00000	Dragged dynamics (III) Chlorida			46457	L-Prolinol extrapure, 98%	5 ml	2000
28008 [19423-77-9]	Praseodymium (III) Chloride Hydrate extrapure, 99.9%	25 Gms	4620		((S)-(+)-2-(Hydroxymethyl)pyrrolidine,	25 ml	5500
	•	100 Gms	9450		(S)-(+)-2-Pyrrolidinemethanol)		
83218	Praseodymium (III) Nitrate	25 Gms	3520	41622	Propiophenone pure, 99%	100 ml	980
[15878-77-0]	Hexahydrate extrapure, 99.9% (Praseodymium Trinitrate Hexahydrate)	100 Gms	12100	[93-55-0]		500 ml	3500
99350	Praseodymium (III)	5 Gms	4100	84215	n-Propyl Bromide pure, 98%	100 ml	480
[52093-27-3]	Trifluoromethanesulfonate	25 Gms	15330	[106-94-5]		500 ml	1600
	extrapure, 98%					2500 ml	6200
	(Praseodymium Triflate, Trifluoromethanesulfonic Acid			45799	Propylene Carbonate pure, 99%	500 ml	600
	Praseodymium Salt)			[108-32-7]		2500 ml	2660
63639	Praseodymium (III, IV) Oxide	10 Gms	740	56082	n-Propyl Iodide extrapure, 99%	25 ml	2000
[12037-29-5]	extrapure, 99.9%	50 Gms	2940	[107-08-4]	11-1 Topyi Todiac extrapare, 33/8	100 ml	7500
10693	Progesterone extrapure, 97-103%	5 Gms	1310			250 ml	18000
[57-83-0]	(4-Pregnene-3,20-Dione)	25 Gms	4000				
E4000	Dragaituin Datassium Calt			25034 [106-36-5]	Propyl Propionate extrapure, 99%	250 ml	1130
54236 [21087-77-4]	Progoitrin Potassium Salt Reference Standard Grade, 75%	10 Mg	30000	[100-00-5]		1000 ml	4240
[2.00]	(R)-2-Hydroxy-3-Butenylglucosinolate				Propidium Iodide (PI) for molecular	10 Mg	2350
	Potassium Salt)			[25535-16-4]	biology, 95% (3,8-Diamino-5-[3-	25 Mg	4280
	Prohexadione Calcium technical	100 Mg	2000		(diethylmethylammonio)propyl]	100 Mg	12500
[127277-53-6]	grade, 95%	1 Gms	9000		-6-Phenylphenanthridinium Diiodide)		
31651	Phosphocholine Chloride Calcium	5 Gms	2530	78349		1 Gms	3000
[72556-74-2]	Salt Tetrahydrate pure, 97%	25 Gms	5420	[9009-65-8]	biology, 90-110% (Protamine Sulphate)	5 Gms	11000
	(Calcium phosphorylcholine chloride, Choline chloride phosphate calcium	100 Gms	15650		(**	10 Gms	20000
	salt, Choline phosphate chlo			79546	Protein A soluble	2 Mg	12190
74152	L-Proline-7-Amido-4-Methylcoumari	10 Mg	4540				
[115388-93-7]	n Hydrobromide Salt extrapure,	25 Mg	7560		Propidium Iodide Solution (1mg/ml	10 ml	2600
	98% (L-Proline-AMC.HBr Salt)			[25535-16-4]		05.0	4000
79380	Z-Proline-Arginine-7-Amido-4-Meth	10 Mg	71280	84589 [9036-06-0]	Protease ex. Aspergillus Oryzae (Fungal) (Type 1 - Acidic, powder),	25 Gms	4860
[70375-23-4]	ylcoumarin Hydrochloride	_	152720	[0000 00 0]	500kHUT/g		
	extrapure, 99%	25 Wg	132720		(Subtilisin A)		
0	(Z-Pro-Arg-AMC-HCI)				Protease ex. Bacillus Licheniformis	25 Mg	3890
	L-Proline Benzyl Ester Hydrochloride extrapure, 99%	5 Gms	2200	[9036-06-0]	(Type 4 - Neutral, powder), 10U/mg (Subtilisin A)	100 Mg	10210
[10052-71-4]	Trydrocinoride extrapure, 33%	25 Gms	8000	81525	Protease ex. Bacillus Sp. (Type 5 -	100 Gms	730
	L-Proline-ß- Naphthylamide	100 Mg	4440	[9036-06-0]	Neutral, granules), 8kNPU/g	500 Gms	3160
[97216-17-6]	Hydrobromide extrapure, 99%				(Subtilisin A)	300 41113	3100
	Proline Specific Endopeptidase ex. Flavobacterium Sp., 5U/mg	50 Units	9800	66789	Protease ex. Bacillus Subtilis (Type	250 Gms	3890
31798	Propargyl Alcohol pure, 99%	250 ml	1125	[9036-06-0]	2 - Alkaline, granules), 100kAPU/g (Subtilisin A)		
[107-19-7]	paragramation paragram	500 ml	2100	23434	Protease ex. Bacillus Subtilis (Type	500 Gms	2100
-		2500 ml		[9036-06-0]	3 - Alkaline, granules), 1000kAPU/g	500 GIIIS	2190
	D Double and double to the control of the control o		10200		(Subtilisin A)		
90557	D-Prolinamide extrapure, 98% ((R)-Pyrrolidine-2-Carboxamide)	5 Gms	4750	84244	Protease ex. Bacillus Subtilis (Type	100 Gms	3530
[62937-45-5]	((11) 1 ymondine-2-oarboxamide)	25 Gms	17790	[9036-06-0]	6 - Neutral, powder), 100kNPU/g		



Code	Name	Packing	Price	Code	Name	Packing	Pric
49936 39450-01-6]	Proteinase K ex. Tritirachium Album (Type A) for molecular	25 Mg 100 Mg	1100	31129 ✓ [7291-22-7]	Pyridine-d5 For NMR Spectroscopy, 99.5 Atom%D	10 ml	24000
	biology, 30U/mg	500 Mg	3600 16000	73512	3-Pyridineboronic Acid extrapure,	1 Gms	2040
	(Endopeptidase K)	1 Gms	28000	[1692-25-7]	98%	5 Gms	8480
		5 Gms	98000			25 Gms	37300
	Puntainana IK Onlystiau (00 un u/mi)			16539	Pyridine-2,6-Dicarboxylic Acid	25 Gms	850
86331	Proteinase K Solution (20 mg/ml)	1 ml	2400	[499-83-2]	extrapure, 99%	100 Gms	2500
		5 x1 ml	5000			500 Gms	1100
		5 x5 ml	17000	12644	Pyridine-3-Sulphonic Acid (P3SA)	25 Gms	2000
32 753 3 9450-01-6]	Proteinase K ex. Pichia Pastoris (Type D - Recombinant) for	25 Mg	1300	[636-73-7]	extrapure, 98%	25 ams	2000
39430-01-0]	molecular biology & PCR, 30U/mg	100 Mg	4200		(3-Pyridinesulfonic Acid)		
	(Endopeptidase K)	500 Mg	19000		Pyridoxal-5-Phosphate	1 Gms	1020
		1 Gms	34000	[41468-25-1]	Monohydrate extrapure, 98%	5 Gms	463
		5 Gms	115000			25 Gms	14820
		25 Mg	2110	88205	Pyridoxine Hydrochloride (Vitamin	25 Gms	510
39450-01-6]	(Type E - Recombinant) for molecular biology & PCR, 40U/mg	100 Mg	7310	[58-56-0]	B6) pure, 98%	100 Gms	140
	(Endopeptidase K)					500 Gms	5400
6893 🗸	Pullulan (Polymaltotriose, PULL)	5 Gms	3000	47330	3(2-Pyridyl)	1 Gms	2850
9057-02-7]	extrapure	25 Gms	6000	[1046-56-6]	-5,6-Diphenyl-1,2,4-Triazine (PDT)	5 Gms	1245
		100 Gms	18000		extrapure AR, 99%		
3909	Puromycin Dihydrochloride (PRM),	10 Mg	3280	16315 [68181-17-9]	3-(2-Pyridyldithio)propionic Acid N-Hydroxysuccinimide Ester (SPDP	100 Mg	380
[58-58-2]	98%	25 Mg	6400	[6-11-10]	Crosslinker) extrapure, 95%	250 Mg	520
		100 Mg	18000		(N-Succinimidyl 3-	1 Gms	900
5492	Putrescine free base extrapure,	25 Gms	1700		(2-Pyridyldithio)Propionate, 3- (2-Pyridyldithio)-Propionic Acid-OSu)		
[110-60-1]	99%	100 Gms	5300	77504	Ferene Disodium Salt extrapure,	1 Gms	550
	(1,4-Diaminobutane,	500 Gms	25000	[79551-14-7]	• •	10 Gms	3320
	1,4-Butanediamine, Tetramethylenediamine)				(3-(2-Pyridyl)-5,6-di(2-Furyl)		0020
31343	Putrescine Dihydrochloride	1 Gms	470		-1,2,4-Triazine-5,5-Disulfonic Acid Disodium Salt)		
[333-93-7]	extrapure, 99%	5 Gms	1430	77577	L-Pyroglutamic Acid extrapure, 99%	100 Gms	800
		25 Gms	5940	[98-79-3]		500 Gms	2000
		100 Gms	21350	36306	L-Pyroglutamic	10 Mg	10010
19270	Putrescine Dihydrochloride for	1 Gms	940	[66642-36-2]	, ,	25 Mg	19450
[333-93-7]	tissue culture, 99%	5 Gms	3280		extrapure, 98%		1040
		25 Gms	8650		(L-Pyroglutamic Acid-AMC)	05.0	
57322	Pyrazinamide extrapure, 98%	5 Gms	1500	97079 [89-32-7]	Pyromellitic Dianhydride (PMDA) extrapure, 98%	25 Gms	1370
[98-96-4]	(Pyrazinecarboxamide, Pyrazinamide,	25 Gms	3200	[00 02 7]	(Benzene-1,2,4,5-Tetracarboxylic	100 Gms	2210
	Pyrazinoic Acid Amide)	25 Gillo	0200		Dianhydride)	500 Gms	7040
31412	Pyrazole extrapure, 98%	5 Gms	800	75612		1 Gms	940
[288-13-1]	(1,2-Diazole)	25 Gms	1600	[92-32-0]	(C.I. No. 45005)	5 Gms	3350
		100 Gms	5000			25 Gms	16000
32357	Pyrene Actin (10%) ex. Rabbit	1 Mg	88920	71692	Pyrrole extrapure, 99%	25 ml	700
20465	Skeletal Muscle extrapure, 99%	50011	4.55	[109-97-7]		100 ml	2200
89433 67000-89-9]	1-Pyrenebutanol extrapure, 99%	500 Mg	4450			500 ml	9000
		1 Gms	8540	91402	Pyrrolidine pure, 99%	25 ml	250
10604 02 11	1-Pyrenecarboxylic Acid pure, 97%	500 Mg	4390	[123-75-1]		100 ml	550
19694-02-1]		1 Gms	7830			500 ml	2500
		5 Gms	34390	88543	Pyrrolidine extrapure AR, 99.5%	25 ml	320
9503	1-Pyrenemethylamine	500 Mg	4090	[123-75-1]		100 ml	80
93324-65-3]	Hydrochloride (PyNH2) pure, 95%	1 Gms	7480			250 ml	1600
7172	Pyridazine pure, 98%	5 Gms	2730				



Code	Name	Packing	Price	Code	Name	Packing	Price
73694	2-Pyrrolidone pure, 99%	250 ml	700	42650	Resazurin Sodium extrapure AR,	1 Gms	1400
[616-45-5]		500 ml	1250	[62758-13-8]	85%	5 Gms	6200
		2500 ml	5500			25 Gms	29000
63884	Pyruvate Dehydrogenase ex. Microorganism, 2.0U/mg	10 Units	10320	42817	Resazurin Sodium extrapure AR, ExiPlus, Multi-Compendial, 85%	1 Gms	1500
[9014-20-4]	Pyruvate Kinase ex. Rabbit Muscle,	2000 Units	6000	[62758-13-8]	Exirus, wuru-compendial, 65%	5 Gms	6500
[9001-59-6]	300U/mg	4000 Units				25 Gms	31000
			11500		meets compendial specs of USP		
59150 [127-17-3]	Pyruvic Acid pure, 98%	25 ml	900		Reserpine extrapure, 99%	1 Gms	3450
		100 ml	2400	[50-55-5]		5 Gms	13050
71923	Quercetin Dihydrate extrapure, 98%	25 Gms	2000	39798	Resorcinol ACS, 99%	100 Gms	620
[6151-25-3, 349061-97-8]		100 Gms	6500	[108-46-3]		500 Gms	2300
97899	Quinaldine Red	1 Gms	1430	22173	Resorcinol ACS, ExiPlus,	100 Gms	680
[117-92-0]		5 Gms	6650	[108-46-3]	Multi-Compendial, 99%	500 Gms	2500
81076	Quinic Acid extrapure, 98%	5 Gms	1130		meets compendial specs of BP		
[77-95-2]	•	25 Gms	3560	69040	L-Rhamnose Monohydrate	5 Gms	650
		100 Gms	11980	[10030-85-0]	extrapure	25 Gms	1500
32648	Quinoline pure, 97%	500 ml				100 Gms	5000
[91-22-5]	Quinomic pure, 57 /5	2500 ml	1840 8800	59652	Rhenium Powder extrapure,	1 Gms	1000
	D. Datting of Depth bushes			[7440-15-5]	99.99%, -325mesh	5 Gms	3500
51649 [17629-30-0]	D-Raffinose Pentahydrate extrapure	25 Gms	1800	45165	Rhodium (III) Chloride Trihydrate	250 Mg	8500
[17020 00 0]		100 Gms	6800			1 Gms	29000
21719	Ramage Linker (FMOC-Suberol)	100 Mg	2670		(Rhodium Trichloride Hydrate)		23000
212783-75-0]	extrapure, 98%	1 Gms	6050		Rhodium (II) Octanoate Dimer	250 Mg	3000
24527	Rapeseed Glucosinolate Mixture	10 Mg	9450	[73482-96-9]	extrapure, 97%	1 Gms	9800
	Reference Standard Grade, 90%			34392	Riboflavin pure, 98%	25 Gms	600
36474 [2580-78-1]	Reactive Blue 19 (Remazol Brilliant Blue R)	25 Gms	2490	[83-88-5]	(Vitamin B2)	100 Gms	2000
[2500-70-1]	(Reactive Blue 19)	100 Gms	8500	57443	Riboflavine-5-Phosphate Disodium	25 Gms	660
95238	Reactive Blue 21 (Remazol	25 Gms	2810	[130-40-5]	Salt extrapure, 73-79%	100 Gms	2400
[12236-86-1]	Turquoise Blue G-133)	100 Gms	8010	98915	Ribonuclease A (RNase A) ex.	25 Mg	1200
12176	Reactive Orange 16 (Remazol	25 Gms	2810	[9001-99-4]	Bovine Pancreas for molecular	100 Mg	3500
	Brilliant Orange 3R)	100 Gms	6940		biology, 50Kunitz/mg	500 Mg	15000
	(C.I. No. 17757)			62910	Ribonucleic Acid (RNA) Free Acid	25 Gms	1400
65637	Reactive Orange 107 (Remazol	25 Gms	1400		ex. Yeast, 85%	100 Gms	
[12220-08-5]	Golden Yellow RNL)	100 Gms	4000				4000
15034	Reactive Red 21 (Remazol Red BB)	25 Gms	4000	61866 [73049-77-1]	Ribonucleic Acid Sodium Salt (RNA Sodium, Sodium Nucleinate) ex.	10 Gms	1580
[11099-79-9]				[7004077 1]	Yeast for molecular biology, 85%	25 Gms	2800
35832 [12226-12-9]	Reactive Red 35 (Remazol Brilliant Red 5R)	25 Gms	600			100 Gms	9800
[. <i>L L L L L L L L L L L L L L L L L L </i>		100 Gms	2000		D-Ribose extrapure	25 Gms	550
79740	Reactive Red 120	25 Gms	1400	[50-69-1]		100 Gms	900
[61951-82-4]	(Reactive Brilliant Red HE3B) (C.I. 292775)	100 Gms	4000			1 Kg	7000
23176	Reactive Red 180 (Remazol	5 Gms	700		D-Ribose for tissue culture	5 Gms	350
[98114-32-0]	Brilliant Red F3B)	25 Gms	1400	[50-69-1]		25 Gms	700
		100 Gms	4000			100 Gms	2200
80539	Reactive Violet 5 (Remazol Brilliant	25 Gms	1400	72377 [15673-79-7]	D-Ribose-5-Phosphate Barium Salt Hexahydrate extrapure, 98%	100 Mg	4600
[12226-38-9]	Violet 5R)	100 Gms	4000		Rifampicin (RFP) (Rifampin),	1 Gms	720
67074	(C.I. No. 18097)	OF Comp	0000	[13292-46-1]		5 Gms	2400
67074 [20317-19-5]	Reactive Yellow 17 (Remazol Golden Yellow G)	25 Gms	3000				
,	(C.I. No. 18852)	100 Gms	9000	81319 (80621-81-4)	Rifaximin (RFX) extrapure, 98%	1 Gms	1800
55200	Resazurin Sodium extrapure AR,	1 Gms	1200	[, -, -]		5 Gms	7000
[62758-13-8]	20-30%	5 Gms	5500				



Code	Name	Packing	Price	Code	Name	Packing	Prid
23311	Rink Amide Linker Resin (Knorr	1 Gms	1800	92082	Samarium (III) Nitrate Hexahydrate	5 Gms	1500
145069-56-3]	Linker) extrapure, 99%	5 Gms	7000	[13759-83-6]	ultrapure, 99.95%	25 Gms	4000
	(4-[(2,4-Dimethoxyphenyl) (Fmoc-amino)Methyl]phenoxyacetic				(Trinitric Acid Samarium (III) Hexahydrate)		
	Acid)			31372	Samarium (III) Oxide ultrapure,	5 Gms	1500
34140	Rink Amide MBHA Resin (100-200	1 Gms	2000	[12060-58-1]	99.95%	25 Gms	4000
431041-83-7]	mesh), Loading 0.3-0.8mmol/g	5 Gms	7000		(Samaria)	25 Gills	4000
	(4-	25 Gms	30000	54043	Samarium (III)	1 Gms	1600
	(2,4-Dimethoxyphenyl-FMOC-Aminom ethyl)			[52093-28-4]	Trifluoromethanesulfonate	5 Gms	4200
	Phenoxyacetamido-Norleucyl-MBHA				extrapure, 98% (Samarium (III) Triflate,		
	Resin)				Trifluoromethanesulfonic Acid		
90780	p-Rosaniline Hydrochloride	25 Gms	900		Samarium (III) Salt)		
[569-61-9]	(Pararosaniline Hydrochloride,	100 Gms	3000	68580	Scandium (III)	1 Gms	1500
	Pararosaniline Chloride, Basic	500 Gms	13000	[144026-79-9]		5 Gms	5200
20540	Parafuchsin) (C.I. No. 42500)	10.0			extrapure, 98%		
6 0549 [632-69-9]	Rose Bengal (Acid Red 94) (C.I. No. 45440)	10 Gms	620		(Scandium Triflate, Trifluoromethanesulfonic Acid		
[002-09-9]	(tota rica 5 1) (6.1. 116. 16 1 16)	25 Gms	1470		Scandium Salt)		
		100 Gms	5000	80967	Saponin ex. Quillaja for molecular	25 Gms	6000
10641	Rose Oil extrapure	10 ml	1400	[8047-15-2]	biology, 9% Sapogenin	100 Gms	11000
[8007-01-0]		25 ml	2600	00474	Saponin ex. Gypsophila Roots for	5 Gms	
		100 ml	8000	99474 [8047-15-2]	molecular biology, 25% Sapogenin		1800
66412	p-Rosolic Acid	25 Gms	900	[00.7.10.2]		25 Gms	4500
[603-45-2]	(Aurin)	100 Gms	3000			100 Gms	12000
		500 Gms	13000		Sarcosine Oxidase (SOX) ex.	500 Units	5940
	Partie Tellessinsterness 050/			[9029-22-5]	Recombinant E.coli, 20U/mg	1 K.Units	11270
1 8325 250249-75-3]	Rutin Trihydrate pure, 95% (Vitamin P Trihydrate, Rutoside,	25 Gms	1400	21032	Scandium Oxide, 99.99%	1 Gms	2630
250248-75-0]	Quercetin-3-Rutinoside)	100 Gms	2600	[12060-08-1]		5 Gms	7000
		500 Gms	8000	17386	Schiff's Reagent	500 ml	530
16281	Safranine 0.5 w/v Aq. Solution	125 ml	220	11000		333	000
		500 ml	700	32380	Scopoletin extrapure, 98%	25 Mg	7000
16593	Safranine O	25 Gms	530	[92-61-5]		100 Mg	32000
[477-73-6]	(Basic red 2) (C.I. No. 50240)	100 Gms	1870	62330	Sebacic Acid pure, 98%	500 Gms	1080
		500 Gms	9000	[111-20-6]	, , , , , , , , , , , , , , , , , , ,		1000
10673	D-(-)-Salicin extrapure	5 Gms	1800	19182	Semicarbazide Hydrochloride	100 Gms	670
[138-52-3]	- (,	25 Gms	4800	[563-41-7]	extrapure, 98%		
				44779	Selenium Dioxide pure, 98%	100 Gms	2000
57467 ✓ [959-36-4]	Salicylaldehyde Azine extrapure, 97%	1 Gms	950	[7446-08-4]		500 Gms	8000
[939-30-4]	(2-Hydroxybenzaldehyde azine)	5 Gms	2000	90945	Selenium Metal Powder extrapure,	25 Gms	700
		25 Gms	7500	[7782-49-2]	99.9%, 100 mesh	100 Gms	2500
77386	Salicylamide pure, 98%	500 Gms	1550			500 Gms	7500
[65-45-2]		5 Kg	14000	54000	Colonium Matel Davides ultranus		
15549	Salt Mixture Bernhart Tommarelli	500 Gms	1250	51200 [7782-49-2]	Selenium Metal Powder ultrapure, 99.999%, 100 mesh	25 Gms	3570
	(Dietary Mineral Mix acc to	1 Kg	2400	[,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, 	100 Gms	13130
	Bernhart-Tommarelli)	5 Kg	11500	77855	Selenium Metal Granular ultrapure,	25 Gms	3780
10404	Calt Mintura LI M W /aaa ta Uubhi-			[7782-49-2]	99.999%, 1-6mm	100 Gms	14180
13464	Salt Mixture H.M.W. (acc. to Hubble Mendal and Wakeman)	500 Gms	1250	29815	Seliwanoff`s Reagent	100 ml	290
	(Dietary Mineral Mix acc to HMW)	1 Kg	2400		·		
	·	5 Kg	11500	64088	Seralose® 2B (2% Beaded Agarose	100 ml	4500
71637	Salt Mixture as per USP XIV	500 Gms	1500		Susp., 60-200micron)	500 ml	18000
	(Dietary Mineral Mix acc to USP XIV)	1 Kg	2850	54540	Seralose® 4B (4% Beaded Agarose	100 ml	4500
		5 Kg	13500		Susp., 45-165micron)	500 ml	18000
93538	Samarium (III) Chloride	10 Gms	2500	10505	Sorologo® CD (50) Dooded Assessed		
13465-55-9]	Hexahydrate pure, 99.9%	50 Gms	9800	12585	Seralose® 6B (6% Beaded Agarose Susp., 45-165micron)	100 ml	4500
	(Samarium trichloride hydrate)	35 41110	5500			500 ml	18000



Code		Name	Packing	Price	Code	Name	Packing	Price
81862		Seralose® CL-2B (2% Beaded	100 ml	6000	73081	Silicon Metal powder, 98.5%, -200	100 Gms	320
		Agarose Cross-Linked Susp., 60-200micron)	500 ml	24000	[7440-21-3]	mesh	500 Gms	980
11974		Seralose® CL-4B (4% Beaded	100 ml	6000			5 Kg	9450
		Agarose Cross-Linked Susp.,	500 ml	24000	43800	Silver Hexafluoroantimonate(V)	1 Gms	3400
00004	۵	45-165micron)	100 1		[26042-64-8]	extrapure, 98%	5 Gms	15000
22264	8	Seralose® CL-6B (6% Beaded Agarose Cross-Linked Susp.,	100 ml 500 ml	6000 24000	32422	Silver Metal powder, 99.9%, -400	10 Gms	3300
		45-165micron)	300 1111	24000	[7440-22-4]	mesh	25 Gms	7900
85165		DL-Serine Hydrazide Hydrochloride	5 Gms	15690			100 Gms	31000
[55819-71-	-1]	pure, 98% (DL-Serinohydrazide Hydrochloride)			43491	Silver Methanesulfonate (Silver	1 Gms	1500
17017			5 Gms	960	[2386-52-9]	MSA) extrapure, 47.8%-58.4% Ag (Methanesulfonic Acid Silver Salt, Silver	5 Gms	5000
[5680-80-8	8]	Hydrochloride extrapure, 99%	25 Gms	4160		Methylsulfonate, Silver	25 Gms	16000
			100 Gms	11270		Methylsulphonate, Methanesulphonic		
18472		Sieber Linker (3-Hydroxyxanthone)	100 Mg	2620	46241 [9008-42-8]	Silver Proteinate extrapure, 8% Ag	5 Gms	2000
[3722-51-8	8]	extrapure, 99%	1 Gms	5940	[9000-42-0]		25 Gms	7000
			5 Gms	9490	27821		1 Gms	1050
77996		Silica Cysteine-Functionalized	5 Gms	19970	[2923-28-6]	extrapure, 98% (Silver Triflate, Trifluoromethanesulfonic	5 Gms	4310
		extrapure	10 Gms	33270		Acid Silver Salt)	25 Gms	10500
		(Particle Size — 40-63 μ m, Pore Size - 60A)			69717 [13497-94-4]	Silver Vanadate pure	5 Gms	3600
46400		Silica DMT-Functionalized	5 Gms	11230	90677	Sinalbin Potassium Salt Reference	10 Mg	33600
		extrapure	25 Gms	46740	[16411-05-5]			
31156		Silica Imidazole-Functionalized	5 Gms	6660		(p-Hydroxybenzylglucosinolate Potassium Salt, Glucosinalbin		
		extrapure	25 Gms	27720		Potassium Salt)		
68360		Silica TAAcOH-Functionalized	5 Gms	9600	28945		25 Mg	6300
		extrapure	25 Gms	39990	[3952-98-5]	Standard Grade, 97% (2-Propenyl Glucosinolate Potassium	100 Mg	10290
28466	ı	Silica TAAcONa-Functionalized	5 Gms	9600		Salt, Sinigroside Potassium Salt)		
		extrapure	25 Gms	39990	94846	Simazine extrapure,98%	5 Gms	2500
39343		Silica Thiol-Functionalized (STF)	5 Gms	8030	[122-34-9]	(2,4-Bis(ethylamino) -6-chloro-1,3,5-triazine)	25 Gms	4000
		extrapure	25 Gms	33410	56226	,	5 Gms	2000
20356		Silica DPP-Pd Catalyst extrapure	5 Gms	37790	[83-46-5]	(Beta Sitosterol)	25 Gms	9400
			10 Gms	62970	13728	b-Sitosterol ex. Glycine Max	25 Gms	4440
45570		Silica TEMPO Catalyst extrapure	5 Gms	18510	[83-46-5]	(Soyabean), 95%	100 Gms	17410
			10 Gms	30850		(Beta Sitosterol)		
78339		Silica C18 (17%) Bonded	5 Gms	5260	89658 [1333-83-1]	Sodium Bifluoride pure, 98%	500 Gms	1430
		monomeric extrapure	25 Gms	15190	53713	Sodium Biselenite pure, 98%	100 Gms	4330
43139	ı	Silica Carbonate Bonded extrapure	5 Gms	9260	[7782-82-3]	<u>.</u>		1000
		•	25 Gms	38570	22308	Sodium Butyrate Reagent Grade,	25 Gms	1100
35228	A	Silica Cyano Bonded extrapure	5 Gms	5870	[156-54-7]	98.5%	100 Gms	1800
30220	٠	Cyanic Zenaca Omapaio	10 Gms	11450			500 Gms	6800
30753	Ω	Silica Diol Bonded extrapure	5 Gms	5780	41059	Sodium Caseinate extrapure	100 Gms	1470
50155	9	Dio Donaca Chiapate	25 Gms	24040	[9005-46-3]	(Casein Sodium Salt)	500 Gms	5520
02060	ı	Silica TMA Acetate Bonded	5 Gms		43624	Sodium Chromate pure, 98%	500 Gms	640
92868	6	non-endcapped extrapure	25 Gms	8240 34300	[7775-11-3]	<u> </u>	=	
F0040	۵				60947 [22722-98-1]	Sodium Dihydro-bis- Methoxyethoxy Aluminate	100 Gms	1500
50648	8	Silica Tosic Acid Bonded extrapure	5 Gms	10030	[22,22-00-1]	(VITRIDE) pure, 68-71%	500 Gms	7000
			25 Gms	41770	46288	Sodium Diphenylamine-4-Sulfonate	10 Gms	420
79427 [7440-21-3	31	Silicon Metal powder, 98.5%, -4 mesh	500 Gms	1300	[6152-67-6]	extrapure AR, ACS	25 Gms	850
[1770-21-0	۱,						100 Gms	3000



Code	Name	Packing	Price	Code	Name	Packing	Price
25818	Sodium Diphenyl Reagent AR	15 ml	960	19099	Sodium Rhodizonate Dibasic	1 Gms	580
[5137-46-2]	(Sodium Biphenyl Complex)	10 x15 ml	8900	[523-21-7]	extrapure AR, 99% Rhodizonic Acid Sodium Salt,	5 Gms	1380
67516	Sodium Diphenyl Reagent ExiPlus,	15 ml	1430		3,4,5,6-Tetraoxocyclohexene-1,2-diol	25 Gms	6340
[5137-46-2]	Multi-Compendial	10 x15 ml	10440		disodium salt, Rhodizonic acid dis		
FF000	(Sodium Biphenyl Complex) Sodium Dodecylbenzenesulfonate	100 Cma	450	95335	Sodium Selenite Anhydrous	25 Gms	780
55083 [25155-30-0]	(SDBS) pure, 80%	100 Gms 500 Gms	450 825	[10102-18-8]	extrapure, 98%	100 Gms	2610
	(Dodecylbenzenesulfonic Acid Sodium	5 Kg	7200			500 Gms	10210
	Salt)			80451	Sodium Selenite Anhydrous	25 Gms	820
36511 [751-94-0]	Sodium Fucidate (Na-FC), 97.5% (Fucidic Acid Sodium Salt)	1 Gms	3000	[10102-18-8]	extrapure AR, 99%	100 Gms	2950
[751-94-0]	(i delale Acid dedidiri dati)	5 Gms	8000			500 Gms	11120
55655	Sodium Fumarate extrapure AR,	100 Gms	400	17169	Sodium Selenite Anhydrous for	25 Gms	960
[17013-01-3]	99.5%	500 Gms	1800	[10102-18-8]	tissue culture, 99%	100 Gms	2840
15331	Sodium-ß-Glycerophosphate	5 Gms	2000			500 Gms	14070
[55073-41-1, 154804-51-0]	Hydrate extrapure AR, 99% (Sodium-ß-Glycerol Phosphate	25 Gms	4500	58529	Sodium Taurochenodeoxycholate	250 Mg	5000
	Hydrate, β-GP, β-Glycerolphosphate,	100 Gms	15000	[6009-98-9]	(STCDC) extrapure, 95%	1 Gms	12000
	Disodium β-glycerol phosphate)				(Taurochenodeoxycholic Acid Sodium Salt)		
97971	Sodium Glycochenodeoxycholate	1 Gms	8000	63703	Sodium Taurocholate Hydrate (STC	1 Gms	2370
[16564-43-5]	(SGCDC) extrapure, 97% (Glycochenodeoxycholic Acid Sodium	5 Gms	25000		Hydrate) extrapure, 98%	5 Gms	6200
	Salt)	25 Gms	105000		(Taurocholic Acid Sodium Salt	25 Gms	27000
		100 Gms	280000		Hydrate)	100 Gms	85000
31287	Sodium Glycocholate Dried (SGC	500 Mg	3690		On divers Transport of the Built of		
[863-57-0]	Dried) extrapure, 98%	1 Gms	5500		Sodium Taurodeoxycholate Dried (STDC Dried) extrapure, 97%	1 Gms	3500
		5 Gms	17000	[]	, , ,	5 Gms	10000
		25 Gms	80000			25 Gms	42000
15556	Sodium Glycocholate Hydrate	1 Gms	4000		Sodium Taurodeoxycholate Hydrate (STDC Hydrate) extrapure,	1 Gms	2500
338950-81-5]	(SGC Hydrate) extrapure, 98%	5 Gms	15000	[20//3/-9/-1]	97%	5 Gms	8000
		25 Gms	68000			25 Gms	34000
		100 Gms	180000			100 Gms	120000
43453	Sodium Gluconate pure, 99%	500 Gms	350		Sodium Tauroursodeoxycholate	1 Gms	3000
[527-07-1]	•	5 Kg	3300	[35807-85-3]	(TUDCA Sodium) extrapure, 98% (Tauroursodeoxycholic Acid Sodium	5 Gms	12000
54565	Sodium Malonate extrapure, 99%	100 Gms	900		Salt)		
[141-95-7]	Sociali Maionate extrapare, 33/8	500 Gms	3290	78786	Sodium Thioglycolate extrapure,	100 Gms	970
				[367-51-1]	99%	250 Gms	1800
81020 ✓ [114-21-6]	Sodium DL-Mandelate extrapure, 99%	5 Gms	900			500 Gms	3200
[114-21-0]	(DL-Mandelic Acid Sodium Salt)	25 Gms	4200	48950	Sodium Triacetoxyborohydride	25 Gms	600
18444	Sodium Metavanadate extrapure,	25 Gms	840	[56553-60-7]	(STAB) pure, 98%	100 Gms	1800
[13718-26-8]	99%	100 Gms	2800			500 Gms	8000
	(Sodium Trioxovanadate, Sodium Vanadium Oxide, Sodium Vanadium	500 Gms	12000	69128	Sodium Trifluoromethanesulfinate	5 Gms	3800
	Trioxide)			[2926-29-6]	(Langlois reagent) extrapure, 95%	25 Gms	12000
85247	Sodium-2-Naphthyl Phosphate	1 Gms	980		(Sodium Trifluoromethylsulfinate,		12000
[31681-98-8]	Disodium Salt extrapure AR, 99%	5 Gms	4740		Trifluoromethanesulfinic Acid Sodium Salt, Sodium Triflinate)		
86766	Sodium Orthovanadate pure, 45%	10 Gms	2000	99957	a-Solamargine extrapure, 98%	10 Mg	4500
[13721-39-6]	(Sodium Vanadium Oxide)	50 Gms	8000	[20311-51-7]		25 Mg	9000
		250 Gms	18000		de)		2000
14215	Polyanetholesulphonic Acid	1 Gms	500		Solasodine extrapure, 98%	10 Mg	4500
[55963-78-5]	Sodium Salt (Sodium	5 Gms	2270	[126-17-0]	(Purapuridine, Solancarpidine)	25 Mg	9000
_	Polyanetholesulphonate, SPS)	25 Gms	8000	89725	• •	25 Mg	9000
	extrapure (Sodium PolyanetholSulphonate)	20 01110	0000	_	(Solasodamine)		
23569	Sodium Pyruvate (Pyruvic Acid	25 Gms	340		Somatostatin extrapure, 97%	5 Mg	2000
[113-24-6]	Sodium Salt) extrapure AR, 99%	100 Gms	340 1030	[38916-34-6]		25 Mg	8000
•		100 GIIIS	1030				



Code	Name	Packing	Price	Code	Name	Packing	Price
62468	L-(-)-Sorbose extrapure, 99%	5 Gms	2000		Stigmasterol extrapure, 95%	1 Gms	1170
[87-79-6]		25 Gms	5200	[83-48-7]		5 Gms	3500
		100 Gms	20000			25 Gms	12000
51719	Spectinomycin Dihydrochloride	1 Gms	1200	87610	Streptavidin (SA) ex. Streptomyces	5 Mg	8120
[22189-32-8]	Pentahydrate extrapure, 98%	5 Gms	4000	[9013-20-1]	Avidinii for molecular biology, 15U/mg Protein	10 Mg	14930
		25 Gms	13000	54224	r-Streptavidin (r-SA) ex.	5 Mg	44390
17030	Spermidine extrapure, 99%	250 Mg	1100	[9013-20-1]	Streptomyces Acidinii in E.Coli -	o mg	44000
[124-20-9]		1 Gms	3500		Type 1, 17U/mg protein		
		5 Gms	15000	91014 [3810-74-0]	Streptomycin Sulphate (STM)	5 Gms	410
91710	Spermine Free Base extrapure,	250 Mg	2000	[3610-74-0]		25 Gms	1350
[71-44-3]	99%	1 Gms	4500			100 Gms	2810
22310	Spermine Tetrahydrochloride	1 Gms	3460	62463 [3810-74-0]	. , .	5 Gms	930
[306-67-2]	extrapure, 99%	5 Gms	8980	[3610-74-0]	Culture	25 Gms	1860
		10 Gms	17270			100 Gms	3380
		25 Gms	31080		Streptozotocin (STZ) extrapure,	100 Mg	1850
26413	Sphingomyelin (Type I) ex. Bovine	10 Mg	7710	[18883-66-4]	96%	500 Mg	8500
[85187-10-6]	Brain Sphingolipids extrapure, 99%	100 Mg	40310			1 Gms	16000
95852	Sphingomyelin (Type II) ex. Bovine	10 Mg	7710			5 Gms	65000
[85187-10-6]	Heart Sphingolipids extrapure, 99%	25 Mg	17200	28065	Styrene Monomer (Stab w/ tBC)	500 ml	950
		100 Mg	45060	[100-42-5]	extapure, 99.5% (Phenylethylene, Vinylbenzene)	2500 ml	4400
77061 🗸	S-Phos	1 Gms	1800	48142	Succinic Anhydride extrapure,	100 Gms	380
[657408-07-6]	(2-Dicyclohexylphosphino-2,6-Dime	5 Gms	6500	[108-30-5]	99.5%	500 Gms	1500
	thoxybiphenyl) extrapure, 98%	25 Gms	25000	72368	N-Succinimidyl	1 Gms	4000
63056	3-(2`-Spiroadamantane)	5 Mg	20920		Ferrocenecarboxylate pure, 97%	5 Gms	18000
[122341-56-4]		· ·			(Ferrocenecarboxylic Acid N-Succinimidyl Ester)		
	Phenyl-1,2-Dioxetane (AMPPD) extrapure, 98%			24088	Succinimidyl-4-(N-	50 Mg	2620
67715	Spironolactone extrapure, 97%	500 Mg	5210	[64987-85-5]	• ,	250 Mg	10680
[52-01-7]		1 Gms	9310		cyclohexane-1-carboxylate	3	10000
12590	20X SSC Buffer pH 6.9-7.1 for	200 ml	330	20721	(SMCC), 98% Sucrose Heptasulphate Potassium	25 Mg	18000
12550	molecular biology	500 ml	740		Salt pure, 80%	25 Wig	18000
78305	20X SSPE Buffer pH-7.4 suitable for	200 ml	900		(1,3,4,6-Tetra-O-Sulfo-b-D-Fructofuran		
70305	molecular biology	1000 ml	2500		osyl-a-DGlucopyranoside-2,3,4-Tris(Hy drogen Sulfate)Potassium)		
	StachyoseTetrahydrate extrapure,			47973	Sucrose Octasulphate Aluminium	5 Gms	3000
80268 [10094-58-3]		25 Mg 100 Mg	3150		Salt (Sucralfate) extrapure, 30-36%	25 Gms	8000
		250 Mg	12450 28690		(Sucrose Octasulfate-Aluminum Complex)		
01004	Stearic Acid pure, C18-98%			69538	Sucrose Palmitate extrapure, 90%	25 Gms	2200
31384 [57-11-4]	Stearic Acid pure, C10-36 %	500 Gms 5 Kg	650 6400	[26446-38-8]		100 Gms	6700
	Steerie Anid automorus C40 000/				side Monohexadecanoate)		
73878 [57-11-4]	Stearic Acid extrapure, C18-99%	5 Gms	300	67787 [85-86-9]	Sudan III	25 Gms	210
[]		25 Gms	1150	[63-66-9]		100 Gms	610
	Change Asid FuiDhio	100 Gms	4400	81329	Sulfacetamide Sodium	5 Gms	2750
73439 [57-11-4]	Stearic Acid ExiPlus, Multi-Compendial, C18-99%	5 Gms	510	[6209-17-2]	Monohydrate extrapure, 99%-101% (N-Acetylsulfanilamide Sodium Salt	50 Gms	8000
fer in it	, ,	25 Gms 100 Gms	2200		Monohydrate)		
	meats compandial space of Dh Eur	100 GIIIS	7000	16775	Sulfadiazine (SFD) extrapure,	50 Gms	2630
61609	meets compendial specs of Ph.Eur Stearic Acid Methyl Ester	5 Gms	3500	[68-35-9]	99-101% (4-Amino-N-	100 Gms	4990
[112-61-8]	Reference Standard, 99% (GC)	25 Gms	3500 9800		(2-Pyrimidinyl)Benzenesulfonamide)		
	(Methyl Stearate)	25 GIIIS	9000	28277	Sulfadiazine Sodium Salt (SFD	25 Gms	2900
61600	STET Lysis Buffer	500 ml	3000	[547-32-0]	Sodium) extrapure, 99% (4-Amino-N-	100 Gms	9100



Code	Name	Packing	Price	Code	Name	Packing	Pric
69181 [7704-34-9]	Sulfur Precipitated pure, 98%	500 Gms	230	47064 [125700-67-6]	TBTU extrapure, 98%	10 Gms	650
86684	Sulphamethoxazole (SMX), 99%	5 Gms	2350	[120700 07 0]		25 Gms	1480
[723-46-6]		25 Gms	6410			100 Gms	5000
	Culmbalana Ambuduana mura 200/					500 Gms	18000
72701 [126-33-0]	Sulpholane Anhydrous pure, 99% (Sulfolane Anhydrous)	500 ml	800	92481	Tellurium Dioxide ultrapure,	5 Gms	2940
[120 00 0]	(Canolano / Illinyaroac)	2500 ml	3700	[7446-07-3]	99.999%	25 Gms	7000
13674	Sulpholane Anhydrous extrapure	500 ml	1025	59479	Tellurium Metal powder, 99.9%,	10 Gms	1580
[126-33-0]	AR, 99% (Sulfolane Anhydrous)	2500 ml	5050	[13494-80-9]	-200 mesh	100 Gms	8190
31249		20 K.Units	12450	67813	Terbium (III) Chloride Hexahydrate	5 Gms	4200
[9054-89-1]	Bovine Erythrocytes, 3000U/mg	100	40310		extrapure, 99.9%	25 Gms	18380
		K.Units	40010	52633	Terbium (III) Nitrate Hexahydrate	2 Gms	
47406	Syringaldazine pure, 95%	1 Gms	4500	[13451-19-9]	ultrapure, 99.99%	10 Gms	4180
14414-32-5]	·				·		15400
41719	Syringaldehyde extrapure, 99%	5 Gms	630	52313	Terbium (III) Nitrate Pentahydrate	5 Gms	4400
[134-96-3]		25 Gms	1840	[57584-27-7]	extrapure, 99.9%	25 Gms	19250
		100 Gms	6530	99186	Terbium (III)	1 Gms	3150
64614	Syringic Acid pure, 96%	5 Gms	1600	[148980-31-8]		5 Gms	11550
[530-57-4]	(3,5-Dimethoxy-4-Hydroxybenzoic	25 Gms	4000		extrapure, 98% (Terbium(III) Triflate,		
	Acid, Gallic Acid 3,5-Dimethyl Ether)	25 Gms	14000		Trifluoromethanesulfonic Acid		
71989	10V TAE Buffer all 9.2 for	100 ml			Terbium(III) Salt)		
71989	10X TAE Buffer pH-8.3 for molecular biology		590	62369	Terbium (III,IV) Oxide ultrapure,	1 Gms	3680
0		500 ml	1040	[12037-01-3]	99.99%	5 Gms	10290
33170	10X TBE Buffer pH-8.3 for	200 ml	660	96104	Terephthaloyl Chloride pure, 99%	100 Gms	1300
	molecular biology	500 ml	1130	[100-20-9]		500 Gms	5400
51782	10X TE Buffer pH-8.0 for molecular	100 ml	1260	14676	TES Buffer extrapure, 99%	5 Gms	800
	biology	500 ml	4200	[7365-44-8]	(N-Tris(Hydroxymethyl)	25 Gms	2800
39528	Tantalum Metal Sheet (Type 1),	1 piece	10810		Methyl-2-Aminoethane Sulphonic Acid)	100 Gms	10500
[7440-25-7]	99.9%				TEO D. W O. dilana O. li antana		
27101	Tantalum Metal Sheet (Type 2),	1 piece	16140	51318 [70331-82-7]	TES Buffer Sodium Salt extrapure,	25 Gms	5900
[7440-25-7]	99.9%			[70001-02-7]		100 Gms	17930
70040 [7440-25-7]	Tantalum Metal Sheet (Type 3), 99.9%	1 piece	9440	19914	Testosterone (free base) extrapure,	1 Gms	1800
10964	TAPS Buffer extrapure, 99%	25 Gms	1100	[58-22-0]	99% (17B-Hydroxy-4-Androsten-3-one)	5 Gms	3500
29915-38-6]	(N-Tris (hydroxymethyl)	100 Gms	1190		(175 Thydroxy Transference of the	25 Gms	12000
	Methyl-3-Aminopropane Sulphonic	100 GITIS	3140	83651	Testosterone Enanthate extrapure,	1 Gms	2000
	Acid)			[315-37-7]	99%	5 Gms	5000
44194	TAPSO Buffer extrapure, 99%	25 Gms	2440		(17ß-Hydroxy-4-Androsten-3-one 17-Enanthate)	25 Gms	13000
68399-81-5]	(3-[Tris-(hydroxymethyl) Methylamino] -2- Hydroxypropane Sulphonic Acid)	100 Gms	8070	71344	Testosterone Propionate extrapure,	5 Gms	1670
28682	D-(-)-Tartaric Acid extrapure, 99%	100 Gms	540	[57-85-2]	98%	25 Gms	7420
[147-71-7]	2 () Tanana New Okaapare, ee/e	250 Gms	1310		(17ß-Hydroxy-4-Androsten-3-one	25 Gills	7420
	L (1) Testesia Acid estresion AD				17-Propionate)		
60301 [87-69-4]	L-(+)-Tartaric Acid extrapure AR, ACS, ExiPlus, Multi-Compendial,	500 Gms	600		1,2,3,5-Tetra-O-Acetyl-b-D-Ribofura	5 Gms	2620
[07-03-4]	99.7%	5 Kg	5400	[13035-61-5]	nose extrapure, 98% (beta-D-Ribofuranose-1,2,3,5-Tetraacet	25 Gms	9490
	(L-Threaric Acid)				ate)		
	meets compendial specs of USP, BP,			76333	1,1,2,2-Tetrachloroethane extrapure	500 ml	1750
	Ph.Eur			[79-34-5]	AR, 99%	1000 ml	3430
63904	DL-Tartaric Acid extrapure, 99%	500 Gms	530	82175	Tetracycline Hydrochloride (TC) for	5 Gms	1050
[133-37-9]		5 Kg	5000	[64-75-5]	tissue culture, 95%	25 Gms	4000
15711	Taurine extrapure CHR, 99%	100 Gms	1200			100 Gms	11100
[107-35-7]	(2-Aminoethanesulfonic Acid)	1 Kg	8000	00045	Tetracyaline Undershied - (TO)		
		5 Kg	32500	38614 ■ [64-75-5]	Tetracycline Hydrochloride (TC), 95%	5 Gms	440
				[0-1-70-0]		25 Gms	2170
						100 Gms	7950



Code	Name	Packing	Price	Code	Name	Packing	Prid
58128	Tetradecyl Sulphate Sodium Salt	100 Mg	1500	52300	N,N,N,N-Tetramethyl-p-phenylenedi	5 Gms	1240
[1191-50-0]	(Tergitol-4), 95%	500 Mg	5800	[637-01-4]	amine Dihydrochloride (Wursters	25 Gms	5600
	(Sodium Myristyl Sulfate, Sodium Tetradecyl Sulfate, STDS)				Reagent, TMPPD) extrapure AR, 99%		
64090	Tetraethylammonium lodide	25 Gms	1500	91902		5 Gms	500
[68-05-3]	extrapure, 99%	100 Gms	4500	[2564-83-2]	I (TEMPO) pure, 98%	25 Gms	2200
		500 Gms	21000			100 Gms	7000
23231 🗸	(S)-(-) 1,2,3,	1 Gms	2570	33379	Tetramethyl Silane (TMS) for NMR	25 ml	4910
[74163-81-8]	4-Tetrahydroisoquinoline -3-Carboxylic Acid pure, 98%	5 Gms	9900	[75-76-3]	spectroscopy, 99.8%	100 ml	14020
55633	Tetrakis(Triphenylphosphine)	1 Gms	3800	77204 [1941-30-6]	Tetrapropylammonium Bromide extrapure, 99%	100 Gms	122
[14221-01-3]	Palladium (0) extrapure, 97%	5 Gms	17500	84990	Tetrapropylammonium Hydroxide	100 ml	1580
		25 Gms	80000	[4499-86-9]	(TPAH) 10% aq. solution	500 ml	420
76265	1-Tetralone pure, 98%	100 ml	1300	00070	Tatrangan dammanium Hudravida		
[529-34-0]		500 ml	5250	98078 [4499-86-9]	Tetrapropylammonium Hydroxide (TPAH) 20% aq. solution	100 ml	200
98500	Tert-Dodecylmercaptan (mix. of	100 ml	1800			500 ml	840
25103-58-6]	isomers) extrapure, 98.5%	500 ml	2800	58146 [4499-86-9]	Tetrapropylammonium Hydroxide (TPAH) 40% aq. solution	100 ml	384
	(tert-Dodecanethiol,			[4499-00-9]	(IPAH) 40% aq. Solution	500 ml	1628
10000	tert-Laurylmercaptan) Tetramethylammonium Chloride	100 Gms	670		1-H-Tetrazole sublimed extrapure,	1 Gms	30
[75-57-0]	pure, 98%		670	[288-94-8]	99%	5 Gms	135
		500 Gms	3160			25 Gms	509
3 2774 [75-58-1]	Tetramethylammonium lodide extrapure, 99%	100 Gms	3630	92739 [1719-71-7]	Tetrazolium Violet extrapure, 95%	1 Gms	295
34821	3,3,5,5-Tetramethyl Benzidine	1 Gms	1950	62183	Tetrazolium Violet (high purity)	100 Mg	130
54827-17-7]	(TMB) pure, 98%	5 Gms	7300	[1719-71-7]	extrapure AR, 98%	1 Gms	411
		25 Gms	29160			5 Gms	1601
69860	•	100 Mg	610	44826	L-Theanine extrapure, 99%	5 Gms	100
54827-17-7]	(TMB) extrapure AR, 98%	1 Gms	3040	[3081-61-6]	• . •	25 Gms	250
		5 Gms	8750			100 Gms	800
68738	3,3,5,5-Tetramethylbenzidine (TMB)	1 Gms	4260	83155	3(2-Thenoyl)-1,1,1-	10 Gms	126
[54827-17-7]	extrapure AR, ExiPlus, Multi-Compendial, 98%			[326-91-0]	Trifluoroacetone (TTFA) extrapure	100 Gms	800
	meets compendial specs of BP, Ph.Eur				AR, 99%		
55597	3,3,5,5-Tetramethylbenzidine	100 Mg	2730		(2-Thenoyltrifluoroacetone, TTA (extractant), TTB)		
[64285-73-0]	Dihydrochloride anhydrous	1 Gms	5820	82500	Thiamine Hydrochloride for tissue	25 Gms	100
	(TMB.diHCl anhy) extrapure AR,	5 Gms	18980	[67-03-8]	culture, 98.5%	100 Gms	368
36746	99% 3,3,5,5-Tetramethyl Benzidine	500 Mg	3000	74001	(Vitamin B1)		
	Dihydrochloride Hydrate	1 Gms	5760	71081 [67-03-8]	Thiamine Hydrochloride pure, 98.5%	10 Gms	40
	(TMB.2HCl.xH2O) extrapure, 98%	5 Gms	19610	[0. 00 0]	(Vitamin B1)	25 Gms	82
24407	(TMB DiHCI) TMB Solution A (1% TMB in DMSO)			0		100 Gms	273
64407	TIME COLUMN (1 /0 TIME III DIVISO)	100 ml	1560	79903 8 [15318-45-3]	Thiamphenicol (TMP), 98%	1 Gms 5 Gms	120 300
38783	TMB Solution B (30% H2O2)	100 ml	910		Thiazolyl Blue Tetrazolium Bromide	100 Mg	48
99986 🗸	N,N,N,N-Tetramethyl Benzidine	100 Ma	1500	[298-93-1]	(MTT) extrapure AR, 98%	500 Mg	160
[366-29-0]	extrapure AR, 95%	100 Mg 1 Gms	1520 4370			1 Gms	300
	<u> </u>		4370			5 Gms	1100
13618 [3010-96-6]	2,2,4,4-Tetramethyl-1,3-Cyclobutan ediol (CBDO) (mixture of isomers)	5 Gms	5250	58945	Thiazolyl Blue Tetrazolium Bromide	500 Mg	
[0010-90-0]	extrapure, 99%	25 Gms	15500	[298-93-1]	(MTT) for tissue culture, 98%	1 Gms	200 360
88001	1,1,3,3-Tetramethyldisiloxane	25 ml	1230		Thiosolul Divo Formano (MATT		
[3277-26-7]	(TMDS) extrapure, 98%	100 ml	3740	58910 [57360-69-7]	Thiazolyl Blue Formazan (MTT Formazan) extrapure AR, 98%	250 Mg	460
53180 Y	1,1,3,3-Tetramethylguanidine	100 ml	2100	[0,000-09-1]	(1-(4,5-Dimethylthiazol-2-yl)	1 Gms	1130
[80-70-6]	extrapure AR, 99%	500 ml	8190		-3,5-Diphenylformazan)		



0-4-	Name	Darldan	D-!	0-4-	Name	Da alda a	D-!
Code	Name	Packing	Price	Code	Name	Packing	Price
	Thidiazuron (TDZ) extrapure, 97%	1 Gms	4500	41862	Thorin extrapure AR	1 Gms	2400
[51707-55-2]		5 Gms	8000	[3688-92-4]		5 Gms	11000
		25 Gms	26000	50444	D-Threonine (allo-free) extrapure,	5 Gms	1800
88098	Thidiazuron (TDZ) for tissue	250 Mg	3000	[632-20-2]	99%	25 Gms	6580
[51707-55-2]	culture, 97%	1 Gms	5500			100 Gms	23910
		5 Gms	12000	75164	DL-Threonine extrapure CHR, 99%	5 Gms	510
10083	Thioacetic Acid pure, 97%	100 ml	1050	[80-68-2]		25 Gms	1890
[507-09-5]		500 ml	3000			100 Gms	7030
94066	Thiocolchicoside extrapure, 98%	50 Mg	2000			1 Kg	67780
[602-41-5]	(2-Demethoxy-2-Glucosidoxythiocolchi	250 Mg	3200	88355	L-Threonine extrapure CHR, 99%	25 Gms	330
	cine)	1 Gms	8000	[72-19-5]	• .	100 Gms	650
46913	DL-6,8-Thioctic Acid extrapure	5 Gms				500 Gms	3000
[1077-28-7]	(a-Lipoic Acid), 98%	25 Gms	2540			1 Kg	5500
		250 Gms	6000			5 Kg	25000
			9000	60667	L-Threonine for tissue culture, 99%	25 Gms	
45487 [70-49-5]	Thiomalic Acid (Mercaptosuccinic Acid) pure, 99%	25 Gms	840	62667 [72-19-5]	L-Timeoffine for tissue culture, 35%	100 Gms	500
[70-49-5]	Acidy pure, 35%	100 Gms	1370			500 Gms	1800
		500 Gms	6090				7500
85090	Thiomersal (Thimerosal) Reagent	5 Gms	4300	24815 [44520-55-0]	D-Threoninol extrapure, 98%	500 Mg	6130
[54-64-8]	Grade, 98%	10 Gms	8250	[44520-55-0]		1 Gms	10550
		25 Gms	20000	20724	• • •	5 Gms	1730
		100 Gms	75000	[50-89-5]	(2-Deoxythymidine, B-Thymidine, Thymine Deoxyriboside,	25 Gms	7200
27662	Thiomersal (Thimerosal) ExiPlus,	10 Gms	9000		5-Methyldeoxyuridine)		
[54-64-8]	Multi-Compendial (Suitable for	25 Gms	22000	45764	Thymidine-5-Monophosphate	100 Mg	1680
	Vaccine&Diagnostic Production), 98%	100 Gms	82000	[33430-62-5]	Disodium Salt (TMP-Na2)	250 Mg	3570
	meets compendial specs of BP, Ph.Eur				extrapure, 98%		
40413	Thiophene-2-Boronic Acid	1 Gms	810	57046 6 [65-71-4]	Thymine extrapure, 98%	10 Gms	630
[6165-68-0]	extrapure, 98%	5 Gms	2220	[05-71-4]		25 Gms	1320
	(2-Thienylboronic Acid,	25 Gms	9980			100 Gms	4020
57589	Thien-5-ylboronic Acid) Thiophene-2-Carboxylic Acid pure,	5 Gms	1010		Thymol Crystal pure, 99%	100 Gms	550
[527-72-0]	98%	25 Gms	1640 5430	[89-83-8]		500 Gms	2200
		100 Gms	16160			5 Kg	20000
	This are also and a Adams.			77675	Thymolphthelexone	1 Gms	3050
39416 [4090-29-3]	Thionicotinamide Adenine Dinucleotide (Thio-NAD) extrapure,	25 Mg	3470	[1913-93-5]		5 Gms	11620
[4000 20 0]	90%	100 Mg	12980	86637	Thymol Violet	5 Gms	470
35020	Thionicotinamide Adenine	25 Mg	2400	[7512-38-1]			
[1921-48-8]	Dinucleotide Disodium Salt	100 Mg	6500	12558	L-Thyronin extrapure, 98%	100 Mg	7080
	Reduced (Thio-NADH) extrapure, 93%			[1596-67-4]		05.0	
29808	Thiophene-2-Acetic Acid pure, 98%	5 Gms	930	90196 [80-59-1]	Tiglic Acid extrapure, 98%	25 Gms	1310
[1918-77-0]	Thiophone 2 Acono Acia pare, ce /c	25 Gms	3000	[00-39-1]		100 Gms	4620
		100 Gms	10130		Titanium Tetrachloride 1M in	100 ml	1080
44055	O This phanes and available de mine			[7550-45-0]	Dichloromethane (Titanium (IV) Chloride in MDC)	500 ml	4990
14055 [98-03-3]	2-Thiophenecarboxaldehyde pure, 98%	25 ml	900	83692 🗸	Titanium Tetrachloride 1M in	100 ml	1080
,	(Thiophene-2-Carboxaldehyde,	100 ml	2800	[7550-45-0]	Toluene	500 ml	4990
	Thenaldehyde, Thiophene-2-Aldehyde)	250 ml	6800		(Titanium (IV) Chloride in Toluene)		.,,,,,
28033	L-Thioproline extrapure, 98%	10 Gms	600		TNTU extrapure, 99%	10 Gms	4090
[34592-47-7]	(L-4-Thiazolidinecarboxylic Acid)	25 Gms	1200	[125700-73-4]		25 Gms	8040
83203	Thiosalicylic Acid pure, 98%	25 Gms	840		Tobramycin (TBM)	50 Mg	1200
[147-93-3]	(2-Mercaptobenzoic Acid)	100 Gms	2210	[32986-56-4]		500 Mg	7000
96768	2-Thiouracil extrapure, 98%	25 Gms	1050				
	(2-Mercaptopyrimidine-4-ol)						



Code	Name	Packing	Price	Code	Name	Packing	Price
	DL-a-Tocopherol Acetate (Vitamin E	5 Gms	360		trans,trans-Muconic acid (ttMA)	1 Gms	2380
[7695-91-2]	Acetate) for tissue culture, 98%	25 Gms	1250	[3588-17-8]	extrapure, 98% (trans,trans-2,4-Hexadienedioic Acid,	5 Gms	11150
		100 Gms	4770		trans,trans-1,3-Butadiene-1,4-Dicarbox		
52885	Togni's Reagent (3,3-Dimethyl-1-	250 Mg	5400		ylic Acid)		
[887144-97-0]	(trifluoromethyl)-1,2-benziodoxole) extrapure, 97%	1 Gms	14000	42618	1,2,4-Triazole pure, 98%	100 Gms	290
	(1-Trifluoromethyl-3,3-Dimethyl-1,2-Ben	5 Gms	24000	[288-88-0]		500 Gms	1300
	ziodoxole)			93572	1,2,4-Triazole Sodium extrapure,	25 Gms	760
	o-Tolidine extrapure AR, 98%	25 Gms	690	[41253-21-8]	98% (Sodium-1,2,4-Triazolide)	100 Gms	2800
[119-93-7]	(3,3- Dimethyl Benzidine)	100 Gms	2100		(coala 1,E,	500 Gms	5000
		500 Gms	3780	78411	1,3,5-Tribromobenzene pure, 98%	25 Gms	3700
	o-Tolidine extrapure AR, ExiPlus,	25 Gms	790	[626-39-1]			
[119-93-7]	Multi-Compendial, 98% (3,3- Dimethyl Benzidine)	100 Gms	2520	76074 § [90131-68-3]	Tribulus Terrestris Extract, 45% FS	5 Gms	2600
	(6,6 Birnetily) Benziame)	500 Gms	4200	[30101-00-0]		25 Gms	5000
	meets compendial specs of USP, BP,			99486	1,3,5-Trichlorobenzene (1,3,5-TCB)	100 Gms	2800
	Ph.Eur			[108-70-3]	pure, 99%	500 Gms	9500
	o-Toluic Acid pure, 99.5%	250 Gms	500	94076	2,2,2-Trichloroethanol pure, 98%	25 ml	2200
[118-90-1]		500 Gms	890	[115-20-8]	(Trichloroethyl alcohol,	100 ml	7500
70097 🗸	m-Toluic Acid pure, 98%	250 Gms	550		ß,ß,ß-Trichloroethyl alcohol, 2,2,2-Trichloroethan-1-ol)	250 ml	12000
[90-04-7]		500 Gms	900	27740	TRICINE Buffer Reagent Grade,	25 Gms	1100
61421 🗸	p-Toluic Acid pure, 98%	250 Gms	480	[5704-04-1]	99%	100 Gms	4400
[90-94-5]		500 Gms	850		(N-Tris-(hydroxymethyl) Methylglycine)	500 Gms	20000
12358 🗸	p-Toluidine pure, 98%	500 Gms	750	67490	Tricyclohexylphosphine (Cy3P)	5 Gms	1500
[106-49-0]				[2622-14-2]	extrapure, 94%	25 Gms	6500
86003 ✓	p-Toluidine specially purified extrapure, 99%	500 Gms	1250		(P(Cy)3, PCy3)	100 Gms	25000
[106-49-0]	•	10 Gms	340	63437	Tricyclohexylphosphine	1 Gms	2170
[92-31-9]	(Basic Blue 17, Blutene Chloride,	25 Gms	770	[58656-04-5]	Tetrafluoroborate extrapure, 98%	5 Gms	6490
	Methylene Blue T50, Tolonium	100 Gms	2660	80184	Triethanolamine Hydrochloride	100 Gms	430
37699	Chloride)			[637-39-8]	extrapure AR, 99%	500 Gms	1500
37699 4 [92-31-9]	Toluidine Blue O for tissue culture, 90%	10 Gms	910	80058	2,2,2-Trifluoroethanol pure, 99%	25 ml	420
. ,	(Basic Blue 17, Blutene Chloride,	25 Gms	2050	[75-89-8]	2,2,2 11111d0100111a1101 pare, 00%	100 ml	1050
	Methylene Blue T50, Tolonium					500 ml	4400
20611	chloride) p-Toluenesulfonyl Hydrazide pure,	25 Gms	740	14428	N-6-Trifluoroacetyl-L-Lysine	5 Gms	
20611 (1576-35-8)			740		extrapure, 98%		1640
. ,	(p-Toluenesulfonic Acid Hydrazide,	100 Gms 500 Gms	2100	. ,	(H-Lys(Tfa)-OH)	25 Gms	3300
	p-Toluenesulphonyl Hydrazide,	500 GIIIS	7770	12631	3-Trifluoromethyl Phenylboronic	1 Gms	1340
C0040	Tosylhydrazide) meta-Topolin (mT) for molecular	OF Ma	0000	[1423-26-3]	Acid extrapure, 97%	5 Gms	2500
	biology, 98%	25 Mg 100 Mg	2000			25 Gms	12450
. ,	(6-(3-Hydroxybenzylamino)purine)	100 Mg	4800	79009	5-Trifluorothymidine extrapure,	100 Mg	4200
	TOOS extrapure, 98%	1 Gms	4500	[70-00-8]	99%	1 Gms	32000
[82692-93-1]		5 Gms	18000	37758	2,3,5-Triiodobenzoic Acid (TIBA)	5 Gms	600
95595	TOTU extrapure, 99%	5 Gms	2100	[88-82-4]	extrapure AR, 98%	10 Gms	1200
[136849-72-4]		25 Gms	6000			25 Gms	2500
		100 Gms	22000	35241	3,3,5-Triiodo-L-Thyronine	100 Mg	4500
25793	TPTZ extrapure AR (2,4,6-Tri-	1 Gms	1200	[6893-02-3]	extrapure, 95%	1 Gms	26000
[3682-35-7]	(2-pyridyl)-5-triazine), 99%	5 Gms	4500		(3,3,5-Triiodothyronin)		
		25 Gms	16000		Trilaurin pure, 98%(GC)	5 Gms	1500
49011	Triacontanol (TRIA) extrapure, 90%	500 Mg	8000	[538-24-9]	(Glycerol Trilaurate, Glyceryl Trilaurate, Glyceryl Tridodecanoate)	25 Gms	3700
	,		5556		, ,	100 Gms	8600



_							
Code	Name	Packing	Price	Code	Name	Packing	Price
84217	Trilaurin Reference Standard, 99%	100 Mg	2200		Trimyristin Reference Standard,	1 Gms	4000
[538-24-9]	(GC) (Glycerol Trilaurate, Glyceryl Trilaurate,	1 Gms	6000	[555-45-3]	99%(GC) (Glyceryl Trimyristate, Glycerol	5 Gms	12000
	Glyceryl Tridodecanoate)	5 Gms	13000		Trimyristate)	25 Gms	21000
57355	Trimesic Acid extrapure, 98%	5 Gms	740	84050	Trioctylamine (Tri-n-Octylamine)	100 ml	1050
[554-95-0]	(Benzene-1,3,5-Tricarboxylic acid, 1,3,5-Benzenetricarboxylic Acid)	25 Gms	2630	[1116-76-3]	pure, 95%	500 ml	3680
	1,5,5-benzenetneanboxylic Acid)	100 Gms	4200	37958	Triolein Reference Standard, 99%	500 Mg	4870
20139	Trimethyl Chlorosilane (TMCS)	250 ml	700	[122-32-7]	(GC)	1 Gms	8420
[75-77-4]	extrapure, 98%	1000 ml	2200	59708	Tripalmitin pure, 85%(GC)	25 Gms	5000
		2500 ml	4400	[555-44-2]		100 Gms	12000
66889 🗸	N,N,N-Trimethylethylenediamine	5 Gms	3200	75700	Tripalmitin Reference Standard,	100 Mg	1200
[142-25-6]	pure, 97%	25 Gms	11000	[555-44-2]	99%(GC)	500 Mg	3500
18879	Trimethoprim (TMP), 98.5%	5 Gms	750			1 Gms	6000
[738-70-5]		25 Gms	2980	38015	N-Triphenyl Methyl Glycine	25 Gms	19920
66069	3,4,5-Trimethoxy Benzaldehyde	25 Gms	900	[5893-05-0]	extrapure, 98%		10020
[86-81-7]	pure, 98%	100 Gms	3000	24651	Triphenylphosphine pure, 98%	100 Gms	800
41569	1,3,5-Trimethoxybenzene pure, 99%	25 Gms	3020	[603-35-0]		500 Gms	3800
[621-23-8]	T,o,o Timomoxysonzono pare, co /c	20 01110	3020			1 Kg	7200
40017	3,4,5-Trimethoxybenzoic Acid	25 Gms	950	43068	Triphenylphosphinegold(I)	500 Mg	4800
[118-41-2]	extrapure, 99%	100 Gms	3150	[14243-64-2]	Chloride ((Ph3P)AuCl), 98%	1 Gms	9500
	(Gallic Acid Trimethyl Ether, Trimethylgallic Acid)			95474	(Chloro(triphenylphosphine)Gold(I)) Triphenylphosphine Hydrobromide	5 Gms	1040
49601	N-(3-Trimethoxysilylpropyl)	100 ml	5000	[6399-81-1]	pure, 98%	25 Gms	1240 3110
[35141-30-1]	Diethylenetriamine (TMSPD) pure,	500 ml	20000		Tribb and the archive Oride (TDDO)		
	95% (2-[2-			32098 [791-28-6]	Triphenylphosphine Oxide (TPPO) pure, 98.5%	25 Gms	350
	(3-Trimethoxysilylpropylamino)ethylami			[]	(Triphenyl Phosphorus Oxide)	100 Gms 500 Gms	1200
	no]ethylamine, 3-[2-						3000
	(2-Aminoethylamino)ethylamino]propyl	050		70874 • [1034-39-5]	Triphenylphosphonium Dibromide pure 98%	5 Gms	2400
90265 [75-77-4]	Trimethyl Chlorosilane (TMCS) extrapure, 99%	250 ml	800	[1004-09-5]	pare , 55 / 5	25 Gms	5100
[,		1000 ml	2400			100 Gms	14000
		2500 ml	4800	53730 [531-52-2]	1,3,5-Triphenyltetrazolium Formazan (TTC Formazan)	1 Gms	1600
67883 [75-77-4]	Trimethyl Chlorosilane (TMCS) 1M Solution in THF	100 ml	3500	[301-32-2]	extrapure, 95%	5 Gms	4700
41020	Trimethyloctylammonium Chloride	25 Gms	2000			25 Gms	8500
	(TMOACI) extrapure, 98%	100 Gms	6500		2,3,5-Triphenyltetrazolium Chloride (TTC) extrapure, 99%	10 Gms	2000
	(Octyltrimethylammonium Chloride)			[290-90-4]	(110) exhapare, 35%	25 Gms	4000
68989 [149-73-5]	Trimethyl Orthoformate (TMOF) pure, 98%	500 ml	530			50 Gms	7000
[148-73-3]	pare, 50%	2500 ml	2200			100 Gms	13000
		25 Ltr	21000	98635	10X Tris Acetate-SDS Buffer pH-8.3 for molecular biology	500 ml	800
49901	N-(Trimethylsilyl)diethylamine (TMSDEA) extrapure, 97%	25 ml	5110		(TA-SDS Running Buffer)	1000 ml	1500
[996-50-9]	((Diethylamino)trimethylsilane,	100 ml	14580	47804	20X Tris Acetate-SDS Buffer pH-8.3	500 ml	1500
	N,N-Diethyltrimethylsilylamine)				for molecular biology	1000 ml	2850
	N-Trimethylsilylimidazole (TMSIM)	5 ml	700	CE404 14	(TA-SDS Running Buffer) Trie/2 2-bipyridine\ruthenium/II\	OEO Ma	4000
[18156-74-6]	extrapure, 98% ((1-	25 ml	2100	65421 ✓ [60804-74-2]	Tris(2,2-bipyridine)ruthenium(II) Hexafluorophosphate	250 Mg 1 Gms	4200 15000
	(Trimethylsilyl)imidazole)N-Trimethylsily limidazole, TSIM)	100 ml	6800		((Ru(BPY)3(PF6)2), 97% (Ruthenium-tris(2,2'-bipyridyl)	Tams	15000
97039	3-Trimethylsilylpropionic Acid	1 ml	5470		dihexafluorophosphate)		
[5683-30-7]	(TMSPA) extrapure, 95%	5 ml	17620	26055 ✓ [50525-27-4]	Tris(2,2-bipyridyl)dichlororutheniu m (II) Hexahydrate (Ru(BPY)3),	250 Mg	3800
39671	Trimethylsulfoxonium lodide	25 Gms	880	[50525-21-4]	98%	1 Gms	7000
[1774-47-6]	(TMSI) extrapure, 99%	100 Gms	2000		(Ruthenium-tris(2,2'-bipyridyl)		
		500 Gms	8800		dichloride, Tris(2,2'-bipyridyl)ruthenium(II) chloride		
18779	Trimyristin pure, 95%(GC)	5 Gms	2000		hexahydrate)		



Code	Name	Packing	Price	Code	Name	Packing	Pric
	Tris(2-carboxyethyl) Phosphine	1 Gms	1200	43235	Tris(Hydroxymethyl)-	100 Gms	1640
[51805-45-9]	Hydrochloride (TCEP) extrapure AR, 98%	5 Gms	2800	[6992-39-8]	Aminomethane Phosphate Monobasic extrapure (Tris		
	An, 30%	25 Gms	8000		Phosphate Monobasic), 98%		
79175 🗸	Tris(dibenzylideneacetone)dipallad	500 Mg	4680	63291	Tris(Hydroxymethyl)-	100 Gms	1640
[51364-51-3]	ium(0) (Pd2(dba)3) extrapure,	1 Gms	7800	[85169-32-0]	Aminomethane Succinate extrapure		
	22-25% Pd	5 Gms	36000		(Tris Succinate), 99%	100.0	4000
		25 Gms	120000	47952 [6992-38-7]	Tris(Hydroxymethyl)- Aminomethane Sulphate extrapure	100 Gms	1090
96455	Tris(Dibenzylideneacetone)Dipalla	250 Mg	1800	[0002 00 1]	(Tris Sulphate), 98%		
[52522-40-4]	dium-Chloroform Adduct extrapure,	1 Gms	6200	50615	Tristearin pure, 90%(GC)	25 Gms	2380
	20% Pd (Dipalladium-tris(Dibenzylideneacetone	5 Gms	25000	[555-43-1]	(Glycerol Tristearate, Glyceryl	100 Gms	8660
)Chloroform Complex,			11085	Tristearate) Tristearin Reference Standard, 99%	500 Mg	2500
	Pd2(dba)3.CHCl3)			[555-43-1]	(GC)	1 Gms	4000
87326	10X Tris-Glycine pH-8.3 Tank Buffer	200 ml	840		(Glycerol Tristearate, Glyceryl	5 Gms	16000
	for molecular biology	1000 ml	3150		Tristearate)		
57806	10X Tris-Glycine-SDS Buffer for	200 ml	480	48445 [2799-07-7]	S-Trityl-L-Cysteine extrapure, 98%	1 Gms	4510
	molecular biology (TG-SDS Running Buffer)	1000 ml	1070	58026	Trypan Blue	25 Gms	1060
83471	10X Tris Buffered Saline (TBS) for	500 ml	1960	[72-57-1]	(Direct blue 14) (C.I. No. 23850)	100 Gms	4100
03471 0	molecular biology	500 1111	1960	04504	Turnen Blue for tienne sulture		
	(10X TBS Buffer)			31591 [72-57-1]	Trypan Blue for tissue culture (Direct blue 14) (C.I. No. 23850)	25 Gms	1670
63825	10X Tris Buffered Saline Tween-20	500 ml	520	12788	Trypan Blue 0.4% Solution	50 ml	400
	(TBST) for molecular biology			[72-57-1]		125 ml	950
79091	1M Tris Hydrochloride Buffer (1M Tris HCl) pH-7.2 for molecular	100 ml	1110	60484	Trypsin (3x cryst.) ex Bovine	250 Mg	1180
	biology	500 ml	4680	[9002-07-7]	Pancreas, 7500BAEE U/mg	1 Gms	2380
	(Tris(hydroxymethyl)aminomethane,				(2500NF U/mg)	5 Gms	10600
	Hydrochloric Acid)	100		40057	Truncin Inhibitor ov Sovehoon		
55904	1M Tris Hydrochloride Buffer (1M Tris HCl) pH-8.0 for molecular	100 ml	1640	42657 [9035-81-8]	Trypsin Inhibitor ex. Soyabean, 10000 BAEE U/mg	25 Mg	3500
	biology	500 ml	4910	. ,		100 Mg 250 Mg	9000
	(Tris(hydroxymethyl)aminomethane,					500 Mg	18000 28000
37852	Hydrochloric Acid) 10X Tris-Tricine-SDS Buffer for	500 ml	1010			1 Gms	51000
3/052 0	molecular biology	500 1111	1210	40004	Trustomino Hydrochlovido		
	(TT-SDS Running Buffer)			12094 [343-94-2]	Tryptamine Hydrochloride extrapure, 98%	1 Gms	610
62850	Tris(Hydroxymethyl)	100 Gms	1400	[]	• /	5 Gms	2000
[6850-28-8]	Aminomethane Acetate extrapure AR (Tris Acetate Buffer), 99%	500 Gms	6530			25 Gms	9000
34969	Tris(Hydroxymethyl)	100 Gms	1000		L-Tryptophan Methyl Ester Hydrochloride extrapure, 99%	5 Gms	2140
[6850-28-8]	Aminomethane Acetate for	500 Gms	1900 8900	[1324-32-9]	, a. comonac exampline, 30/0	25 Gms	9250
-	molecular biology (Tris Acetate	Joo Gilla	UBUU	51335	Tungsten Metal Powder, 99.9%,	100 Gms	2580
	Buffer), 99%			[7440-33-7]	-325 mesh	500 Gms	9800
23017 [68123-29-5]	Tris(Hydroxymethyl)- Aminomethane Carbonate	100 Gms	2070	17472	Tungstic Acid pure, 98%	100 Gms	1200
[30,20-28-0]	extrapure (Tris Carbonate), 99%			[7783-03-1]		250 Gms	2800
32119	Tris(Hydroxymethyl)-	100 Gms	1550	55401	Tungstic Acid extrapure AR, 99%	100 Gms	1350
[72200-76-1]				[7783-03-1]		500 Gms	6400
05040	(Tris Maleate), 99.5%	100 0	0070	98328	Turpentine oil extrapure	500 ml	400
25913 [41521-38-4]	Tris(Hydroxymethyl)- Aminomethane Nitrate extrapure	100 Gms	2070	[8002-64-2]	÷	2500 ml	1900
	(Tris Nitrate), 99%					25 Ltr	17000
55088	Tris(Hydroxymethyl)-	100 Gms	1450	33541	Tyramine Hydrochloride extrapure,	25 Gms	3500
108321-13-7]				[60-19-5]	98%	100 Gms	7500
68353	extrapure(Tris Oxatlate), 99% Tris(Hydroxymethyl)-	100 Gms	1640			500 Gms	12000
68353 [108321-11-5]	Aminomethane Phosphate Dibasic	100 GIIIS	1640			555 61115	.2000
	extrapure (Tris Phosphate Dibasic),						



Code	Name	Packing	Price	Code	Name	Packing	Pric
94870	, , , , , ,	25 K.Units	7500	44762	Valeraldehyde pure (Pentanal),	100 ml	470
[9002-10-2]	ex. Mushroom, 800U/mg (Catechol Oxidase, Monophenol	100	28500	[110-62-3]	98% (Pentanal)	500 ml	1200
	Monooxygenase,	K.Units		31477	n-Valeric Acid pure, C5-99% (GC)	500 ml	1060
	Dihydroxyphenylalanine:Oxygen			[109-52-4]	il-valenc Acia pare, 00-35% (do)	1000 ml	1990
n	Oxidoreductase)				Valeranitrila (Butul Cuanida) mura		
46121 [93-35-6]	Umbelliferone (7-Hydroxycoumarin) extrapure,	10 Gms	2100	22128 [110-59-8]	Valeronitrile (Butyl Cyanide) pure , 99%	100 ml	400
[90-00-0]	98%	25 Gms	4500	[]	(Butyl Cyanide)	500 ml	1350
46487	Undecylenic Acid	100 Gms	650	80634	Valerophenone pure, 98%	100 ml	500
[112-38-9]	extrapure,C11-99% (GC)	500 Gms	2810	[1009-14-9]		500 ml	1800
23622	Uracil extrapure, 99%	25 Gms	430			2500 ml	8000
[66-22-8]		100 Gms	1550	95091	Valeroyl Chloride pure, 98%	100 ml	700
		1 Kg	12000	[638-29-9]		500 ml	2800
		5 Kg	50000	21562	D-Valine extrapure CHR, 99%	5 Gms	600
81405	Uranyl Acetate Dihydrate ACS, 98%	1 Gms	3300	[640-68-6]		25 Gms	1900
[6159-44-0]		5 Gms	12500			100 Gms	6500
		25 Gms	60000	14159	DL-Valine extrapure CHR, 99%	25 Gms	800
70780	Uranyl Magnesium Acetate	1 Gms	4000	[516-06-3]		100 Gms	2900
20596-93-4]	extrapure, 98%	5 Gms	17000			500 Gms	13500
74405 4	Uranyl Nitrate Hexahydrate					1 Kg	25000
	extrapure, 98%	1 Gms 5 Gms	4000	83185	L-Valine Benzyl Ester	25 Gms	10520
	•	25 Gms	17000	[2462-34-2]	Hydrochloride extrapure, 98%	20 00	10020
			75000	38052	L-Valine Methyl Ester	1 Gms	360
54807 9 002-13-5]	,	3000 Units	1250	[6306-52-1]	Hydrochloride extrapure, 99%	5 Gms	960
[9002-10-5]	Solido	10000 Units	2800			25 Gms	2850
		25 K.Units	6530			100 Gms	8310
		100 K.Units	11270	40652 [2001-95-8]	Valinomycin, 95%	10 Mg	4500
64632 ■	r-Urease (Thermostable) ex. E.	10000	13140	45344	Vanadium Metal Powder, 99.7%	5 Gms	1700
0	Coli, 150U/mg	Units		[7440-62-2]		25 Gms	7000
9 0739 8 [69-93-2]	Uric Acid extrapure AR, 99%	25 Gms	3750	61078	Vancomycin Hydrochloride (VNC),	1 Gms	3000
[00 00 2]		100 Gms	14000	[1404-93-9]	90%	5 Gms	7000
		500 Gms	60000	72241	Vanillylmandelic Acid extrapure,	250 Mg	1300
9 5410 • [9002-12-4]	r-Uricase (Thermostable) ex. Yeast, 3U/mg	500 Units	6490	[2394-20-9]		1 Gms	4360
		5 Gms	870		(VMA, DL-4-Hydroxy-3-Methoxy Mandelic Acid)	5 Gms	15640
[58-96-8]		25 Gms	3530	11547	n-Veratraldehyde pure, 98%	100 Gms	1050
		100 Gms	8000	[120-14-9]	, voiananaon, ao pano, oo /o	250 Gms	2200
20964	Uridine 5`-Diphosphoglucose	25 Mg	1400	96011	Veratrole pure, 98%	100 ml	
28053-08-9,	Disodium Salt Hydrate extrapure	100 Mg	3200	[91-16-7]	(1,2-Dimethoxy Benzene)	500 ml	350 1500
17756-22-6]	(UDPG.2Na Hydrate), 98%	1 Gms	12000	0	1.00		
10004	Heiding 5 Managhasahata			77472 J [68-19-9]	Vitamin B12 for molecular biology, 97%	250 Mg	770
1 8301 • [3387-36-8]	Uridine 5-Monophosphate Disodium Salt Hydrate	5 Gms	1300	[]	(Cyanocobalamin)	1 Gms	2200
•	(5-UMP-Na2) extrapure, 98.5%	25 Gms	5500			5 Gms	9800
	Uridine-5-Triphosphate Trisodium	100 Mg	2000	56437 6 [68-19-9]	Vitamin B12 for tissue culture, 97% (Cyanocobalamin)	250 Mg	1100
19817-92-6]	Salt Dihydrate (UTP-Na3) extrapure, 90%	500 Mg	5000		,	1 Gms	2800
		1 Gms	9000		Vitamin K1 extrapure, 98%	1 Gms	1580
50178	Ursodeoxycholic Acid (UDCS)	1 Gms	950	[84-80-0]	(Phytonadione, Phyllaquinone, 2-Methyl-3-phytyl-1,4-Napthoquinone,	5 Gms	7140
[128-13-2]	extrapure, 99%	5 Gms	1500		3-Phytylmenadione)		
		25 Gms	6000	50342		25 Gms	850
24436	(+)- Usnic Acid, 98%	1 Gms	1500	[3153-26-2]	(Vanadyl Acetoacetate, Vanadium(IV) oxide acetylacetonate, VO(acac)2,	100 Gms	3000
[7562-61-0]		5 Gms	3000		Vanadium(IV)-oxy acetylacetona		
		25 Gms	9000				



Code	Name	Packing	Price	Code	Name	Packing	Pric
	Vanadyl Sulphate Hydrate pure,	25 Gms	700	84974	D-(+)-Xylose extrapure	100 Gms	420
123334-20-3]		100 Gms	2300	[58-86-6]		500 Gms	1100
	(Vanadium (IV) Oxide Sulfate Hydrate, Oxysulphato Vanadium (IV) Hydrate,	500 Gms	10500	29426	D-(+)-Xylose ExiPlus,	100 Gms	510
	Vanadium Oxysulphate)			[58-86-6]	Multi-Compendial	500 Gms	1300
	Voglibose extrapure, 98%	100 Mg	3000		meets compendial specs of USP, BP		
[83480-29-9]	(Basen, Glustat, N-	500 Mg	9000	98468	L-(-)-Xylose extrapure, 99%	5 Gms	1500
66532	(1,3-Dihydroxy-2-propyl)valiolamine) Wang Resin, 1% DVB, 0.4-2mmol/g,	5 Gms	2010	[609-06-3]		25 Gms	6000
	100-200 mesh	25 Gms	3210 12600	31832	Yohimbine Hydrochloride	1 Gms	2400
	(p-Benzyloxybenzyl Alcohol Resin, DVB	100 Gms	28350	[65-19-0]	extrapure, 99%	5 Gms	8000
	cross linked)			36744	Ytterbium (III) Chloride anhydrous,	5 Gms	4000
	Weinreb Linker extrapure, 98% (N-FMOC-N-Methoxy-3-Aminopropioni	1 Gms	8310	[10361-91-8]	99.9%	5 41115	4000
247021-30-3]	c Acid)			24099	Ytterbium (III) Chloride	10 Gms	2500
13111	Wright Stain	25 Gms	600	[10035-01-5]	Hexahydrate extrapure, 99.9%	50 Gms	5500
[68988-92-1]	(Eosine Methylene Blue solution	100 Gms	2340		(Ytterbium Trichloride Hexahydrate)		
	according to Wright)	500 Gms	11000	20435 [35725-34-9]	Ytterbium (III) Nitrate Pentahydrate extrapure, 99.9%	10 Gms	3000
72465	WST-8, 95%	50 Mg	8000	[30, 20-04-9]	•	50 Gms	6400
	(2-(2-Methoxy-4-Nitrophenyl)-3-	J		58985	Ytterbium (III) Oxide extrapure,	10 Gms	2500
	(4-Nitrophenyl)-5-(2,4-Disulfophenyl)			[1314-37-0]	99.9%	50 Gms	5500
50714 B	-2H-Tetrazolium Sodium Salt) X-Gal Solution (20mg/ml)	1 ml	01.10	61813	Ytterbium (III)	1 Gms	950
52714	X-Gai Solution (2011g/1111)	1 ml	2140	[252976-51-5]	Trifluoromethanesulfonate Hydrate extrapure, 98%	5 Gms	2200
20748	Xanthine extrapure CHR, 99%	5 Gms	820		(Ytterbium triflate,	25 Gms	8500
[69-89-6]		25 Gms	3280		Trifluoromethanesulfonic Acid		
39607	Xanthine Oxidase Suspension ex.	5 Units	4500		Ytterbium Salt)		
[9002-17-9]	Butter Milk, 1-4 U/mg protein	25 Units	9000	63190 [10361-92-9]	Yttrium (III) Chloride anhydrous ultrapure, 99.99%	10 Gms	3400
62965 ■	Xanthine Oxidase ex.	250 Units		[10301-92-9]	(Yttrium Trichloride)	50 Gms	9000
[9002-17-9]	Microorganism, 15U/mg	250 Offits	14610	63390	Yttrium (III) Chloride Hexahydrate	5 Gms	800
94623	Xanthohumol ex. Hop (Humulus	5 Mg	18690	[10025-94-2]	extrapure AR, 99.9%	25 Gms	1300
[6754-58-1]	Lupulus), 94%					100 Gms	4000
	Xanthurenic Acid extrapure, 90%	500 Mg	3200	51515	Yttrium (III) Nitrate Hexahydrate	25 Gms	1100
[59-00-7]		1 Gms	5500	[13494-98-9]	extrapure AR, 99.9%	100 Gms	2800
	XantPhos	1 Gms	1200	21412	Yttrium (III)	5 Gms	3000
161265-03-8]	(4,5-Bis(Diphenylphosphino)	5 Gms	3500	[52093-30-8]	Trifluoromethanesulfonate	25 Gms	9800
	-9,9-Dimethylxanthine) extrapure, 98%	25 Gms	13500		extrapure, 98%		0000
		100 Gms	50000		(Yttrium triflate, Trifluoromethanesulfonic Acid Yttrium		
27540	X-Phos	1 Gms	1500		Salt)		
564483-18-7]	(2-Dicyclohexylphosphino-2,4,6-Trii sopropylbiphenyl) extrapure, 98%	5 Gms	6000	37482	Z-L-Amino Acids Kit	1 Kit	25870
91186	Xylan from Beechwood	5 Gms	2700	68280	Z-b-Alanine extrapure, 99%	1 Gms	580
[9014-63-5]		10 Gms	5000	[2304-94-1]		5 Gms	1480
		25 Gms	9000			25 Gms	5870
		100 Gms	40000	15701	Z-D-Alanine extrapure, 99%	1 Gms	
30565	Xylan from Corn Cob, 95%	10 Gms	1200	15701 [26607-51-2]	2-2-Mailine extrapule, 33%	5 Gms	600
[9014-63-5]		25 Gms	2500			25 Gms	2430
		100 Gms	7000		7 Di Alamba a i		11080
		500 Gms	24000	24368 [4132-86-9]	Z-DL-Alanine extrapure, 99%	5 Gms	2410
13814	Xylanase ex. Aspergillus Niger,	25 Gms	1230		Z-L-Alanine extrapure, 99%	5 Gms	540
[37278-89-0]		100 Gms	4000	[1142-20-7]	•	25 Gms	2220
		500 Gms	18000			100 Gms	7970
64949 🗸	Xylitol extrapure	100 Gms		30211	Z-2-Aminobutyric Acid extrapure,	1 Gms	
[87-99-0]	Aymor extrapule	500 Gms	500	30211 [42918-86-5]	•	5 Gms	950
		500 GIIIS	1200	,		o Gilis	4200




Code Name	Packing	Price	Code	Name	Packing	Pri
94475 • Z-D-Arginine extrapure, 99%	1 Gms	6080		Z-L-Hydroxyproline extrapure, 99%	1 Gms	1400
[6382-93-0]	5 Gms	20240	[13504-85-3]		5 Gms	6330
	25 Gms	73570			25 Gms	24720
60020 ■ Z-L-Arginine extrapure, 99% [1234-35-1]	25 Gms	4210	34913 [3160-59-6]	Z-L-Isoleucine extrapure, 95%	5 Gms 25 Gms	2010 6280
55237 • Z-L-Arginine HCl extrapure, 99%	25 Gms	5230	40047	7 D Louising outropure 00%		
56672-63-0]	100 Gms	19600	46817 [28862-79-5]	Z-D-Leucine extrapure, 99%	1 Gms 5 Gms	109 451
2873 • Z-D-Asparagine extrapure, 99%	1 Gms	1090			25 Gms	1880
4474-86-6]	5 Gms	4490	70050	7 Di Lousina autranura 000/		
	25 Gms	18710	76353 [3588-60-1]	Z-DL-Leucine extrapure, 99%	5 Gms 25 Gms	183
0164 ■ Z-DL-Asparagine extrapure, 98%	1 Gms	1520				870
9880-22-6]	5 Gms	4980	85612 [2018-66-8]	Z-L-Leucine extrapure, 98%	5 Gms	152
3328 ■ Z-L-Asparagine extrapure, 99%	1 Gms	310	[2010-00-0]		25 Gms	433
2304-96-3]	5 Gms	990		Z-D-Lysine extrapure, 99%	1 Gms	500
	25 Gms	2590	[70671-54-4]		5 Gms	1200
	100 Gms	8630	54420	Z-L-Lysine extrapure, 99%	1 Gms	128
2000 A 7 D Accordio Acid extrapura 99%			[2212-75-1]		5 Gms	590
2899 ■ Z-D-Aspartic Acid extrapure, 99% 8663-07-7]	1 Gms	640	71691	Z-N-e-Lysine Dicyclohexyl	5 Gms	595
•	5 Gms 25 Gms	2660	[2212-76-2]	• •		
		11080		(Z-Lysine(BOC)-OH.Dicyclohexylamine Salt)		
4275 ■ Z-DL-Aspartic Acid extrapure, 99%	5 Gms	700	91642	Z-D-Methionine extrapure, 99%	1 Gms	150
	25 Gms	2400	[28862-80-8]	,	5 Gms	300
3143 • Z-L-Aspartic Acid extrapure, 99%	5 Gms	460	11751	Z-DL-Methionine extrapure, 99%	1 Gms	
[152-61-0]	10 Gms	860	11751 • [4434-61-1]	2-DL-ivietinonine extrapure, 99%	5 Gms	74 348
	25 Gms	2060				
8064 • Z-L-Aspartic Acid-4-Benzyl Ester	10 Gms	13560	55768 [1152-62-1]	Z-L-Methionine extrapure, 99%	1 Gms	69
8479-47-8] extrapure, 98% (Z-L-Asp(OBzl)-OH)	25 Gms	23730	[5 Gms	285
7300 • Z-L-Glutamic Acid-5-Benzyl Ester	10 Gms	14130			25 Gms	935
5680-86-4] extrapure, 98%	25 Gms	24720	21200	Z-4-Nitro-L-Phenylalanine extrapure, 99%	10 Gms	1084
3971 ■ Z-D-Glutamic Acid extrapure, 98%	1 Gms	760		· ·	25 Gms	1897
3648-73-7]	5 Gms	2660		Z-D-Norleucine extrapure, 99%	500 Mg	461
7271 • Z-L-Glutamic Acid extrapure, 99%	5 Gms		[15027-14-2]		2.5 Gms	2070
1155-62-0]	25 Gms	360 1460		Z-DL-Norleucine extrapure, 99%	1 Gms	315
	100 Gms	5220	[15027-13-1]	7 I Noviewsine outronous 000/	1.0	
2000 A 7 D Clutomine autren 200/			90175 [39608-30-5]	Z-L-Norleucine extrapure, 99%	1 Gms	413
3309	1 Gms	1230			5 Gms	1879
•	5 Gms 25 Gms	5110	34201	Z-D-Norvaline extrapure, 99%	1 Gms	279
		21270			5 Gms	1266
4096 ■ Z-L-Glutamine extrapure, 99% 2650-64-8]	5 Gms	750		Z-DL-Norvaline extrapure, 99%	1 Gms	231
	25 Gms	2590	[21691-43-0]		5 Gms	1048
	100 Gms	8630		Z-L-Norvaline extrapure, 99%	1 Gms	279
6632 • Z-Glycine extrapure, 99%	5 Gms	700	[21691-44-1]		5 Gms	1266
1138-80-3]	25 Gms	1420	72850	Z-L-Ornithine extrapure, 99%	1 Gms	501
	100 Gms	4320	[3304-51-6]		5 Gms	2276
1793 • Z-DL-Histidine extrapure, 99%	1 Gms	3480	24317	Z-D-Phenylalanine extrapure, 99%	1 Gms	64
9728-57-5]	5 Gms	16560	[2448-45-5]		5 Gms	266
7156 • Z-L-Histidine extrapure, 99%	1 Gms	1200			25 Gms	1104
4997-58-1]	5 Gms	5430	32900	Z-DL-Phenylalanine extrapure, 99%	5 Gms	231
	25 Gms	21290	[3588-57-6]		25 Gms	1048

Part B – Bioreagents, Biochemicals & Speciality Fine Chemicals



Code	Name	Packing	Price	Code	Name	Packing	Price
42182	Z-L-Phenylalanine extrapure, 99%	25 Gms	2240		Z-OSu (Z-ONSu) extrapure, 99%	25 Gms	1200
[1161-13-3]		100 Gms	7910	[13139-17-8]	(Z-ONSu)	100 Gms	4500
27486	Z-L-Phenyalanine Methyl Ester	10 Gms	12240		Zeatin mixed Isomers for tissue	25 Mg	2940
[35909-92-3]	extrapure, 98%	25 Gms	21410	[13114-27-7]	culture, ~95%	100 Mg	7500
	Z-Phenylalanine-p-Nitroanilide	1 Gms	7590	67299	Zeatin mixed Isomers, ~95%	25 Mg	2160
	extrapure			[13114-27-7]		100 Mg	6000
16881 [2578-84-9]	Z-L-Phenylalanine-4-Nitrophenyl Ester extrapure, 98%	10 Gms	11020			250 Mg	12000
	·	25 Gms	19270		Zeatin Riboside extrapure, 99%	10 Mg	2000
12399 [17609-52-8]	Z-D-Phenylglycine extrapure, 98%	10 Gms	7400	[6025-53-2]		25 Mg	3200
		25 Gms	12940			100 Mg	8200
74157 [53990-33-3]	Z-L-Phenylglycine extrapure, 99%	10 Gms	6490			500 Mg	36000
		25 Gms	11360	25910	Zinc Bromide Anhydrous, 99% (Zinc Dibromide)	100 Gms	1100
24037 [6404-31-5]	Z-D-Proline extrapure, 99%	500 Mg	930	[7699-45-8]	(ZITC DIDIOITIIGE)	500 Gms	2420
[0404 01 0]		1 Gms	1570	86849	Zincon Sodium Salt ACS, 98%	1 Gms	380
		5 Gms 25 Gms	6040	[62625-22-3]		5 Gms	1300
01000	71 Dualina autuanuus 000/		30180	52049	Zirconium Dioxide pure, 99%	100 Gms	840
31688 [1148-11-4]	Z-L-Proline extrapure, 99%	5 Gms 25 Gms	1260	[1314-23-4]	(Zirconia, Zirconium (IV) Oxide)	500 Gms	3000
	7.D. Osailas andreasura 2007		3780				
63273 [6081-61-4]	Z-D-Serine extrapure, 99%	500 Mg	2180				
[,		1 Gms 5 Gms	3360 14030				
75075	71 Savina autranura 00%						
75675 [1145-80-8]	Z-L-Serine extrapure, 99%	1 Gms 5 Gms	420 1100				
. ,		25 Gms	5000				
52287	Z-D-Threonine extrapure, 99%	1 Gms	1300				
[80384-27-6]		5 Gms	5200				
11228	Z-L-Threonine extrapure, 99%	5 Gms	1300				
[19728-63-3]	;						
39868 [2279-15-4]	Z-D-Tryptophan extrapure, 99%	1 Gms	1800				
	N-1	5 Gms	5500				
57591 [7432-21-5]	Z-L-Tryptophan extrapure, 99%	25 Gms	2100				
	Z-D-Tyrosine extrapure, 99%	1 Gms	3700				
[64205-12-5]		5 Gms	10000				
	Z-L-Tyrosine extrapure, 99%	5 Gms	1950				
[1164-16-5]		25 Gms	4980				
39463 [16677-29-5]		10 Gms	7580				
7/1556	(Z-L-Tyr(Bzl)-OH) Z-D-Valine extrapure, 99%	1 Gms	1330				
[1685-33-2]	- 2 5 Familie Cattapuite, 33/0	5 Gms	1320 3000				
		25 Gms	10000				
17520	Z-DL-Valine extrapure, 99%	5 Gms	2790				
[3588-63-4]		25 Gms	13250				
73743	Z-L-Valine extrapure, 99%	25 Gms	1800				
[1149-26-4]		100 Gms	4680				
92186	Z-Isonipecotic Acid extrapure, 99%	10 Gms					
	(1-Carbobenzoxy-4-Piperidinecarboxyli c Acid)	25 Gms	4000 6000				
88291 [78190-11-1]	Z-Nipecotic Acid, 95%	10 Gms	6470				





Code	Name	Packing	Price	Code	Name	Packing	Price
68161	ACES Buffer for cell culture, 99.5%,	25 Gms	5200	68722	Concanavalin A Lectin ex.	25 Mg	2670
[7365-82-4]	Endotoxin (BET) 1EU/mg	100 Gms	12250	[11028-71-0]	Canavalia Ensiformis Type 2 for cell culture, 20 ug/ml, (BET)	100 Mg	6010
23568	N-Acetyl-DL-Tryptophan for cell	5 Gms	3000		0.05EU/mg		
[87-32-1]	culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms	9000	15353 🗸	Creatinine for cell culture, 99%,	25 Gms	1370
52937	Acid Fuchsin for cell culture,	25 Gms	1600	[60-27-5]	Endotoxin (BET) 0.05EU/mg	100 Gms	4350
[3244-88-0]	Endotoxin (BET) 0.05EU/mg	20 00	1000			1 Kg	42000
	(Acid Violet 19, Fuchsin S, Fuchsin acid, Rubine S) (C.I. No. 42685)			67133 [10510-54-0]	Cresyl Violet Acetate for cell culture, Endotoxin (BET) 0.5EU/mg	5 Gms	10000
75250	L-Alanine for cell culture, 99%,	25 Gms	1050	29751	Crystal Violet for cell culture,	25 Gms	1750
[56-41-7]	Endotoxin (BET) 0.05EU/mg	100 Gms	2490	[548-62-9]	Endotoxin (BET) 1EU/mg	100 Gms	5800
96409	Albumin Bovine (pH 7) fraction V	5 Gms	900	70124	(Methyl Violet 10B) (C.I. No.42555) L-Cysteine Hydrochloride	25 Gms	1150
[9048-46-8]	for cell culture (Bovine Serum Albumin,BSA), 98%, (BET)	25 Gms	3500	70134 [7048-04-6]	Monohydrate for cell culture, 99%,	25 Gms	1150
	0.05EU/mg	100 Gms	11500		Endotoxin (BET) 0.05EU/mg	100 GIIIS	3250
	(Bovine Serum Albumin, BSA)	500 Gms	51000	54676	Dextrose for cell culture, Endotoxin	100 Gms	500
31539	Alcian Blue for cell culture,	5 Gms	5500	[50-99-7]	(BET) 0.05EU/mg (D-Glucose Anhydrous)	500 Gms	1450
[33864-99-2]	Endotoxin (BET) 0.05EU/mg	25 Gms	24000	28525	DL-Dithiothreitol (DTT) for cell	1 Gms	2000
68860	Aluminium Potassium Sulphate	500 Gms	1350	[3483-12-3]	culture, 98%, Endotoxin (BET)	5 Gms	7000
[7784-24-9]	Dodecahydrate for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	1 Kg	2500		1EU/mg (Clelands reagent)		7000
15875	Amphotericin B (AMT) Solution	20 ml	1860	81614	Eosin Yellow (water soluble) for	25 Gms	2250
[1397-89-3]	(250ug/ml) for cell culture, Endotoxin (BET) 1EU/ml	100 ml	5360	[17372-87-1]	cell culture, Endotoxin (BET) 1EU/mg	100 Gms	4500
20969	L-Arginine (free base) for cell	25 Gms	1150	74516	Ethylene Glycol Monophenyl Ether	100 ml	2400
[74-79-3]	culture, 99%, Endotoxin (BET) 0.05EU/mg	100 Gms	3550	[122-99-6]	for cell culture, 99%, Endotoxin (BET) 0.05EU/ml	500 ml	4500
33468		50000	1400	44004	(Phenyl Cellosolve, 2-Phenoxyethanol)	500 0	1000
[1405-87-4]	Licheniformis for cell culture, Endotoxin (BET) 0.05EU/mg	Units 250000	4500	11324 [7782-63-0]	Ferrous Sulphate Heptahydrate for cell culture, 99.5%, Endotoxin	500 Gms	1200
	(,, g	Units	4000	[=]	(BET) 0.05EU/mg		
36884	BES Buffer for cell culture, 99%,	25 Gms	1650		(Iron (II) Sulphate Heptahydrate)		
[10191-18-1]	Endotoxin (BET) 0.05EU/mg (N,N-bis(2-Hydroxyethyl)2-	100 Gms	5400	98131 [518-47-8]	Fluorescein Sodium Salt (C.I. No. 45350) for cell culture, Endotoxin	100 Gms	2500
92370	Aminoethane Sulphonic Acid) Blasticidin S Hydrochloride for cell	10 Mg	6100		(BET) 0.05EU/mg (Acid Yellow 73)		
[3513-03-9]	culture, 98%, Endotoxin (BET)	25 Mg	6120	76611	Folic Acid for cell culture, 98%,	5 Gms	750
	0.05EU/mg	25 Wg	14470	[59-30-3]	Endotoxin (BET) 0.05EU/mg	25 Gms	3250
55594		1 ml	7000		(Vitamin B9, Vitamin M, Pteroyl-L-Glutamic acid)		
[3513-03-9]	HEPES Buffer (10mg/ml) Sterile for cell culture	5 x1 ml	25000	20596	Fuchsin Basic for cell culture,	25 Gms	2200
81642	Cephotaxime Sodium Salt (CFT) for	100 Mg	2500	[632-99-5]	Endotoxin (BET) 0.05EU/mg	100 Gms	8000
[64485-93-4]	cell culture, 916-964ug/mg,	1 Gms	6000		(Basic Fuchsin) (C.I. No. 42510)		
	Endotoxin (BET) 0.20EU/mg			77469 [51811-82-6]	Giemsa Stain for cell culture, Endotoxin (BET) 0.05EU/mg	5 Gms	4000
84483 [57-09-0]	Cetyltrimethyl Ammonium Bromide (CTAB) for cell culture, 99%,	25 Gms	2500	[31011-02-0]	Endotoxiii (BE1) 0.00E0/ilig	25 Gms	15500
[57-08-0]	Endotoxin (BET) 0.05EU/mg	100 Gms	6000	75931	L-Glutamic Acid Monosodium Salt	100 Gms	900
97900	•	5 Gms	2400	[6106-04-3]	Monohydrate (MSG) for cell culture, 99%, Endotoxin (BET)	500 Gms	2750
[57-88-5]	(Lanolin) for cell culture, 99%,	25 Gms	10500		0.05EU/mg		
	Endotoxin (BET) 0.05EU/mg	100 Gms	30000		(Monosodium Glutamate, Monosodium L-Glutamate)		
70553		1 Gms	690	80952	L-Glutamine for cell culture, 99%,	10 Gms	950
[86393-32-0]	Hydrate (CPFX) for cell culture,	5 Gms	2300	[56-85-9]	Endotoxin (BET) 0.05EU/mg	25 Gms	1800
	98-102%, Endotoxin (BET) 0.05EU/mg			74693	Glutathione Oxidized (GSSG) for	100 Mg	
81395	-	25 Mg	3680		cell culture, 99%, Endotoxin (BET)	250 Mg	2000 3700
[11028-71-0]	Canavalia Ensiformis Type 1 for	40 Mg	5460		1EU/mg	1 Gms	7000
	cell culture, 64ug/ml, (BET) 0.05EU/mg	-				5 Gms	32500
	(Con A) (Jack bean)						



Code	Name	Packing	Price	Code	Name	Packing	Pric
65542 [56-81-5]	Glycerol (Glycerine) Anhydrous for cell culture, 99.5%, Endotoxin	500 ml	1300	42125 [63-68-3]	L-Methionine for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms 100 Gms	1100 4000
	(BET) 0.05EU/mg			13908	MOPS Buffer for cell culture, 99%,	25 Gms	3200
34268 [56-40-6]	Glycine for cell culture, 99.5%, Endotoxin (BET) 1EU/mg	100 Gms	1700	[1132-61-2]	Endotoxin (BET) 0.05EU/mg	100 Gms	7800
[50-40-0]	(Aminoacetic Acid)				(3-Morpholinopropane Sulphonic Acid)	500 Gms	17000
39149	HEPES Buffer for cell culture,	25 Gms	1950	69599	Neomycin Sulphate (NMS) for cell	5 Gms	
[7365-45-9]	99.5%, Endotoxin (BET) 0.05EU/mg	100 Gms	6400	[1405-10-3]	culture, Endotoxin (BET)	25 Gms	800
	(N-(2-Hydroxyethyl) piperazine-N(2-Ethane Sulphonic Acid)	500 Gms	26500		0.05EU/mg	25 GIIIS	1900
16509	L-Histidine (base) for cell culture,	25 Gms	1250	64257	В-Nicotinamide Adenine	100 Mg	1010
[71-00-1]	99%, Endotoxin (BET) 1EU/mg	100 Gms	3500	[53-84-9]	Dinucleotide (ß-NAD,DPN) for cell culture, 98%, Endotoxin (BET)	1 Gms	4680
86877	L-Histidine Hydrochloride	25 Gms			0.05EU/mg	5 Gms	17250
[5934-29-2]	Monohydrate for cell culture,	100 Gms	1100	10581	ß-Nicotinamide Adenine	100 Mg	2010
	99%, Endotoxin (BET) 1EU/mg	100 ams	3500	[606-68-8]	Dinucleotide Disodium	1 Gms	10290
54661 ■	N-Hydroxycytidine (EIDD-1931) for	10 Mg	7000		Salt(Reduced) (B-NADH.Na2,DPNH.Na2) for	5 Gms	37830
[3258-02-4]	cell culture, 98%, Endotoxin (BET) 0.05EU/mg	25 Mg	14000		cellculture,98%		
75054 Y	Imiquimod for cell culture, 98%	250 Mg	13500	88722	В-Nicotinamide Adenine	100 Mg	3680
99011-02-6]	iniquinod for cen culture, 30%	230 Wg	13300	[24292-60-2]	Dinucleotide Phosphate Disodium	1 Gms	21140
77379	Inositol for cell culture, 99%,	25 Gms	1000		Salt for cell culture,95%, (BET) 0.05EU/mg		
[87-89-8]	Endotoxin (BET) 0.05EU/mg	100 Gms	3200	28771		100 Mg	3560
	(Vitamin B8)			[1184-16-3]	Dinucleotide Phosphate	1 Gms	13350
	r-Insulin ex. Human for cell culture, 25 USP U/mg, Endotoxin (BET)	50 Mg	7000		Monosodium Salt for cell culture,	i dilis	13330
11001-00-0]	1.0EU/mg	100 Mg	13000		98%, (BET) 0.05EU/mg		
	(Recombinant Insulin)			93517 [98-92-0]	Nicotinamide for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	100 Gms	1250
11894	L-Isoleucine for cell culture, 99%,	25 Gms	1300	[90-92-0]	(Niacinamide, Pyridine-3-Carboxylic	500 Gms	3750
[73-32-5]	Endotoxin (BET) 1EU/mg	100 Gms	4300		Acid Amide)		
95793	Jenners Stain (Eosin-methylene	25 Gms	3100	63509		25 Mg	6460
[62851-42-7]	blue) for cell culture, Endotoxin	100 Gms	9800	[1094-61-7]	(ß-NMN) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg		
95419	(BET) 0.05EU/mg L-Leucine for cell culture, 99%,	100 Gms	2000	50275	Nicotinic Acid	100 Gms	950
[61-90-5]	Endotoxin (BET) 1EU/ml	500 Gms	3000 8000	[59-67-6]	(Pyridine-3-Carboxylic Acid) for cell	500 Gms	3000
					culture, 99%, Endotoxin (BET)		
9 5173 5 [56-87-1]	L-Lysine (free base) Anhydrous for cell culture, 98%, Endotoxin (BET)	25 Gms	4000		0.05EU/mg (3-Picolinic Acid, Niacin, Vitamin B3)		
[00 07 1]	0.05EU/mg	100 Gms	12000	16828	•	250 Mg	670
29011	Lysozyme (3x cryst) ex.Egg white	1 Gms	3000	[1400-61-9]	culture, 85%, Endotoxin (BET)	1 Gms	2340
[12650-88-3]	(Muramidase) for cell culture,	5 Gms	13500		0.05EU/mg	5 Gms	8900
	15000U/mg, Endotoxin (BET) 0.05EU/mg	25 Gms	40000	17565	(Fungicidin) Nystatin (Mycostatin) Solution	20 ml	
22352	Magnesium Chloride Anhydrous for	100 Gms	1800	17565 [1400-61-9]	(10000U/ml) for cell culture,	20 1111	1240
[7786-30-3]	cell culture, 98%, Endotoxin (BET)				Endotoxin (BET) 10.0EU/ml		
	0.05EU/mg				(Fungicidin)		
13546 [7791-18-6]	Magnesium Chloride Hexahydrate for cell culture, 99.5%, Endotoxin	500 Gms	3000	56341 [3184-13-2]	L-Ornithine Monohydrochloride for cell culture, 99%, Endotoxin (BET)	25 Gms	1600
[7791-10-0]	(BET) 0.05EU/mg			[0104-10-2]	0.05EU/mg	100 Gms	4500
36502	Magnesium Sulphate Dried for cell	500 Gms	1750	30917	Oxalacetic Acid for cell culture,	1 Gms	1400
[7487-88-9]	culture, 62-70% MgSO4, 99%,			[328-42-7]	98%, Endotoxin (BET) 0.05EU/mg	5 Gms	5100
10400	Endotoxin (BET) 0.05EU/mg	100 0	1000		(Oxaloacetic Acid, Ketosuccinic Acid, Oxobutanedioic Acid, 2-Oxosuccinic		
12493 [6363-53-7]	D-Maltose Monohydrate for cell culture, Endotoxin (BET)	100 Gms	1000		Acid)		
,	0.05EU/mg	500 Gms	4000	79311	Phenol Red Sodium Salt (water	5 Gms	1100
20490	2-Mercaptoethanol for cell culture,	100 ml	1300	[34487-61-1]	soluble) for cell culture, 95%,	25 Gms	4000
[60-24-2]	99%, Endotoxin (BET) 0.05EU/ml	250 ml	2650		Endotoxin (BET) 0.05EU/mg (Phenolsulfonephthalein Sodium Salt)		
55311	MES Monohydrate Buffer for cell	25 Gms	3800	68793	L-Phenylalanine for cell culture,	25 Gms	1100
145224-94-8]	culture, 99%, Endotoxin (BET)	100 Gms	8500	[63-91-2]	99%, Endotoxin (BET) 1EU/mg	100 Gms	3000
	0.05EU/mg (2-Morpholineethane Sulphonic Acid			77839	Phenylmethane Sulphonyl Fluoride	1 Gms	
	Hydrate)			[329-98-6]	(PMSF) for cell culture, 99%,	5 Gms	1300
	· · · · · · · · · · · · · · · · · · ·				Endotoxin (BET) 0.05EU/mg	Julis	4400



Code	Name	Packing	Price	Code	Name	Packing	Price
62374	Phleomycin (PLM) ex.	5 Mg	3700	88726	L-Threonine for cell culture, 99%,	25 Gms	2500
[11006-33-0]	Streptomyces verticillus for cell culture, Endotoxin (BET) 1.0EU/mg	25 Mg	9000	[72-19-5]	Endotoxin (BET) 1EU/mg	100 Gms	7500
	(Zeocin)	100 Mg	24000	53073	Ticarcillin Disodium Salt extrapure,	1 Gms	1950
52819		250 Mg	2200	[4697-14-7]	85%, Endotoxin (BET) 0.05EU/mg	5 Gms	8860
[1405-20-5]	PXNS), 6000U/mg for cell culture, Endotoxin (BET) 0.05EU/mg	1 Gms	4870	24000	Toluidine Blue O for cell culture,	10 Gms	3300
67209	Polysorbate 80 (Tween 80) for cell	500 Gms	3000	[92-31-9]	90%, Endotoxin (BET) 0.05EU/mg (Basic Blue 17, Blutene Chloride,	25 Gms	6200
[9005-65-6]	culture, Endotoxin (BET)				Methylene Blue T50, Tolonium		
	0.05EU/mg (Polyoxyethylene Sorbitan Monoleate)				Chloride)	25.0	
47425	Potassium Chloride for cell culture,	500 Gms	3450	30766 [5704-04-1]	TRICINE Buffer for cell culture, 99%, Endotoxin (BET) 0.1EU/mg	25 Gms 100 Gms	2400 5500
[7447-40-7]	99.5%, Endotoxin (BET) 0.05EU/mg				(N-Tris(Hydroxymethyl) Methylglycine)	100 Gills	5500
65897 [147-85-3]	L-Proline for cell culture, 99%, Endotoxin (BET) 1.0EU/mg	25 Gms	1050		Triptolide ex. Tripterigium Wilfordii	5 Mg	15000
		100 Gms	3350	[38748-32-2]	for cell culture, 98% (PG 490)		
82361 8 [58-58-2]	Puromycin Dihydrochloride (PRM) for cell culture, Endotoxin (BET)	10 Mg	5000	12695	Tris Buffer for cell culture, 99.9%,	100 Gms	950
[00 00 2]	10EU/mg	25 Mg	9000	[77-86-1]	Endotoxin (BET) 0.05 EU/mg	500 Gms	4000
14050	, , ,	10 Gms	1500		(Tris(hydroxymethyl)aminomethane, Tromethamine)		
[58-56-0]	B6) for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms	3500	65972	r-Trypsin - Type Standard ACF ex.	100 Mg	5090
77387	Riboflavin for cell culture, 98%,	25 Gms	1150	[9002-07-7]	Porcine for cell culture, 800U/mg, Endotoxin (BET) 0.05EU/mg	1 Gms	16940
[83-88-5]	Endotoxin (BET) 0.05EU/mg	100 Gms	3500		(Recombinant Trypsin)	5 Gms	33880
46143	(Vitamin B2) Rifampicin (RFP) (Rifampin) for cell	1 Gms	4000	74055	Trypsin 1:250 ex. Bovine Pancreas	25 Gms	1650
[13292-46-1]	culture, 97-102%, Endotoxin (BET)	5 Gms	4200 15000	[9002-07-7]	for cell culture, 1000BAEE U/mg, Endotoxin (BET) 0.05EU/mg	100 Gms	4600
	0.05EU/mg	o dillo	13000		Endotexiii (BET) 0.00E0/iiig	500 Gms	22000
31904 [477-73-6]	Safranine O for cell culture, Endotoxin (BET) 0.05EU/mg	25 Gms	5300	23560	r-Trypsin 1x w/ EDTA Soln in	100 ml	3340
[477-70-0]	(Basic Red 2)	100 Gms	9500		Phosphate Buffer for cell culture (AOF),150U/ml,Endotoxin (BET)		
59260	L-Serine for cell culture, 99%,	25 Gms	2500		1EU/ml		
[56-45-1]	Endotoxin (BET) 1EU/mg	100 Gms	5300		Trypsin ex. Bovine Pancreas for	100 Gms	950
16670	Sodium Butyrate for cell culture,	5 Gms	3000	[9002-07-7]	cell culture, 0.2Anson U/g (2000U/g), Endotoxin (BET)	500 Gms	4640
[156-54-7]	99%, Endotoxin (BET) 1.0EU/mg (Butyric Acid Sodium Salt)	100 Gms	13000		0.05EU/mg	1 Kg	8550
89360	Sodium Chloride for cell culture,	500 Gms	2000	20374 [9002-07-7]	Trypsin ex. Porcine Gastric Mucosa for cell culture, 0.2Anson	100 Gms	990
[7647-14-5]	99.9%, Endotoxin (BET) 0.05EU/mg	1 Kg	3900	[9002-07-7]	U/g(2000U/g), Endotoxin(BET)	500 Gms	4580
		5 Kg	12750		0.05EU/mg	1 Kg	8930
66003	Sodium Phosphate Dibasic	500 Gms	3500	80149 [60-18-4]	L-Tyrosine for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms	1300
[7558-79-4]	Anhydrous for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	5 Kg	32000			100 Gms	4800
	(Disodium Hydrogen Phosphate			78168 [57-13-6]	Urea for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	500 Gms	2000
	Anhydrous)					5 Kg	9500
16120 [10028-24-7]	Sodium Phosphate Dibasic Dihydrate for cell culture, 99.5%,	500 Gms	1700	20451 [72-18-4]	L-Valine for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms	850
[10020 24 7]	Endotoxin (BET) 0.05EU/mg	5 Kg	10000			100 Gms	3000
	(Disodium hydrogen phosphate			12540 4 [68-19-9]	Vitamin B12 for cell culture, 97%, Endotoxin (BET) 0.05EU/mg	250 Mg	1570
27621	Dihydrate) Sodium Phosphate Monobasic	100 Gms	2000		(Cyanocobalamin)	1 Gms	4100
[7558-80-7]	Anhydrous for cell culture, 99%,	500 Gms	5500		XTT Sodium for cell culture, 90%,	25 Mg	6500
	Endotoxin (BET) 0.05EU/mg (Sodium Dihydrogen Phosphate		-	[111072-31-2]	Endotoxin (BET) 5.0EU/mg	100 Mg	15000
	Anhydrous)			30108	Zinc Chloride for cell culture, 98%,	500 Gms	2700
68350	Streptozotocin (STZ) for cell	100 Mg	2800	[7646-85-7] 92647	Endotoxin (BET) 0.05EU/mg Zinc Sulphate Heptahydrate for cell	100 Gms	1600
[18883-66-4]	culture, 98%, Endotoxin (BET) 0.05EU/mg	1 Gms	19000	92647 [7446-20-0]	culture, 99.5%, Endotoxin (BET)	500 Gms	3400
68250	Sucrose for cell culture, Endotoxin	500 Gms	3000		0.05EU/mg	555 61110	
[57-50-1]	(BET) 0.05EU/mg	1 Kg	5500				
		5 Kg	22000				
		=					

Part C

Nanopowders & Carbon Nanotubes (CNTs)

(Carbon Nanotubes, Nanodispersants and Nanodispersions, Nanowires, Nanofilms and Nanopowders)





Code	Name	Packing	Price	Code	Name	Packing	Price
75964	Alumina (Alpha) Nanopowder,	25 Gms	2270	69126	CdSe/ZnS Core Shell Quantum	10 Mg	21530
[1344-28-1]	20-30nm, 99.9%	100 Gms	5670		Dots, Fluorescence 560nm, (Hydrophobic)		
		250 Gms	10200		(CdSe/ZnS560) (Hydrophobic)		
25536	Alumina (Gamma) Nanopowder,	25 Gms	9250	33618	CdSe/ZnS Core Shell Quantum	10 Mg	21530
[1344-28-1]	15nm, 99.5% (Hydrophilic)	100 Gms	13870		Dots, Fluorescence 600nm, (Hydrophobic)		
96202	Aluminium Nanopowder (Type 1),	1 Gms	12130		(CdSe/ZnS600) (Hydrophobic)		
[7429-90-5]	40nm, 99%	5 Gms	32530	15377	CdSe/ZnS Core Shell Quantum	10 Mg	21530
18412	Aluminium Nanopowder (Type 2),	1 Gms	12130		Dots, Fluorescence 630nm,		
[7429-90-5]	70 nm, 99.9%	5 Gms	32530		(Hydrophobic) (CdSe/ZnS639) (Hydrophobic)		
41892	Aluminium Oxide (Boehmite)	25 Gms	2840	50439	CdTe Core Type COOH	10 Mg	22050
[1318-23-6]	Nanodispersion (50nm), 20% in	100 Gms	2640 8610		Functionalized Quantum Dots,	· ·	
	water	100 Gills			Fluorescence 510 nm (Hydrophilic)		
29603	Aluminium Titanate Nanopowder,	2 Gms	13460	37909	CdTe Core Type COOH Functionalized Quantum Dots,	10 Mg	22050
[12004-39-6]	25nm, 98.5%	10 M=	5000		Fluorescence 610 nm (Hydrophilic)		
38818 [7782-42-5]	Aminated Graphene Amino-PEG covalently linked (GnAmPG)	10 Mg	5000	19960	CdTe Core Type COOH	10 Mg	22050
. ,	Nanopowder	50 Mg	16000		Functionalized Quantum Dots,		
	(Reduced Graphene Oxide-NH2)			37194	Fluorescence 710 nm (Hydrophilic) Carbon Porous Nanopowder,	1 Gms	1200
19158 [7782-42-5]	Aminated Graphene Octadecylamine covalently linked	10 Mg	5000	[7440-44-0]	• •	10 Gms	4000
[1102-42-5]	(GnAm18d) Nanopowder	50 Mg	16000			50 Gms	18000
	(Reduced Graphene Oxide-NH-			00106	CNT Dispersant AC	20 ml	
07004	(CH2)17-CH3)	5.C	1000	28186	CNI Dispersant AC	20 1111	11500
67801 [1309-64-4]	Antimony Trioxide Nanopowder, 80-200nm, 99.9%	5 Gms 25 Gms	1330	35210	CNT Dispersant AQ	20 ml	11500
. ,	(Diantimony Trioxide, Antimony (III)	25 GITIS	3860				
	Oxide)			59800	TCNT Type 1- Carbon Nanotubes	25 Mg	12340
10842 [12047-27-7]	Barium Titanate Nanopowder, 100nm, 99.5%	25 Gms	3150	[308068-56-6	§ Thin Walled, Length 5-30μm, OD 2-5nm, 90%	100 Mg	31880
[12047-27-7]	1001111, 00.078	100 Gms	8400	73953	SWCNT Type 1 Carbon Nanotubes	250 Mg	12000
78768	Bis(2`,4`-Bis(Hexyloxy)Biphenyl-4-	25 Mg	12800	[308068-56-6	sj Single- Walled, Length 5-30μm, OD	1 Gms	32000
[1403674-49- 6]	yl)Amine extrapure, 95% (Z-907 Modified Red Dye)				1-2nm, 99%		
14683	Bismuth (III) Oxide Nanopowder,	25 Gms	6300	20770 [308068-56-6	SWCNT Type 2 Carbon Nanotubes Single- Walled (Short), Length	100 Mg	9800
[1304-76-3]	200nm, 99.8%	100 Gms	17850	[000000000	0.5-2.0μm, OD 1.0-2.0nm, 90%		
04770	(Dibismuth Trioxide)	5.C		29129	SWCNT Type 3 Carbon Nanotubes	25 Mg	5000
21772 [1318-23-6]	Boehmite Nanopowder, 20nm, 99.9%	5 Gms	2840	[308068-56-6	Single- Walled COOH Functionalized, Length 0.5-2.0µm,	100 Mg	9000
		25 Gms	10710		OD 1-2nm, 90%		
62554 [12069-32-8]	Boron Carbide Nanopowder, 50nm, 99%	10 Gms	8000	18989	SWCNT Type 4 Carbon Nanotubes	50 Mg	6000
[12000 02 0]		25 Gms	17000	[308068-56-6		250 Mg	24000
50943	Boron Nitride (hBN) Aerosol Spray (13Oz/369g)	1 piece	12710		1-2nm, 90% (-COOH Functionalized)		
[10043-11-5]	(hexagonal Boron Nitride)			55024	SWCNT Type 5 Carbon Nanotubes	50 Mg	10690
75454	Boron Nitride Nanopowder, 70nm,	25 Gms	3150	[308068-56-6		250 Mg	29150
[10043-11-5]	99%	100 Gms	8400		(-OH Functionalized)		
45882	Boron Nitride Nanotubes (C)	50 Mg	32000	27404 [308068-56-6	SWCNT Type 6 Carbon Nanotubes Signale-Walled, Length 5-30µm, OD	50 Mg	16200
[10043-11-5]	Cylindrical, 50-100nm			[000000-00=0	1-2nm, 99%	250 Mg	62620
74899	Calcium Carbonate Nanopowder,	25 Gms	1030		(-NH2 Functionalized)		
[471-34-1]	80nm, 98%	100 Gms	3800	95425	SWCNT Type 7 Carbon Nanotubes	20 ml	49560
		500 Gms	18000	[308068-56-6	Single-Walled in aq. media pure, Length 0.5-4µm, OD 1-2nm, 99%		
72893	Calcium Titanate Nanopowder,	1 Gms	14490		(Semiconducting)		
[12049-50-2]	90nm, 99.9%			52710	SWCNT Type 8 Carbon Nanotubes	20 ml	68020
12918 [12013-47-7]	Calcium Zirconium Oxide Nanopowder, 50nm, 99.5%	1 Gms	14280	[308068-56-6	Single-Walled in aq. media extrapure		
[12010-41-1]		5 Gms	45590		(Semiconducting)		



Code	Name	Packing	Price	Code	Name	Packing	Pric
42480	SWCNT Type 9 Carbon Nanotubes	20 ml	58300	58255	MWCNT Type 10 Carbon	1 Gms	2400
308068-56-6]	Single-Walled in aq. media pure (Metallic/Conducting)			[308068-56-6]	Nanotubes Multi-Walled, Length 10-30µm, OD 10-20nm, 95%	5 Gms	5000
8069	SWCNT Type 10 Carbon Nanotubes	20 ml	136030		(-COOH Functionalized)		
	Single-Walled in aq. media	20 1111	130030	29466	MWCNT Type 11 Carbon	50 Mg	3240
	extrapure			[308068-56-6]	Nanotubes Multi-Walled, Length	100 Mg	4860
	(Metallic/Conducting)				10-30μm, OD 20nm, 95% (-NH2 Functionalized)	1 Gms	16200
31868 308068-56-6]	SWCNT Type 11 Carbon Nanotubes Single-Walled ultrapure	50 Mg	81620		(TVT)2 Full-tionalized)	5 Gms	48590
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(Semiconducting)			82903	MWCNT Type 12 Carbon	500 Mg	2700
28989	SWCNT Type 12 Single-Walled	50 Mg	81620	[308068-56-6]	Nanotubes Multi-Walled, Length	1 Gms	4860
308068-56-6]	Carbon Nanotubes ultrapure				10-30µm, OD 10-20nm, 95%	5 Gms	9720
20070	(Metallic/Conducting) DWCNT Type 1 Carbon Nanotubes	100 Ma	01600	28658	(-OH Functionalized) MWCNT Type 13 Carbon	500 Mg	
36078 308068-56-61	Double Walled, Length 50µm, OD	100 Mg	21600	[308068-56-6]		1 Gms	2380
,	2-4nm, 60%	500 Mg	53990		10-30μm, OD 30-50nm, 95%	5 Gms	4320
B5143	DWCNT Type 2 Carbon Nanotubes	100 Mg	22630		(-COOH Functionalized)	25 Gms	8640 28080
308068-56-6]	Double Walled (Short), Length						
	0.5-2µm, OD 2-4nm, 60%	50 Ma	11050	65875 [308068-56-6]	MWCNT Type 14 Carbon Nanotubes Multi-Walled, Length	50 Mg	10800
45565 308068-56-6]	DWCNT Type 3 Carbon Nanotubes Double-Walled	50 Mg	11850	[300000-30-0]	10-30μm, OD 30-50nm, 95%	100 Mg	16200
,	(-COOH Functionalized)				(-NH2 Functionalized)		
69072	DWCNT Type 4 Carbon Nanotubes	50 Mg	11850	24968	MWCNT Type 15 Carbon	500 Mg	2380
308068-56-6]	Double-Walled	250 Mg	37020	[308068-56-6]	Nanotubes Multi-Walled, Length~ 10-30µm, OD 30-35nm, 95%	1 Gms	3000
34528	(-OH Functionalized) HMWCNT Type1- Carbon	250 Ma	10040		(-OH Functionalized)	5 Gms	7000
	Nanotubes Multi Walled Helical,	250 Mg 1 Gms	12340 16660	33670	MWCNT Type 16 Carbon	500 Mg	4500
•	Length 10µm, OD 100-200nm,(C)	i Gilis	10000	[308068-56-6]		1 Gms	7000
	90%				Length 0.5-2μm, OD 8nm, 95%	5 Gms	26990
57743	MWCNT Type 1 Carbon Nanotubes Multi Walled, Length 10-30µm, OD	1 Gms	3570	28174	MWCNT Type 17 Carbon	500 Mg	3000
308068-56-6]	8nm, 95%	5 Gms	12390	[308068-56-6]		1 Gms	5250
		25 Gms	35700		Length 0.5-2μm, OD 10-20nm, 95%	5 Gms	20000
88440	MWCNT Type 2 Carbon Nanotubes	5 Gms	5000	90797	MWCNT Type 18 Carbon	1 Gms	5400
308068-56-6]	Multi Walled, Length 10-30μm, OD 8-15nm, 95%	25 Gms	13000	[308068-56-6]	Nanotubes Multi-Walled Short,	5 Gms	18360
68465	MWCNT Type 3 Carbon Nanotubes	1 Gms	2000		Length 0.5-2.0µm, OD 30-50nm,	o dino	10000
	Multi Walled, Length 10-30µm, OD	5 Gms	5000		95%		
	10-20nm, 95%	25 Gms	20000	42927 [308068-56-6]	MWCNT Type 19 - Carbon Nanotubes Multi Walled	1 Gms	19440
41067	MWCNT Type 4 Carbon Nanotubes	5 Gms	3500	[0.0000000]	(Conducting), Length 3-6micron,OD	5 Gms	64780
	Multi Walled, Length 10-30µm, OD	25 Gms	10000		10nm		
	20-30nm, 95%	25 4113	10000	58908	MWCNT-Ni Type 1 Carbon	1 Gms	11340
41335	MWCNT Type 5 Carbon Nanotubes	5 Gms	3000	[308068-56-6]	Nanotubes Multi Walled, Nickel coated, Length 10-30 micron, OD	5 Gms	42110
308068-56-6]	Multi Walled, Length 10-30μm, OD 30-50nm, 95%	25 Gms	6000		5-20nm, 98%		
	55-55mm, 5576	100 Gms	22000	53105	MWCNT-Ni Type 2 Carbon	1 Gms	11340
96390	MWCNT Type 6 Carbon Nanotubes	5 Gms	3200	[308068-56-6]	Nanotubes Multi Walled , Nickel	5 Gms	42110
308068-56-6]	Multi Walled, Length 10-30µm, OD	25 Gms	6500	00500	MWCNT Ni Type 2 Carbon	1.0	4407
	50nm, 95%	100 Gms	23000	90500 [308068-56-6]	MWCNT-Ni Type 3 Carbon Nanotubes Multi Walled , Nickel	1 Gms	11340
35203	MWCNT Type 7 Carbon Nanotube	1 Gms	8020	,	coated	5 Gms	42110
308068-56-6]	Multi Walled (Graphitized), 99.9%	5 Gms	26720	75288	MWCNT-Ni Type 4 Carbon	1 Gms	11340
73235	MWCNT Type 8 Carbon Nanotubes	500 Mg	3800	[308068-56-6]	Nanotubes Multi Walled , Nickel	5 Gms	42110
	Multi-Walled, Length 20μm, OD	1 Gms	6000	GE/IGO	coated Chitosan Nanopowder, 80-100nm,	5 Gmc	0404
	10-20nm, 99.9%		5550	65468 [9012-76-4]	99%	5 Gms 25 Gms	3400
10045	(Graphitized, -COOH Functionalized)	50011	0000				10200
46918 308068-56-6]	MWCNT Type 9 Carbon Nanotubes Multi-Walled, Length 20µm, OD	500 Mg	3800	44316	Chromium (III) Oxide Nanopowder, 90nm, 99%	10 Gms	14000
	10-20nm, 99.9%	1 Gms	6000	[1308-38-9]	(Chromia)		



Code	Name	Packing	Price	Code	Name	Packing	Price
64835 [1152310-69-4]	C106 Dye, 90% (Cis-Bis(Isothiocyanato) (2,2Bipyr-4,4-Dicarboxylato)	25 Mg	9140	73225 [7440-57-5]	Gold Nanoparticles Dispersion (Spherical) (AU05), 0.05mg/ml Citrate, 0.1mM in PBS	10 ml 25 ml	5500 11500
•	(4,4bis(5(Hexylthio)thiophen2yl)2,2-Bip y)Ru(II))			36848 [7440-57-5]	Gold Nanoparticles Dispersion (Spherical) (AU10), 0.05mg/ml	10 ml	5500
	K19 Dye (Sensitizer), 85%	25 Mg	9240		Citrate, 0.1mM in PBS	25 ml	11500
[847665-45-6]	(cis-Bis(Thiocyanato) (2,2-Bipyr-4,4-Dicarboxylic Acid)- (4,4-bis(Phexyloxystyryl)			72123 [7440-57-5]	Gold Nanoparticles Dispersion (Spherical) (AU20), 0.05mg/ml Citrate, 0.1mM in PBS	10 ml 25 ml	5500 11500
74373	-2,2-Bipyr)Ru(II)) Clay Nanopowder, 80-150nm, 99%	5 Gms	6800	60974 [7440-57-5]		10 ml	5500
[1332-58-7]		25 Gms	10200		Citrate, 0.1mM in PBS	25 ml	11500
31570 [12052-28-7]	Cobalt Iron Oxide Nanopowder, 50nm, 99.9% (Cobalt Ferrite)	1 Gms 5 Gms	1200 4000	91082 [7440-57-5]	Gold Nanoparticles Dispersion (Spherical) (AU60), 0.05mg/ml Citrate, 0.1mM in PBS	10 ml 25 ml	5500 11500
74613 [12052-28-7]	Cobalt Zinc Iron Oxide Nanopowder, 50nm, 99.9%	5 Gms	6000	27944 [7782-42-5]	Single Layer Graphene (SLG) Nanopowder, 98%	10 Mg	6000 18000
		25 Gms	16000	73949	Single Layer Graphene Factory	100 Mg	5250
74343 [7440-50-8]	Copper Nanopowder, 50nm, 99.9%	5 Gms	29560	[7782-42-5]	(SLGF) Nanopowder, 98%	250 Mg	13130
73612 [7440-50-8]	Copper Nanowires	10 Mg	35000	89922 [7782-42-5]	Graphene Carboxyl (GCOOH) Nanopowder, 1000-5000nm, 99%	25 Mg	12000
28954 [1317-38-0]	Cupric Oxide Nanopowder, 40nm, 99%	5 Gms 25 Gms	1900 5440	60703 [7782-42-5]	Graphene Carboxyl (GCOOHW) Nanodispersion, 5mg/ml in water	20 ml	44000
40474 14	(Copper (II) Oxide)	100 Gms	9970	88398 [7782-42-5]	Graphene Film (Super Paper) (GFSP), 20000nm, 98%	1 piece	150000
19151 ✓ [7782-40-3]	Diamond Nanopowder, 4-7nm	1 Gms	21700	87185	Graphene Nitrogen-doped (GNdp)	50 Mg	6090
85476	Diisobutyl 2,2-Bipyridine-4,4-Dicarboxylate	100 Mg	12800	[7782-42-5] 90251	Nanopowder, 500-5000nm Graphene Oxide Film (Super	250 Mg 1 piece	28000 112200
91287	extrapure, 95% Ferric Oxide (Alpha) Nanopowder,	5 Gms	1910	[7782-42-5] 55093	Paper) (GOFSP),20000nm, 98% Graphene Platelet Nanopowder	5 Gms	5500
[1309-37-1]	30nm, 99%	25 Gms	5140	[7782-42-5]	(GPN Type 1), 6-8nm, 99.5%	25 Gms	5500 20000
	(Iron (III) Oxide (Alpha))	100 Gms 250 Gms	16520 23820	36529 [7782-42-5]	Graphene Platelet Nanopowder (GPN Type 2), 11-15 nmnm, 99.5%	1 Gms 5 Gms	1300
51744	Ferric Oxide (Gamma)	5 Gms	1580	98585	Graphene Platelet Nanopowder	5 Gms	4200 3000
[1309-37-1]	Nanopowder, 20-50nm, 99.9% (Iron (III) Oxide (Gamma))	25 Gms	4130	[7782-42-5]	(GPN Type 3), 2-10nm, 99.5%	25 Gms	9000
	(iiii) (iii) Osido (daliiiiid)	100 Gms 250 Gms	12180 21700	53927 [7440-40-0]	Graphene Quantum Dots (1mg/ml) (GQD), 15nm, 80%	5 ml	6790
16708	Ferrous Ferric Oxide Nanopowder	5 Gms	2100	49888	Single Layer Graphene Oxide	25 ml 25 Mg	25200 4500
[1317-61-9]	(Type 1), 20-50nm, 99.9% (Iron (II, III) Oxide)	25 Gms	4730	[7782-42-5]	(SLGO) Nanopowder, 0.8-1.2nm,	100 Mg	11000
	Farmand Malana Baranda antarana	100 Gms	15000		99%	500 Mg	42000
85993 [146958-06-7]	Formamidinium Bromide extrapure, 99% (Methanimidamide Bromide,	1 Gms 5 Gms	4500 9500	58531 [7782-42-5]	Single Layer Graphene Oxide (SLGOE) Nanodispersion, 5mg/ml in ethanol	10 ml	20830
	Formamidine Hydrobromide, Iminomethylamine Hydrobromide)			72536	Single Layer Graphene Oxide	10 ml	10290
67537 [879643-71-7]	Formamidinium lodide extrapure,	1 Gms	2500	[7782-42-5]	(SLGOW) Nanodispersion, 5mg/ml in water	25 ml	17480
[013040-11-7]	(Formamidine Hydroiodide, Methanimidamide Hydroiodide)	5 Gms	8000	68908 [7440-44-0]	Graphite Nanopowder (Type 2), 1-18nm, 87%	1 Gms 5 Gms	9840 37020
37461	Fullerene C60, 99.5%	250 Mg	9800	85833	Graphite Nanopowder (Type 1),	5 Gms	2500
		1 Gms	24000	[7782-42-5]	400nm, 98%	25 Gms	7500 7500
44170	Fullerene C70, 99%	100 Mg	12000			100 Gms	25000
84500	Gold Nanopowder, 90nm, 99.99%	500 Mg 1 Gms	40000 93620	69869 [7782-42-5]	Graphite Nanopowder Lubricant Grade, 50nm, 99.5%	5 Gms	6500 25000
84500 [7440-57-5]	Gold Nanopowder, 90nm, 99.99%	1 Gms	93620		•	25 Gms	



Code	Name	Packing	Price	Code	Name	Packing	Prid
38058	Graphite Fluoride (Carbon	1 Gms	2630	30786	N719 Dye, 95%	50 Mg	5780
51311-17-2]	Monofluoride) Nanopowder,	5 Gms	7460	[207347-46-4]	Di-Tetrabutylammonium	250 Mg	11550
	1000-10000nm				cis-Bis(Isothiocyanato)Bis(2,2-Bipyridyl	1 Gms	33600
9525	Graphite Oxide Nanopowder, Dia	100 Mg	2630	5074C	-4,4-Dicarboxylato) Ruthenium(II), N-7	50 Ma	
7782-42-5]	500-1500nm	500 Mg	6830		N749 Dye (Black Dye), 95% (Triisothiocyanato-	50 Mg	2079
		1 Gms	12080	[0001.0 1]	(2,2:6,6-Terpyridyl-4,4,4-Tricarboxylato)		
1934	Graphite Pyrolytic Micronpowder,	5 Gms	8400		Ruthenium(II)		
[7782-42-5]	50micron				Di(Tetra-Butylammonium))		
9895	Hydroxyapatite Micronpowder,	5 Gms	5780	35001	Nickel Nanopowder, 20nm, 99.9%	5 Gms	2892
12167-74-7]	12micron, 99%	25 Gms	12130	[7440-02-0]			
	(Calcium Hydroxyapatite, Calcium Phosphate Tribasic)			32293	Nickel (II) Oxide Nanopowder,	25 Gms	700
2010	· · · · · · · · · · · · · · · · · · ·	E Cma	0000	[1313-99-1]	50nm, 99.5% (Nickel Monoxide)		
3616 12167-74-7]	Hydroxyapatite Nanopowder, 20nm, 99%	5 Gms	6000	72005	Nickel Titanium Alloy Nanopowder,	250 Ma	1051
12107-74-7]	(Calcium Hydroxyapatite, Calcium	25 Gms	15230	73985	30-120nm	250 Mg	1851
	Phosphate Tribasic)					1 Gms	5553
6614	Indium (III) Oxide Nanopowder	1 Gms	33040	69691	Nickel Zinc Iron Oxide (NZFO)	5 Gms	300
1312-43-2]	ultrapure, 50nm, 99.99%			[12645-50-0]	Nanopowder, APS 50nm, 99.9%	25 Gms	900
5974	Lanthanum Oxide Nanopowder	5 Gms	3680	74000	(Nickel Zinc Ferrite)	50 Ma	1000
[1312-81-8]	ultrapure, 90nm, 99.99%	25 Gms	13130	74380	Perovskite Quantum Dots (pQD 450), Fluorescence 450nm	50 Mg	1890
52726 ✓	Lithium Iron (II) Phosphate	5 Gms	4310		(Hydrophobic)		
	Micronpowder, 2micron, 98%	25 Gms		15360	Perovskite Quantum Dots (pQD	50 Mg	1890
	(Ferrous Lithium Phosphate, Iron	25 GITIS	8610	10000	480), Fluorescence 480nm	55g	1000
	Lithium Phosphate, LFP, Triphylite)				(Hydrophobic)		
3768	Lithium Titanate (LTO) (Spinel)	5 Gms	11500	77345	Perovskite Quantum Dots (pQD	50 Mg	1890
12031-95-7]	Nanopowder, 200nm, 99%	10 Gms	18000		510), Fluorescence 510nm		
	(Tetralithium Titanate)				(Hydrophobic)		
89667	Magnesium Aluminate (Spinel)	1 Gms	4120	23300	Perovskite Quantum Dots (pQD	50 Mg	1890
12068-51-8]	Nanopowder, 50nm, 99%	2 Gms	7200		550), Fluorescence 550nm		
71829	Magnesium Oxide Nanopowder,	5 Gms	2500		(Hydrophobic)		
[1309-48-4]	50nm, 99.5%	25 Gms	7500	22116 [7440-05-3]	Palladium Nanopowder (Type I), 30nm, 99.9%	100 Mg	600
E6176	Magnetic Iron Oxide Nanocrystals	20 Ma		[/440-05-0]	55mm, 55.5 /5	500 Mg	2200
56176 [73905-81-4]	Powder, 20nm, 99%	20 Mg	119620	41341	Palladium Nanopowder (Type II)	100 Mg	3500
85918	Manganese (III) Oxide	10 Gms	8400	[7440-05-3]			
	Nanopowder, 30nm,99%		0400	14387	Platinum Nanopowder, 50nm,	250 Mg	5500
	(Manganese Sesquioxide)			[7440-06-4]	99.9%		
39543	Methylammonium Bromide	1 Gms	5800	65469	Polyethylene Nanospheres - Type	25 Mg	6500
[6876-37-5]	extrapure, 99%	5 Gms	15000	[9002-88-4]	1, 740nm-4990nm	100 Mg	1250
	(Methanamine Hydrobromide,			50349	Polyethylene Nanospheres - Type	25 Mg	670
	Methylamine Hydrobromide)			[9002-88-4]	2, 200nm-9900nm	100 Mg	1565
25334	Methylammonium lodide extrapure,	1 Gms	2300	0.4700	Dely/Methyl Methodylate)		
14965-49-2]	98% (Methanamine Hydriodide)	5 Gms	4100	64798 [9011-14-7]	Poly(Methyl Methacrylate) (pMMAC) Nanospheres,	100 Mg	443
	(Wethanamine Hydrodide)	25 Gms	11000	[3011-14-7]	1500nm-11500nm	500 Mg	1815
31562	Methyl 4,4``-Dimethyl-	50 Mg	11730	28699	Selenium Nanopowder in aq.	2 ml	11876
247058-06-6]	[2,2`:6`,2``-Terpyridine]	100 Mg	18120	[7782-49-2]	media, 0.1mg/ml, 50nm		
	-4`-Carboxylate extrapure, 95%			26112	Silicon Nanopowder, 40nm, 99%	1 Gms	520
33005	Molybdenum Disulfide	5 Gms	11250	[7440-21-3]		5 Gms	2400
1317-33-5]	Nanopowder Lubricant Grade,	10 Gms	21210	40000	Silicon Carbida Nanonoudar		
	90nm, 99%			43362 [409-21-2]	Silicon Carbide Nanopowder, 50nm, 98%	25 Gms	557
15822	MXene Nanoflakes, Multilayer,	100 Mg	18000	[2"12"		100 Gms	1944
12010-00-2]	100-200nm	500 Mg	60000	69294	Silicon Dioxide Nanopowder, 15nm,	25 Gms	222
2701	MXene Nanoflakes, 1-10 layers	25 Mg	18000	[7631-86-9]	99.5%	100 Gms	702
12363-89-2]	(few-layer MXene Ti3C2Tx nanoflakes)	100 Mg	35000	22806	Silicon Dioxide (Silica)	25 Gms	195
6000	N3 Ped Dva 95%			[7631-86-9]	Nanodispersion Type A (20nm),		
	N3 Red Dye, 95% (N-3 Red Dye,	100 Mg	7880		40% in water	100 Gms	594
71700-18-7]	Bis(Isothiocyanato)Bis(2,2-Bipyridyl-4,4			69337	Silicon Dioxide (Silica)	25 Gms	195
					Nanodispersion Type B (20nm),		. 00



Code	Name	Packing	Price	Code	Name	Packing	Price
38475 [10097-28-6]	Silicon Monoxide Nanopowder, 400nm, 99.99%	1 Gms 5 Gms	8510 33600	64394 [13463-67-7]	Titanium Dioxide Rutile Nanodispersion (30nm), 40% in	25 Gms	7800
63338	Silicon Nitride Nanopowder, 20nm,	5 Gms	5000		water (Titanium (IV) Oxide)		
[12033-89-5]	99%	25 Gms	12000	16547	Titanium Dioxide Nanowires (Type	50 Mg	12500
44416	Silver Nanopowder (Type I),	1 Gms	4200	[13463-67-7]	` · · ·	o .	.2000
[7440-22-4]	100nm, 99.9%	5 Gms	13000		(Titanium (IV) Oxide)		
		10 Gms	24000	22091	Titanium Dioxide Nanowires (Type	50 Mg	12500
00014	Silver Nenengurder (Type II) 20nm			[13463-67-7]	(Titanium (IV) Oxide)		
36214 [7440-22-4]	Silver Nanopowder (Type II), 20nm, 99.9%	1 Gms	3000	52163	Titanium Nitride Nanopowder,	5 Gms	5700
		5 Gms 10 Gms	11000	[25583-20-4]	20nm, 97%	10 Gms	11000
			18000		(Titanium (III) Nitride)		
53941 [7440-22-4]	Silver Nanowires	10 Mg	5800		FK 102 Co(II) PF6 Salt Complex, 98%	1 Gms	3680
[/440-22-4]		50 Mg	23000	[1392221-69- 0]	(Tris(2-	5 Gms	12600
46912	Silver Nanoparticles Dispersion	10 ml	5500		(1H-Pyrazol-1-yl)Pyridine)Cobalt(II)		
[7440-22-4]	(Spherical) (AG20), 0.02mg/ml in Citrate (5mM)	25 ml	11500		Di[hexafluorophosphate])		
49241	Silver Nanoparticles Dispersion	10 ml	5500		FK 102 Co(III) PF6 Salt Complex,	1 Gms	4730
[7440-22-4]	(Spherical) (AG40), 0.02mg/ml in	25 ml	11500	[1346416-71- 4]	(Tris(2-	5 Gms	15750
	Citrate (2mM)			-	(1H-Pyrazol-1-yl)pyridine)cobalt(III)		
58322	Silver Nanoparticles Dispersion	10 ml	5500		Tri[Hexafluorophosphate])		
[7440-22-4]	(Spherical) (AG60), 0.02mg/ml in Citrate (2mM)	25 ml	11500	66142	FK 102 Co(II) TFSI Salt Complex,	1 Gms	3680
15669	Stannic Oxide Nanopowder, 60nm,	5 Gms	4200		98% (Tris(2-	5 Gms	12600
	99.5%	25 Gms	12080		(1H-Pyrazol-1-yl)pyridine)cobalt(II)		
	(Tin (IV) Oxide)		12000		Di[bis(Trifluoromethane)sulfonimide])		
27873	Tantalum Nanopowder, 70nm,	250 Mg	12000		FK 102 Co(III) TFSI Salt Complex,	1 Gms	2630
[7440-25-7]	99.9%	1 Gms	32000	[2057441-94- 6]	98% (Tris(2-	5 Gms	8930
74708	Tectomer 2-Tailed (C8H16(CH2NHGLY4)2.2HCI), 90%	5 Mg	13130	•	(1H-pyrazol-1-yl)pyridine)cobalt(III) Tri[bis(Trifluoromethane)sulfonimide)		
73330	Tectomer 3-Tailed (CH3C(CH2-NH-Gly7)3.3CF3CO2H) , 90%	5 M g	13130	33139 [1197995-33-7]	Triethyl [2,2`:6`,2``-Terpyridine] -4,4`,4``-Tricarboxylate extrapure, 95%	50 Mg	10660
27570	Tectomer 4-Tailed	5 Mg	13130	88917	Tungsten Nanopowder, 50nm,	1 Gms	4500
[318286-59-8]	(C(CH2-NH-Gly7)4.4HCl), 90%			[7440-33-7]	99.9%	5 Gms	14000
72951 [7440-32-6]	Titanium Nanopowder, 50nm, 99.9%	1 Gms	9530	51456	Tungsten Carbide Nanopowder, 200nm, 99%	25 Gms	7140
74629	Titanium Dioxide Photocatalyst	25 Gms	4100	[12070-12-1]	2001111, 3378	100 Gms	26710
[13463-67-7]	Nanopowder, 7nm, 95% (Titanium (IV) Oxide)	100 Gms	10500	23882	Tungsten Disulfide (WS2) Aerosol	1 piece	13000
90885	Titanium Dioxide Catalyst	25 Gms	3400		Spray (13Oz/369g)	05.0	0500
[13463-67-7]	Nanopowder, 50nm, 98%	100 Gms	10200	53032 [12138-09-9]	Tungsten Disulfide Micronpowder, 0.6micron, 99.9%	25 Gms	3500
	(Titanium (IV) Oxide)			,	(Tungsten (IV) Sulphide)	100 Gms 500 Gms	6650 31170
94632	Titanium Dioxide AnataseNanodispersion (15nm),	25 Gms	9500		Turnatur Blauff I. N.		31170
[13463-67-7]	15% in water			78519 [12138-09-9]	Tungsten Disulfide Nanopowder, 90nm, 99%	1 Gms	3120
	(Titanium (IV) Oxide)			[12100-09-9]		5 Gms	11430
40566	Titanium Dioxide Ultrapure	25 Gms	4000	23851	Tungsten Trioxide Nanopowder,	5 Gms	2210
[13463-67-7]	Nanopowder, 250nm, 99.97%	100 Gms	11200	[1314-35-8]	60-90nm, 99.5% (Tungsten (VI) Oxide, Tungstic	25 Gms	9450
35299	(Titanium (IV) Oxide) Titanium Dioxide Rutile	25 Gms	3900		Anhydride)		
[13463-67-7]	Nanopowder, 20nm, 92%	23 GIIIS	3800		Z907 Dye, 95%	50 Mg	5780
	(Titanium (IV) Oxide)			[502693-09-6]	cis-Bis(Isothiocyanato) (2,2-Bipyridyl-4,4-Dicarboxylato)	250 Mg	16280
10161 [13463-67-7]	Titanium Dioxide Rutile Nanopowder, 50nm, 99%	25 Gms	4000		(4,4-Di-Nonyl-2-Bipyridyl) Ruthenium(II), Mo		
86729	Titanium Dioxide Rutile	25 Gms	3900	19366	Zeolite - Mesoporous Carbon	100 Mg	13130
[13463-67-7]	Nanopowder (Hydrophilic), 50nm, 99%	100 Gms	11500		Nanopowder (CMK-3 Type),Dia. 3-6nm	250 Mg	19950
	(Titanium (IV) Oxide)			31755	Zeolite - Mesoporous Silica	1 Gms	12600





Code	Name	Packing	Price	Code	Code Name	Code Name	Code Name Packing
65276	Zeolite - Mesoporous Silica	1 Gms	12600				
65276	Molecular Sieve Kit-6	i dilis	12000				
83881	Zeolite - Mesoporous Silica	250 Mg	3150				
[7631-86-9]	Nanopowder (SBA-15 Type), Dia. 6-11nm	1 Gms	9480				
97621	Zeolite - Mesoporous Silica	250 Mg	14580				
[7631-86-9]	Nanopowder (1D-Hexagonal SBA-41 Type)	500 Mg	21380				
63876	Zeolite - Mesoporous Silica	250 Mg	14580				
[7631-86-9]	Nanopowder (3D-Cubic MCM-48	500 Mg	21380				
70400	Type)	5.0					
79132	Zeolite - Molecular Sieve SAPO-11	5 Gms	9720				
52201	Zeolite - Ultrastable Y	5 Gms	10290				
74004	Zina Namanaudar 50mm 00 00/	5.0					
74601 [7440-66-6]	Zinc Nanopowder, 50nm, 99.9%	5 Gms	5500				
50841	Zinc Iron Oxide Nanopowder,	10 Gms	8500				
[12063-19-3]	50nm, 98.5% (Zinc Ferrite)						
91148	Zinc Oxide Nanopowder (Type I),	10 Gms	2190				
[1314-13-2]	30nm, 99.9%	25 Gms	4370				
		100 Gms	6550				
		500 Gms	27260				
60345	Zinc Oxide Nanopowder (Type II),	5 Gms	2190				
[1314-13-2]	240nm, 99.999%	25 Gms	4370				
		100 Gms	6550				
		500 Gms	27260				
64168 [1314-13-2]	Zinc Oxide Nanodispersion Type A-Nonionic (70nm), 50% in water	10 Gms	10180				
80467	Zinc Oxide Nanodispersion Type	10 Gms	9770				
[1314-13-2]	B-Anionic (70nm), 50% in water						
74963 [1314-13-2]	Zinc Oxide Nanodispersion Type C-Cationic (70nm), 50% in water	10 Gms	9770				
99997	Zinc Titanate Nanopowder, 90 nm,	1 Gms	16820				
[12036-43-0]	99.5%						
38501 [1314-23-4]	Zirconium Dioxide Nanopowder, 45nm, 99.5%	25 Gms	3500				
[1314-23-4]	(Zirconia, Zirconium (IV) Oxide)	100 Gms	9000				

Seraloses™

Media for Gel Filtration and Affinity Chromatography

Gel Filtration (Molecular Sieving or Size Exclusion Chromatography) and Affinity Chromatography are rapidly becoming indispensable to biochemists and molecular biologists. Gel Filtration is used for the separation of macromolecules from smaller molecules. for fractionation of mixtures of various biopolymers on the basis of molecular size, for characterizing macromolecules and determining molecular weights and molar masses, for pathological screening of body fluids and for structure determination studies. Affinity Chromatography, besides being put to many of the above uses, is mainly employed for the isolation and purification of biologically active substances like enzymes, antibodies, antigens, lectins, viruses and toxins. Affinity Chromatography has the advantage of being rapid and highly selective.



∏ Seraloses™	Particle size in wet state (microns)		ation Range cular weight)	Approximate Exclusion Limits (as molecular wight)			
		Proteins	Polysaccarides	Proteins	Polysaccarides	DNA (basis pairs-bp)	
Seralose [™] 2B Seralose [™] CI-2B	60-250	7.5×10 ⁴ – 45×10 ⁶	1×10 ⁵ - 20×106	45×10 ⁶	20×10 ⁶	1353 bp	
Seralose [™] 4B Seralose [™] CI-4B	40-190	5×10 ⁴ – 20×10 ⁶	3×10⁴− 5×10 ⁶	20×10 ⁶	5×10 ⁶	872 bp	
Seralose [™] 6B Seralose [™] Cl-6B	40-190	$1 \times 10^4 - 5 \times 10^6$	1×10 ⁴ – 1×10 ⁴ –	5×10 ⁶	10×10 ⁶	194 bp	

Detailed literature available on request

Seralite Products

Ion Exchange Resins

Our important range of Seralite products is very critical for ion exchange applications. These are acidic/basic exchange resins consisting of different polymers and copolymers. The particle size of these resins is between 20 – 50 mesh and are excellent for cross-linking. Typical application of these resins are for water conditioning, softening and deionionisation, removal of recovery of high molecular weight anions, fractional separation of organic acids, amino acids, metals, peptides, inorganic and rare earth metals. They can also be used for th treatment of sugar solutions, amino acids and enzymes. SRL lon exchange resins are highly recommended products for critical separation work.

Product Name	Particle Size	Ion Exchange Capacity	pH Range	Ionoc Form
Seralite SRA-400	20 – 50 mesh BSS	3.0-3.5meq/g	0-14	CI-
Seralite SRC-120	20 – 50 mesh BSS	min 4.5meq/g	0-14	H+
Seralite SRA-400	20 – 50 mesh BSS	min 10meq/g	5-14	H+

Our Seralite series is equivalent to the Amberlite series of the Rohm and Haas Company

Part D

Dehydrated Culture Media Products

- Product Listing Media Supplements
- ChroMed[™]
 Media Kits



Harmonized Culture Media

In recent years, much of the focus has started shifing to newer methods of microbiological testing, led by the leading international pharmaceutical bodies across the world, namely European Pharmacopoeia, Japanese Pharmacopoeia and US Pharmacopoeia. These new methods include harmonization in microbiological testing and this will greatly simplify drug manufacturing norms.

SRL Harmonized Culture Media are manufactured, formulated, labelled and performance tested in compliance with the new harmonized standards.

SRL is ready to face the challenges of the future, be in Biotech, Pharmaceutical R & D, Diagnostics, or any application or research in Microbiology. We offer this new range of products to cater to the new demands that we will be fulfilling through this range.



Important highlights of our Harmonized Media:

- The usage of only the Finest Quality of Bacteriological ingredients
- Strict quality control of Raw Material testing
- Highly trained microbiologists ensure that our Harmonized media are comparable to the best international products
- Very sensitive and precise instrumentation and media manufacturing equipments make sure that each batch is consistent in quality
- Constant R & D and customer interaction helps us to design appropriate products

With our dedicated team of highly skilled microbiologists, an ISO 9001-2008 quality management system and our CE certification.





All **SRL** culture media products are CE certified and now meet EU consumer safety, health and environmental requirements.

All the manufacturing, testing parameters and packaging are done according to the CE norms.



Code	Name	Packing	Price	Code	Name	Packing	Price
38515	✓ A1 Broth (A-1 Medium)	100 Gms 500 Gms	1500 6400	59640	✓ A. K. Agar No. 2 (Sporulating Agar, Arret & Kirshbaum Medium)	100 Gms 500 Gms	1400 4700
	For the detection of faecal coliforms in foods, treated wastewater and seawater by				Used for production of spores of Bacillus subtilis ATCC 6633.		
26408	Most Probable Number (MPN) Method. ✓ AATCC Bacteriostasis Agar (FDA	100 Gms	1500	55418	✓ Aeromonas Isolation Medium Base	100 Gms 500 Gms	1700 5700
	Agar) (FDA Agar, ATCC Medium 182) APHA, FDA recommended medium for detecting plate counts of microorganisms in food, water and waste water.	500 Gms	4300		For the selective differentiation and isolation of Aeromonas hydrophila and other Aeromonas species from clinical specimens and foods.	ood ame	3700
49025	 ✓ AATCC Bacteriostasis Broth (FDA Broth) For testing antibacterial activities of 	100 Gms 500 Gms	1200 4200	63013	Aeromonas Selective Supplement (2.5mg/vI) For the selective isolation and cultivation of Aeromonas species.	5 vl	1300
59235	antiseptics and disinfectants.	100 Gms	1200	34609	✓ Aero Pseudo Selective Agar (GSP Agar)	100 Gms 500 Gms	1300 5200
	For the differentiation of non -fermentative gram negative bacteria especially Pseudomonas aeruginosa.	500 Gms	4400		Used for detection of Aeromonas and Pseudomonas in food, as well as in equipments and water supplies of food industry.	ood ame	3200
20605		100 Gms 500 Gms	1100 4100	77981 [9002-18-0	Agar powder BactoBio for microbiology	100 Gms 500 Gms	2000 7500
	For the confirmation of Pseudomonas aeruginosa in bottle water.				Specially manufactured to provide clear,	2.5 Kg	35800
64773	✓ Acetate Differential Agar (Sodium Acetate Agar)	100 Gms 500 Gms	1300 4200		high gel strength agar, suitable for use in preparation of microbiological media.		
	For the differentiation of Shigella species from those of the Escherichia genus.			35799	✓ Aleksandrow Agar	100 Gms 500 Gms	1300 4800
31257	 ✓ Acetobacter Agar (Glucose) Used for the cultivation and maintenance 	100 Gms 500 Gms	1300 4500		Widely used media for isolation and identification of Potassium solubilizing bacteria from soil samples.		
	of glucose positive Acetobacter species.			72439	✓ Algae Culture Broth	100 Gms	1000
85514	✓ Acid Broth For the isolation of acid tolerant bacteria	100 Gms 500 Gms	1200 4000		Used for the isolation and cultivation of algae from soil, water and sewage.	500 Gms	4200
	from canned foods.			36191	✓ Algae Culture Agar	100 Gms	1100
76557	✓ Actidione Agar Base w/o Actidione Used for the enumeration and detection of	100 Gms 500 Gms	1600 5050		Used for isolation and cultivation of algae from soil, water and sewage.	500 Gms	4300
	bacteria in specimens containing large numbers of yeasts and moulds.			45712	✓ Alicyclobacillus Detection Agar (Alicyclobacillus Agar)	100 Gms 500 Gms	2300 8200
15126	& Actinomyces Broth	100 Gms 500 Gms	1200 4000		Used for detection of Alicyclobacillus in fruit juices.		
	Used for the maintenance and cultivation of Actinomyces species.			80501	✓ Alkaline Peptone Water	100 Gms 500 Gms	800 2900
24729	✓ Actinomycete Isolation Agar	100 Gms 500 Gms	1300 4300		For the cultivation of Vibrio species from sea foods and clinical specimens.		
	Used for the isolation and cultivation of Actinomyces species from soil and water.			84893	✓ Alkaline Peptone Water (I)	100 Gms 500 Gms	800 2900
31047	✓ Adams Agar	100 Gms 500 Gms	1100 4100	02000	Used for the enrichment of Vibrio species. ✓ Alkaline Pentone Water (R/S)	100 0~5	
	Used for examining sporulation in yeasts.	Joo Gilla	-100	83863	✓ Alkaline Peptone Water (B/S)	100 Gms 500 Gms	800 2900
					Used for the enrichment of Vibrio species.		



Code		Name	Packing	Price	Code		Name	Packing	Price
58784	~	Alkaline Saline Peptone Water (I)	100 Gms 500 Gms	1000 3600	50747	•	Ampicillin Dextrin Broth Base	100 Gms 500 Gms	1100 4600
		Used for the enrichment of Vibrio species from food and water samples.					Recommended for the selective isolation, differentiation and quantitative enumeration		
44860	•	AC Agar (All Culture Agar)	100 Gms 500 Gms	1000 4200			of Aeromonas species from water, food and environmental samples by the		
		For growth of aerobic, anaerobic and microaerophilic organisms. Recommended			24891	ı	membrane filter method. Ampicillin Dextrin Selective Supplement	5 vl 5 x5 vl	1050
		for sterility testing of solutions and materials not containing mercurial preservatives.					Used for selective isolation and differentiation of Aeromonas species.	5 X5 VI	3800
87091	~	AC Broth (All Culture Broth)	100 Gms 500 Gms	900	78162	ı	Ampicillin Supplement (10mg/vI)	5 vl	1500
		For cultivation and isolation of aerobic, anaerobic and microaerophilic organisms.					For the selective isolotaion of Aeromonas species.		
		Recommended for sterility testing of solutions and materials not containing			12213	•	Anaerobic Agar	100 Gms 500 Gms	1200 4800
52023	~	mercurial preservatives. Alternative Thioglycollate Medium	100 Gms	500			For the cultivation of anaerobic bacteria, especially Clostridium species.		
		(I/P)(U/P) (NIH Thioglycollate Broth) For the sterility testing of biological	500 Gms	1700	20911	~	Anaerobic Agar (Brewer)	100 Gms 500 Gms	1400 4800
		products which are turbid or viscous as mentioned in pharmacopeia.					For the isolation and sensitivity testing of facultative and obligatory anaerobes.		
39422	•		100 Gms 500 Gms	600 2400	97394	~	Anaerobic Blood Agar Base	100 Gms 500 Gms	1400 4950
		Gamma irradiated sterile powder used for sterility testing of biological products which	000 00	2400			Recommended for isolation and cultivation of Group A and Group B Streptococci from throat cultures and other clinical samples		
98349	~	are turbid or viscous. Amies Transport Medium w/ Charcoal	100 Gms	1200	59821	~	Anaerobic Agar w/o Dextrose	100 Gms 500 Gms	1300 4500
		For the transport of swab specimens to	500 Gms	3700			For cultivation of variety of anaerobic bacilli, especially Clostridium species.	300 ams	4500
		prolong the survival of microorganisms, especially Neisseria gonorrhoeae.	100.0		19422	~	Anaerobic Egg Yolk Agar Base	100 Gms 500 Gms	1400 5000
24193	•	Charcoal	100 Gms 500 Gms	1200 3700			For the detection of Clostridium species, especially from food samples.	000 G	3000
		For the transport of swab specimens to prolong the survival of microorganisms.	100.0		85198	~	Anaerobic Tryptone Soya Agar	100 Gms 500 Gms	1300 4300
90600	•	Ammonium Phosphate Agar	100 Gms 500 Gms	1300 5900			Used for screening of anaerobes in cosmetics (Talcum powder).	000 G	4000
		For the detection of microorganisms that can use ammonium phosphate as nitrogen source.			47702	~	Andrade Lactose Peptone Water	100 Gms 500 Gms	840 3200
69084	V	Ampicillin Dextrin Agar Base	100 Gms 500 Gms	1300 5250			To study fermentation reactions of members of the Enterobacteriacea.		0200
		Recommended for the selective isolation, differentiation and quantitative enumeration		0200	41449	~	Andrade Peptone Water	100 Gms 500 Gms	950 4200
		of Aeromonas species from water, food and environmental samples by the					A basal medium to study fermentation reactions by adding various carbohydrates	2	.250
		membrane filter method.			90295	~	Andrade Peptone Water BioVeg	100 Gms 500 Gms	1100 4500
							A basal medium to study fermentation reactions by adding various carbohydrates.		.500



Code		Name	Packing	Price	Code	Name	Packing	Price
70197	•	Antibiotic Assay Medium No. 5 (Streptomycin Assay Agar w/ Yeast Extract) For antibiotic assay testing. For the streptomycin assay using Bacillus subtilis as the test organism.	100 Gms 500 Gms	1200 5200	22599	✓ Aqua Test E.Coli Medium Aqua Test Ecoli Medium, is used detection of faecal indicator bact drinking water, especially in low-iccountries and outside controlled	eria in ncome	7900
24301	~	Antibiotic Assay Medium No. 8 (Base Agar w/Low pH)	100 Gms 500 Gms	1200 5200	41524	settings. ✓ Arabinose Agar Base	100 Gms	1300
		For microbiological assay testing of Tetracycline,Vancomycin,Oxytetracycline,et c.				Used for selective isolation of Enterococcus faecium from faece	500 Gms	5100
52812	~	Antibiotic Assay Medium No. 9 (Polymyxin Base Agar)	100 Gms 500 Gms	1100 4200	85908	sewage and water samples. ✓ Arginine Dihydrolase Broth	100 Gms	1100
		Used as base agar for the plate assay of Carbenicillin, Colistimethate and Polymixin B.				Used for the detection of arginine dihydrolase producing microorga		4500
26751	V	Antibiotic Assay Medium No. 10 (Polymyxin Seed Agar)	100 Gms 500 Gms	1400 4200	15577	✓ Aseptic Commissioning Medium (Aseptic Packing Line Medium)	100 Gms 500 Gms	1200 4300
		Used as seed agar for plate assay of Carbenicillin, Colistimethate and Polymixin		1200		It is an ideal medium used for val aseptic packing and filling lines.		4000
87878	~	B. Antibiotic Assay Medium No. 1	100 Gms	1100	64778	✓ Ascospore Agar	500 Gms	4300
		(Seed Agar) (Penassay Seed Agar, Seed Agar, Agar Medium A) For antibiotic assay testing, detection of	500 Gms	5000		Ascospore Agar is a solid mediur recommended for use in qualitati procedures for the cultivation of ascomycetous yeasts.		
		antibiotics in milk and determination of the antimicrobial effectiveness of antibiotics.			88277	Ashby's Glucose Agar	100 Gms	1300
50741	~	Antibiotic Assay Medium No. 2 (Base Agar, Penassay Base Agar)) (Penassay Base Agar, Base Agar) For use as a base layer in antibiotic assay	100 Gms 500 Gms	1200 5200		For the cultivation of Azotobacter that can utilize glucose as carbor atmospheric nitrogen as nitrogen	and	4700
66729	~	testing. Antibiotic Medium No. 3 (U/P) (I/P)	100 Gms	1000	26569	✓ Ashby's Mannitol Agar	100 Gms 500 Gms	1300 4700
		(Assay Broth, Penassay Broth) For microbiological assay of antibiotics.	500 Gms	3300		For the cultivation of Azotobacter that can utilize mannitol as carbo	•	., 55
10892	V	<u> </u>	100 Gms	1300		atmospheric nitrogen as nitrogen	source.	
		For assaying antifungal activity.	500 Gms	4300	75830	✓ ASLA Agar	100 Gms 500 Gms	1200 4400
12797	~	APRY Agar Base	100 Gms 500 Gms	1100 4200		Used for isolation and cultivation Propionibacterium species from f		
		For the cultivation of acid resistant yeasts.	400.0		57624	 Aspergillus Differentiation Mediun Base 	100 Gms 500 Gms	1500 5650
26126	•	APT Agar (APHA)	100 Gms 500 Gms	1200 4400	53903	✓ Asparagine Nitrate Medium	100 Gms	3300
		Used for the cultivation of heterofermentative lactobacilli requiring high thiamine content.				Recommended media for isolatic cultivation of denitrifying bacteria		
31990	~	APT Broth (APHA)	100 Gms	1200	69318	✓ Asparagine Proline Broth	100 Gms 500 Gms	1200
		Used for the cultivation of	500 Gms	4200		For the cultivation of Pseudomon	as	4400
		heterofermentative lactobacilli requiring high thiamine content.			95670	aeruginosa by membrane filter te ✓ Asparagine Proline Broth BioVeg	cnnique. 100 Gms 500 Gms	1300
						For cultivation of Pseudomonas aeruginosa by membrane filter te		.550



25		

Code		Name	Packing	Price	Code		Name	Packing	Price
92301	•	Culture Agar) Used for maintaining stock cultures of bacteria, particularly streptococci.	100 Gms 500 Gms	1300 4700	97676	•	B.C.P D.C.L.S. Agar (Bromocresol Purple-Deoxycholic Acid-Citrate-Lactose-Sucrose Agar) Used for the selective isolation of Salmonella and Shigella species.	100 Gms 500 Gms	1300 4800
94692	•	Azide Blood Agar Base Used for isolation of streptococci and staphylococci, with added blood may be	100 Gms 500 Gms	1300 4500	69574	•	Beef Extract Agar (ex. Buffalo) For the cultivation and maintenance of a	100 Gms 500 Gms	1000 4100
		used for determination of hemolytic reactions.			39359	~	wide variety of microorganisms. Beef Extract Broth (ex. Buffalo)	100 Gms	900
47479	•	Bacillus Differentiation Agar Used for the differentiation between	100 Gms 500 Gms	1700 5300			For the cultivation of a wide variety of microorganisms.	500 Gms	3600
		Bacillus cereus and Bacillus subtilis based on mannitol fermentation.			60856 [68990-09-		Beef Extract ex. Buffalo BactoBio for bacteriology	500 Gms 5 Kg	2000 17500
51747	•	Bacillus Medium Used for the cultivation of Bacillus licheniformis.	100 Gms 500 Gms	900 3600			A dehydrated extract of bovine tissue, used generally to compliment the nutritive properties of peptone. It is source of nitrogen, vitamins, amino acids and carbon.		
74664	•	Bacillus Cereus Agar Used for the isolation and enumeration of	100 Gms 500 Gms	1100 4500	57542	~	Beijerinckia Medium Used for the isolation of Beijerinckia sps.	100 Gms 500 Gms	1300 5100
98947	~	Bacillus cereus. Bacteroides Bile Esculin (BBE) Agar Base Used for the selective isolation,	100 Gms 500 Gms	3200 12900	29141	~	BIGGY Agar (Nickerson Medium) (Nickerson Agar) For the detection and isolation of Candida	100 Gms 500 Gms	1100 4700
		identification and cultivation of Bacteroides fragilis group			49319	~	species. Bile Broth Base	100 Gms	1300
83141		Bacteroides Selective Supplement (50mg/vl) Used for the selective isolation of Bacteroides species.	5 vl	1200	00040		For the culture of blood clots from patients with suspected enteric fever.	500 Gms	5200
50222	•	Baird-Parker Agar, Base (U/P)(I/P) (I) Used as base for egg-tellurite-glycine agar	100 Gms 500 Gms	1000 4200	66013	•	Bile Esculin Agar w/o azide (I) For the isolation and presumptive identification of group D Streptococci.	500 Gms	3500 13200
		for the selective isolation of coagulase positive staphylococci from food, skin, soil, air and other materials.			66572	~	Bile Esculin Agar, Base For the isolation and presumptive	100 Gms 500 Gms	2300 10200
24562	•	Baird-Parker Agar, Base (B/S) Recommended medium for isolation and	100 Gms 500 Gms	1000 4200	34963	~	identification of group D Streptococci. Bile Esculin Azide Agar	100 Gms 500 Gms	2400 9000
		enumeration of coagulase positive staphylococci from food and other specimens.					For the isolation and presumptive identification of group D Streptococci.		
21748	•	Recommended medium for isolation and enumeration of coagulase-positive	100 Gms 500 Gms	1500 5300	79630	•	B.D.G.Broth, Hajna For the selective enrichment and cultivation of enteric bacilli from food and in treated drinking water.	100 Gms 500 Gms	1200 4000
26267	~	staphylococci from food and other specimens. B.C. Motility Medium	100 Gms	1100	64104	•	Bile Salts Agar	100 Gms 500 Gms	1200 5200



Code		Name	Packing	Price	Code	ı	Name	Packing	Price
50362	•	Bile Salts BactoBio for bacteriology	100 Gms 500 Gms	5400 19800	55369		Bismuth Sulphite Agar (I) (Bismuth Sulfite Agar (I))	100 Gms 500 Gms	900 3700
		Used in microbiological culture media as a selectively inhibitory agent.				(For the selective isolation and identification of Salmonella typhi and other enteric		
18276	•	Bile Salts No. 3 BactoBio for bacteriology	100 Gms 500 Gms	8100 24700	48794		oacilli. Blood Agar Base	100 Gms	900
		Bile salts No. 3 is a refined bile salt for use	ooo ams	24700			(Infusion Agar)	500 Gms	3700
		as a selective inhibitory agent in bacteriological culture media. It consist of					For the preparation of blood agar by the addition of sheep blood.		
		a specially modified fraction of bile acid salts (comprising mainly of sodium cholate			90935		Blood Agar Base (w/o sheep blood)	100 Gms	900
		and sodium deoxycholate).					bioodj	500 Gms 5 Kg	3700
69577	V	Bile Salts Brilliant Green Starch	100 Gms	2200			For the isolation, cultivation and detection	5 Kg	34500
56175	_	Agar Bile Salts Mixture BactoBio for	500 Gms 100 Gms	5800 7800		(of haemolytic activity of streptococci and other fastidious microorganisms.		
56175	•	bacteriology	500 Gms	22500	67644		Blood Agar Base No.2 (w/ 1.2%	100 Gms	1000
		Used as an inhibitory agent for gram					Agar)	500 Gms	3700
		positive organisms in microbiological media.					For the isolation, cultivation and detection		
18037	~		100 Gms	s 1400			of haemolytic activity of streptococci, pneumococci and other particularly		
		bacteriology	500 Gms	5400			fastidious microorganisms.		
		It is used in bacteriological culture media as an inhibitory agent for gram positive			74999		Blood Agar Base w/ Low pH (w/o sheep blood)	100 Gms 500 Gms	1000 3800
		bacteria, making it selective for isolation				ı	For the isolation and growth of a wide	555 55	0000
		and identification of pathogens. Bile Tolerant Gram negative					variety of microorganisms. The slightly acid		
79665	•	Bile Tolerant Gram negative bacteria Test Kit (Pre-Weighed	1 Kit	1200			oH of this medium enhances distinct nemolytic reactions.		
		Media) Used for isolation, identification and cultivation of Bile tolerant gram negative			81083		Blood Free Campylobacter	100 Gms	1500
							Selectivity Agar Base	500 Gms	5400
92875	_	bacteria. Biochemical Test Kit - I	1 L/i+	0600		differentiation of Campylobacter species	Used for the selective isolation and differentiation of Campylobacter species		
92875	•	(Pre-Weighed Media)	1 Kit	2600		1	from food and animal feeding stuffs. This		
		Used for biochemical identification of gram negative enteric bacteria based on tests					medium is recommended by ISO 10272-1&2:2017.		
		like Carbohydrate utilization, H2S			71476	~ 1	BG-11 Broth (Blue-Green Medium)	100 Gms	1500
		production, Phenylalanine deaminase and Urease production.						500 Gms	5000
65896	~	•	1 Kit	2400			For culture and maintenance of cyanobacteria.		
		(Pre-Weighed Media) Used for biochemical identification of			85308		Bordet - Gengou Agar, Base (w/o	100 Gms	1300
		microorganisms based on tests - Nitrate					rabbit blood)	500 Gms	5000
		reduction, Malonate utilisation, Gelatin					For the detection and isolation of Bordetella specimens.		
55785	~	liquefaction and Starch hydrolysis. Bio Peptone (Mixture of Casein &	500 Gms	2900	15097		B.P. Sulpha Supplement (50mg/vl)	5 vl	1200
		Meat Peptone) BactoBio for bacteriology	5 Kg	23100			Used for suppressing the growth of		
			10 Kg	44100			Proteus species on Baird Parker Agar		
		Biopeptone is a mixture of enzymic digest of casein and meat peptone. It is					Base.	100.0	
		recommended for the cultivation of			91661		BPL Agar (Brilliant Green Phenol Red Agar)	100 Gms 500 Gms	1300 4500
		fastidious microorganisms in Columbia Broth Base, Dextrose Agar and Casman				For isolation and identification of			-1000
		Broth Base, Dextrose Agar and Casman Agar Base.				;	Salmonellae except S.typhi in faeces, urine,		



Code		Name	Packing	Price	Code		Name	Packing	Price
46530	•	(BHI CC Agar) Recommended for isolation and cultivation of fastidious pathogenic fungi and saprophytic fungi from specimens heavily	100 Gms 500 Gms	2200 9500	65774		For the selective isolation of Salmonella other than S.typhi from faeces, food and dairy products.	100 Gms 500 Gms	900 3500
64944	•	contaminated with bacteria. Brain Heart Infusion Powder (BHI Powder) BactoBio for bacteriology Used for cultivation of highly fastidious microorganisms like Streptococci, Pneumococci, Meningococci,	500 Gms 5 Kg	3000 28200	14980		Brilliant Green Agar, Modified (I) (Brilliant Green Agar Base w/ Phosphates) For the selective isolation of Salmonellae from faeces, water, food and dairy products.	100 Gms 500 Gms	900 3500
94124	•	Haemophilus, Neisseria sp. and pathogenic fungi. A highly nutritious mixture of calf brain infusion and beef heart infusion.	100 Gms	900	18545	•	Lactose Bile Brilliant Green Broth 2% (I)(B/S) Recommended medium for detection and confirmation of coliforms from water, wastewater, foods, milk and dairy products.	100 Gms 500 Gms	1100 4900
87864		For the cultivation of wide variety of fastidious bacteria, yeasts and molds from clinical and non-clinical specimens. Brain Heart Infusion Broth (BHI)	5 Kg	32500	98383	•	For the detection & enumeration of coliform bacteria in materials of sanitary importance such as water, sewage &	100 Gms 500 Gms	1000 4200
82856		For the cultivation of variety of fastidious and non-fastidious aerobic and anaerobic microorganisms. Brain Heart Infusion Agar, Modified	500 Gms 5 Kg 100 Gms	3200 29500 1000	39284	•	foods. Brilliant Green Sulfa Agar (B.G. Sulpha Agar) For the selective isolation of Salmonella species, other than Salmonella typhi from food, dairy products, eggs, egg products	100 Gms 500 Gms	1000 4500
02030		(BHI Agar, Modified) For the cultivation of wide variety of fastidious bacteria, yeast and molds from clinical and non-clinical specimens.	500 Gms 5 Kg	3900 35100	32445	•	and feed. Bolton Broth Base A medium for the selective pre-enrichment of Campylobacter species in food samples.	100 Gms 500 Gms	1100 4900
84560 26671		Brain Heart Infusion w/ 0.1% Agar (BHI w/ 0.1% Agar) For the cultivation of fastidious pathogenic microorganisms. Brain Heart Infusion w/ PABA and	100 Gms 500 Gms	1100 3900 1200	55582		Used for the selective enrichment of Campylobacter species from food samples.	5 vl 5 x5 vl	1800 7800
		Agar (BHI Agar w/PABA) For the detection of fastidious microorganisms from blood containing sulfonamides.	500 Gms	4800	66006		Bordetella Selective Supplement (20mg/vl) Used for the selective isolation of Bordetella species.	5 vl	1400
25357	•	Brain Heart Infusion Broth w/6.5% NaCl (BHI Broth w/6.5% NaCl) Nutritive medium used for cultivation of salt	100 Gms 500 Gms	1000 3800	26384		Bromocresol Purple Supplement (15mg/vl) Used for isolation and identification of faecal streptococci.	5 vl	900
33355	•	For sterility testing of biological products and other materials.	100 Gms 500 Gms	700 2800	49977	~	Bromocresol Purple Azide Broth For the confirmation tests for presence of faecal streptococci in water and waste water.	100 Gms 500 Gms	1100 4100
					19202	•	Bromocresol Purple Lactose Broth (BCP Lactose Broth, Yeast Fermentation Broth Base) Used as presumptive medium for the detection of coliform bacteria in water.	100 Gms 500 Gms	1000 3800



Code		Name	Packing	Price	Code	Name	Packing	Price
53213	~	Bromocresol Purple Lactose Broth w/o Sodium Chloride	100 Gms 500 Gms	1000 3600	22197	✓ Buffered Peptone Water BioVeg	100 Gms 500 Gms	800 2900
46172	ı	Bromothymol Blue Supplement (20mg/vI) Used for differentiating microflora from urine sample.	5 vl	600		A pre-enrichment medium, manufactured from animal free bases for the isolation of Salmonella, especially injured microorganisms from various food		
68035	~	Bryant and Burkey Agar	100 Gms 500 Gms	1200	93439	sources. ✓ Buffered Peptone Water w/ Casein	100 Gms	900
		For the detection of lactate fermenting Clostridial species in milk and dairy products.	500 GITIS	4500	33433	A pre-enrichment medium, for the isolation of Salmonella, especially from cocoa	500 Gms	3500
61882	~	Bryant and Burkey Medium	100 Gms	1100		(chocolates and confectionary).		
		For the detection of lactate fermenting Clostridial species in milk and dairy products.	500 Gms	4200	85268	 ✓ Buffered Tryptone Glucose Yeast Extract Broth Used for the isolation of Clostridium perfringens from food samples. 	100 Gms 500 Gms	1100 3900
19814	~	B.T.B. Lactose Agar (Bromothymol Blue Lactose Agar)	100 Gms 500 Gms	1200 4400	70054	✓ Buffered Yeast Agar	100 Gms 500 Gms	1000 3900
		For the isolation and cultivation of pathogenic Staphylococci.				For the cultivation of yeast and molds and for controlling bottle washing operations in		
28540	ı	B12 Culture Agar, (U/P) For the cultivation and maintenance of Lactobacillus leichmannii ATCC 7830 to be used as the test organism in the vitamin	100 Gms	1800	89637	the soft drinks and related industries. ✓ Buffered Sodium Chloride-Peptone Solution pH 7.0,Harmonized Used as diluent in pharmaceutical testing	100 Gms 500 Gms	800 2900
		B12 assay.				according to harmonized methods.	100.0	
79328	ı	B12 Inoculum Broth, (U/P)	100 Gms 500 Gms	1700 7200	73461	✓ Burk`s Medium	100 Gms 500 Gms	1300 4100
		For the preparation of inoculum cultures of Lactobacillus leichmannii ATCC 7830, which is used as the test organism in the				Used for isolation and cultivation of nitrogen fixing bacteria such as Azotobacter species from soil.		
		vitamin B12 assay.			32639	✓ Bushnell - Haas Agar	100 Gms	1000
21700	Y	Buffered Glycerol Saline Base	100 Gms	900		For examining fuels for microbial contamination and for studying	500 Gms	4200
72993	•	Buffered Peptone Water	100 Gms 500 Gms	700 2900		hydrocarbon utilization by microorganisms.		
		A pre-enrichment medium for the isolation of Salmonella species, especially injured			14509	✓ Bushnell - Haas Broth	100 Gms 500 Gms	800 3600
88680	~	microorganisms from food sources. Buffered Peptone Water (I/O) (B/S)	100 Gms 500 Gms	800		For examining fuels for microbial contamination and for studying hydrocarbon utilization by microorganisms.		
		Recommended medium for pre-enrichment of injured Salmonella species from foods,	ood ams	2900	16574	✓ CAE Agar Base (Citrate Azide Enterococcus)	100 Gms 500 Gms	1100 4200
10005		before selective enrichment and isolation.	100.0	1000		Used for identification of Enterococci in meat, dairy and other food products.		
12995	•	An isotonic agent recommended for use as a diluent in performing microbial examination of non-sterile products.	100 Gms 500 Gms	1000 2900	35512	CAL Agar (Cellobiose Arginine Lysine Agar) Used for the isolation and characterization of Yersinia enterocolitica from faecal specimens	100 Gms	7400
					95845	✓ Calcium Caseinate Agar	100 Gms 500 Gms	1500 4900
						For the detection and enumeration of proteolytic microorganism in foodstuff and other materials.		.550



Code	Name	Packing	Price	Code		Name	Packing	Price
25867 🗸	Campylobacter Agar Base	100 Gms 500 Gms	1300 5000	61796	•	Casein Peptone BactoBio for bacteriology	500 Gms 5 Kg	2400 22500
	Used with addition of blood and antibiotics in isolation and cultivation of Campylobacter species.					An enzymatic digest of casein, rich in amino acids and peptides. Used as a nitrogen source in microbiological media.		
36198 🗸	Candida BCG Agar, Base	100 Gms 500 Gms	1300 4800	72689	~	Casitone (Casitose) BactoBio for bacteriology	500 Gms	2400
	For use with added Neomycin for isolation and differentiation of Candida from primary specimens.			49946		Casitose Agar w/ 1.5% Agar Used as a general purpose medium for	500 Gms 5 Kg	4100 37900
95160 🗸	Candida Isolation Agar (Candida	100 Gms	1300			cultivation of microorganisms.		
	Agar) For the isolation and differentiation of Candida albicans.	500 Gms	4800	79033	•	Casitose Soya Agar, Modified (Casein Soya Agar, Modified)	100 Gms 500 Gms	1300 4200
45568 🗸	Candida Albicans Test Kit	1 Kit	1200			For the growth of wide variety of organisms.		
	(Pre-Weighed Media) Used for isolation, identification and cultivation of Candida albicans.			13927	•	Casitose Soya Blood Agar Base (Casein Soya Blood Agar Base) (Trypticase Soya Blood Agar Base)	100 Gms 500 Gms	1300 4500
92558 🗸	Carbohydrate Fermentation Test Kit - I (Pre-Weighed Media) For the differentiation of microorganisms	1 Kit	3800			Recommended for the cultivation of fastidious microorganisms and detection of their hemolytic activity.		
	on the basis of various carbohydrate fermentation reactions.	4.16		91254	•	Casman Agar Base	100 Gms 500 Gms	1100 4200
40071 ✓	Carbohydrate Fermentation Test Kit - II (Pre-Weighed Media) For the differentiation of microorganisms on the basis of various carbohydrate	1 Kit	7300			Used with addition of blood, for isolation and cultivation of fastidious microrganisms from clinical specimes.		
	fermentation reactions.			18871	ı	CBI Supplement	5 vl	1500
54951 ✓	Carbon Utilisation Agar	500 Gms	2300			Used for selective isolation of Clostridium botulinum.		
	Used for characterization of Streptomyces on the basis of carbon utilization studies.			90465	~	Cetrimide Agar Base, Harmonized	100 Gms	900
24715 ✓	Cary - Blair Transport Medium, Base (w/o charcoal) For maintenance as a holding medium or transport medium of clinical specimens during collection or shipment.	100 Gms 500 Gms	1100 4400			Used for the selective isolation and identification of Pseudomonas aeruginosa in pharmaceutical testing according to harmonized methods.	500 Gms	3600
68806 ✓ [65072-00-6]	Acicase (Casein Acid Hydrolysate, Casamino Acids) BactoBio for bacteriology	500 Gms 2 Kg	6500 22000	45470	•	Cetrimide Agar, Base For the selective isolation, cultivation and	100 Gms 500 Gms	900 3600
	Acid digest of casein, a rich source of nitrogen recommended for use in microbiological culture media that require a completely hydrolyzed protein as a nitrogen source.			93927	•	identification of Pseudomonas aeruginosa. Cetrimide Agar BioVeg Made from Veg.based ingredients; it is	100 Gms 500 Gms	900 3600
95305 🗸	nitrogen source. Acicase (Casein Acid	500 Gms	5000			used for the selective cultivation and identification of Pseudomonas aeruginosa.		
[65072-00-6]	Hydrolysate, Casamino Acids) Technical for bacteriology Acid digest of casien; is a rich source of	2 Kg	18000	31199	~	Cetrimide Broth (U/P)	100 Gms 500 Gms	900 3300
68211 🗸	nitrogen. Casein Magnesium Broth (NZM	100 Gms	1400			Used for the cultivation of Pseudomonas aeruginosa.		
	Broth) Used in the cultivation of recombinant strains of Escherichia coli.	500 Gms	5500	94532	ı	Cetrinix Supplement	5 vl 5 x5 vl	1900 4500
	Citatio of Esonotionia coll.					Used for the selective isolation of Pseudomonas species.		



Code		Name	Packing	Price	Code		Name	Packing	Price
70984		CFC Supplement	5 vl 5 x5 vl	1700 5000	96599	ı	ChroMed ECC Agar	100 Gms 500 Gms	4200 16100
		Used for selective isolation of Pseudomonas species.					Differential medium recommended for presumptive identification of Escherichia		
11507	•	Chapman Stone Agar	100 Gms 500 Gms	1100 3900			coli and other coliforms in food and environmental samples.		
		For the isolation of staphylococci from a variety of specimens.			75955	ı	ChroMed E.coli Agar	100 Gms 500 Gms	2900 12900
58323	~	Charcoal Agar For the cultivation and maintenance of	100 Gms 500 Gms	1200 4200			Recommended chromogenic medium, used for the detection and enumeration of Escherichia coli and coliforms from food samples.		
		fastidious microorganisms, especially Bordetella pertussis, for production of vaccines.			46706	ı	ChroMed Klebsiella Selective Agar Base	100 Gms 500 Gms	2100 8600
53641	~	Charcoal Agar w/ Niacin Used for cultivation and isolation of	100 Gms 500 Gms	1400 4950			Used for the selective isolation and detection of Klebsiella species from water and other sources. This medium can also be used in membrane filtration procedure.		
		Bordetella pertussis and Haemophilus influenzae.			45615	ı	ChroMed Listeria Agar (I)	100 Gms	1800
52057	~	China Blue Lactose Agar Used for differentiating lactose fermenters	100 Gms 500 Gms	1100 4500			A selective and differential chromogenic medium recommended for rapid and direct identification of listeria species.	500 Gms	7700
		and non fermenters and also in enumeration of bacteria in milk.			38284	V	ChroMed Listeria Agar Base, Modified	100 Gms	1800
52665		Agar BioVeg	100 Gms 500 Gms	800 3600			For the selective identification and differentiation of Listeria monocytogenes.	500 Gms	7400
		Used for the isolation and enumeration of molds in milk and milk products.			65621	ı	ChroMed MeReSA Agar	100 Gms	2800
27880		A chromogenic medium used for the identification of Staphylococcus aureus.	100 Gms 500 Gms	2200 9900			A chromogenic media recommended for the isolation and selective identification of Methicillin Resistant Staphylococcus aureus (MRSA) from clinical isolates.	500 Gms	11800
78355	i i	A chromogenic medium used for the isolation of Bacillus species from a mixed culture in foods, clinical and non-clinical samples.	100 Gms 500 Gms	1400 5500	75213	<u>.</u>	Chromed M-Lauryl Sulfate Agar (MLGA) (Membrane Lactose Glucuronide Agar) For the differentiation and enumeration of Escherichia coli and other coliforms by membrane filter technique.	100 Gms 500 Gms	5200 20900
42436		ChroMed Chromogenic Coliform Agar (CCA) (I)	50 Gms 100 Gms 500 Gms	3100 5800	90219	ı	ChroMed OGYE Agar Base (I) Selective and differential medium for	100 Gms 500 Gms	3800 16600
		For detection of Escherichia coli and coliforms in water samples as per ISO	Jou Gills	27300		n	isolation of yeasts and moulds from milk and milk products.		
19440	ı	standards 9308-1:2014. ChroMed Chromogenic Coliform Agar w/ SLS (CCA w/ SLS)	50 Gms 100 Gms 500 Gms	2500 4500	92671	ä	A chromogenic medium used for the differentiation of Salmonella species.	100 Gms 500 Gms	10300 48400
		For detection of Escherichia coli and coliforms in water samples.	Joo Gills	17500	52496		ChroMed TBX Agar (E.coli Agar Modified) A selective chromogenic medium used for	100 Gms 500 Gms	2200 10100
							the detection and enumeration of Escherichia coli in food samples, animal feeds and water.		



Code		Name	Packing	Price	Code		Name	Packing	Price
42979	ı	ChroMed UTI Agar	100 Gms 500 Gms	3000 14300	12655	V	Clostridium Test Kit (Pre-Weighed Media)	1 Kit	1200
		A chromogenic medium used for the					Used for isolation, identification and		
		presumptive identification and				0	cultivation of Clostridium species.		
		differentiation of microorganisms causing			64078	8	CNA Supplement	5 vl	1800
		urinary tract infections.					Recommended for the selective isolation of		
80559	~	CHO Medium, Base (Carbohydrate Medium, Base)	100 Gms	1000			anaerobic gram-positive cocci.		
			500 Gms	3800	19156	~	Coagulase Mannitol Agar Base	100 Gms	1100
		Used as a basal medium to which						500 Gms	4700
		carbohydrates are added for fermentation studies of anaerobic bacteria.					For the cultivation, differentiation of		
28850	_		100 Gms	1200			Staphylococcus aureus from other		
20030		Onecolate Agai, Bace	500 Gms	4200			Staphylococcus species, based on		
		For the isolation and identification of a	300 GIII3	4200			coagulase production and mannitol fermentation.		
		variety of fastidious microorganisms.			52655	_	Coliform Medium (CM, Coliform	100 Gms	1000
14602		Chloramphenicol Selective	5 vl	1200	52055	·	Broth)	500 Gms	3600
1-1002	-	Supplement (50mg/vl)	5 x5 vl	3500			For the isolation & cultivation of coliform	300 GIII3	3000
		Used for the selective isolation and		0000			organisms from raw milk, cream, yoghurt.		
		cultivation of yeasts and moulds.			21493	_	Columbia Agar Base, Harmonized	100 Gms	900
60822	~	Chloramphenicol Yeast Glucose	100 Gms	800	21400		· · · · · · · · · · · · · · · · · · ·	500 Gms	3700
		Agar (I)	500 Gms	3700			Used for the isolation of fastidious and	333 3	0700
		For selective enumeration of fungi, yeasts					non-fastidious microorganisms in		
		and molds in milk and milk products.					pharmaceutical testing according to		
93306	~	Christensen Citrate Agar	100 Gms	1000			harmonized methods.		
	0000		500 Gms	4400	45481	~	Columbia Agar, Base	100 Gms	900
		For the differentiation of enteric pathogens						500 Gms	3700
		based on their ability to utilize citrate as a					For the isolation and cultivation of		
		carbon source.					fastidious and non-fastidious		
55769	~	CLED Agar	100 Gms	1000			microorganisms.		
		(Brolacin Agar)	500 Gms	3700	97789	~	Columbia C.N.A. Agar Base	100 Gms	2500
		For the isolation, enumeration and						500 Gms	10100
		presumptive identification of					For selective isolation and cultivation of		
		microorganisms from urine. CLED Agar w/ Andrade Indicator	100.0	1000			pathogenic Gram-positive cocci from clinical and non-clinical specimens.		
88366	٠	CLED Agai w/ Andrade indicator	100 Gms 500 Gms	1000	23588	_	Conn's Agar	100 Gms	2200
		For differentiation verieus microorganisms	500 Gms	3700	20000		· · · · · · · · · · · · · · · · · · ·	500 Gms	9100
		For differentiating various microorganisms depending on their colony characteristics.					Used for the cultivation of fungi.	333 3	0100
40980	_		100 Gms	1100	16340	_	Corn Meal Agar w/ Dextrose	100 Gms	1000
40300	٠	Agar, Base	500 Gms	4400	10040		22 Hour Agai II, Donitose	500 Gms	4300
		For the isolation, cultivation and	ooo amo	4400			Cultivation of phytopathological and other	ooo amo	4500
		differentiation of Clostridium botulinum					fungi.		
		from food samples.			26998	V	Corn Meal Agar	100 Gms	1000
26836	~	Clostridium Difficile Agar Base	100 Gms	1400			-	500 Gms	4300
			500 Gms	4950			For the chlamydospore production by		
		Recommended for selective isolation of					Candida albicans and maintenance		
		Clostridium difficile from food and certain					medium for fungal stock cultures.		
		pathological specimens			60277	~	Corn Meal Peptone Yeast Agar	100 Gms	1200
93834		Clostridium Difficile Supplement	5 vl	1300				500 Gms	4200
			5 x5 vl	3900	73398	~	Cooke Rose Bengal Agar Base	100 Gms	1700
		Used for the selective isolation of						500 Gms	5900
		Clostridium difficile.					Used for the selective cultivation and		
							isolation of fungi.		



Code		Name	Packing	Price	Code		Name	Packing	Price
45455	•	CPC Agar Base For cultivation and differentiation of Vibrio species from food samples.	100 Gms	6300	61195	ı	Dairy samples Testing Kit (Pre-Weighed Media) Used for identification and enumeration of microorganisms from dairy products.	1 Kit	2100
65165		CPC Supplement For isolation and enumeration of Vibrio species from foods	5 vl	2300	96640	•	Decarboxylase Test Medium Base (Falkow) (Decarboxylase Basal Medium, Decarboxylase Media, Falkow)	100 Gms 500 Gms	1000 3700
48743	~	Craigs Medium	100 Gms 500 Gms	1300 3900			For the differentiation of bacteria based on their ability to decarboxylate the amnio acid.		
70952	•	CRAMP Agar Base For the cultivation of Yersinia species with plasmids.	100 Gms	5300	47129	•	Deoxycholate Agar Differential medium for direct counts of	100 Gms 500 Gms	900 3900
27793	~	Cystine Tryptone Agar (Cystine Tryptic Agar) Used for the maintenance, subculturing	100 Gms 500 Gms	1000 3700			coliforms from dairy products and for the isolation of enteric microorganisms from clinical and non-clinical specimens.		
		and detection of motility of various bacteria.			20023	•	Deoxycholate Citrate Agar (I/P)	100 Gms 500 Gms	1400 6300
77853	~	Crystal Violet Agar (Crystal Violet Lactose Agar)	100 Gms 500 Gms	1200 4300			Used for the selective isolation and cultivation of enteric pathogens, especially Salmonella and Shigella species.		
57485	~	For the differentiation of pathogenic and non- pathogenic staphylococci. Crystal Violet Lactose Broth	100 Gms	1400	38695	•	Deoxycholate Lactose Agar	100 Gms 500 Gms	1200 4300
		For the detection of coliforms in water filtration control works.	500 Gms	3800			For the isolation and differentiation of Gram-negative enteric bacilli and for enumeration of coliforms from water, waste water, milk and dairy products.		
91022	~	Crystal Violet Tetrazolium Agar, Base Used for the detection of gram-negative	100 Gms 500 Gms	1100 4500	18752	~	Dermatophyte Test Agar Base (D.T.M. Agar Base) For the isolation and cultivation of	100 Gms 500 Gms	1200 4500
		psychrotrophic bacteria causing food spoilage.			68650	•	dermatophytic fungi. DEV Nutrient Agar	100 Gms	1100
29212	•	Czapek - Dox Agar For the cultivation of fungi and bacteria capable of utilizing sodium nitrate as the	100 Gms 500 Gms	900 3300			To determine total germ count in water acc. To the "Deutschen Einheitsverfahren" regulations of drinking water.	500 Gms	3900
93812	~	For the cultivation and maintenance of numerous fungal species, also for chlamydospore production by Candida	100 Gms 500 Gms	1200 4200	22438	•	Used for sub-cultivation for coliform differentiation and for indole testing in the bacteriological examination of water as per German Standard methods.	100 Gms 500 Gms	800 2900
74367	~	albicans. Czapek - Dox Broth For the cultivation of fungi and bacteria capable of utilizing sodium nitrate as the sole source of nitrogen.	100 Gms 500 Gms	800 2900	15923	•	For the cultivation of a wide variety of microorganisms and used as a base for blood agar and for general laboratory purposes.	100 Gms 500 Gms	900 3800
95417	~	Czapek Malt Agar For the isolation and cultivation of	100 Gms 500 Gms	900 3700	64098	~	Dextrose Broth For the isolation and enrichment of	100 Gms 500 Gms	800 2700
		saprophytic fungi.					fastidious or damaged microorganisms.		



Code		Name	Packing	Price	Code	Name	Packing	Price
83607	•	Dextrose Mannitol Agar (Gillies Agar No.1)	100 Gms 500 Gms	1300 4700	52978	✓ Differential Reinforced Clostridial Broth, Base (I)	100 Gms 500 Gms	900 3300
		Recommended medium for primary isolation of Salmonella and Shigella				For the cultivation of Clostridia from water samples.		
		species, by detection of urease production, dextrose and mannitol fermentation.			88167	✓ Differential Reinforced Clostridial Broth, Base BioVeg	100 Gms 500 Gms	900 3500
98009	•	Dextrose Proteose Peptone Agar Base	100 Gms 500 Gms	1100 3900		For the cultivation of Clostridia from water samples.		
		Used in combination with blood and tellurite for the isolation of Corynebacterium			63899	✓ Dihydrolase Broth, Base	100 Gms 500 Gms	1300 4100
11581	~	diphtheriae. Dextrose Salt Agar	100 Gms	1100	14912	✓ Diluting Fluid A	100 Gms 500 Gms	800
		For the enumeration of yeasts and molds in butter and dairy products.	500 Gms	4300		Used for sterility testing of pharmaceuticals.		
87461	~	Dextrose Salt Broth	100 Gms	1000	23121	✓ Diluting Fluid D	100 Gms 500 Gms	900 3400
		For the enumeration of yeasts and molds in butter and dairy products.	500 Gms	3600		Used for sterility testing of pharmaceutical products in accordance with USP.		
44486	~	Dextrose Starch Agar	100 Gms 500 Gms	1200 4200	53277	✓ Diluting Fluid K	100 Gms 500 Gms	1000 3000
		For the cultivation and maintenance of Neisseria gonorrhoeae and other fastidious microorganisms.		.200		Used as diluting or rinsing fluid, when performing. sterility testing of pharmaceuticals.		
50223	~	-	100 Gms	1100	82965	✓ Disinfectant Test Broth, AOAC	100 Gms 500 Gms	1000 3800
		For the isolation and cultivation of mesophilic and thermophilic aerobic	500 Gms	4100		For the determination of phenol coefficient of disinfectants.		
		microorganisms related to food spoilage.			82359	✓ DNase Test Agar Base	100 Gms 500 Gms	3700 15500
78209	•	Por the testing and neutralization of	100 Gms 500 Gms	1200 4400		Used for differentiation of microorganisms based on their production of deoxyribonuclease.		10000
73318	~	antiseptics and disinfectants. Diamalt Agar	100 Gms	1400	78317	✓ DNase Test Agar w/Methyl Green	100 Gms 500 Gms	4200 16100
29412	~	Dichloran Glycerol Medium Base	500 Gms 100 Gms	5200 950		Used for differentiation of microorganisms based on deoxyribonuclease activity.		
63110	_	Dichloran Medium Base w/ Rose	500 Gms 100 Gms	4500 1400	88941	✓ Drakes Medium 10	100 Gms 500 Gms	1500
		Bengal Used for isolation and enumeration of yeasts and moulds associated with food	500 Gms	6000		Recommended for isolation of Pseudomonas species from water samples.	JUU GIIIS	5100
66473	~	spoilage. Differential Reinforced Clostridial	100 Gms	1200	53292	✓ DRBC Agar (Dichloran Rose Bengal Chloramphenicol Agar)	100 Gms 500 Gms	1500 5400
		Agar For the cultivation of Clostridia from water	500 Gms	4200		Base Used for the selective isolation and	300 dilis	5400
27548	~	samples. Differential Reinforced Clostridial	100 Gms	200		enumeration of yeasts and moulds of significance in food spoilage.		
£1340	•	Broth, Base	500 Gms	800 2800	84127	✓ Drigalski Lactose Agar	100 Gms 500 Gms	1700 5000
		For the cultivation of Clostridia from water samples.			56107	✓ Drigalski Litmus Lactose Agar	100 Gms 500 Gms	1300 4400



Code	Name	Packing	Price	Code		Name	Packing	Prid
76861	Doyle`s Antibiotic Supplement	5 vl 5 x5 vl	1100 3950	65512	•	Emerson Agar	100 Gms 500 Gms	1300 4300
	Used for enrichment of Campylobacter species.					Used for isolation and cultivation of Actinomycetaceae, Streptomycetaceae,		
26609	✓ Doyle`s Enrichment Broth Base	100 Gms	1150			fungi and moulds.	100.0	
		500 Gms	4650	85046	•	Endo Agar	100 Gms 500 Gms	90 340
	Used for enrichment of Campylobacter species					For the selective isolation, cultivation and differentiation of coliforms and other enteric	300 dillis	340
80907	✓ Doyle`s Enrichment Broth Base BioVeg	100 Gms 500 Gms	1400			microorganisms based on their ability to		
	Used for enrichment of Campylobacter	500 Gills	4950			ferment lactose.		
	species			81496	~	Endo DEV Agar	100 Gms	110
49763	✓ E. Coli Test Kit (Pre-Weighed	1 Kit	1400				500 Gms	390
	Media) Used for isolation, identification and cultivation of Escherichia coli.					Used for selection and differentiation of E.coli acc. To the "Deutschen Einheitsverfahren" regulations for drinking		
25549	✓ EC Medium (EC Broth)	100 Gms	900			water.		
		500 Gms	3600	95904	~	Enriched Thioglycollate Broth	100 Gms	80
	For the differentiation and enumeration of					(Thioglycollate Medium, Enriched, Thioglycollate Medium, Base)	500 Gms	370
	coliforms in water, wastewater, shellfish and foods.					For the isolation, cultivation and		
66389	✓ EC Medium w/MUG	100 Gms	1400			identification of a wide variety of obligate anaerobic bacteria.		
		500 Gms	5600	33945	_	Enteric Fermentation Media	100 Gms	100
	Used for the fluorogenic detection of			555.5			500 Gms	290
	Escherichia coli in water, food and milk					For the cultivation and differentiation of a		
54723	samples. ✓ Elliker Broth (Lactobacilli Broth)	100 Gms	1000			variety of bacteria based on their ability to		
04723	Elinei Broth (Edotobaciii Broth)	500 Gms	3800	71611	_	ferment different carbohydrates. Enterobacteria Enrichment Broth	100 Gms	130
	Used for cultivation of streptococci and lactobacilli, especially in dairy procedures.			71011	Ť	Mossel (EE Broth Mossel), Harmonized	500 Gms	570
11983	✓ Eijkman Lactose Medium (Eijkman Lactose Broth)	100 Gms	1100			Used for the selective enrichment of		
		500 Gms	3600			Enterobacteriaceae in pharmaceutical testing according to harmonized methods.		
	For the cultivation and differentiation of			58444	~	Enterococcus Confirmatory Agar	100 Gms	100
	Escherichia coli from other coliform organisms based on their ability to ferment						500 Gms	400
	lactose and produce gas.					For the identification of enterococci from		
95514	✓ EMB Agar	100 Gms	800			water supplies and other sources by the		
	(Eosin Methylene Blue Agar)	500 Gms	3500	64819	_	confirmatory test. Enterococcus Confirmatory Broth	100 Gms	90
	For the isolation, cultivation and			0.0.0		,,,,,	500 Gms	370
	differentiation of gram negative enteric bacteria based on lactose fermentation.					For the identification of enterococci from		
46675	✓ EMB Agar, Levine	100 Gms	800			water by the confirmatory test.		
	(Eosin Methylene Blue Agar, Levine)	500 Gms	3500	47082		Enterococcus Selective Supplement	5 vl	170
	For the isolation, cultivation and						5 x5 vl	550
	differentiation of Gram-negative enteric					Used for the selective isolation and cultivation of Enterococci.		
51207	bacteria based on lactose fermentation. ✓ EMB Broth	100 Gms	800	60312	~	Esculin Iron Agar	100 Gms	410
1201	(Eosin Methylene Blue Broth)	500 Gms	3200				500 Gms	1790
	For the differentiation of gram negative		-200			For cultivation and identification of Enterococci based on their ability to		
	enteric bacteria from clinical and non					hydrolyze esculin.		
	clinical specimens.			27131	1	Esculin Supplement (0.5gm/vl)	5 vl	280
						Used for detection of group D streptococci		



Code		Name	Packing	Price	Code	Name	Packing	Price
69404	•	Ethyl Violet Azide Broth (E.V.A. Broth)	100 Gms 500 Gms	1100 3500	52071		5 vl	1500
		For isolation, cultivation and enumeration of Enterococci from water and other				Used for selective isolation and cultivation of Listeria monocytogenes from food and environmental specimens.		
		specimens.			83831	✓ Fuchsin Lactose Broth	100 Gms	1000
48357	~	Eugonic Agar (B/S)	100 Gms 500 Gms	1200 4500			500 Gms	3900
		Used cultivation and maintenance of a	ooo amo	4300	37346	✓ Fungal Agar (Mycological Agar)	100 Gms	1200
		variety of fastidious microorganisms.					500 Gms	4700
66070	~	Eugonic Broth	100 Gms	1200	93411	✔ Fungal Agar w/ low pH	100 Gms	1200
			500 Gms	3800		(Mycological Agar with Low pH)	500 Gms	4700
		Used cultivation and maintenance of a			68653	✓ Fungal Agar with Low pH	100 Gms	1200
	n	variety of fastidious microorganisms.				(Mycological Agar w/ low pH)	500 Gms	4800
78507	ı	FGTC Antibiotic Supplement (2.5mg/vl)	5 vl	1200		For the selective isolation, cultivation and		
		Used for the selective isolation and				maintenance of pathogenic fungi.		
		cultivation of Enterococci.			62729	✓ Fungal Broth (Mycological Broth)	500 Gms	4300
93466	~	Fluid Sabouraud Medium	100 Gms	600		For cultivation and maintenance of fungi.		
		For the cultivation of veceto models and	500 Gms	2200	90195	✓ Fungi Cultivation Kit (Pre-Weighed	1 Kit	1400
		For the cultivation of yeasts, molds and aciduric microorganisms.				Media) Used for cultivation and isolation of		
93023	~	Fluid Thioglycollate Medium, Clear	100 Gms	600		fungi, yeast and moulds.		
00020		(U/P)	500 Gms	1900	94016	✓ Gassner Lactose Agar	100 Gms	1100
42917	~	Fluid Thioglycollate Medium, (U/P)	100 Gms	600			500 Gms	4400
		(I/P)	500 Gms	1900	72464	✓ GC Agar Base	100 Gms	900
		Used for the cultivation of anaerobic,					500 Gms	3400
		microaerophilic and aerobic organisms.				Used for isolation and cultivation of		
		For use in sterility testing of a variety of samples.			40474	Gonococci.	100.0	
46990	~	Fluid Thioglycollate Medium,	100 Gms	600	10474	✓ Gelatin Agar DEV	100 Gms 500 Gms	1000 3800
		Harmonized	500 Gms	1900		Used in water and waste water testing for	ooo ams	3000
		Used for sterility testing of variety of				the determination of total microbial count		
		samples in pharmaceutical testing				and for the detection of gelatin liquefying		
		according to harmonized methods.				microorganisms according to the German		
76037	~	FNA Medium (Fluorescein	100 Gms	1100		methods for the examination of water and the German drinking water regulations		
		Denitrification Agar)	500 Gms	4100		(1990).		
		Used for differentiation of Pseudomonas			23942	✓ Gelatin Iron Agar	100 Gms	1000
		sps. from other bacilli by their ability to reduce nitrates or nitrites to nitrogen gas				·	500 Gms	4300
		(denitrification) and detection of fluorescein				For the detection of gelatin liquefaction and		
		pigment.				H2S production.		
46142	~	Forget Fredette Agar	100 Gms	1200	75750	✓ Gelatin Peptone BactoBio for	500 Gms	2000
			500 Gms	4500	[91079-43-	5] bacteriology	5 Kg	19300
33696	~	Formate Ricinoleate Broth	100 Gms	1200		Gelatin peptone, prepared by enzymatic		
			500 Gms	4800		digest of Gelatin; is used as an ingredient in media for fermentation studies and to		
37593	~	Fraser Broth Base	100 Gms	1000		support growth of non-fastidious		
			500 Gms	4200		microorganisms. It is characterised by low		
		Recommended selective, enrichment medium for the isolation of Listeria species.				Cystine, Tryptophan and Carbohydrate content.		
97539		Fraser Supplement (250mg/vI)	5 vl	1200				



43172 🗸							
43172 ✓ [9000-70-8]	Gelatin Powder Special ex. Porcine (Type B), 120g Bloom BactoBio for bacteriology	500 Gms	1500	79127	✓ GN Broth, Hajna (Gram-Negative Broth, Hajna)	100 Gms 500 Gms	800 2900
	Gelatin is a collagenous protein which finds its application for the solidification of				For the selective cultivation of gram negative microorganisms.		
	cultural media. It is also used for detection and differentiation of certain proteolytic			30963	GTC Supplement (1.25mg/vl)	5 vl	900
	bacteria. A bacteriological grade, readily soluble in water.				Used for the selective isolation and cultivation of Enterococci.		
	Gelatin Powder Special Clear ex. Bovine (Type B), 200-250g Bloom	500 Gms	2200	11266	✓ Glutamate Starch Phenol Red Agar Base	100 Gms 500 Gms	1200 4000
	BactoBio for bacteriology Gelatin for bacteriology is a special bacteriological grade product, readily				Used for detection of Pseudomonas and Aeromonas in foodstuffs, wastewater and equipment in food industry.		
^	soluble in water to give a clear solution. Gentamicin Selective Supplement	5 vl	1000	61655	✓ Gum Listeria Medium	100 Gms 500 Gms	1100 4300
	(20mg/vl) Used for the isolation and dectction of Clostridium perfringenes.				Recommended for the isolation of Listeria monocytogenes from clinical and		1000
50084	Genta-Oxy Selective Supplement	5 vl	1700		non-clinical samples.	100.0	
	Used for the selective isolation and	5 x5 vl	3800	72275	✓ H Broth	100 Gms 500 Gms	1200 4000
	enumeration of yeasts and moulds.				For the preparation of H agglutination		
	General Purpose Kit - I (Pre-Weighed Media) Nutrient agar cultivates a wide variety of	1 Kit	1100		antigen used in the differentiation and identification of Salmonella species types and subtypes.		
	microorganism and MacConkey agar is used in isolation of gram negative enteric			85012	✓ Hartley`s Digest Broth	100 Gms 500 Gms	900 3600
	bacteria. General Purpose Kit - II	1 Kit	1400	41861	Haemoglobin Powder	50 Gms	1400
	(Pre-Weighed Media) Nutrient agar cultivates a wide variety of				Haemoglobin powder is used as an enrichment supplement . 2% w/v solution		
	microorganisms,MacConkey agar aids in isolation of gram negative enteric bacteria and Blood Agar Base is used in detecting				of this supplement is autoclavable. Used with G.C.Agar base ,in preparation of Chocolate Agar.		
	hemolytic of fastidious microorganisms.			47704	✓ Heart Infusion Agar (HI Agar)	100 Gms	1100
15628	Giollotti Cantoni Broth Base	100 Gms 500 Gms	1300 4000			500 Gms	4500
	Used for the cultivation and enrichment of Staphylococcus aureus from foods.	300 ams	4000	75134	✓ Heart Infusion Broth (HI Broth)	100 Gms 500 Gms	1000 4100
68382 🗸	Gluconate Test Medium	100 Gms 500 Gms	900 3600		Used for isolation and cultivation of a wide variety of fastidious microorganisms. Also used as a base for preparation of Blood		
	Glucose Salt Teepol Broth (Twin	100 Gms	1000		Agar in determining haemolytic reactions.		
	Pack) Liquid medium,used for the detection of	500 Gms	4300	28551	→ Heart Infusion Powder (HI Powder) BactoBio for bacteriology	500 Gms 2.5 Kg	2500
	Vibrio parahemolyticus in foodstuffs.				It is rich in amino acids, peptides and other	2.5 Ng	11100
58174 Y	Glucose Yeast Extract Agar	100 Gms 500 Gms			nutrients required by highly fastidious microorganisms like Streptococci,		
	For the cultivation of lactobacilli, especially in pharmaceutical preparations.				Pneumococci, Meningococi and Brucella species.		
	Glucose Yeast Peptone Agar	100 Gms 500 Gms	1200 4400	68100	✓ Hektoen Enteric Agar	100 Gms 500 Gms	1200 5500
	For the isolation of yeasts from soil specimens.		4400	Used for the isolation and cultivation of gram negative enteric microorganisms from a variety of clinical and non clinical			



Code		Name	Packing	Price	Code		Name	Packing	Price
20852	V	Hemmes Medium Base	100 Gms	2300	91875	_	ITC Broth	100 Gms	1300
			500 Gms	7200				500 Gms	4900
52740	V	Hofers Alkaline Medium	100 Gms	1500	42882	~	IUT Medium, Base	100 Gms	1400
67658		' Horie Arabinose Ethyl Violet Broth	100 Gms	1300				500 Gms	6300
07050	·	Tione Alabinose Ethyl Violet Broth	500 Gms	5100	70916	~	Jensen`s Medium (Jensen`s Agar)	100 Gms	1000
46946	_	' Hoyle Medium, Base	100 Gms	1000			Lload for the guiltination of pitrogen fining	500 Gms	3900
			500 Gms	4000			Used for the cultivation of nitrogen fixing bacteria.		
		For the isolation and differentiation of			87806	~	Jensens Broth	100 Gms	1300
70005		Corynebacterium diphtheriae.	100 0	1000				500 Gms	4700
79035	•	' High Plate Count Agar	100 Gms 500 Gms	1200 4800			Recommended for the detection and		
64068	_	′ High Salt Nutrient Agar (I)	100 Gms	1000	55686	_	cultivation of nitrogen fixing bacteria. Jensen Seedling Agar	100 Gms	1100
04000		, , , , , , , , , , , , , , , , , , ,	500 Gms	3900	00000			500 Gms	4100
37353	~	High Salt Nutrient Agar (B/S)	100 Gms	1000			Used for growing plants for collection of		
			500 Gms	3900			root exudates and to study the nodulating		
39147	V	High Salt Peptone Yeast Extract	100 Gms	1000	44485		ability of Rhizobium isolates. Kanamycin Esculin Azide Agar	100 Gms	2900
		Agar (I)	500 Gms	3800	44405	·	Nanamyoni Escami Azide Agai	500 Gms	7500
77707	•	' HS Medium (Hydrosulphite of	100 Gms	1000			Used for the isolation of enterococci in		
		Sodium Medium)	500 Gms	3300			foodstuffs.		
		Used for the cultivation of aerobic and anaerobic bacteria. It is also used for			50136	~	Kanamycin Esculin Azide Broth Base	100 Gms	3720
		sterility testing.					Recommended for selective isolation and		
26221	•	Hugh Leifson Medium (B/S)	100 Gms	1100			identification of group D Streptococci in		
			500 Gms	4300	60649	ı	foodstuffs Kanamycin Sulphate Selective	5 vl	1300
		Used to distinguish between anaerobic and aerobic breakdown of carbohydrate			555.5	_	Supplement (10mg/vl)		1000
		(Dextrose).					Used for the selective isolation and cultivation of Enterococci.		
79544	•	HYA Agar	100 Gms	1700	96343	_	Kaper`s Medium	100 Gms	1200
			500 Gms	6300				500 Gms	4900
21128	•	' Hydrolysate BioVeg BactoBio for bacteriology	500 Gms	2500	33613	~	Kenknight and Munaier`s Medium	100 Gms	1200
		Prepared by enzymatic hydrolysis of	5 Kg	19800				500 Gms	4800
		vegetable proteins under controlled					Used for the isolation of Actinomyces species from soil samples.		
		conditions. Used as a nutritive source for			75772	_	Ketogluconate Broth	100 Gms	1200
36873	_	growth of bacteria and fungi. ' IMViC Test Kit (Pre-Weighed	1 Kit	1200			· · · · · · · · · · · · · · · · · · ·	500 Gms	3600
23070		Media)	. 141	.200	64342	~	KF Streptococcus Agar Base (100 Gms	1000
		Used for biochemical identification of gram negative enteric bacteria based on Indole					АРНА)	500 Gms	4200
		production, Methyl Red and Voges					For the selective cultivation and		
		Proskauer reactions and Citrate Utilization			66947		enumeration of faecal streptococci. KG Agar Base	100 Gms	1500
60700	_	test. ' IMViC Test Kit (Pre-Weighed	1 Kit	E000	00947	,		500 Gms	5300
68788	_	Media) w/ Reagents	i rit	5000			Kim-Goepfert (KG) Agar with added		
12139	•	/ Indole Nitrate Medium	100 Gms	900			supplements is used for promoting fast		
		(Tryptone Nitrate Medium)	500 Gms	3200			and free spore formation which helps in distinguishing Bacillus cereus from Bacillus		
		For the identification of microorganisms by means of nitrate reduction and indole tests.					thuringiensis.Kim-Goepfert (KG) Agar with		
54336	_	/ ISP Medium No. 1 (Tryptone Yeast	100 Gms	1300			added supplements is used for promoting		
		Extract Broth)	500 Gms	5600			fast and free spore formation which helps in distinguishing Bacillus cereus from		
76920	~	ISP Medium No.4	100 Gms	1500			Bacillus thuringiensis.		
		(Inorganic Salt Starch Agar)	500 Gms	6000					



Code	Name	Packing	Price	Code		Name	Packing	Price
41924	✓ Kimmig Agar Base (Fungi Agar Base Kimmig)	100 Gms 500 Gms	1200 4800	63026 [91079-44		Lactalbumin Hydrolysate BactoBio for bacteriology	500 Gms	4300
42820	& Kimmig Selective Supplement	5 vl	2200			A hydrolysate obtained by enzymatic digestion of protein, Lactalbumin. It is used primarily in the preparation of tissue culture		
	Used for selective isolation of fungi.					media, fermentation media, media for the		
11411	✓ King`s Medium A Base	100 Gms	900			growth of Lactobacilli, Campylobacter sps,		
		500 Gms	3900		_	etc		
	For the non selective isolation, cultivation and pigment production of Pseudomonas.			24806		L-Lactic Acid 10% Solution (10ml/vl)	5 vl	1100
21694	✓ King's Medium B Base	100 Gms	900			,	5 x5 vl	3500
21004		500 Gms	3900			Used for adjusting pH in acidic range.	100.0	1700
	For the non-selective isolation, cultivation			37985	•	Lactic Agar	100 Gms	1700
	and pigment production of Pseudomonas					Recommended for enumeration and		
	species.					identification of lactic Streptococci and		
29760	Klebsiella Selective Supplement	5 vl	1300			Lactobacilli by pour plate method.		
	(25mg/vI) Used for the selective isolation and			68888	•	Lactic Bacteria Differential Agar	100 Gms	1200
	detection of Klebsiella species.				n		500 Gms	4500
33943	✓ Kligler Iron Agar	100 Gms	900	84282	ı	Lactic Supplement	5 vl	1400
		500 Gms	3500	39785		Lactobacilli Supplement (50mg/vl)	5 vl	1700
	For the differentiation and identification of						5 x5 vl	5000
	gram-negative bacilli based upon the					An antibiotic supplement recommended for		
	fermentation of dextrose and lactose and production of H2S.					the selective isolation of Lactobacilli from		
61860	✓ Kligler Iron Agar (I)	100 Gms	900		0	wine.		
		500 Gms	3900	79562	ä	Lactobacillus MRS Agar (I)	100 Gms	1000
	For the differentiation and identification of						500 Gms	3700
	gram-negative bacilli based upon the					Used for the isolation and enumeration of lactic acid bacteria from meat and meat		
	fermentation of dextrose and lactose and					products.		
	production of H2S. For identification of Pseudomonas species.			50871	~	Lactobacillus MRS Agar BioVeg	100 Gms	1000
25844	✓ Kligler Iron Agar BioVeg	100 Gms	900				500 Gms	4300
		500 Gms	3500			Used for the isolation and enumeration of		
	For the differentiation and identification of					lactic acid bacteria from meat and meat		
	gram-negative bacilli based upon the			40040		products. Lactobacillus MRS Broth w/o	100 Gms	000
	fermentation of dextrose and lactose and			46812	•	Dextrose	500 Gms	900 3500
44000	production of H2S. ✓ Kohn Two Tube Medium No. 1	100 Gms	0500			Used for the selective isolation and	300 Gills	3300
44000	Base	500 Gms	2500 6700			enumeration of lactobacilli from various		
F0F70	✓ Kohn Two Tube Medium No. 2	100 Gms				sources including feces and dairy.		
58578	Base	500 Gms	6300 23400	47192	~	Lactobacilli Agar, AOAC	100 Gms	2000
05070	✓ Koser Citrate Medium						500 Gms	5800
65373	• Roser Citrate Medium	100 Gms 500 Gms	900 3400			For the cultivation and maintenance of		
	For the differentiation of Escherichia coli	300 GIII3	3400			stock cultures used in microbiological assays of vitamins and amino acids.		
	and Enterobacter aerogenes based on			18659		Lactobacillus Selection Agar	100 Gms	1200
	citrate utilization.			. 3000	-		500 Gms	4700
77760	✓ Kundrat Agar	100 Gms	1300			Used for isolation, cultivation and		-
		500 Gms	4700			enumeration of lactobacilli.		
70663		5 vl	1800	66749	~	Lactobacillus Selection Oxgall Agar Base (LBS Oxgall Agar)	100 Gms 500 Gms	1300 4500
52911	✓ Lachica`s Medium Base	100 Gms	4100			Used for the cultivation and enumeration of lactobacilli.		.000



Code	Name	Packing	Price	Code		Name	Packing	Price
49190	Lactobacillus MRS Broth (MRS	100 Gms	900	59326	•	Letheen Agar	500 Gms	5300
	Broth)	500 Gms	3500			To also make a the color of		
	For the cultivation of lactobacilli.					To determine the phenol coefficient of quaternary ammonium compounds using		
27750	Lactobacillus MRS Broth BioVeg	100 Gms	900			Escherichia coli or Staphylococcus aureus		
		500 Gms	3700			ATCC 6538.		
	Used for the cultivation of lactobacilli.			28685	~	Listeria Enrichment Medium Base	100 Gms	1500
97354	Lactose Broth	100 Gms	600			(UVM Medium)	500 Gms	6900
		500 Gms	2500			Recommended medium for use in		
	For the detection of lactose fermenting					qualitative procedures for the isolation of		
	gram-negative coliforms, as					Listeria monocytogenes from food samples.		
	pre-enrichment broth for Salmonella species.			96310		Listeria Identification Agar Base	100 Gms	1700
77121	✓ Lactose Gelatin Medium (I)	100 Gms	1000	96310	•	(PALCAM)	500 Gms	1700
77121	(,	500 Gms	3900			Lload for isolation of Listoria on from	500 GITIS	7500
	For the cultivation of Clostridium	555 55	0000			Used for isolation of Listeria sp. from clinical and non-clinical samples.		
	perfringens.			96155		Listeria Motility Medium (I)	100 Gms	1100
24171	✓ Lactose Lecithin Agar	100 Gms	1400	00.00			500 Gms	4300
		500 Gms	4800	15650	A	Listeria Moxalactum Supplement	5 vl	1700
88539	Lactose Monohydrate sterile	500 Gms	1000	15050	9	Listeria mozalaciam cuppiement	3 VI	1700
[10039-26-6,	(gamma irradiated)	5 Kg	9100	76366	~	Listeria Oxford Medium Base	100 Gms	1100
64044-51-5]	Lactose monohydrate, Sterile (Gamma	· ·				(Oxford Agar)	500 Gms	5100
	Irradiated) is used for Media Fill Runs in dry					Used for isolation of Listeria species from		
	injectable in pharmaceutical industry.					pathological samples.		
62367	Lactose Peptone Broth	100 Gms	1000	90345		Listeria Selective Supplement	5 vl	1200
		500 Gms	3500			(PALCAM) Used for the isolation of Listeria		
71135	Lactose Sulphite Broth Base (I)	100 Gms	1000			monocytogenes and other species of		
		500 Gms	3600			Listeria from food products.		
70637	Lactose TTC Agar (w/ Tergitol 7) (I)	100 Gms	1000	51864		Listeria UVM Supplement I	5 vl	1100
	(Lactose Triphenyltetrazolium Chloride	500 Gms	3700	70547	۵	Listaria LIVM Cupplement II	F.4	4400
	Agar) Selective differential medium for the			72547	•	Listeria UVM Supplement II	5 vl	1100
	detection and enumeration of Escherichia			59797	~	Litmus Lactose Agar	100 Gms	1100
	coli and coliform bacteria in water using						500 Gms	4200
	the membrane filtration method.					For the differentiation of lactose fermenting		
92343	Lauryl Sulfate Broth w/MUG	100 Gms	1200			and non-lactose fermenting bacteria.		
		500 Gms	4500	96658	~	Litmus Milk (Litmus SM Broth)	100 Gms	1100
44956	Lauryl Sulfate Broth (Lauryl	100 Gms	800				500 Gms	4000
	Tryptose Broth) (I)(B/S)	500 Gms	2900			For the maintenance of Lactobacilli and the		
	For the detection of coliform bacteria in a					differentiation of several bacteria, based on their action on milk.		
	variety of specimens. Also for the			E0027		Liquoid Broth	100 Gms	1200
	enumeration of coliform bacteria by the multiple tube fermentation technique.			50037	•	Liquoid Biotii	500 Gms	1200 4100
94906	✓ Lauryl Tryptose Mannitol Broth	100 Gms	1200	F4604	.,4	Littman Ovaell Acce Pece		
-	w/Tryptophan	500 Gms	4100	54004	•	Littman Oxgall Agar Base	100 Gms 500 Gms	1200
	For the detection of Escherichia coli in		-			Liver Futures Boundary Brands B.		4300
	water samples.			87566		Liver Extract Powder BactoBio for bacteriology	500 Gms	1900
10517	Lead Acetate Agar	100 Gms	1100			-	5 Kg	15600
		500 Gms	4100			Nutritive characteristic are good in Liver extract so used for cultivation of anaerobic		
	For the cultivation and differentiation of				extract so used for cultivation of anaerob bacteria such as Brucellae and Clostridia			
	gram negative coliform bacteria based on					also used for cultivation of pathogenic		
	H2S production.	100.0	1000			bacteria.		
82632	✓ Leptospira Medium Base	100 Gms	1000					
		500 Gms	4000					



Code	Name	Packing	Price	Code	Name	Packing	Price
81322	✓ Liver Hydrolysate BactoBio for bacteriology (Peptone from Liver, Liver Peptone) Used as source of nutrients in microbiology culture media. Water soluble; being derived from liver contains relatively high levels of iron.	500 Gms	2900	17320	✓ Luria Bertani Agar, Miller BioVeg (LB Agar, Miller BioVeg) Used for maintaining and propagating Escherichia coli in molecular microbiology procedures. ✓ Luria Bertani Broth, Miller BioVeg	100 Gms 500 Gms	900 3800 900
68861	✓ Liver Infusion Agar (LI Agar)	100 Gms 500 Gms	1000 3800		(LB Broth, Miller BioVeg)	500 Gms 2 Kg	3400 10900
96453	✓ Liver Infusion Broth (LI Broth)	100 Gms 500 Gms	900 3200		Used for maintaining and propagating Escherichia coli in molecular microbiology procedures.		
	Used for cultivation of Brucella and other pathogenic anaerobic bacteria.	400 0	1000	97970	✓ Luria Bertani Agar w/o Sodium Chloride	100 Gms 500 Gms	1300 4500
98858	✓ Liver Meat Glucose Cysteine Broth	100 Gms 500 Gms	1200 4700		Used for maintaining and propagating Escherichia coli in molecular microbiology		
79612	✓ LM Agar (Meat Liver Agar) Used for the cultivation of anaerobic microorganisms, specially for the sulphite reducing Clostridia and Clostridium perfringens in water and milk.	500 Gms	4200	22006	procedures. ✓ Luria Bertani Broth w/o Sodium Chloride (LB Growth Medium w/o Sodium Chloride) Used for maintaining and propagating Escherichia coli in molecular microbiology	100 Gms 500 Gms	900
69741	✓ Lowenstein - Jensen Medium, Base (L.J. Medium Base)	100 Gms 500 Gms	800 2800	90769	procedures. ✓ Lysine Arginine Iron Agar (LAI	100 Gms	900
27888	For the cultivation and differentiation of Mycobacterium species. This medium is also used for cultivation and maintenance of Gordona species, Nocardia species, Rhodococcus species and Tsukamurella paurometabolum. ✓ LPM Agar Base	100 Gms	3300		Agar) For the cultivation and differentiation of bacteria based on their ability to decarboxylate lysine, arginine and produce H2S.Recommended by APHA for isolation and identification of Yersinia from milk and milk products.	500 Gms	3400
27000	Used for isolation and cultivation of Listeria monocytogenes from food and dairy products.	, 55 5,,,,,	3300	16624	✓ Lysine Decarboxylase Broth w/o Peptone (I) For distinguishing Salmonella serotype	100 Gms 500 Gms	800 3200
46502	✓ Luria Bertani Agar, Lennox (Luria Agar, LB Agar, Lennox)	100 Gms 500 Gms	1000 4000		Arizonae from the Bethesda Ballerup group of Enterobacteriaceae.		
	Used for maintaining and cultivating recombinant strains of Escherichia coli.			71125	✓ Lysine Iron Agar	100 Gms 500 Gms	900 3200
47436	✓ Luria Bertani Agar, Miller Used for maintaining and propagating	100 Gms 500 Gms	900 3800		For the differentiation of enteric organisms, especially Salmonella, based upon lysine decarboxylation/ deamination and H2S production.		
	Escherichia coli in molecular microbiology procedures.			82502	✓ M2 Agar	100 Gms 500 Gms	1100 4200
14593	✓ Luria Bertani Broth, Lennox (Luria Broth) (Luria Broth, LB Broth, Lennox)	100 Gms 500 Gms	900 3400		A semisynthetic culture medium, used as a general purpose plate count agar.		
	Used for maintaining and propagating Escherichia coli in molecular biology procedures.	2 Kg	10900	24415	✓ M17 Agar Base For improved growth of lactic streptococci and their bacteriophages.	100 Gms 500 Gms	1100 4100
29817	✓ Luria Bertani Broth, Miller (LB Broth, Miller)	100 Gms 500 Gms 2 Kg	900 3400 10900	13297	✓ M17 Broth Base For improved growth of lactic streptococci	100 Gms 500 Gms	900 3800
	Used for maintaining and propagating Escherichia coli in molecular microbiology procedures.				and their bacteriophages.		



Page	Code		Name	Packing	Price	Code	Name	Packing	Price
For the selective isolation, cultivation and differentiation of coliforms and entoide pathogene based on the ability to ferment lactose. 100 Gms 100 G	76875	~	MacConkey Agar			64030			800
Section Process Proc			For the coloration is clother and the store and	500 Gms	3300				3400
Post Part						72074	✓ MacConkey Agar No.3		1200
MacContey Agar MacC								500 Gms	4000
Section Sect			lactose.						
For the selective isolation, cultivation and differentiation of colliorms and enterior pathogens based on ability to ferment lactoose. MacConkey Agar, Harmonized 100 Gms 800 Gms 3000 Gms	96871	~	′ MacConkey Agar BioVeg	100 Gms	800				
Accompance based on ability to forment lactoose. Section Sec				500 Gms	3300	74726	✓ MacConkey Broth (MacConkey	100 Gms	800
Pathogens based on ability to ferment lactores. Pot the selective isolation and cultivation of coliforms in milk and valent. 100 Gms 500 Gms 3300							Broth w/ Neutral Red)	500 Gms	2800
Sections							For the selective isolation and cultivation of		
Used for the selective isolation and differentiation of Escherichia coil and distinction of Escherichia coil and distinction of Escherichia coil and differentiation of Escherichia coil and Escherichia coil animal feeds stuff. Used for the selective isolation and detection of Escherichia coil							coliforms in milk and water.		
Used for the identification of coliforms in pharmaceutical testing according to harmonized methods. according to harmonized methods. 500 Gms 500 Gms 6100 Gms 500 Gms 6100 Gms 500 Gms 6100 Gms 500 Gms 3300 For the selective isolation and differential medium for gram-negative organisms by suppressing the growth of a number of gram positive bacteria. 500 Gms	37775	~	MacConkey Agar, Harmonized	100 Gms	800	44448	✓ MacConkey Broth, Harmonized		800
Section				500 Gms	3300			500 Gms	2800
Second S			Used for the selective isolation and						
Secondary Seco									
MacConkey Agar W MUG			1			54056	✓ MacConkey Broth w/ Neutral Red	100 Gms	800
	90303			100 Gms	1500		(B/S)	500 Gms	2800
MacConkey Agar (B/S)	80302	·	macconkey Agai W/ mod			20309	✓ MacConkey Broth Double Strength	100 Gms	700
Samples	71117		/ MacConkey Agar (R/S)				w/ Neutral Red	500 Gms	2600
Samples	71117	·	Macconkey Agai (b/c)				For the selective isolation and cultivation of		
26823 V MacConkey Agar Medium 100 Gms 500 Gms 3000 500 Gms 3400 500 Gms 3400 500 Gms 3400 500 Gms 3400 For detecting and enumerating lactose fermenting enteric bacteria from milk and water by the membrane filter method. 42944 V MacConkey Broth Purple 100 Gms 500 Gms 3700 Selective medium for gram-negative organisms by suppressing the growth of a number of gram positive bacteria. 33759 V MacConkey Agar w/ 0.15% Bile 300 Gms 3700 Selective medium for gram-negative organisms by suppressing the growth of a number of gram positive bacteria. 400 Gms 400 G	93970		/ MacConkey Δαατ Rase				coliforms in milk and water from large		
26823	03070	·	Macconkey Agai, Base				·		
95199	26923		/ MacConkey Agar Medium			92933	✓ M-MacConkey Broth		800
98384	20023	·	Macconkey Agai Medidiii					500 Gms	3300
Selective medium for gram-negative organisms by suppressing the growth of a number of gram positive bacteria. 100 Gms 500 Gms 3700	05100		/ MacConkey Agar Modified				ŭ ŭ		
Bilue 500 Gms 3700 58370	95199	·	Macconkey Agai, Modified	100 Gills	3000		5		
58370 **MacConkey Agar w/ 0.15% Bile salts, C.V. and NaCl (U/P) Selective medium for gram-negative organisms by suppressing the growth of a number of gram positive bacteria. 33759 **MacConkey Agar w/o C.V., w/ 1.2%	98384	~	MacConkey Agar w/ Bromothymol	100 Gms	1000	42944	✓ MacConkey Broth Purple	100 Gms	800
salts, C.V. and NaCl (U/P) Selective medium for gram-negative organisms by suppressing the growth of a number of gram positive bacteria. 33759 MacConkey Agar w/o C.V., w/ 1.2% Agar For the selective isolation and differentiation of enteric bacteria on the basis of lactose fermentation. 500 Gms 79447 MacConkey Agar w/o C.V., NaCl w/ 0.5% Sodium Taurocholate Differential medium for detection and isolation of enteric organisms by restricting the swarming of Proteus species. 79447 MacConkey Agar w/o C.V. w/ 0.15% Bile Salts MacConkey Agar w/o C.V. w/ 0.5% Bile Salts 500 Gms 800 For the selective isolation and detection of coliforms and enteric pathogens. 500 Gms 100 Gms 1200 57608 MacConkey Broth Purple w/BCP (B/S) MacConkey			Blue	500 Gms	3700			500 Gms	2900
Selective medium for gram-negative organisms by suppressing the growth of a number of gram positive bacteria. 33759	58370	~	· •	100 Gms	800				
Selective friedlith for grain riegative organisms by suppressing the growth of a number of gram positive bacteria. 33759			salts, C.V. and NaCl (U/P)	500 Gms	3600				
number of gram positive bacteria. 33759						38989	✓ MacConkey Broth Purple w/BCP (I)		700
33759									2600
Agar For the selective isolation and differentiation of enteric bacteria on the basis of lactose fermentation. 50372	22750			100 Gms	1000	90084			700
For the selective isolation and differentiation of enteric bacteria on the basis of lactose fermentation. 50372	33733								2600
differentiation of enteric bacteria on the basis of lactose fermentation. 50372			For the selective isolation and	333 33	0000	51545			700
50372									2600
50372 MacConkey Agar w/o C.V., NaCl w/ 0.5% Sodium Taurocholate Differential medium for detection and isolation of enteric organisms by restricting the swarming of Proteus species. 79447 MacConkey Agar w/o C.V. w/ 0.15% Bile Salts For isolation and detection of coliforms and enteric pathogens. 64024 MacConkey Agar w/o C.V., NaCl, w/ 0.0075% ND 1.3% Agar Blokker 100 Gms 500 Gms 3900 For the primary isolation of coliforms large water and wastewater samples. 98664 MacConkey Sorbitol Agar (Sorbitol Agar) For the isolation and identification of pathogenic Escherichia coli. 500 Gms 500 Gms 500 Gms 500 Gms 500 Gms 57340 MacConkey Sorbitol Agar, Base (I) For the selective isolation and detection of Escherichia coli 0157:H7 from food and animal feeds stuff.			basis of lactose fermentation.			57608	· · · · · · · · · · · · · · · · · · ·		900
Differential medium for detection and isolation of enteric organisms by restricting the swarming of Proteus species. 79447	50372	~	, , ,	100 Gms	1200		-	500 Gms	3200
Solution of enteric organisms by restricting the swarming of Proteus species. 98664 Yes MacConkey Sorbitol Agar (Sorbitol Agar) 100 Gms 500 Gms 2900				500 Gms	3900		, ,		
the swarming of Proteus species. 79447						98664		100 Gms	1300
79447 MacConkey Agar w/o C.V. w/ 0.15% Bile Salts 500 Gms 2900 64300 MacConkey Agar w/o C.V. w/ 0.5% Bile Salts 500 Gms 3400 For isolation and detection of coliforms and enteric pathogens. 64024 MacConkey Agar w/o C.V., NaCl, w/ 0.0075% NR 1.2% Agar Biology 100 Gms 3400 For the isolation and identification of pathogenic Escherichia coli. 57340 MacConkey Sorbitol Agar, Base (I) 100 Gms 500 Gms For the selective isolation and detection of Escherichia coli 0157:H7 from food and animal feeds stuff. 100 Gms 900									4300
Bile Salts 500 Gms 2900 MacConkey Agar w/o C.V. w/ 0.5% Bile Salts 500 Gms 3400 For isolation and detection of coliforms and enteric pathogens. 64024 MacConkey Agar w/o C.V., NaCl, w/ 100 Gms 900 For the selective isolation and detection of Escherichia coli. For the selective isolation and detection of Escherichia coli 0157:H7 from food and animal feeds stuff.	79447	_		100 Gms	800		For the isolation and identification of		
64300 MacConkey Agar w/o C.V. w/ 0.5% 100 Gms 800 Bile Salts 500 Gms 3400 For isolation and detection of coliforms and enteric pathogens. 64024 MacConkey Agar w/o C.V., NaCl, w/ 100 Gms 900 64024 MacConkey Agar w/o C.V., NaCl, w/ 100 Gms 900			, ,				pathogenic Escherichia coli.		
Bile Salts 500 Gms 3400 For isolation and detection of coliforms and enteric pathogens. 64024 MacConkey Agar w/o C.V., NaCl, w/ 0.0075% NR 1.2% Agar Biolog	64300	_	MacConkey Agar w/o C.V. w/ 0.5%	100 Gms		57340	✓ MacConkey Sorbitol Agar, Base (I)	100 Gms	1200
For isolation and detection of coliforms and enteric pathogens. For the selective isolation and detection of Escherichia coli 0157:H7 from food and animal feeds stuff.								500 Gms	4200
and enteric pathogens. 64024 ✓ MacConkey Agar w/o C.V., NaCl, w/ 0.0075% NR 1.2% Agar Biolog			For isolation and detection of coliforms						
64024 ✓ MacConkey Agar w/o C.V., NaCl, w/ 100 Gms 900			and enteric pathogens.						
บ.บบ/๖% NH, 1.2% Agar Bioveg 500 Gms 3300	64024	~		100 Gms	900		a mila 10000 Staff.		
			บ.บบ75% NH, 1.2% Agar BioVeg	500 Gms	3300				



Code	Name	Packing	Price	Code		Name	Packing	Price
99130	✓ Malachite Green Broth	100 Gms	1000	99505	•	Malonate Broth	100 Gms	4100
		500 Gms	3300			Used for differentiating Enterobacter and		
	Used for cultivation of Pseudomonas aeruginosa.					Escherichia coli based on malonate		
51517	-	100 Gms	1200			utilization.		
01017	<u></u>	500 Gms	4000	76507	~	Malt Agar	100 Gms	1400
	For the selective isolation and					- " "	500 Gms	5500
	differentiation of Salmonella from polluted			84980	_	For the cultivation of yeasts and molds. Malt Extract Agar	100 Gms	1000
	water by the membrane filter method.			04900	•	Wait Extract Agai	500 Gms	1200 4700
10054	✓ McBride Listeria Agar Base	100 Gms	1200			For the isolation, cultivation and		4700
	Moderately selective medium for isolation	500 Gms	4800			enumeration of yeasts and molds.		
	of Listeria monocytogenes.			42936	~	Malt Extract Agar Base, Modified as	100 Gms	1300
70317	n	5 vl	1400			per Thom and Church	500 Gms	5000
						Used for isolation, detection and		
50642	✓ McClung Toabe Agar Base	100 Gms	1200	00050	~	enumeration of yeast and molds Malt Extract BactoBio for	500 Gms	1000
		500 Gms	4900	83358 [8002-48-0		bacteriology	500 Gills 5 Kg	1200 11400
87015	✓ M-EC Test Agar	100 Gms	1100			Malt extract contain high concentration of	o ng	11400
		500 Gms	4000			carbohydrates particularly maltose. It also		
66805	✓ M-Endo Agar LES	100 Gms 500 Gms	1000			provides an acidic environment, carbon,		
	For the enumeration of coliform in water by		3800			protein and nutrients for the isolation and cultivation of yeasts and molds, restricting		
	the membrane filter method.					the growth of bacteria and also for the		
57906	✓ M-Endo Broth	100 Gms	1000			cultivation of yeasts and molds.		
		500 Gms	3900	67973	•	Malt Extract Broth Base	100 Gms	1300
33919	✓ M-Enrichment Broth	100 Gms	1000				500 Gms	5200
		500 Gms	3900	40828 [69-65-8]	1	D-Mannitol Sterile (Gamma Irradiated)	500 Gms	3600
52295	✓ M-FC Agar Base	100 Gms	1200	[09-03-0]	J	,	5 Kg	33200
		500 Gms	4800			For use in microbiological applications using D-Mannitol (gamma irradiated) and		
	For the cultivation and enumeration of					in Media Fill Runs in dry injectables.		
	faecal coliforms by membrane filter technique at elevated temperatures.			48330	~	Mannitol Agar w/ Prilion	100 Gms	4800
76439		100 Gms	1200				500 Gms	18700
		500 Gms	4000	75485	~	Mannitol Lysine Agar	100 Gms	1100
51072	<u> </u>	100 Gms	1000				500 Gms	4400
	(Heterotrophic Plate Count Agar, Base)	500 Gms	4200	62331	~	Mannitol Selenite Broth Base	100 Gms	1200
	For the cultivation and enumeration of					(Selenite Mannitol Broth)	500 Gms	4800
	heterotrophic organisms from potable water sources, swimming pools and other			92493	~	Mannitol Motility Test Medium	100 Gms	1100
	water specimens by the membrane filter						500 Gms	3700
	method.					Used for the determination of motility and mannitol fermentation.		
14750	✓ M-Lauryl Sulfate Broth (I)	100 Gms	1200	48939	~	Mannitol Nitrate Motility Medium	100 Gms	1000
		500 Gms	4000				500 Gms	3600
21051	✓ M-Staphylococcus Broth	100 Gms	1000			Used for the rapid identification of		
	Handfordate War 1997	500 Gms	3500			Enterobacteria based on motility, mannitol		
	Used for detection and isolation of Staphylococci by memebrane filter			60060	ار	utilization and nitrate reduction. Mannitol Salt Ager (II/P)	100 Gms	900
	technique.			60062	•	Mannitol Salt Agar (U/P)	500 Gms	800 2900
51416		100 Gms	1200			Used for the selective isolation, cultivation	230 41110	2900
	Violet Brilliant Green Agar (Mannitol Lysine Agar)	500 Gms	4700			and enumeration of staphylococci from		
	(Mainton Lysine Agai)					clinical and non-clinical specimens.		



Code	Name	Packing	Price	Code	Name	Packing	Price
23626 ×	Used for the isolation and cultivation of staphylococci in pharmaceutical testing according to harmonized methods.	100 Gms 500 Gms	900 900	11828	✓ Meat Peptone Type T BactoBio for bacteriology It is obtained by proteolytic digestion of meat with Trypsin. Suitable for mass scale cultivation of microorganisms for production of antibiotics, vitamins, enzymes etc.	500 Gms	4000
	Used for the selective isolation and cultivation of staphylococci.	500 Gms	3200	28238	✓ Micro Inoculum Broth (Micro Vitamin Test Inoculum Broth) For the preparation of inocula in	100 Gms 500 Gms	1100 5200
25511	Marine Agar 2216 (Zobell)	100 Gms 500 Gms	1200 4800		microbiological assay and cultivation of lactobacilli.		
54474 N	Used for cultivation of heterotrophic marine bacteria.	100 Cma	1100	63261	✓ Microbial Content Test Agar	100 Gms 500 Gms	1500 6100
54174 ¥	````	100 Gms 500 Gms	1100 4500	61200	 Milk Agar (Modified Plate Count Agar) 	100 Gms 500 Gms	1300 4900
34832	Used for cultivation of heterotrophic marine bacteria. Maximum Recovery Diluent	100 Gms	1000		For differentiation of Enterobacteriaceae based on their motility, indole production and ornithine decarboxylase activity.		
0.0.	Physiologically isotonic and protective medium for maximum recovery of microorganisms from a variety of sources. Meat Extract BactoBio for	500 Gms	3400	18789	✓ Milk Agar w/Cetrimide (Twin Pack) (Modified Pseudomonas Selective Agar w/Cetrimide) For detection and enumeration of Pseudomonas aeruginosa in water	100 Gms 500 Gms	1300 5400
] bacteriology	5 Kg	2800 24300	93957	samples. ✓ Milk Medium w/Reducing Agent	100 Gms	1000
	Meat extract,manufactured from lean meat used to complement nutritive properties of				(Modified Litmus Medium w/Reducing Agent)	500 Gms	4400
70117	peptone. Meat Extract Powder BioVeg BactoBio for bacteriology	500 Gms	500 Gms 2500 5 Kg 19800	17595	✓ Milk Salt Agar Base (Modified Salt Agar Base for Staphylococci)	100 Gms 500 Gms	1300 4700
	Meat extract, (animal free) manufactured from vegetable/plant source, is used to	3 Ng	19600	20767	✓ Minimal Agar, Davis	100 Gms 500 Gms	1300 5100
	complement nutritive properties of peptone. It is equivalent to animal based Meat extract. Its distribution of various peptides meets the requirements for replacing Meat extract (animal based) to yield optimum growth of microorganisms.	om vegetable/plant source, is used to emplement nutritive properties of eptone. It is equivalent to animal based eat extract. Its distribution of various eptides meets the requirements for placing Meat extract (animal based) to		39821	✓ Minimal Broth, Davis For the isolation, cultivation and characterization of nutritional mutants of Escherichia coli.	100 Gms 500 Gms	1100 3700
17585 •	Meat Extract w/ Peptone (Pepted Meat Broth)	100 Gms 500 Gms	1100 4100	24911	✓ Minimal Broth, Davis w/o Dextrose Used for isolation and characterization of	100 Gms 500 Gms	1100 3700
11980	Meat Peptone BactoBio for bacteriology	500 Gms	2900		nutritional mutants of Escherichia coli and Bacillus subtilis.		
	A highly nutritious, enzymatic digest of lean meat. Used as a ingredient in various general purpose media for cultivation and isolation of wide variety of microorganisms.			88736	✓ MIO Medium (Motility Indole Ornithine Medium) For differentiation of Enterobacteriaceae	100 Gms 500 Gms	1000 4000
91980 ~	bacteriology	500 Gms	3900		based on their motility, indole production and ornithine decarboxylase activity.		
	It is obtained by proteolytic digestion of meat with pepsin to retain nutritive properties of peptone. Suitable for growth of fastidious microorganisms.			46584	✓ Mitis Salivaris Agar Base Selective medium for the isolation of streptococci and enterococci from clinical specimens.	500 Gms	4500
				16309	✓ MIU Medium Base (Motility Indole Urea Medium)	100 Gms 500 Gms	1200 4400
					Used for detecetion of motility, urease and indole production.		



Code		Name	Packing	Price	Code	Name		Packing	Price
79667	•		100 Gms 500 Gms	1200 4200	90174	✓ Motility Medium S, (Motility Nitrate Medium		100 Gms 500 Gms	900 3600
		Recommended medium for isolation, differentiation and enumeration of				For the determinati by means of TTC re	on of bacterial motility eduction.		
		Escherichia coli from water by membrane filtration.			21740	✓ Motility Sulphide M	edium	100 Gms 500 Gms	1000 4000
62811	•		100 Gms 500 Gms	1200 3800	64421	✓ Motility Test Mediu	m	100 Gms 500 Gms	1000 3800
		For enumerating bacteria by membrane filter technique.					on of bacterial motility.		
85769	V	Modified Rappaport Vassiliadis Medium	100 Gms 500 Gms	1300 4700	17624	✓ MPH Agar (Milk Pro Hydrolysate Agar)	otein	100 Gms 500 Gms	1400 5700
		Used as a selective enrichment medium for the isolation of Salmonella species from		4700		and dairy products		100 0	
82453	_	food and environmental specimens. Modified Skim Milk Agar (Modified	100 Gms	1800	14833	 MR-VP Medium (Gli Phosphate Broth, B 		100 Gms 500 Gms	700 2800
02455	·	SM Agar)	500 Gms	5300		Broth) (MRVP Broth)			
		For cultivation and enumeration of microorganisms encountered in dairy industries.				acid production (Macetoin production	on of bacteria based on lethyl Red test) and (Voges-Proskauer		
89414	~	Modified Tergitol-7 Agar, Base (I) (Tergitol-7 Agar, Base, Modified)	100 Gms	1300	14443	reaction). ✓ Multipurpose Test I		1 Kit	4000
30066	_		500 Gms 100 Gms	4900 2100		(Pre-Weighed Medi			.000
00000	•	(Decarboxylase Broth Base, Moeller)	500 Gms	8400		cultivation of a wide microorganism.			
		With the addition of L-Lysine/ L-Arginine/ L-Ornithine used for the differentiation of			24756	✓ Mueller Hinton Aga	r (MH Agar)	100 Gms	900
		bacteria on the basis of their ability to decarboxylate the amino acid.						500 Gms 2 Kg	3600 11800
18124	V	Moeller Decarboxylase Broth w/ Lysine Hydrochloride	100 Gms	2900		For antimicrobial si	usceptibility testing of a anisms. For the		
		Used for differentiation of bacteria on the basis of their ability to decarboxylate	500 Gms	14000		, ,	ntenance of Moraxella		
		L-lysine hydrochloride.			26351	✓ Mueller Kauffman T Broth Base	etrathionate	100 Gms	900
27510	•	Moeller Decarboxylase Broth w/ Ornithine Hydrochloride	100 Gms	3000			nment medium for the	500 Gms	2800
69483	•	•	500 Gms 100 Gms	2900		isolation of Salmon	ellae and the		
		Arginine Hydrochloride	500 Gms	14000	76135	suppression of Pro ✓ Mueller Kauffman T		100 Gms	1100
		Used for differentiation of bacteria on the			, 0.00	Novobiocin Broth B	ase (MKTTn)	500 Gms	4000
		basis of their ability to decarboxylate L-Arginine hydrochloride.				Used for selective			
34452	V	Monsur Medium Base	100 Gms	1000		MKTT Novobiocin	ella, when used with supplement.		
			500 Gms	4100	29465	✓ Mucate Broth		100 Gms	6600
68957	•	M9CA Medium	100 Gms 500 Gms	2700 10900				500 Gms	30700
23184	_	' M9 Minimal Salts 5X	100 Gms	1900	38800	✓ Mucate Control Bro	oth ·	500 Gms	3600
•			500 Gms	6300			ion of enteropathogenic		
		For the cultivation of recombinant strains of Escherichia coli.				from milk and milk	d Salmonella species products.		
42853	~	Motility GI Medium	100 Gms	2400					
			500 Gms	9500					



Code		Name	Packing	Price	Code	Name	Packing	Price
49550	•	Mueller Hinton Broth (MH Broth)	100 Gms 500 Gms 2 Kg	900 3300 9900	44388	✓ Nitrofurantoin Broth Base Used for the enrichment and isolation of	100 Gms 500 Gms	1100 4400
		For the cultivation of a wide variety of organisms and for antimicrobial susceptibility testing.			34350	Pseudomonas species. Non-Spore Anaerobic Supplement	5 vl	1500
24698	1	MUG EC Broth	100 Gms 500 Gms	2400 6800		Used for selective isolation of non-sporing anaerobic bacteria.		
26834		MUG Supplement (50mg/vI)	5 vl	2100	31601	Novobiocin MKTT Supplement(40mg/vI) Recommended for selective enrichment	5 vl	1900
26706	•	Mycological Peptone BactoBio for bacteriology	500 Gms 5 Kg	2900 21100	18352	and isolation of Salmonellae. Novobiocin Supplement(5mg/vI)	5 vl	1300
		Used as a nutritive source for the isolation, cultivation and indentification of saprophytic, dermatophytic fungi-yeast and moulds.				Used to enhance inhibition of Gram-positive organisms.	5 x5 vl	3600
66739	~	MYP Agar, Base (B/S) (Phenol Red Egg Yolk Polymyxin Agar, Base) For the isolation and identification of	100 Gms 500 Gms	1100 4200	63971	✓ Nutrient Agar For the cultivation and maintenance of a	100 Gms 500 Gms	800 3300
74997	•	pathogenic staphylococci and bacilli. MYP Agar, Base (I) (Phenol Red Egg Yolk Polymyxin Agar, Base)	100 Gms 500 Gms	1100	18953	wide variety of microorganisms. ✓ Nutrient Agar (I)	100 Gms 500 Gms	900 3500
		For isolation and identification of pathogenic staphylococci and bacilli.	500 GIIIS	4200		For the cultivation and maintenance of a wide variety of microorganisms.		
67124	ı	Nalidixic Selective Supplement (15mg/vI) Used for the selective isolation of Pseudomonas aeruginosa.	5 vl	1200	73478	✓ Nutrient Agar BioVeg General purpose (animal origin free) medium for the cultivation of micro	100 Gms 500 Gms	800 3300
77316		Neomycin Supplement (30mg/vl) Used for selective isolation of various	5 vl	1200	18876	organisms. ✓ Nutrient Agar 1.5% (I)	100 Gms 500 Gms	1100 4000
44697	~	microorganisms. Neopeptone BactoBio for bacteriology	500 Gms	2400	84955	✓ Nutrient Agar 1.5%	100 Gms 500 Gms	900 3800
		(Peptone Special) Neopeptone, an enzymatic digest of protein is well suited for the growth of			48275	✓ Nutrient Agar for Oxidase (I)	100 Gms 500 Gms	1100 4000
		protein is well suited for the growth of many delicate and fastidious bacteria like Group A Streptococci. It also facilitates the			75435	✓ Nutrient Agar w/ Manganese	100 Gms 500 Gms	1000 3900
		development of mucoid colonies of the hemolytic Streptococci.	100 000	1000	73153	✓ Nutrient Agar w/MUG	100 Gms 500 Gms	2100 8400
79989		Neutral Red Chalk Lactose Agar	100 Gms 500 Gms	1000 4500		Used for the detection of Escherichia coli by fluorogenic procedure especially from water and food samples.		
65466		NIH Agar	100 Gms 500 Gms	900 4000	50427	✓ Nutrient Agar w/ 1% Peptone	100 Gms 500 Gms	900
23527	•	For the differentiation of aerobic and facultative Gram-negative organisms based on their ability to reduce nitrate.	100 Gms 500 Gms	1400 6000		A general purpose medium used for the cultivation of a wide variety of microorganisms, by addition of blood or other biological fluids.		
48541	~	Nitrate Broth (I) (B/S) For the differentiation of aerobic and facultative gram negative organisms based	100 Gms 500 Gms	1000 4000	70955	 Nutrient Agar No. 2 (B/S) Used for the cultivation and maintenance of a wide variety of bacteria. 	100 Gms 500 Gms	900 3700



Code		Name	Packing	Price	Code		Name	Packing	Price
17137	~	Nutrient Agar No. 2	100 Gms	900	73438	~	Oatmeal Agar	100 Gms	1200
			500 Gms	3700				500 Gms	4800
		For the cultivation and maintenance of a wide variety of bacteria.					Used for the cultivation of fungi,particularly for macrospore formation.		
58561	•	Nutrient Agar, pH 6.8	100 Gms 500 Gms	1000 3700	25916 [134134-86		Oatmeal Powder BactoBio for bacteriology	100 Gms 500 Gms	1100 4400
		For the cultivation and enumeration of organisms in water, sewage, faeces and other materials.					Oatmeal powder is obtained from oat grains and manufactured under controlled conditions. It is highly nutritious source for		
96434	~	Nutrient Agar, pH 7.0 (I)	100 Gms	1000	92051		growth of fungi in media. OF Basal Medium	100 Gms	000
			500 Gms	3900	83951	•	OF Basai Medidili	500 Gms	900 3600
		For the cultivation of a wide variety of microorganisms,including Salmonella species					For use with added carbohydrate for differentiation of gram negative	300 GITIS	3600
38009	V	Nutrient Agar, pH 7.0 (B/S)	100 Gms	1000			microorganisms based on		
			500 Gms	3900			oxidation-fermentation patterns.		
67948	~	Nutrient Agar pH 6 w/ 0.8 % NaCl	100 Gms	1000	13566	~	OGYE Agar Base (Oxytetracycline Glucose Yeast Extract Agar Base)	100 Gms	1400
			500 Gms	3800			• ,	500 Gms	4000
55427	V	Nutrient Broth	100 Gms	700			With added Oxytetracycline used for selective isolation of yeast and molds in		
			500 Gms	2600			foods.		
		For the cultivation and maintenance of a			14427	~	Orange Serum Agar	100 Gms	1200
		wide variety of microorganisms.						500 Gms	4400
39905	~	Nutrient Broth BioVeg	100 Gms	700			Used for the isolation and enumeration of		
			500 Gms	2600			spoilage organisms of citrus products and		
		An animal origin free media, for the					for examining fruit beverages.		
		cultivation and maintenance of a wide variety of microorganisms.			57925	•	Orchid Agar	100 Gms	1200
97327	_	-	100 Gms	700				500 Gms	4900
			500 Gms	2800	34235	•	Ornithine Decarboxylase Broth	100 Gms	3300
		For the cultivation and maintenance of less fastidious bacteria.			14792	~	L-Ornithine Decarboxylase Broth (I)	100 Gms	3400
63679	~	Nutrient Broth w/ 1% Peptone (B/S)	100 Gms	700	57253		Oxacillin Resistant Selective	5 vl	1400
			500 Gms	2800			Supplement Recommended for screening of oxacillin		
		Used as a general purpose culture					resistant microorganisms.		
		medium.			99455	_	Ox Bile (Ox Gall) Powder BactoBio	100 Gms	4200
93063	•	Nutrient Broth w/ 1% Peptone (I/P) (B/P)	100 Gms	700			for bacteriology	500 Gms	20200
			500 Gms	2800			Dehydrated ox bile, used is preparation of		
		For microbial limit test and sterility testing.	100.0				microbiological culture media as a		
66363	•	Nutrient Broth, pH 6.9 w/o NaCl	100 Gms 500 Gms	700			selectively inhibitory agent.It inhibits		
		A general purpose medium for cultivation	500 GIIIS	2800			bacteria not growing in enteric environment and favours growth of enteric		
		of a wide variety of microorganisms.					microorganisms.		
94007	~	Nutrient Broth w/ 1% Yeast Extract	100 Gms	1000	42116	ı	Oxford Listeria Supplement	5 vl	1800
			500 Gms	3800			Used for selective isolation of Listeria		
		For the cultivation and maintenance of a wide variety of microorganisms.					species.		
22583	_		100 Gms	900	51521		Oxytetra Selective Supplement	5 vl	1000
22303	•		500 Gms	3200			(50mg/vl)	5 x5 vl	3200
		For detection of gelatin liquefaction by		3200			Used for the selective isolation of yeasts		
		proteolytic microorganisms					and moulds.	102.0	
50540	~	N Z Broth	100 Gms	5700	35973	•	Pagano Levin Base (Pagano Levin Candida Test Medium)	100 Gms 500 Gms	900 3400



Code		Name	Packing	Price	Code		Name	Packing	Price
39992	•	Pantothenate Culture Agar	100 Gms	1700	11522	•	Peptone Water BioVeg	100 Gms	900
			500 Gms	7500				500 Gms	3300
50769	~	PE 2 Medium	100 Gms	1200			General purpose growth medium and as		
			500 Gms	4200			the base of carbohydrate fermentation media.		
89858		PEMBA Supplement (10KU/vI)	5 vl	1000	56562	_	Peptone Water w/ Phenol Red	100 Gms	800
		Paratago Parata Plantago tambago tamba			00002			500 Gms	3300
95292 [73049-73-		Peptone BactoBio for bacteriology	500 Gms	1800			For cultivation of non-fastidious		0000
[. 55 .5 .5	. 1		5 Kg	15600			microorganisms and as a base for		
		Llood in various apparal and discussion	25 Kg	68400			carbohydrate fermentation tests.		
		Used in various general and diagnostic media, also for large-scale production of			70376	~	Peptonized Milk (Peptonized SM	100 Gms	1000
		enzymes, vaccines, antibiotics, etc. Peptic					Powder) BactoBio for microbiology	500 Gms	3300
		digest of animal tissue also used in					Peptonized milk is an enzymatic digest of		
		microbiological culture media.					fat free milk solids. It contains peptones,		
51960	~		500 Gms	2200			polypeptides and amino acids derived		
		bacteriology	5 Kg	17900			from milk protein as well as other nutritive components of skim milk. Used for		
			10 Kg	34500			isolation and cultivation of Lactobacilli and		
		Peptone derived from vegetable/plant					Streptococci, especially in dairy products.		
		source; is alternative to traditional animal			17511	V	Peptonized Milk Agar (Peptonized	100 Gms	1300
		based peptones. It contains polypeptides and amino acids which provides readily					SM Agar)	500 Gms	5200
		available source of nitrogen and minerals			66916	V	Perfringens Agar Base (O.P.S.P.)	100 Gms	1300
		for the growth of bacteria and fungi.						500 Gms	4900
29002	~	Peptone BioVeg Sterile for	100 Gms	850			For presumptive identification of		
		bacteriology (Gamma Irradiated)	500 Gms	3210			Clostridium perfringens in foods.		
		Sterile (gamma irradiated) vegetable			11976		Perfringens Supplement-I (50mg/vI)	5 vl	1000
		source of peptone, recommended for use						5 x5 vl	2600
		in manufacturing of vaccines, enzymes antibiotics etc					Used for selective isolation of Clostridium		
		enzymes,antibiotics,etc.					perfringens		
23136	•	Peptone Granulated BactoBio for bacteriology	500 Gms	2800	62598		Perfringens Supplement-II	5 vl	1300
			5 Kg	26800				5 x5 vl	3500
		A peptic digest of animal tissue used in various general and diagnostic media also					Used for selective isolation of Clostridium		
		for large scale production of enzyme,				0	perfringens.		
		vaccines, antibiotics, etc.			92096	8	Perfringens S.F.P. Supplement (S.F.P. Supplement)	5 vl	1200
95672	~	Peptone Special BactoBio for	500 Gms	2500				4 x5 vl	4000
		bacteriology	5 Kg	23100			Used for the selective isolation of clostridium perfringens.		
			10 Kg	42800	55688	A	Perfringens T.S.C. Supplement	5 vl	1300
		Peptic digest of animal tissue used in			33000		(T.S.C Supplement) (200mg/vl)	4 x5 vl	3700
		microbiological culture media.					Used for selective isolation of Clostridium	1 70 11	0700
65059	~	Peptone Iron Agar	100 Gms	2300			perfringens.		
			500 Gms	6300	23504	~	′ Pikovskaya`s Agar	100 Gms	1100
		For the cultivation and differentiation of						500 Gms	4400
		microorganisms based on their ability to					Used for the detection of phosphate		
01005	.	produce H2S.	100 Cma	1000			solubilizing soil microorganism.		
21025	•	Peptone Sorbitol Bile Broth	100 Gms 500 Gms	1300	52133	~	Pikovskaya`s Broth	100 Gms	1000
		Dantaga Watan		4400				500 Gms	4300
55010	~	Peptone Water	100 Gms	800			Used for detection of phosphate		
			500 Gms	2800			solubilizing microorganisms.		
		For the cultivation of non-fastidious			59048	~	Phenol Red Agar, Base	100 Gms	1100
		microorganisms, for carbohydrate fermentation tests and also for performing						500 Gms	4100
		the indole tests.					For the determination of fermentation		
							reaction.		



Code	Name	Packing	Price	Code		Name	Packing	Price
14517	✓ Phenol Red Broth Base	100 Gms 500 Gms	1200 3500	21699	•	Plate Count Agar (I) (Standard Methods Agar)	100 Gms 500 Gms	1100 4700
	For the study of carbohydrate fermentations.					APHA, FDA recommended medium for detecting plate counts of microorganisms		
79054	✓ Phenol Red Dextrose Broth	100 Gms	1000			in food, water and waste water.		
		500 Gms	4000	88393	•	Plate Count Agar (B/S)	100 Gms 500 Gms	1100
35850	✓ Phenol Red Lactose Broth	100 Gms	1100			Used for determination of plate counts of	500 GIIIS	4400
		500 Gms 4000			microorganisms in milk and dairy products			
	Used for determination of fermentation of lactose in the differentiation of					by pour plate technique or spread plate		
	microorganisms.			78609		technique. Plate Count Agar, Special	100 Gms	1000
15572	✓ Phenol Red Tartrate Agar	100 Gms	3400	70009	•	Frate Count Agai, Special	500 Gms	1800 7000
	(Jordan Tartrate Agar)	500 Gms	15800	45218	_	Plate Count Agar w/ BCP	100 Gms	1200
12168	✓ Phenolphthalein Phosphate Agar	100 Gms	1200	40210		,	500 Gms	4400
		500 Gms	4800	25496	~	PM Indicator Agar (Penicillin in	100 Gms	1300
92335	✓ Phenylalanine Agar (Phenylalanine Deaminase Medium)	100 Gms 500 Gms	1100			Milk Indicator Agar)	500 Gms	4500
	For the differentiation of enteric gram-	500 GIIIS	4500	35980	A	(Penicillin in Milk Indicator Agar) Polymyxin B Selective Supplement	5 vl	1000
	negative bacilli on the basis of their ability			00000	·	(50KU/vI)	5 x5 vl	3400
	to produce phenyl pruvic acid from					Used for the selective isolation of various		
22522	phenylalanine. ✓ Phenylalanine Malonate Broth	100 0	4000			microorganisms.		
63532	(Shaw and Clarke)	100 Gms 500 Gms	4800 11000	81798	~	Polysorbate 80 Agar (Twin Pack)	100 Gms	100
	Used as a test medium to detect the	333 35	11000		0		500 Gms	390
	utilization of malonate and phenylalanine deamination.			14644	ı	Potassium Lactate 50% (10ml/vl)	5 vl	1500
34115	✓ P.E.A. (Phenylethyl Alcohol) Agar	100 Gms	2500			Used for isolation and enumeration of yeasts		
		500 Gms	11300	12370		Potassium Sorbate 10% (10 ml/vl)	5 vl	1300
	For the selective isolation of gram-positive							
	organisms like Staphylococci and Streptococci.					Recommended for the detection and isolation of acid resistant yeasts.		
21418	✓ Phosphate Buffer pH 7.2 (APHA)	100 Gms	800	91488		Potassium Tellurite 1% Supplement	5 vl	900
		500 Gms	2300			(1ml/vl)	5 x5 vl	2900
	Used for preparation of dilutions and					Used for Selective Isolation for		
	blanks in the examination of specimens				۵	Cornybacteria and Staphylococci.	F.1	
69049	like water, dairy products, foods, etc. ✓ Phosphate Buffer, pH 8.0	100 Gms	900	99482	8	Potassium Tellurite 3.5% Supplement (1ml/vl)	5 vl	900
05045	r noophate Baner, pri ole	500 Gms	3800			Used for selective isolation of		
	Recommended for preparation of dilutions					cornybacteria and staphylococci	100 0	
	and blanks as per methods specified in			15344	•	Potato Carrot Agar	100 Gms 500 Gms	1200 5100
10450	pharmacopoeia. ✓ Plate Count Agar	100 Cma	1000			Used to enhance sporulation of a variety of	ood amo	3100
10453	• Flate Count Agai	100 Gms 500 Gms	1000 4200			fungi. Also recommended for sporangial		
	For the enumeration of viable bacteria in		1200			production of Phytophthora species.		
	milk and dairy products, heterotrophic			17235	•	Potato Carrot Broth	100 Gms	1100
	bacteria in water by pour plate technique.					Recommended Broth media for the	500 Gms	4900
52192	✓ Plate Count Agar BioVeg	100 Gms 500 Gms	1000			reproduction of Pyronema domesticum.		
	For the enumeration of viable bacteria in	JUU GIIIS	4200					
	milk and dairy products, heterotrophic							
	bacteria in water by pour plate technique.							
36879	✓ Plate Count Agar w/MUG	100 Gms	2100					
		500 Gms	8700					



Code	Name	Packing	Price	Code		Name	Packing	Price
71788	✓ Potato Dextrose Agar (PDA) For the isolation, cultivation and enumeration of yeasts and molds from	100 Gms 500 Gms 2 Kg 5 Kg	800 3200 11800 28200	74426	,	Presence - Absence Broth (PA Broth) For the detection of coliform bacteria in water from treatment plants or distribution systems using the presence-absence coliform test.	100 Gms 500 Gms	1000 3600
	dairy and food products. Used to induce sporulation in many fungi.			41406 [91079-38		Proteose Peptone BactoBio for bacteriology	500 Gms 2 Kg	2500 7800
94111	 Potato Dextrose Agar (PDA), Harmonized Used for the cultivation of yeasts and molds in pharmaceutical testing according to harmonized methods. 	100 Gms 500 Gms	900 3300			Enzymatic digest of protein, high in proteoses. Used in microbiological culture media and in bacterial toxin production and also in microbiological media for bacteria requiring varying nutritional properties.		
91338	For the isolation, cultivation and enumeration of yeasts and molds from dairy and food products. Used to induce sporulation in many fungi.	100 Gms 500 Gms	800 3200	93788	•	Protose BactoBio for bacteriology A specially manufactured biological ingredient, very high in proteoses. It's composition of various amino acids ,along with proteoses and peptones ,make it	100 Gms 500 Gms	1000 3000
63506	✓ Potato Dextrose Agar w/ Chloramphenicol (0.1g/lit) (PDA w/ 0.01% Chloramphenicol) Recommended as a general purpose	100 Gms 500 Gms	1100 4300	90912	,	suitable ingredient for fermentation and vaccine manufacturing process. Pseudomonas Agar Base (I)	100 Gms	900
	medium for cultivation and isolation of yeasts and molds from foods, dairy and cosmetics.					Used for the selective isolation of Pseudomonas species.	500 Gms	4000
72704	✓ Potato Dextrose Agar w/2% Glucose and 60% Sucrose (PDA w/2% Glucose and 60% Sucrose) For the isolation of Zygosaccharomyces rouxii from chocolate syrup.	100 Gms 500 Gms	1200 4800	49698		Pseudomonas Agar for Fluorescein For the cultivation and observation of fluorescein production in Pseudomonas	100 Gms 500 Gms	1000 3700
35208	For the isolation, cultivation and enumeration of yeasts and molds from dairy and food products.	100 Gms 500 Gms	800 2900	80358	•	Pseudomonas Agar for Pyocyanin (Pseudomonas Agar-P) For the isolation, cultivation and differentiation of Pseudomonas species on	100 Gms 500 Gms	900 3400
74474	✓ Potato Dextrose Broth (PDB) BioVeg	100 Gms 500 Gms	1000 3300	40976	~	the basis of pyocyanin production. Pseudomonas Asparagine Broth (APHA)	100 Gms 500 Gms	3500 11300
69190	For the cultivation and enumeration of yeasts and molds. Potato Dextrose Rose Bengal Agar	100 Gms 500 Gms	900 4100	55523		Pseudomonas Isolation Agar, Base For the isolation and cultivation of	100 Gms 500 Gms	1000
60040	Used for promoting ascospore production. ✓ Potato Infusion Powder (PI Powder) BactoBio for bacteriology	100 Gms 500 Gms	900 2700	36124	~	Pseudomonas species. Pseudomonas Isolation Agar BioVeg	100 Gms 500 Gms	1000 4200
4005	Potato infusion, is a high quality infusion powder for use as an ingredient in microbiological culture media, for enhanced sporulation and growth of fungal microorganisms.	100.0	4405	47758	~	For the isolation and cultivation of Pseudomonas species. Pseudomonas Test Kit (Pre-Weighed Media) Used for isolation, identification and cultivation of Pseudomonas species.	1 Kit	3500
43921	✓ Potato Malt Agar	100 Gms 500 Gms	1100 4000	69827		Purple Agar Base	100 Gms 500 Gms	1300 5400
				98775	~	Purple Broth Base	100 Gms	1000



Code	Name	Packing	Price	Code		Name	Packing	Price
10666	✓ Pyridoxine Assay Medium	100 Gms	3700	63380	~	Ringer Salt Solution Powder	100 Gms 500 Gms	1700 7100
	For the microbiological assay of pyridoxine using Neurospora sitophila as the test organism.					Used as an isotonic diluent during food, milk and dairy products microbiological examination.		
29051	✓ PYR Agar	100 Gms 500 Gms	1400 5200	57672	ı	Rosolic Acid Supplement (0.1gm/vl)	5 vl	1300
	Used for the isolation and identification of Streptococcus pyogenes.					Used for the selective isolation of coliforms.		
50846	✓ R2A Agar	100 Gms 500 Gms	1300 4700	76126	~	SA Agar Base	100 Gms 500 Gms	1900 5800
	Used for enumerating heterotrophic bacteria from drinking water.					Used for isolation and differentiation of Aeromonas hydrophila from foods based		
34629	✓ R2A Agar BioVeg	100 Gms 500 Gms	1150 4950	99752	~	on starch hydrolysis (as per APHA). S. Aureus Test Kit (Pre-Weighed Media)	1 Kit	4000
	Used for enumeration of heterotrophic bacteria from drinking water					Used for isolation, identification and cultivation of Staphylococcus aureus.		
16437	✓ R3A Agar	100 Gms 500 Gms	1500 4900	67506	~	SABHI Agar Base	100 Gms 500 Gms	1400 4500
20107	For the cultivation and maintenance of heterotrophic bacteria from potable waters.	100 0	1000	44970	~	Sabouraud Chloramphenicol Agar	100 Gms 500 Gms	1100 4200
39167	✓ Rappaport Vassiliadis R 10 Broth	100 Gms 500 Gms	1000 4000	55941	_	For the cultivation of yeasts and molds. Sabouraud Chloramphenicol Agar	100 Gms	1100
	Used for the selective enrichment of Salmonella from meat and dairy products, faeces and sewage polluted water.					BioVeg For the cultivation of yeasts and molds.	500 Gms	4200
59912	✓ Rappaport Vassiliadis Salmonella Enrichment Broth, Harmonized	100 Gms 500 Gms	900	19427	~	Sabouraud Dextrose Agar (U/P) (I/P)	100 Gms 500 Gms	800
	Used for selective enrichment of Salmonella species in pharmaceutical					(Sabouraud Glucose Agar) For the cultivation of dermatophytes, yeasts and filamentous fungi.		
22140	testing according to harmonized methods. ✓ Rappaport Vassiliadis Soyabean Meal Broth (RVSM Broth)	100 Gms 500 Gms	1200 4100	28055	~	Sabouraud Dextrose Agar	100 Gms 500 Gms	800 3200
	Used for enrichment and isolation of Salmonella species.					Used for the cultivation of dermatophytes, yeasts & filamentous fungi.		
18530	✓ Razi`s Medium	100 Gms 500 Gms	1200 4800	95430	¥	Sabouraud Dextrose Agar Cycloheximide and Chloramphenicol (Mycobiotic Agar)	50 Gms 100 Gms	4200 7800
78777	✓ Reinforced Clostridial Agar	100 Gms 500 Gms	900			For the selective isolation and cultivation of fungi.		
	Used for the cultivation and enumeration of Clostridium species and other anaerobes			24613	•	Sabouraud Dextrose Agar, Harmonized For the cultivation and isolation of yeasts,	100 Gms 500 Gms	3300
11999	from clinical specimens and foods. ✓ Reinforced Medium for Clostridia, Harmonized	100 Gms 500 Gms	800 2900			molds and aciduric microorganisms in pharmaceutical testing according to harmonized methods.		
	Used for the cultivation and enumeration of Clostridia in pharmaceutical testing			88999	•	Sabouraud Dextrose Agar BioVeg	100 Gms 500 Gms	800
71467	according to harmonized methods. ✓ Rhizobium Medium	100 Gms	1400			Used for the cultivation of dermatophytes, yeasts and filamentous fungi.		2000
	Used for the cultivation of Rhizobium species.	500 Gms	4300					



Code		Name	Packing	Price	Code	Name	Packing	Price
24835	•	Sabouraud Dextrose Broth, Harmonized For the cultivation and isolation of yeasts,	100 Gms 500 Gms	600 2000	87213	✓ Selenite Broth w/ Dulcitol (Twin Pack) Used for enrichment of Salmonella species.	500 Gms	7200
		molds and aciduric microorganisms in pharmaceutical testing according to harmonized methods.			16709	✓ Selenite Cystine Broth, Base w/o Selenite	100 Gms 500 Gms	800 3300
64402	~	Sabouraud Dextrose Maltose Broth	100 Gms 500 Gms	1200 4700	38926	✓ Selenite F Broth, Base w/ Selenite (Twin Pack)	100 Gms 500 Gms	1100 4400
		Used for the cultivation of moulds, yeasts and aciduric organisms as well as testing of antimycotic substances.			83179	✓ Selenite F Broth, Base w/o Selenite With addition of selenite, used for isolation	100 Gms 500 Gms	800 3300
14506	•	Sabouraud Glucose Broth (Sabouraud Dextrose Broth) For the cultivation of dermatophytes,	100 Gms 500 Gms	500 1500		and cultivation of Salmonella species from faeces, dairy products and other specimens.		
57791	~	yeasts and filamentous fungi.	100 Gms	1200	17458	✓ Semi-Solid Nutrient Agar (I)	100 Gms 500 Gms	1100 4400
		For the cultivation and maintenance of yeasts, molds and a variety of fungi.	500 Gms	4500	75917	✓ Semi-Solid Nutrient Agar (B/S)	100 Gms 500 Gms	1100 4400
33387	~	, , ,	100 Gms 500 Gms	1000 4100	37963	✓ Semi-solid Rappaport Vassiliadis (MSRV) Medium Base	100 Gms 500 Gms	1200 4300
36370	~		100 Gms 500 Gms	1200 4200	84809	✓ Sensitest Agar For the performance of antibiotic sensitivity	100 Gms 500 Gms	2100 8500
		Used for detection of alpha -toxin in Clostridium perfringens			11500	test. ✓ S.F.P Agar Base	100 Cma	1100
39930	•	SS Agar (Salmonella Shigella Agar) For the selective isolation and differentiation of pathogenic enteric bacilli	100 Gms 500 Gms	900 3600	11580	(Shahidi Ferguson Perfringens Agar Base) Used for the isolation and enumeration of Clostridium perfringens from foods.	100 Gms 500 Gms	1100 5100
		especially Salmonella and Shigella species.			94074	✓ Shigella Broth Base	100 Gms 500 Gms	1100 4000
36856	•	SS Agar, Modified (Salmonella-Shigella Agar, Modified)	100 Gms 500 Gms	1100 4200		Used for the isolation and cultivation of Shigella species from food.		
		(Salmonella Shigella Agar) A modified medium, which provides better growth of Salmonella and Shigella species.			45290	Shigella Selective Supplement (0.55mg/vI) Used for the selective isolation and cultivation of Shigella species.	5 vl	1200
55521	•	Salmonella Test Kit (Pre-Weighed Media) Used for isolation, identification and cultivation of Salmonella species.	1 Kit	2200	91694	✓ Slanetz and Bartley Medium For the detection and enumeration of	100 Gms 500 Gms	1100 4300
48589	~	Salt Polymyxin Broth, Base (I) (Polymyxin Salt Broth)	100 Gms 500 Gms	1000 3900		enterococci by membrane filtration method.		
22887	~	Salt Polymyxin Broth, Base (B/S)	100 Gms 500 Gms	1000 3900	49810	✓ SIM Medium (Sulfite Indole Motility Medium)	100 Gms 500 Gms	900 3500
58249	~	Schaedler Agar w/o Thioglycollate (Schaedler Anaerobic Agar w/o Thioglycollate)	100 Gms 500 Gms	1700 4800		For the differentiation of members of the Enterobacteriaceae, based on H2S production, indole production and motility.		
16164	~	Schaedler Agar (Schaedler Anaerobic Agar)	100 Gms 500 Gms	1100 4300	57309	✓ SIM Medium BioVeg	100 Gms 500 Gms	900 3500
		Used for the enumeration of various aerobic and anaerobic bacterial species present in the gastrointestinal tract.				Used for the differentiation of members of the Enterobacteriaceae, based onH2S production, indole production and motility.		



Code		Name	Packing	Price	Code		Name	Packing	Price
59437	•	Simmon`s Citrate Agar	100 Gms 500 Gms	900 3900	28501	~	Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB)	100 Gms 500 Gms	600 1800
		For the differentiation of gram-negative bacteria on the basis of citrate utilization.					A nutritious general purpose medium used	2 Kg	5900
28582	•	Skim Milk Powder (SM Powder) BactoBio for bacteriology	500 Gms	1200			for the growth of a wide variety of bacteria and fungi.		
		Specially made from Fat free milk,high in protein. Suitable as ingredient in			89320 [8002-43-5		Soya Lecithin (30%) BactoBio for bacteriology	100 Gms 500 Gms	1900 3900
69372	_	microbiology media. Skim Milk Plate Count Agar (SM	100 Gms	2400			A natural phospholipid made from	333 G 3	0000
		Plate Count Agar) For the enumeration of bacteria in milk and	500 Gms	5800	20626		non-GMO soya beans. Soyatone BactoBio for bacteriology (Soya peptone)	500 Gms	1400
44000	•	dairy products.	100 Gms	1.100	[91079-40-	-0]	Papaic digest of soyabean meal phytone, a	5 Kg	12000
41023	Ĭ	Solbito II off Agai	500 Gms	1400 5100			peptone of plant origin. Contains high concentration of carbohydrates and		
77892	•	(SCDA) (Tryptone Soya Agar, TSA),	100 Gms 500 Gms	800 3300			nitrogen constituents, hence making it suitable for growth of fastidious		
		Harmonized	2 Kg	12000	24205	~	microorganisms. Special YM Medium	100 Gms	1100
		For isolation and cultivation of fastidious and non-fastidious microorganisms in					· ·	500 Gms	4100
		pharmaceutical testing according to harmonized methods.			39778	~	Spirit Blue Agar	100 Gms 500 Gms	1300 5300
33291	V	Soyabean Casein Digest Agar (SCDA) (Tryptone Soya Agar, TSA)	100 Gms 500 Gms	800 3300			For the detection, enumeration and study of lipolytic microorganisms.	333 33	3000
		Used for the isolation and cultivation of	2 Kg	12000	54880	~	Sporulation Broth	100 Gms	1000
		fastidious & non fastidious			31363	~	SPS Agar	500 Gms 100 Gms	3800 1200
10935	_	microorganisms. Soyabean Casein Digest Medium	100 Gms	600				500 Gms	4200
		(SCDM) (Tryptone Soya Broth, TSB), Harmonized	500 Gms	1800			For the detection and enumeration of Clostridium perfringens in foods.		
		Used for cultivation of a wide variety of	2 Kg	5900	14041	•	Standard Methods Agar w /Tween 80 and Lecithin	100 Gms 500 Gms	2600 10400
		fastidious and non-fastidious microorganisms in pharmaceutical testing					For the determination of sterility of surfaces		
47404	_	according to harmonized methods. Soyabean Casein Digest Medium	500 Gms	2200	92654	~	Standard Nutrient Agar No.1	100 Gms 500 Gms	1100 4400
47404		(SCDM) (Tryptone Soya Broth, TSB), Sterile (Gamma Irradiated) Gamma irradiated sterile powder used for	ooo ams	2200			Used for the cultivation of fastidious bacteria and also for the isolation and		1100
		the growth of wide variety of bacteria and			72899	~	enumeration of bacteria. Standard Nutrient Agar No.2	100 Gms	1300
51993	~	fungi. Soyabean Casein Digest Medium	100 Gms	600				500 Gms	5500
		(SCDM) (Tryptone Soya Broth, TSB) BioVeg	500 Gms	2000	68818	~	Standard Nutrient Broth (H.S. Vaccine Medium)	100 Gms 500 Gms	900 2600
		(Soyabean Medium BioVeg) For the cultivation of a wide variety of microorganisms.					Recommended nutritive medium for mass cultivation of bacteria for vaccine production.		
44520	•	Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB), BioVeg Sterile (Gamma	500 Gms	2700	18247	ı	Staph-Strepto Selective Supplement	5 vl 5 x5 vl	1700 4000
		Irradiated) A nutritious general purpose medium, prepared by replacing animal based					Used for the selective isolation of Staphylococcus and Streptococcus.		
		peptones with vegetable based peptones. It is gamma irradiated sterile powder, used							
		in evaluation of sterility in manufacturing process.							



Code		Name	Packing	Price	Code	Name	Packing	Price
39726	~	Staphylococcus Medium 110	100 Gms	1000	49778	✓ Sulphite Agar	100 Gms	1500
		(Stone Gelatin Agar, Gelatin Mannitol Salt Agar)	500 Gms	3500		(Sulfite Agar)	500 Gms	4700
		For the isolation & enumeration of			84524	✓ Iron Sulphite Agar	100 Gms	1000
		Staphylococci based on mannitol				(Sulfite Iron Agar)	500 Gms	4200
		fermentation, pigment formation & gelatinase activity.				Used for the detection of Clostridia in the examination of meat and meat products.		
37547	~	Starch Agar	100 Gms 500 Gms	1100 4400	34050	Sulpha Supplement	5 vl	1800
		For detection of starch hydrolyzing				Used for the selective isolation of Salmonella species.		
70400		microorganisms. Starch Soluble Special (Cold Water	100 Cma	1000	68041	✓ Syncase Broth	100 Gms	1200
78486 [9005-84	-9]	Soluble) BactoBio for microbiology	100 Gms 500 Gms	1800 3900			500 Gms	4800
		A special grade of Starch, suitable for	300 GIII3	3900	23635	✓ T1N1 Agar (Tryptone Salt Agar)	100 Gms	1200
		media preparations in microbiology since it				(Tryptone Salt Agar)	500 Gms	4500
		is cold water soluble due to its special			65235	✓ T1N1 Broth (Tryptone Salt Broth)	100 Gms	700
		preparation method. The solution					500 Gms	2900
		characteristics being clear, make it especially suitable for such use in labs.			15600	✓ T.A.T. Broth Base	100 Gms	900
76043	_		1 Kit	1100		(Tryptone-Azolectin-Tween Broth Base)	500 Gms	4100
70040		Media)		1100	86626	✓ TCBS Agar	100 Gms	1000
		Used for sterility testing of products as per				(Thiosulphate Citrate Bile Salts Sucrose	500 Gms	4100
	n	pharmacoepial standards.				Agar) For the selective isolation of Vibrio cholerae		
11475	å	Strepto Supplement	5 vl	1300		and Vibrio parahaemolyticus from a variety		
		Lload for the coloation of Otroptococcus	5 x5 vl	4100		of clinical specimens.		
		Used for the selection of Streptococcus species.			50165	✓ TCBS Agar (B/S)	100 Gms	1000
35140	ı	Streptococcus Selective	5 vl	1800		(Thiosulfate Citrate Bile Salts Sucrose	500 Gms	4100
001-10	_	Supplement	5 x5 vl	4200		Agar) Used for selective isolation of		
		Used for the selective isolation and				Enteropathogenic Vibrio species.		
		cultivation of Streptococcus species.			68331	✓ TCBS Agar BioVeg	100 Gms	1100
31025	~	Streptococcus Thermophilus	100 Gms	1300			500 Gms	4500
		Isolation Agar	500 Gms	4500		For the selective isolation of Vibrio cholerae		
		For determining the ratio of Streptococcus				and Vibrio parahaemolyticus from clinical		
		thermophilus and Lactobacillus bulgaricus			4.000	specimens.	F.1	
77304	J	in yoghurt. Streptomyces Agar	100 Gms	1100	15297	lack Tellurite Cefixime Supplement	5 vl	1400
77304	•	Streptomyces Agai	500 Gms	1100 4300		Used for the selective isolation and		
		For the cultivation and maintenance of	300 GIII3	4300		cultivation of Escherichia coli 0157:H7		
		Streptomyces.			30431	✓ Tellurite Glycine Agar Base	100 Gms	1000
43048	~	Stuart Transport Medium	100 Gms	1400			500 Gms	4900
			500 Gms	5800	97630	✓ Tergitol- 7 Agar, Base (B/S)	100 Gms	1100
		For the preservation of Neisseria species				(T7 Agar)	500 Gms	5100
		and other fastidious organisms during their				Used for selective enumeration and		
		transport from clinic to laboratory.			0=000	identification of coilform organisms	100.0	1400
14840	~	Sucrose Salicin Agar (Gillies Agar No.2)	100 Gms	5900	67662	✓ Tergitol-7 Agar H, Base (T7 Agar, H)	100 Gms 500 Gms	1400 5700
69237	~	Sugar Free Agar (Count Agar	100 Gms	1200	99371	✓ Tergitol-7 Broth	100 Gms	1000
		Sugar-free)	500 Gms	4200		(T7 Broth)	500 Gms	4100
		For the enumeration of psychotropic and			30086	✓ Terrific Broth (Tartoff-Hobbs Broth)	100 Gms	900
		mesophilic gram- negative rods in butter and other dairy products as per formula				•	500 Gms	3300
		described by the International Dairy				For the cultivation of recombinant strains of		
		Federation.				Escherichia coli.		



Code		Name	Packing	Price	Code		Name	Packing	Price
40873		Tetracycline Selective Supplement	5 vl	1500	74398	•	Tomato Juice Agar	100 Gms	1800
		Used for the selective isolation and						500 Gms	5000
		cultivation of yeasts and moulds.					Used for the cultivation of lactobacilli.		
13112	~	Tetrathionate Broth Base w/o	100 Gms	700	33544	~	Transport Charcoal Medium	100 Gms	1200
10112		lodine & BG	500 Gms	2500				500 Gms	5000
		(TT Broth Base)		2000			For transportation of clinical specimens.		
		For the enrichment of Salmonella species.			87704		Tributyrin Supplement (10ml/vl)	5 vl	1800
81902	~	Tetrathionate Broth Base (I) (TT Broth Base)	100 Gms	800				5 x5 vl	6900
		,	500 Gms	2500			Used for the detection of lipolytic		
		Recommended for enrichment of					microorganisms.		
		Salmonellae from samples suspected to be contaminated with Salmonellae in			30842	~	Tributyrin Agar Base w/o Tributyrin	100 Gms	1200
		accordance with IP.						500 Gms	4900
13727	_	TGB Agar (Tryptone Glucose Beef	100 Gms	1000			For the cultivation and enumeration of		
13/2/		Extract Agar)	500 Gms	4300			lipolytic microorganisms.		
		Theorem Mantin Madison Dane			12081	~	Triple Sugar Iron Agar (I)	100 Gms	800
44521	~	Thayer-Martin Medium, Base (Thayer-Martin Agar, Modified)	100 Gms	900			(TSI Agar)	500 Gms	3500
			500 Gms	3700			Used for the differentiation of members of		
		For the isolation of Neisseria species from					Enterobacteriaceae on the basis of		
		specimens containing mixed flora of bacteria and fungi.					fermenting of glucose, lactose, sucrose		
86908	J	Thiobacillus Agar	100 Gms	1900		. 4	and H2S production.	100.0	
00900	·	Thiobachius Agai	500 Gms	5900	55720	•	Triple Sugar Iron Agar (B/S)	100 Gms	800
								500 Gms	3500
65489	~	Thioglycollate Agar	100 Gms	1100			Used for the differentiation of		
			500 Gms	4300			Enterobacteriaceae on the basis of fermenting of glucose, lactose, sucrose		
		Used for the growth and cultivation of					and H2S production.		
20120		anaerobic microorganisms. Thioglycollate Broth w/ Liver	100 Gms	000	69309	V	Triple Sugar Iron Agar BioVeg	100 Gms	800
38136	•	Extract (B.Q. Vaccine Medium)	500 Gms	900				500 Gms	3500
			500 GIIIS	2400			Used for the differentiation of members of		
		Recommended medium for cultivation of anaerobes on large scale, especially for					Enterobacteriaceae on the basis of		
		vaccine manufacturing.					fermenting of glucose, lactose, sucrose		
91690	V		100 Gms	900			and H2S production.		
		Indicator (Diagnostic Thioglycollate	500 Gms	2800	80175	~	Tryptone Agar BioVeg	100 Gms	1400
		Medium)						500 Gms	4950
		For the cultivation of anaerobic, microaerophilic and aerobic					Used for the detection and enumeration of		
		microaerophilic and aeropic microorganisms. For use in sterility testing					Escherichia coli in foods using a modified		
		of a variety of specimens.				. 4	direct plating method		
63270	V	Thiol Broth	100 Gms	1300	32007		Tryptone BactoBio for bacteriology (Casitose)	500 Gms	2100
			500 Gms	3800	(-,		5 Kg	18800
67819	ı	Ticarcillin Supplement (1mg/vl)	5 vl	1300			Pancreatic Digest Of Casein used for cultivation of fastidious and non-fastidious		
0/0/0	•	g,,	•	1000			bacteria and fungi.		
		Used for enrichment of Yersinia			10396	V	Tryptone Bile Agar (I)	100 Gms	1100
		enterocolitica.			10000		, promo 2.110 / 1921 (1)	500 Gms	4500
29536	~	TN Agar	100 Gms	1200			Used for rapid detection and enumeration	333 5	4500
			500 Gms	4500			of Escherichia coli in foods.		
11483	~	Todd Hewitt Broth	100 Gms	900	62600	~	Tryptone Broth (Tryptone Water)	100 Gms	700
			500 Gms	3700			· · · · · · · · · · · · · · · · · · ·	500 Gms	2900
		For the cultivation of Group A Streptococci					For the cultivation of production of Indole		J u
		used in serological typing and for the					by microorganisms.		
		cultivation of variety of pathogenic			11947	V	Tryptone Broth BioVeg (Tryptone	100 Gms	800
		microorganisms.					Water BioVeg)	500 Gms	2900
	_	Toluidine Blue DNA Agar	100 Gms	7500			For the cultivation of and dustion of indele		. =
95197		(Dnase Test Agar with Toluidine Blue)	500 Gms	35800			For the cultivation of production of indole		



Code		Name	Packing	Price	Code	N	lame	Packing	Price
62087 45227		Tryptone Glucose Yeast Extract Broth Tryptone Phosphate Broth	100 Gms 500 Gms 100 Gms 500 Gms	1100 3700 700 2800	24392	(S S	Tryptone Soya Broth (TSB) Soyabean Casein Digest Medium, GCDM) For the cultivation of a variety of nicroorganisms.	100 Gms 500 Gms 2 Kg	600 1800 5900
73825	~	For the cultivation of enteropathogenic Escherichia coli. Tryptone Salt Broth Used as diluents to prepare stock solutions of dairy products and other food products,	100 Gms 500 Gms	700 2900	32347	✓ T (\$ w F	Tryptone Soya Broth (TSB) /SPS Soyabean Casein Digest Medium W/SPS, SCDM w/SPS) For the cultivation of fastidious and non-fastidious microorganism such as H. Influenzae, N. meningitidis, S. pneumonia.	100 Gms 500 Gms	900 3500
53226	~	cosmetics products for microbiological analysis. Tryptone Soya Agar (TSA) w/Lecithin and Polysorbate 80 (SCDA Lecithin & Tween 80) (Soyabean Casein Digest Agar	100 Gms 500 Gms	1100 4700	16684	(\$ S F	Tryptone Soya Broth (TSB) Soyabean Casein Digest Medium, SCDM) BioVeg For the cultivation of a variety of Inicroorganisms.	100 Gms 500 Gms	600 2000
		w/Lecithin & Tween 80, SCDA Lecithin & Tween 80) Tryptone Soya Agar w/ Lecithin and			45511 83009		ryptone Soya Yeast Extract Broth ryptone Tellurite Agar Base	100 Gms 500 Gms 100 Gms	1000 3500 1100
		Polysorbate 80 is used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.			18528	✓ T 0-2] B	ryptone Type I (Casitose) sactoBio for bacteriology	500 Gms	4800
18039	•	Tryptone Soya Broth (TSB) w/ 6.5% Sodium Chloride (Soyabean Casein Digest Medium (SCDM) w/ NaCl) Used for differentiation between Salt	100 Gms 500 Gms	1300 2700		l) T n	Casein Enzymatic Hydrolysate (Type) Tryptone Type I is an enzymatic digest of nilk protein, rich in amino nitrogen source; used in microbiological and fermentation nedia.		
21091	~	Tryptone Sucrose Tetrazolium Agar, Base (I) (TSTA) Recommended medium with added TTC for isolation of Vibrio species.	100 Gms 500 Gms	1100 4400	20483	B ((II) T	Tryptone Type II (Casitose) BactoBio for bacteriology Casein Enzymatic Hydrolysate (Type)) Tryptone Type II is an enzymatic digest of actose free milk protein, rich in amino	500 Gms	2900
20407	•	Tryptone Soya Agar (TSA) (Soyabean Casein Digest Agar, SCDA)	100 Gms 500 Gms 2 Kg	800 3300 12000	69165	Д	uitrogen source used especially in untibiotic assay medium. Tryptone Water Broth w/BCP	100 Gms	1000
32068	_	For the cultivation and maintenance of a wide variety of microorganisms. Tryptone Soya Agar (TSA)	100 Gms	1000	55.55	F	Recommended for the cultivation of Salmonella species from food samples.	500 Gms	3300
02000		(Soyabean Casein Digest Agar, SCDA) BioVeg For isolation and cultivation of fastidious and non-fastidious microorganisms with or without addition of blood. Semisolid medium recommended for testing of	500 Gms	3700	79223	✓ T (I	(ryptone Yeast Extract Agar w/BCP (I)(B/S) Recommended medium for isolation and enumeration of Enterobacteriaceae and Bacillus cereus.	100 Gms 500 Gms	1200 5000
21794	~	motility of Listeria monocytogenes,as recommended by ISO committee. Tryptone Soya Agar (TSA) w/MUG	100 Gms	1400	15965	N	(ryptophan Broth (I) (Tryptophan Medium (I)) Used for differentiation of bacteria on the	100 Gms 500 Gms	800 2800
		(Soyabean Casein Digest Agar w/MUG, SCDA MUG) Used for the cultivation of fastidious and non fastidious microorganisms by fluorogenic procedure.	500 Gms	6100	40626	✓ T	Programmer of indole production. Tryptophan Broth (Tryptophan Medium) BioVeg Used for the differentiation of bacteria on the basis of indole production.	100 Gms 500 Gms	900 3200



Code		Name	Packing	Price	Code		Name	Packing	Price
47253	~	Tryptose Blood Agar Base	100 Gms 500 Gms	1300	80192	ı	40% Urea Solution (5ml/vl)	5 vl 5 x5 vl	600
		For the cultivation and maintenance of a	500 GIIIS	5100			Used for the detection of urease activity.	3 X3 VI	2200
		wide variety of fastidious microorganisms.			26117	A	Vancomycin Supplement (3mg/vl)	5 vl	1800
12514	~	<u> </u>	500 Gms	2200	20117	·	тапост, ст. стрр.с (ст. д., т.)	·	1000
[84843-69	9-6]						Used for the selective isolation of		
		Mixed enzymatic hydrolysate of protein, especially used in media to grow fastidious				0	Enterococci.		
		microorganisms.			34123	8	VCN Supplement	5 vl 5 x5 vl	2500
82302	~	Tryptose Cycloserine Dextrose	100 Gms	1250			Used for selective isolation of Neisseria	5 X5 VI	8700
		Agar Base	500 Gms	5100			species.		
		Used for isolation of mesophilic spore			32249		VCNT Supplement	5 vl	2500
		forming anaerobes in food spoilage.						5 x5 vl	8700
48200	~	Tryptose Phosphate Broth	100 Gms	800			Used for selective isolation of Neisseria		
			500 Gms	3200			species.		
		For the cultivation of variety of fastidious bacteria.			78604	~	V Infusion Agar (Veal Infusion	100 Gms	1400
45989	J	Tryptose Phosphate Broth BioVeg	100 Gms	900			Agar)	500 Gms	4200
45505		, p	500 Gms	3300	86771	~	V Infusion Broth (Veal Infusion Broth)	100 Gms	1100
		For the cultivation of a variety of fastidious					,	500 Gms	3900
		bacteria.					Recommended for cultivation of fastidious pathogenic bacteria.		
55052		TTC Solution 1% (10ml/vl)	5 vl	1200	67389	_	Veg Extract Agar BioVeg	500 Gms	4400
			5 x5 vl	3600					4400
		Used for detecting microorganisms on the basis of TTC reduction.			55605	~	Veg Extract Broth BioVeg	500 Gms	4400
18339	~	Urea Agar, Base (I) (B/S)	100 Gms	1200	53818	_	Violet Red Bile Agar (B/S)	100 Gms	900
			500 Gms	4200				500 Gms	3600
		Used for the detection of urease					Recommended medium for selective		
		production by Proteus species and for					isolation, detection and enumeration of		
		identification of other members of Enterobacteriaceae.					coliforms in water, milk and other dairy products.		
88708	~	Urea Agar Base	100 Gms	1000	57081	_	Violet Red Bile Agar (1.2%) (I)	100 Gms	1100
			500 Gms	3700	0.00.			500 Gms	3700
		Used for the detection of urease					Recommended medium for selective		
		production by Proteus species and for					isolation, detection and enumeration of		
		identification of other members of					coliforms in water, milk and other dairy		
42465	~	Enterobacteriaceae Urea Agar Base (Christensen)	100 Gms	1000	33690		products. Violet Red Bile Agar w/ MUG	100 Gms	1700
42405	•	BioVeg	500 Gms	1000 3800	33690	•	Violet ned blie Agai W/ Mod	500 Gms	7200
		Used for the detection of urease	000 00	0000			For the differentiation of Escherichia coli	333 5	7200
		production by Proteus species and for					from dairy products and other foods by		
		identification of other members of					fluorogenic procedure.		
		Enterobacteriaceae.			88966	~	Violet Red Bile Broth	100 Gms	900
97438	~	Urea Broth, Base	100 Gms	900				500 Gms	3300
			500 Gms	3700			For detection and enumeration of coliforms		
		For identifying bacteria on the basis of urea utilization, for the differentiation of Proteus			43459		from water and foods. Violet Red Bile Dextrose Agar	100 Gms	1000
		species from Salmonella and Shigella			43459	•	BioVeg	500 Gms	1200 3700
		species.					Used for detection and enumeration of	SSS GIIIO	3700
58028	~	Urea Indole Medium	100 Gms	1100			Enterobacteriaceae from foods.		
			500 Gms	4300	55373	~	Violet Red Bile Glucose Agar (I)	100 Gms	900
		Used for the differentiation of					(Violet Red Bile Glucose Agar w/o Lactose)	500 Gms	3500
		Enterobacteria on the basis of urease and indole production and the					Used for detection and enumeration of		
		transdeamination of tryptophan.					Enterobacteriaceae from foods.		



Code		Name	Packing	Price	Code	Name	Packing	Price
89912	•	Violet Red Bile Glucose Agar, Harmonized	100 Gms 500 Gms	900 3400	26434	✓ Wurtz Medium	100 Gms 500 Gms	1100 4200
		Used for cultivation and isolation of Enterobacteriaceae in pharmaceutical				Used for isolation and differentiation of lactose fermenting bacteria.		
34326	ı	testing according to harmonized methods. Vitamin K1 Supplement (10mg/vl)	5 vl	1200	53556	✓ Xylose Lysine Deoxycholate Agar (XLD Agar)(U/P) (I/P)	100 Gms 500 Gms	900 3800
		A vitamin growth supplement used for the isolation of anaerobic organisms.				Used for the isolation and differentiation of enteric pathogens, especially Shigella and Providencia.		
38907	•	Vogel and Johnson Agar, Base (U/P)(I/P) (V.J. Agar, Base)	100 Gms 500 Gms	800 3200	70791	✓ Xylose Lysine Deoxycholate Agar (XLD Agar)	100 Gms 500 Gms	900 3800
		For the detection of coagulase positive Staphylococcus aureus.				Used for the isolation and identification of Salmonellae and Shigellae.		
56055	•	Water Agar	100 Gms 500 Gms	1200 4000	89660	✓ XLT 4 Agar Base	100 Gms 500 Gms	1300 5500
		Used for cultivation and observation of sporulation of some fungi and also for the				Used for isolation and identification of Salmonellae from various samples.		
		enumeration of fungi according to MPN method.			73111	✓ Xylose Lysine Deoxycholate Agar (XLD Agar), Harmonized	100 Gms 500 Gms	1100 4300
23892	•	Water (Faecal coliforms) Testing Kit (Pre-Weighed Media) For the enumeration and identification of faecal coliforms from water and waste	1 Kit	1900		For cultivation and isolation of Salmonella species in pharmaceutical testing according to harmonized methods.		
		water samples.				✓ Yeast Autolysate (Yeast Peptone) □ BactoBio for microbiology	100 Gms 500 Gms	800 2800
55014	•	Wilkins-Chalgren Agar (Anaerobic Agar) For cultivation and maintenance of anaerobic bacteria. In susceptibility testing	100 Gms 500 Gms	1200 4400	·	Water soluble portion of autolysed yeast especially rich in B-complex vitamins, used in microbiological and fermentation media.	500 Giris	2000
		to determine minimum inhibitory concentrations (MICs) of antibiotics for anaerobic bacteria.			22176	Yeast Autolysate Supplement used for enrichment of Neisseria species.	5 vl 5 x5 vl	1200 3900
91753	~		100 Gms 500 Gms	1200 4800	51089	✓ Yeast and Mould Agar	100 Gms 500 Gms	1200 4700
		Used for isolation and identification of Clostridium from food.				Used for isolation of yeasts, molds & other aciduric microorganisms.	ooo ams	4700
31560	~	WL Differential Agar	100 Gms 500 Gms	1100 4000	0.1200	✓ Yeast Extract BactoBio for	100 Gms 500 Gms	900
		Used in isolating bacteria encountered in industrial fermentation processes.					5 Kg 10 Kg	24300 46600
45086	~	WL Nutrient Agar (Wallerstein Laboratory Medium)	100 Gms 500 Gms	1200 4100		Water soluble portion of autolysed yeast especially rich in B-complex vitamins used in microbiological and formantation media		40000
		For the detection of bacteria & yeasts in industrial fermentation processes, particularly from beer processing			89463 (8013-01-02	in microbiological and fermentation media. Yeast Extract for bacteriology	100 Gms 500 Gms	700 1200
78176	~	WL Nutrient Broth (Wallerstein Laboratory Nutrient Broth)	100 Gms 500 Gms	1200 3600		Low pH, slightly turbid, extract of autolysed	5 Kg	11500
		For cultivation of bacteria and yeasts in industrial fermentation processes, particularly from beer processing.				yeast cells used generally for technical purposes.		
47617	~	·	100 Gms	1000				
		For the cultivation and enumeration of yeasts. Its low pH inhibits bacterial growth.	500 Gms	4400				



	00 Gms 00 Gms	1200 3200	66995	•
suitable for cell culture applications. Many media containing Yeast extract have been recommended for use in fermentations, cell culture media, molecular genetic media, and culture media for cultivation and resuscitation of a large variety of fastidious microorganisms and antibiotics			66995	~
recommended for use in fermentations, cell culture media, molecular genetic media, and culture media for cultivation and resuscitation of a large variety of fastidious microorganisms and antibiotics			66995	•
-				
· · · · · · · · · · · · · · · · · · ·			98271	_
•	00 Gms 00 Gms	1700 5600		
For the enumeration of microorganisms in potable and fresh water samples.			19510	•
62332 ✓ Yeast Lactose Agar	00 Gms	2200		
	00 Gms	9000		
For cultivation of soil microorganisms like Rhizobium species.				
(VM Agar)	00 Gms	1100		
	00 Gms	4500		
For the cultivation of fungi including yeasts and other aciduric organisms.				
(VM Proth)	00 Gms 00 Gms	900 3600		
For the cultivation of fungi, yeasts and other aciduric microorganisms.				
40965 ✓ Yeast Mannitol Agar	00 Gms	1200		
50	00 Gms	5500		
For the isolation and enumeration of soil microorganisms like Rhizobium species.				
	00 Gms	900		
	00 Gms	3800		
For the cultivation of soil microorganisms like Rhizobium species.				
	00 Gms	1000		
Agar, YEPD Agar) 50	00 Gms	4100		
For maintaining and propagating yeasts in molecular biology studies.				
51830 ✓ Yersinia Isolation Agar	00 Gms	1300		
	00 Gms	4700		
For the isolation of Yersinia species from foods.				
27810 ✓ Yersinia Selective Agar Base	00 Gms	1300		
	00 Gms	4700		
For the isolation of Yersinia enterocolitica from clinical specimens and food samples.				
15061 Versinia Selective (C.I.N.)	5 vl	1500		
Supplement	5 x5 vl	4400		
Used for isolation of Yersinia enterocolitica.				

Code	Name	Packing	Price
83385	 ✓ Yeast Glucose Chloramphenicol Agar (YGC Agar, Chloramphenicol Agar) Used for the isolation and enumeration of molds in milk and dairy products. 	100 Gms 500 Gms	800 3700
66995	✓ YPD Broth (Yeast Peptone	100 Gms	1200
	Dextrose Broth, YEPD Broth)	500 Gms	5000
	For maintenance and propagation of yeasts in molecular microbiology procedures.		
98271	✓ YT Broth (2X YT Broth)	100 Gms	1000
		500 Gms	3700
	Used for the cultivating of recombinant strains of Escherichia coli.		
19510	✓ YXT Agar Base	100 Gms	1100
		500 Gms	4300
	Used for detection of yeasts and molds,		
	with or without added Tetracycline.		

Pharmacopoeial Products (IP/BP/USP/NF)

We take pride in introducing a select range of pharmacopoeial grade products according to IP/BP/USP/NF to meet the critical requirements of the pharmaceutical and biotech industries for drug manufacture and diagnostics use.

These products have stringent limits of purity and impurities, often more critical than specified in the pharmacopoeial standards. This will enable the niche pharmaceutical manufacturers to obtain very high quality raw material ingredients indigenously.

IP, BP, USP & NF Product List


85996	Aminocaproic Acid IP
99093	Aminocaproic Acid BP
50445	Aminocaproic Acid USP
40682	Glycine IP
74072	Glycine BP
37449	Glycine USP
61988	Proline BP
68128	L-Proline USP
47638	Propyl Gallate IP
14086	Propyl Gallate BP
16067	Propyl Gallate NF
50090	Sodium Caprylate BP
81340	Sodium Caprylate NF
34378	Sodium Lauryl Sulphate BP
82958	Sucrose IP (Non-Parenteral Use)
38142	Sucrose BP (Non-Parenteral Use)
56799	Sucrose NF (USP) (Non-Parenteral Use)
16622	Tris Buffer USP, 99-101% (Non Injectable Use)



Part E

BioLit®

(DNA & Protein Tools and Kits)





product name application/description unit code price

BioLit® PCR Products (Taq Polymerase, Buffers & Kits)

BioLit® TAQ Polymerases

Taq DNA Polymerases (offered in different concentrations) are enzymes used in Routine PCR. They are thermostable recombinant DNA polymerases derived from thermophilic bacterium Thermus aquaticus. They can amplify DNA target up to 5 kb (simple template) and have a 5' to 3' polymerase activity but lack 3' to 5' exonuclease activity that result in a 3'-dA overhang PCR product.

BioLit® Routine PCR

Applications - PCR amplification of DNA fragments as long as 5 kb, DNA labeling, DNA sequencing, PCR for cloning.

61524	TAQ DNA Polymerase (1U/μl)	Includes Taq DNA Polymerase (1U/ μ I) 10X PCR Buffer (MgCl $_2$ free), 25mM MgCl $_2$	500 units 1000 units 5000 units	2280.00 4320.00 21010.00
32976	TAQ DNA Polymerase (3U/μl)	Includes Taq DNA Polymerase (3U/ μ I) 10X PCR Buffer (MgCl $_2$ free), 25mM MgCl $_2$	500 units 1000 units 5000 units	2280.00 4320.00 21010.00
82487	TAQ DNA Polymerase (5U/μl)	Includes Taq DNA Polymerase (5U/ μ I) 10X PCR Buffer (MgCl $_2$ free), 25mM MgCl $_2$	500 units 1000 units 5000 units	2280.00 4320.00 21010.00
12816	TAQ DNA Polymerase (5U/μΙ) (w/6X Buffer)	Includes Taq DNA Polymerase (5U/μΙ) 10X PCR Buffer (Mg²+ Plus) 6X Loading Buffer	500 units 1000 units 5000 units	2840.00 4890.00 22150.00
51613	TAQ DNA Polymerase (5U/µI) (w/6X Buffer, w/dNTP)	Includes Taq DNA Polymerase (5U/μl) 10X PCR Buffer (Mg²+ Plus) 6X Loading Buffer dNTP mix (each 2.5 mM)	500 units 1000 units 5000 units	3070.00 5120.00 23280.00

A Thermostable recombinant DNA polymerase, useful in amplification of DNA fragments upto 6 kb from genomic DNA with high purity and specificity. Sources of template - plant genomic DNA, mouse cDNA, bacterial colony DNA, bacterial plasmid DNA, viral DNA and zygocity PCR templates. No loading buffers or tracking dyes required. Samples may be added directly to an agarose gel after PCR and visualized.

57694	Red TAQ DNA Polymerase (1U/μl)	Includes Red Taq DNA Polymerase (1U/ μ I) 10X Red Taq Buffer, 25 mM MgCl $_2$	500 units 1000 units	3980.00 6930.00
12192	Roseate Taq DNA		500 units	3030.00 4980.00

Roseate Taq DNA Polymerase is a thermostable recombinant DNA polymerase derived from thermophilic bacterium Thermus aquaticus. Its molecular weight is 94 kDa. Taq DNA Polymerase can amplify DNA targets up to 5 kb (simple template). The elongation velocity is 0.9~1.2kb/ min (70~75°C). It has 5' to 3' polymerase activity but lacks of 3' to 5' exonuclease activity that result ion a 3'-dA overhangs PCR product. The buffer given is 10X Rosette PCR Buffer with Mg2+. This buffer has a roseate coloured dye enabling the researcher to load the sample directly after PCR into an agarose gel for electrophoresis.

Other different polymerases described below are useful when there is a need for higher specificity for primer incorporation, high fidelity with proof reading capability, amplifying long and complex templates & need for efficient and fast elongation, and DNA Polymerase which is suitable for Hot Start PCR. The polymerases here each have one of these features and can be chosen to suit the needs of the researcher.

BioLit® Hot Start PCR

This product is a DNA Polymerase coated with antibody, which is suitable for Hot Start PCR. There is no activity of this enzyme at room temperature, and the antibody can be inactivated rapidly at 70°C or above. This ensures that the enzyme is active only during PCR and prolonged heating or denaturation steps can be avoided.

81646	Hot Start Taq	Includes Includes HotStart Taq Polymerase (5U/ μ I)	250 units	7730.00
	Polymerase (5U/ μ I)	10X HotStart buffer with Mg ²⁺ 2.5mM dNTP Mix	1000 units	29530.00



code	product name	application/description	unit pric	е

BioLit® High Specificity PCR

Can amplify DNA target up to 5 kb. The elongation velocity is $0.9 \sim 1.2$ kb/min. It has 5' to 3' polymerase activity but lacks 3' to 5' exonuclease activity that results in a 3'-dA overhang PCR product.

Applications - PCR amplification of DNA fragments as long as 5 kb, DNA labeling, DNA sequencing, PCR for cloning.

 46033
 HSP TAQ DNA
 Includes HSP Taq DNA Polymerase (5U/μl)
 500 units
 4780.00

 Polymerase (5U/μl)
 10X HSP PCR Buffer (with Mg²+)
 1000 units
 8860.00

6×Loading Buffer

BioLit® High Fidelity PCR

Pfu DNA polymerase, derived from the hyperthermophilic archae Pyrococcus furiosus, has superior thermostability and proofreading properties. It can amplify DNA target up to 2 kb (simple template), possesses 3' to 5' exonuclease proofreading activity, generates PCR fragments will have fewer errors, results in blunt-ended PCR products, which are ideal for cloning into blunt-ended vectors Applications - High-fidelity PCR and primer-extension reactions, High fidelity PCR for cloning into blunt-ended vectors, Site-directed mutagenesis.

22774	Pfu DNA Polymerase (5U/μΙ)	Includes Pfu DNA Polymerase (5U/µI) 10X Pfu Buffer (Mg²+) 6X Loading Buffer	250 units 1000 units	6480.00 22720.00
49069	Pfu DNA Polymerase (5U/μΙ) (w/dNTP)	Includes Pfu DNA Polymerase (5U/µI) 10X Pfu Buffer (Mg²+) 6X Loading Buffer dNTP mix (each 2.5mM)	250 units 1000 units	6710.00 23850.00

Taq Plus DNA Polymerase is a mixture of Taq and Pfu DNA polymerase that allows amplification of higher fidelity and longer templates Ideal for amplifying complex template, such as GC-rich template.

Applications - Amplification of long template up to 20kb, Amplification of complex template, High fidelity PCR

85737	TAQ Plus DNA Polymerase (2.5U/μl)	Includes Taq plus DNA Polymerase (2.5U/ μ I) 10X PCR Buffer (Mg ²⁺ Plus) 6X Loading Buffer	250 units 1000 units	4090.00 14770.00
93561	TAQ Plus DNA Polymerase (2.5U/μl) (w/dNTP)	Includes Taq plus DNA Polymerase (2.5U/µl) 10X PCR Buffer (Mg ²⁺) 6X Loading Buffer dNTP mix (each 2.5mM)	250 units 1000 units	4320.00 15220.00

BioLit® Long PCR

Long Taq DNA Polymerase, a combination of two thermostable DNA polymerases, Taq and Pfu, is a special formulation designed for amplifying large fragments. This specially formulated Long Taq was shown to amplify long templates from λ phage genome of up to 40 kb. It is also a better choice for amplifying complex template, such as GC-rich template. Long Taq is suitable as a direct replacement for ordinary Taq Polymerase in most applications. Using Long Tag in your PCR results in PCR products with 3´-dA overhangs which can be used in TA clone.

15367	Long TAQ DNA Polymerase (5U/μΙ)	Includes Long Taq DNA Polymerase (5U/ μ I) 10X Long Taq Buffers I & II (Mg $^{2+}$) 6X Loading Buffer PCR Enhancer	250 units 1000 units	3300.00 12000.00
94126	Long TAQ DNA Polymerase (5U/ μ I) (w/dNTP)	Includes Long Taq DNA Polymerase (5U/µI) 10X Long Taq Buffers I & II (Mg²+) 6X Loading Buffer PCR Enhancer dNTP mix (each 2.5mM)	250 units 1000 units	5000.00 15000.00



code	product name	application/description	unit pı	rice

BioLit® Fast PCR

FSP Tag DNA polymerase is the latest generation Tag-based DNA polymerase. It possesses high amplification efficiency as Tag polymerase and with fast elongation ability, it can be used in a variety of PCR. The FSP PCR Buffer, designed for FSP Taq DNA polymerase, can be used in fast amplification reactions.

The elongation rate of FSP Tag DNA polymerase is 2-fold higher than the one of regular Tag DNA polymerase, which shortens the amplification time by half.

58235	FSP TAQ DNA Polymerase (5U/μl)	Includes FSP Taq DNA Polymerase (5U/ μ I) 10X FSP Taq Buffer (with Mg $^{2+}$) 6X Loading Buffer	250 units 1000 units	3640.00 11360.00
70073	FSP TAQ DNA Polymerase (5U/μl) (w/dNTP)	Includes FSP Taq DNA Polymerase (5U/µI) 10X FSP Taq Buffer (with Mg ²⁺) 6X Loading Buffer dNTP mix (each 2.5 mM)	250 units 1000 units	3870.00 11820.00

BioLit® PCR Mixes

Routine PCR Master Mixes

Ready-to-use solutions containing the specific DNA Polymerase, dNTP, Mg2+ and Reaction Buffer at optimal concentrations for efficient amplification of DNA templates by PCR. This pre-mixed formulation saves time and reduces contamination due to the fewer pipetting steps. Includes Specific DNA Polymerase Mix, Water Nuclease Free.

50900	Taq Mix (2X) (PCR Master Mix (2X))	1ml (40 rxns) 5×1ml (200 rxns) 5×2.5ml (500 rxns)	2500.00 7500.00 15000.00
46503	Roseate PCR Master Mix (2X) (Taq Mix (2X))	1ml (40 rxns) 5×1 ml (200 rxns) 5×2.5 ml (500 rxns)	2700.00 8200.00 17000.00
94531	Pfu Mix (2X)	1ml (40 rxns) 5×1ml (200 rxns)	7330.00 28900.00
23782	Plus Mix (2X)	1ml (40 rxns) 5×1ml(200 rxns)	7460.00 28900.00
66677	HSP Mix (2X)	1ml(40 rxns) 5×1ml (200 rxns)	3670.00 15160.00
36250	Long Taq Mix (2X)	1ml (40rxns) 5×1ml (200 rxns)	7330.00 18120.00
11307	FSP Taq Mix (2X)	1ml (40 rxns) 5×1ml (200 rxns)	4890.00 21890.00
84729	FSP Taq Mix Direct for blood (2X)	1ml (40 rxns)	7390.00
		5×1ml (200 rxns)	30660.00
20220	FSP Taq Mix Direct for tissue (2X)	1ml (40 rxns) 5×1ml (200 rxns)	7390.00 30660.00

Realtime PCR Master Mix (qPCR)

2X Master Mix for Real-Time PCR, contains all components, except the primer & template. This reagent is applicable for intercalation assay with FluroGreen dye which is similar to SYBR Green I. Reagent can be used in various detection devices. Also available with passive reference dye of low or high concentrations.

Includes FluroGreen qPCR Mix(2X)w/wt passive refrence dye, Nuclease Free Water.

60159	BioLit FluroGreen qPCR Master Mix (2X)	0.5ml (20 amps)	2500.00
		1ml (40 amps)	4500.00
		5×1ml (200 amps)	18000.00



	code	product name	application/description	unit	price
78	3797	BioLit FluroGreen qPCR N	Master Mix (Low CAR) (2X)	0.5ml (20 amps) 1ml (40 amps) 5×1ml (200 amps)	3000.00 5000.00 19000.00
38	3151	BioLit FluroGreen qPCR	Master Mix (High CAR) (2X)	0.5ml (20 amps) 1ml (40 amps)	3000.00 5000.00
В	ioLit® PCI	R Accessory Reagent	s	5×1ml (200 amps)	19000.00
Re	eady-to-use re	eagents for PCR for the user's o	convenience.		
61	318	10X PCR Buffer with KCI (I	Mg ²⁺ free)	4×1.25ml	1460.00
41	212	10X PCR Buffer with 15ml	M Mg ²⁺	4×1.25ml	1460.00
43	3386	10X PCR Buffer with Mg ²⁺	set	6×1.25ml	1800.00
90)508	10X Roseate PCR Buffer with Mg ²⁺	Ready-to-use reagent having two tracking dyes along with the buffer & MgCl2. After PCR, samples can be loaded directly onto the agarose gel for electrophoresis.	4×1.25ml ed	1410.00
86	6687	25mM MgCl ₂	unectly office the against genior electrophoresis.	4×1.25ml	1650.00
66	8886	DEPC-Treated Water	Suitable in any application where RNA is involved and all molecular biology applications.	100 ml 500 ml	550.00 1710.00
96	6370	Water, nuclease-free	Suitable for use in all molecular biology applications.	5×1ml 100ml 500 ml	290.00 550.00 1710.00
20)870	PCR Enhancer	Useful to optimize PCR of problematic and/or GC-rich tell Offers higher primer specificity, and improved themostab DNA polymerases.	•	800.00 2800.00
52	2531	PCR Sample Preparation Solution	Simple, all-inclusive sample preparation solutions for vari samples suitable for direct PCR techniques.	ed 50 preps 200 preps	1710.00 6590.00
48	8044	Glycogen (20mg/ml) Aq. Solution Ultrapure	,	2×0.25 ml 1 ml	4500.00 8500.00
79	326	Shrimp Alkaline Phosphatase (rSAP) (1U/u	(اد	500 units 1000 units	8660.00 16230.00
Sh	rimn Alkalino	Phoenhataeo (r-SAP) is a hoat	labile alkaline phosphatase purified from a recombinant so	urce rSAP is identical t	n the native

Shrimp Alkaline Phosphatase (r-SAP) is a heat labile alkaline phosphatase purified from a recombinant source. rSAP is identical to the native enzyme and contains no affinity tags or other modifications. rSAP nonspecifically catalyzes the dephosphorylation of 5 ´ and 3 ´ ends of DNA and RNA phosphomonoesters.

BioLit® NTP and dNTP Sets, Mixes & Solutions

NTP Set & Solutions (100mM each)

The set and individual solutions consist of 100mM aqueous solutions of ATP, TTP, CTP and GTP each supplied in separate vials. These ready-to-use solutions offer maximum flexibility for various molecular biology applications *viz. in vitro* transcription, RNA amplification. Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

65240	NTP Set Ultrapure (100mM each)	4x0.25ml	5500.00
89889	ATP Solution Ultrapure (100mM)	0.25ml	1820.00
71636	CTP Solution Ultrapure (100mM)	0.25ml	1820.00
88705	GTP Solution Ultrapure (100mM)	0.25ml	1820.00
93633	UTP Solution Ultrapure (100mM)	0.25ml	1820.00

dATP (100mM Solution)



0.2 ml

2500.00

code	product name	application/description	unit price	Э

dNTP Sets (100mM, 10mM)

The sets consists of 10mM/100mM aqueous solutions of dATP, dCTP and dGTP, pH 7.0, each supplied in a separate vial. The dNTP Set offers maximum flexibility in preparation of reaction mixes for different molecular biology applications.

Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

94903	dNTP Set Ultrapure (100mM each)	4×0.25ml 4×1ml	7840.00 27260.00
69478	dNTP Set Ultrapure(10mM each)	4×0.1ml 4×0.5ml 5x(4x0.2ml)	1710.00 4550.00 9090.00

dNTP Mixes

dNTP Mix is an aqueous solution at pH 7.0 containing dATP, dCTP, dGTP and dTTP, each at a final concentration of 2.5 mM/10mM/25mM. They are ready-to-use solutions designed to save time, provide higher reproducibility in PCR and other applications, reduce the number of pipetting steps and the risk of reaction set-up errors.

Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

70596	dNTP Mix Ultrapure (2.5mM each)	1ml	2390.00
		$5\times1ml$	8520.00
18821	dNTP Mix Ultrapure (10mM each)	1ml	3190.00
		5×1ml	9660.00
14464	dNTP Mix Ultrapure (25mM each)	1ml	3750.00
		5×1ml	14770.00

dNTP Solutions

72009

Each individual dNTP is supplied as a 100mM solution in sterile, deionized water at pH 7.0 and is prepared from monosodium salts of the free nucleotides.

Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

			0.5 ml	4550.00
19809	dCTP (100mM Solution)		0.2 ml	2500.00
			0.5 ml	4550.00
47435	dGTP (100mM Solution)		0.2 ml	2500.00
04474	dTTD (400mM Calution)		0.5 ml	4550.00
91474	dTTP (100mM Solution)		0.2 ml 0.5 ml	2500.00 4550.00
71411	dUTP (100mM Solution)		0.25ml	11250.00
	,		0.23111	11230.00
BIOLIT® RNA	A Accessory Reagents			
75044	Oligo (dT) 15 primer (50 μ M)	A synthetic single-stranded 15-mer oligonucleotide with 5'- and	50 mcl	2050.00
		3'-hydroxyl ends. Supplied as an aqueous solution. Used for first		
		strand cDNA synthesis synthesis in presence of reverse transcripta	ase	
53704	Random Hexamer Primer	A mixture of single-stranded random hexanucleotides with 5'- and	50 mcl	2050.00
00.0.	6-mer (50μM)	3'-hydroxyl ends. Used during cDNA synthesis to produce cDNAs		2000.00
	o mor (oopin)	randomly scattered through mRNA resulting in short strands of cD		
96710	Ribonuclease A Solution	RNase A is an endoribonuclease extracted from bovine pancreas	3 x1 ml	3640.00
30710	ex. Bovine Pancreas	that specifically degrades single-stranded RNA.	10 ml	11360.00
	(RNAse A Soln) (10mg/ml)		101111	11000.00
38080	Ribonuclease H	RNase H is a recombinant endoribonuclease that hydrolyses	50 units	7580.00
	(RNase H) (5U/ul)	specifically the phosphodiester bonds of RNA hybridized to DNA	250 units	22720.00
		and produces 5' phosphate-terminated oligoribonucleotides and	single-strand	led DNA.
92030	RNasin (RNase inhibitor)	Ribonuclease inhibitor purified from human placenta. It inhibits	1000 units	4090.00
	(40U/μI)	ribonuclease (RNase) activity of common eukaryotic enzymes		
	('/ ')	such as RNaseA, RNaseB, RNaseC. Inhibits RNA degradation		
		in the following procedures: in vitro transcription, cDNA synthesis,		

in vitro translation, isolation of mammalian cell fractions

that contain mRNA-protein complex etc.



	code	product name	application/description	unit	price
71	969	RNA Stabilizing Solution	An aqueous tissue storage reagent that stabilizes and protects cellular RNA in intact, unfrozen tissue samples. It eliminates the need to immediately process tissue samples or to freeze sample in liquid nitrogen. It does not jeopardize the quality or quantity of RNA in the sample.	5 x1 ml 100 ml s 500 ml	2520.00 3360.00 7880.00
20	310	RNA Loading Buffer (5X)	It is used to load RNA sample on a formaldehyde agarose gel. It consists of two tracking dyes, Bromophenol blue and Xylene cya		1200.00 5500.00
98	343	T7 RNA Polymerase (50U/ul) (w/10X IVT Buffer)	T7 RNA polymerase is a monomeric bacteriophage encoded DNA directed RNA polymerase which catalyzes the formation of RNA in the 5'-3' direction.	1000 units 5000 units	8000.00 39000.00
76	516	M-MLV (Recombinant) (200U/ μ I)	A Reverse Transcriptase enzyme that generates first PCR strand cDNA for use in PCR, real-time. Includes 10X Reaction Buffer	5000 units 10000 units	9000.00 16000.00
94	837	RT-PCR Kit (First Strand cDNA Synthesis Kit)	Reverse Transcriptase -PCR Kit is optimized to synthesize first-strand cDNA from purified poly (A) + or total RNA. Includes - M-MLV (200U/ μ I), RNasin (40U/ μ I), Oligo(dT)15 (50 μ M), Random hexamer primer (50 μ M), 5X First-strand Buffer, RNase-free Water, dNTP mix (10mM each)	20 preps 40 preps),100 preps	7100.00 11930.00 28390.00
41	066	TRIzol-C Reagent	Ready-to-use reagent for the isolation of high yields of total RNA from cells and tissues. As it is differently buffered from TRIzol-T reagent, the isolated RNA may interact with these metal ions if involved in downstream processes.	20 ml 100 ml	1820.00 6360.00
99	359	TRIzol-T Reagent	Ready-to-use reagent for the isolation of high yields of total RNA from cells and tissues. Differs in the buffer of TRIzol-T reagent, and is innocuous to all downstream processes.	20 ml 100 ml	1600.00 6140.00
Bi	ioLit® Trac	king dyes & Buffers			

6x Gel Loading Dyes are pre-mixed loading buffers with tracking dye/s to be added to the nucleic acid samples for agarose and nondenaturing poylacrylamide gel electrophoresis.

, ,			
6X Blue Loading Dye	Contains Bromophenol blue as tracking dye.	5×1 ml	2770.00
6X DNA Loading Dye	Contains Bromophenol blue and Xylene Cyanol FF as tracking dyes	s.5×1 ml	2770.00
6X DNA Loading Dye & SDS solution	The buffer also contains SDS which results in sharper bands as		3120.00
6X Orange Loading Dye	Contains Orange G and Xylene Cyanol FF as tracking dyes	$5 \times 1 \text{ml}$	2770.00
6X TriColor Loading Dye	Contains Orange G, Bromophenol Blue and Xylene Cyanol FF as tracking dyes	5×1 ml	2770.00
20X DoubleQuick DNA Electrophoresis Buffer	An exceptionally 'swift' agarose gel tank buffer that electrophoreses the DNA samples in less than 10 minutes. Three times more effective as compared to TAE or TBE buffer.	250 ml 500 ml	4160.00 7530.00
	6X DNA Loading Dye 6X DNA Loading Dye & SDS solution 6X Orange Loading Dye 6X TriColor Loading Dye 20X DoubleQuick DNA	6X DNA Loading Dye 6X DNA Loading Dye & 6X DNA Loading Dye & SDS solution Contains Bromophenol blue and Xylene Cyanol FF as tracking dyes The buffer also contains SDS which results in sharper bands as some restriction enzymes remain bound to DNA following cleavage 6X Orange Loading Dye 6X TriColor Loading Dye 6X DNA Striction enzymes remain bound to DNA following cleavage 6X Contains Orange G and Xylene Cyanol FF as tracking dyes 6X TriColor Loading Dye 6X TriColor Loading Dye 6X Orange Loading Dye 6X Orange Loading Dye 6X Orange Loading Dye 6X TriColor Loading Dye 6X TriColor Loading Dye 6X Orange Loading Dye 6X TriColor Loading Dye 6X TriColo	6X DNA Loading Dye & Contains Bromophenol blue and Xylene Cyanol FF as tracking dyes. 5×1 ml 6X DNA Loading Dye & Contains Bromophenol blue and Xylene Cyanol FF as tracking dyes. 5×1 ml The buffer also contains SDS which results in sharper bands as some restriction enzymes remain bound to DNA following cleavage 6X Orange Loading Dye Contains Orange G and Xylene Cyanol FF as tracking dyes 5×1 ml 6X TriColor Loading Dye Contains Orange G, Bromophenol Blue and 5×1 ml Xylene Cyanol FF as tracking dyes 20X DoubleQuick DNA Electrophoresis Buffer An exceptionally 'swift' agarose gel tank buffer that electrophoreses the DNA samples in less than 10 minutes. 500 ml

BioLit® Staining Dyes for Nucleic Acids

Nucleic acid	&	protein	staining	dν	es.

50358	BioLit FluroBronze Stain A non-carcinogenic nucleic acid stain that is eco-friendly and replaces the use of ethidium bromide. Used for viewing nucleic acids on agarose gel. Advantage: The stain is not added to the gel matrix or the running buffers, but is mixed as a 6X loading buffer with the nucleic acid samples prior to loading onto the gel.	50 mcl 250 mcl 1 ml	1140.00 3640.00 11360.00
21156	SafeDye Green Stain (20000X in Water)	100 mcl 500 mcl 1 ml	6930.00 28350.00 50400.00



code	product name a	pplication/description	unit	price
25834		SafeDye is a new, safe nucleic acid stain for the detection of double-stranded DNA, single-stranded DNA and RNA in Agarose gels. This dye replaces Ethidium Bromide (toxic, potential mutagen) commonly used in Agarose gel electro and assists in determining the size of PCR product, insert and rescence when bound to dsDNA, ssDNA and RNA. This stain has a flucteic acid at approx. 290-320nm and emits at 490nm.	striction analysis.	1200.00 5000.00 16000.00
	BioLi	it [®] Reference Digests/Markers		
87978		Lambda DNA is used routinely for measurement of restriction enzyme activities. Lambda-Hind III digestion is a useful demonstration experiment for restriction analysis and it is a substrate for checking DNA ligase. This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye. (bands at 0.1 & 0.5kb although present, are very faint.)	50 mcg 100 mcg	1800.00 3400.00
90023	ProxiB Lambda-EcoRI Digest Marker Size range: 3.5 to 21kb	Lambda-EcoRI digest is a popular teaching tool to demonstrate the activity of restriction enzymes. This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye.	50 mcg 100 mcg	1800.00 3400.00
53625	ProxiB Lambda Double Digest Marker Size range: 0.5 to 23kb	Lambda DNA double digest of Hind III/EcoRI is a popular teaching tool to demonstrate double-digests (i.e., the simultaneouse of two restriction enzymes). This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye.	50 mcg s100 mcg	2100.00 3600.00
46658	ProxiB Lambda BstEII Digest Marker Size range: 0.1-8.4 kb		50 mcg	2400.00
93663	Lambda Pstl Digest Marker Size range: 0.25-11.5 kb		50 mcg	2400.00
		BioLit® Nucleic Acid		
C4400	DUES Competent Colle		0.40.1 mal	0600.00
64438	DH5 $lpha$ Competent Cells for Subcloning		2 x0.1 ml 4 x0.5 ml	2630.00 18900.00
67291	Lambda DNA	Lambda DNA is a double stranded linear DNA of 48,502 base pairs in length. It is isolated from bacteriophage Lambda. The Lambda Phage is a bacterial virus (bacteriophage), that infects the bacterial species E. coli. The phage is isolated from the heat inducible lysogen <i>E. coli</i> strain. This NA is useful as size markers, in restriction enzyme assays and cloning. Concentration — 250ng/µl	100 mcg 250 mcg	4200.00 10000.00
12658 new	Autoinduction Medium (AIM) Solution	AIM-LB medium w/o Trace elements is used to grow IPTG-inducible expression in bacterial strains	500 ml	1600.00



code product name application/description unit price

BioLit® Cloning Vectors

A cloning vector is a small piece of DNA into which a foreign DNA fragment can be inserted. The insertion of the fragment into the cloning vector is carried out by treating the vehicle and the foreign DNA with the same restriction vector, then ligating the fragments together. There are many types of cloning vectors. Genetically engineered plasmids are most commonly used for this purpose.

many types	of cloning vectors. Genetically engineered plasmids are most commonly used for this purpose) .	
55912	pBR322	50 mcg	4800.00
	pBR322 was the first artificial plasmid. It is a 4361 bp long plasmid and was originally	100 mcg	9080.00
	developed for cloning. This low copy number plasmid contains tetracycline and ampicllin		
	resistance-conferring genes. pBR322 remains a popular teaching aid for demonstration of	f	
	plasmid isolation, restriction digestion and cloning.		
93116	pUC18	50 mcg	4800.00
	pUC18 vector is a circular double stranded DNA and is 2686 base pairs long.	100 mcg	9080.00
	This plasmid possesses –		
	i) ampicillin resistance gene		
	ii) the origin of replication derived from pBR322 and		
	iii) the lac Z gene derived from E. coli. Within the lac region is also found a polylinker sequ	ience	
	having unique restriction sites. It is a popular teaching aid for demonstrating plasmid DNA	Ą	
	isolation, restriction digestion and cloning.		
48402	pUC19	50 μg	4800.00
	pUC19 vector is also a circular double stranded DNA and is 2686 base pairs long.	100 μg	9080.00
	It is similar to pUC18, but possesses different restriction sites.		
	This planning passages it appricilling registance group		

This plasmid possesses – i) ampicillin resistance gene

ii) the origin of replication derived from pBR322 and iii) the lac Z gene derived from E. coli.

Within the lac region is also found a polylinker sequence having unique restriction sites.

It is a popular teaching aid for demonstrating plasmid DNA isolation, restriction digestion and cloning.




code product name application/description unit price

BioLit® Ready-to-use DNA Molecular Weight Standards

BioLit DNA markers come in many useful ranges to cover most of the requirements of researchers and students. The markers are provided in a ready-to-use format for convenience and high reproducibility. We recommend a volume of $10 \,\mu$ L ($\sim 1 \,\mu$ g total DNA) per load to ensure that distinct, prominent DNA bands are observed even with a less sensitive UV transilluminator or in a less than optimal dark chamber. Users might be able to load a volume less than that recommended (without compromising results) if a high-sensitivity gel documentation system is available.

The markers have been carefully prepared under sterile conditions and stored in 10 mM Tris-HCl, pH 7.5, 1 mM EDTA and 1 mg/ml sodium azide and are unstained markers. Stocks will be stable for several months if properly stored frozen or even refrigerated.

10344	Low-Range DNA Marker: 0.1 – 1kb	This marker range has been designed to assist in determining the size of PCR product, insert and restriction analysis. These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Size range: 103 to 1074bp	15 mcg 50 mcg 100 mcg	2050.00 5800.00 10910.00
12447	Mid-Range DNA Marker: 0.5 – 5kb	This marker range should facilitate the analysis of inserts cloned into commonly used plasmids and restriction digests. These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Size range: 448 to 5024bp	15 mcg 50 mcg 100 mcg	2050.00 5800.00 10910.00
45587	Hi-Range DNA Marker: 2.0 – 25kb	This marker range is useful for experiments involving mega plasmids or genomic analysis. These ready-to-load DNA markers contain Bromophenol Blue as the tracking dve.	15 mcg 50 mcg 100 mcg	2050.00 3190.00 5800.00



These DNA markers are packaged in ready-to-use convenient quantities, 150, 500 & 1000μ L, containing 15, 50 & 100μ C respectively, recommended for 15, 50 & 100μ C loadings respectively.



application/description code product name unit price

BLM	013	BLM014	BLM015		BLM016
	100 50 100 50 100 50 100 50 100 50 100 50 100 50	100 ng/fisit -1200 50 -000 50 -700 425 -500 50 -500 50 -100 50 4 pHLain Bernold 1 TAE TV/cms 45 min	1 TAE 7 V/cm 40 mm		
54882	ProxiO DNA Marker 1 : 0.1-0.6kb		Size range: 100 to 600bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg	7320.00
48234	ProxiO DNA Marker 2 : 0.1-1.2kb		Size range: 100 to 1200bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 3x50 mcg	9060.00 23750.00
30219	ProxiO DNA Marker 3 : 0.2-4.5kb		Size range: 200 to 4500bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg	7320.00
20082	ProxiO DNA Marker 4 : 0.5-10kb		Size range: 500 to 15000bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 3x50 mcg	5710.00 15340.00

The varying range of specially prepared DNA marker packs (ready-to-load) contain in addition to the tracking dyes, a non-carcinogenic nucleic acid stain (BioLit® FluroBronze™ Stain) for detection of the marker bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus simplifying the preparation of agarose gel sans a potentially mutagenic dye.

57939	FluroBronze™ DNA Marker 1	Size range: 100 to 600bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking dye along with FluroBronze stain as the fluorescent of Accompanied by a vial of 6X FluroBronze Stain.	50 mcg lye.	12630.00
35412	FluroBronze™ DNA Marker 4	Size range: 500 to 15000bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking dye along with FluroBronze stain as the fluorescent of Accompanied by a vial of 6X FluroBronze Stain.	50 mcg lye.	12630.00



code	product name	application/desc	ription	unit	price
32462	FluroBronze™ Mid I	Range DNA Marker	Size range: 448 to 5,024bp These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye along with FluroBronze stain as the fluorescent dye. Accompanied by a vial of 6X FluroBronze Stain	50 mcg	10750.00
99331			Size range: 2.0 to 25kb These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye along with FluroBronze stain as the fluorescent dye. Accompanied by a vial of 6X FluroBronze Stain	50 mcg	14370.00
Riol it® 9	SafeDve DNA Marke	ar Dacke	Accompanied by a vial of 6X FluroBronze Stain		

BioLit® SafeDye DNA Marker Packs

The varying range of DNA marker packs (ready-to-load) are accompanied by a vial of SafeDye Stain, a non-carcinogenic nucleic acid stain mixed in a 6X loading buffer, for detection of the marker bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus eliminating a potentially mutagenic dye.


ti ida ciii i ii ic	uing a potentially matagerile dye.			
57493	SafeDye™ DNA Marker 1	Size range: 100 to 600bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking Accompanied by a vial of 6X SafeDye Stain.	50 mcg g dye.	11210.00
21054	SafeDye™ DNA Marker 4	Size range: 500 to 15000bp These ready-to-load DNA markers contain Bromophenol Blue & Xylene Cyanol as the tracking Accompanied by a vial of 6X SafeDye Stain.	50 mcg g dye.	11210.00
81685	SafeDye™ Mid range DNA Marker	Size range: 448 to 5,024 bp These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Accompanied by a vial of 6X SafeDye Stain.	50 mcg	12960.00
56678	SafeDye™ Hi-range DNA Marker	Size range: 2.0 to 25kb These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Accompanied by a vial of 6X SafeDye Stain.	50 mcg	12960.00



code product name application/description unit price

BioLit® DNA Ladders

These ready-to-load ladders are designed with precise DNA fragments for accurate quantification by agarose gel electrophoresis. The concentration of each band is kept uniform to give sharp bands. A single or multiple bands in the ladders are made intense to orient the user to the other bands in the ladder. Recommended Loading volume 3-5µl. The products are unstained DNA Ladders.





SuVLane: 8 cm Gel 0.5 × TBE: 7 V/cm: 40 mm





code old/new	product name	application/description	unit	
44897	ProxiO 10bp DNA Lad	Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange	50 mcg	9930.00
98628	ProxiO 20bp DNA Lad	Loading Dye. der Size range: 60 to 300 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg	8910.00
68905	ProxiO Low DNA Ladd	9 /	50 mcg 5X 50 mcg	7500.00 36770.00
82208	ProxiO 50bp DNA Lad	9 /	50 mcg 5X 50 mcg	7070.00 23240.00
88417	ProxiO 50bp DNA Ladd	ler Plus Size range: 50 to 1,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	6770.00 23690.00
92972	ProxiO 100bp DNA Lac		50 mcg 5X 50 mcg	5680.00 21990.00



code	product name	application/description	unit	price
84628	ProxiB 100bp DNA La	dder Size range: 100 to 1,500 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes.	50 mcg 5X 50 mcg	5680.00 21990.00
52075	ProxiO 100bp DNA Lad	der Plus Size range: 100 to 3,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	5680.00 21990.00
50255	ProxiB 100bp DNA Lad	der Plus Size range: 100 to 3,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes.	50 mcg 5X 50 mcg	5680.00 21990.00
37217	ProxiO 200bp DNA La		50 mcg	8680.00
93121	ProxiO 500bp DNA La		50 mcg	9130.00
48290	ProxiO 1kb DNA Lado	0 ,	50 mcg 5X 50 mcg	5560.00 23790.00
93406	ProxiO 1kb DNA Ladder Plus	Size range: 100 to 10,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	5560.00 23790.00
77305	PCR Ladder	This size marker covers the most common range encountered in PCR and shows an aesthetically pleasing ladder of five bands (50, 150, 300, 500, and 800 bp) that separate uniformly as shown. Contains Bromophenol as the tracking dye.	10 mcg 50 mcg Blue	1860.00 5910.00

BioLit® FluroBronze™ DNA Ladder Packs

The varying range of specially prepared DNA ladder packs (ready-to-load) contain in addition to the tracking dyes, a non-carcinogenic nucleic acid stain (BioLit FluroBronze Stain) for detection of the ladder bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus simplifying the preparation of agarose gel sans a potentially mutagenic dye.

76195	FluroBronze™ PCR Ladder	Size range: 50 to 800 bp Contains Bromophenol Blue as the tracking dye along with FluroBronze stain as the fluorescent dy Also accompanied by a vial of 6X FluroBronze Sta		11070.00
39563	FluroBronze™ 50bp Ladder Plus	Size range: 50 to 1,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial o 6X FluroBronze Stain.	50 mcg f	12050.00
97958	FluroBronze™ 100bp Ladder	Size range: 100 to 1,500 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial o 6X FluroBronze Stain.	50 mcg f	10790.00



code	product name	application/d	escription	unit	price
72601	FluroBronze™ 10	Obp Ladder Plus	Size range: 100 to 3,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 mcg	10720.00
54896	FluroBronze™ 50	Obp Ladder	Size range: 500 to 5,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 mcg	14290.00
23416	FluroBronze™ 1k	b Ladder Plus	Size range: 100 to 10,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 mcg	10230.00

BioLit® SafeDye™ DNA Ladder Packs

The varying range of DNA ladder packs (ready-to-load) contain DNA ladders accompanied by the BioLit SafeDye Stain, a non-carcinogenic nucleic acid stain mixed in a 6X loading buffer, for detection of the ladder bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus eliminating a potentially mutagenic dye.

64935	SafeDye™ PCR Ladder	Size range: 50 to 800 bp Contains Bromophenol Blue as the tracking dye. Also accompanied by a vial of 6X SafeDye Stain.	50 mcg	10370.00
19262	SafeDye™ 50bp Ladder Plus	Size range: 50 to 1,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial 6X SafeDye Stain.	50 mcg	10650.00
33902	SafeDye™ 100bp Ladder	Size range: 100 to 1,500 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial 6X SafeDye Stain.	50 mcg	10790.00
53261	SafeDye™ 100bp Ladder Plus	Size range: 100 to 3,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial 6X SafeDye Stain.	50 mcg	9110.00
27107	SafeDye™ 500bp Ladder	Size range: 500 to 5,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial 6X SafeDye Stain.	50 mcg	12890.00
29877	SafeDye™ 1kb Ladder Plus	Size range: 100 to 10,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 mcg	10230.00



code	product name	application/description	unit	price
------	--------------	-------------------------	------	-------

Surface Decontamination Spray

69341	DNA Decontam Surface Decontamination Spray	Eliminate unwanted DNA and DNase from glassware 250ml and plastic ware without affecting subsequent DNA samples and plastic ware without affecting subsequent DNA samples. Supplied in a spray bottle	3500.00
27248	RNAse Decontam Surface Decontamination Spray	A surface decontamination solution that destroys 250ml RNases on contact. Spray the Solution onto surfaces to be decontaminated and rinse off with RNase-free-water. Supplied in a spray bottle format.	4000.00

BioLit® Restriction Enzymes

BioLit® Restriction Enzymes are highly purified and ensure that the integrity of your DNA is not compromised, making them the enzymes of choice for even the most demanding applications. All the Restriction Enzymes are accompanied with their specific reaction buffer to enable 100% enzyme activity.

85844	Alul (10U/μl)	100 unit	5500.00
51914	BamHI (10U/μΙ)	2500 unit	3300.00
		10000 unit	11000.00
32338	BgII (10U/μI)	1500 unit	6420.00
24848	BgIII (10U/ μ I)	250 unit	2200.00
	D. T. (14. C) A (11) (12) (1)	500 unit	4000.00
78895	BspTI (MspCI,AfIII) (10U/µI)	250 unit	2800.00
23203	Eco91I (BstEII) (10U/μΙ)	500 unit	3300.00
99402	Dral (10U/μl)	1000 unit	8500.00
91290	EcoRI (10U/μΙ)	4000 unit	3500.00
		10000 unit	8400.00
90279	EcoRV (Eco321) (10U/μI)	1500 unit	4280.00
61338	HaeIII (BsuRI, BshFI) (10U/μΙ)	3000 unit	6300.00
44004	11:	10000 units	20000.00
44261	Hincll (Hindll) (10U/µl)	250 units	3500.00
77976	Hindlii (4011/ul)	1000 units 2500 units	12500.00 3800.00
77970	HindIII (10U/μl)	5000 units	7500.00
36322	Hinfl (10U/μl)	750 unit	3600.00
15100	KspAl (Hpal) (10U/μl)	200 unit	4900.00
		500 unit	11500.00
47167	Kpnl (10U/ μ l)	1000 unit	2200.00
		2000 unit	10000.00
65301	Mbol (10U/μl)	300 unit	12000.00
		1100 unit	40000.00
79971	NcoI (10U/μI)	125 unit	2900.00
		300 unit	6250.00
75760	Ndel (10U/μl)	500 unit	2200.00
07261	Not! (10!!/ul)	2500 unit	9000.00
97361	NotI (10U/μI)	100 unit 250 unit	4800.00 11000.00
04054	D-4 (4011(··l)		
94651	PstI (10U/μI)	1500 unit	3000.00



1,000 1,0	code	product name application/description	unit	price
	code	product name application/description	unit	price
P7505 Rsal (10U/µl) 2800 unit 3300.00 27301 Sal (10U/µl) 7750 unit 12000.00 1200 unit 1200 unit 12000.00 1200 unit 1200 unit 1200 unit 1200 unit 1200 unit 1500 unit 1200 unit 12				
P7505 Real (10U/μl) 250 unit 12000.00 1250 unit 1250 unit	72649	Pvull (10U/µl)		
27301 Sacl (10U/µl) 750 unit 6000.00 1250 unit 3600.00 1250 unit 1250 un	97505	Rsal (10U/μl)		
10190 Sall (10U/µl) S0U (11 S00 unit S00 unit			1000 unit	12000.00
10190 Sall (10U/μl) 500 unit 5200.00 750 unit 7500.00 750 unit 6000.00 750 unit 750	27301	SacI (10U/μI)		
750 unit 5200 00 74952 Sau3Al (Bsp143I) (10U/μI) 500 unit 3600.00 1500 unit 3600.00 1500 unit 3600.00 1500 unit 3600.00 1500 unit 3700.00	40400	0.11.44011/10		
	10190	Saii (100/μi)		
1500 unit 17000 00 15231 Smal (10U/μl) 500 unit 6000 00 49365 Spel (Bcul) (10U/μl) 200 unit 3700 00 400 unit 6800 00 400 unit 6800 00 400 unit 6800 00 600 unit 7000 00 600 unit 7000 00 600 unit 7000 00 750 unit 750	74952	Sau3Al (Bsp143l) (10U/ul)		
15231 Smal (10U/µl) 500 unit 6000.00 49365 Spel (Bcul) (10U/µl) 200 unit 3700.00 40053 Sspl (10U/µl) 250 unit 3700.00 500 unit 7000.00 500 unit 7000.00 500 unit 7000.00 6000 Xbal (10U/µl) 750 unit 4600.00 4000 unit 4600.00 5000 unit 12000.00 5001 unit 12000.00 5000 unit 12	14302	σαστι (Βορίτοι) (100/μι)		
\$\frac{499365}{40053} \ \ \text{Spl (10U/μl)} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	15231	Smal (10U/ul)	500 unit	6000 00
A00 unit				
August	40000	οροί (Βοαί) (100)μή		
	40653	Sspl (10U/µl)	250 unit	
1250 unit 4600.00 4000 unit 13500.00 13500.00 13500.00 14000 unit 13500.00 14000 unit 13500.00 14000 unit 13000.00 14000.00 155918 14000.00 14000.00 14000.00 15723 14000.00 14000.00 15723 14000.00 14000.00 15723 14000.00 14000.00 15723			500 unit	7000.00
13500.00	96600	Xbal (10U/μl)	750 unit	3100.00
Tri245 Xhol (Slal) (10U/μl) 1000 unit 12000.00 120000.00 120000.00 120000.00 120000.00 120000.00 120000.00 120000.00 120000.00 120000.00				
March Marc	74045	VI-al (Clai) (4011/ul)		
	/1245	anoi (Siai) (100/ μ i)		
These restriction enzymes reduce digestion time and speed up the downstream processes. 81536 QuickRxn BamHI (20U/mcI) 250 units 1000 units 1700.00 15918 QuickRxn EcoRI (20U/mcI) 250 units 1000 units 1200.00 15723 QuickRxn HindIII (20U/mcI) 250 units 1000 units 1800.00 38616 QuickRxn KpnI (20U/mcI) 250 units 2400.00 54781 QuickRxn Ncol (20U/mcI) 100 units 250 units 3400.00 57426 QuickRxn Ndel (20U/mcI) 250 units 1500.00 1000 units 250 units 1500.00 60399 QuickRxn Notl (20U/mcI) 250 units 250 units 11800.00 64479 QuickRxn Pstl (20U/mcI) 250 units 250 units 2200.00 37862 QuickRxn Sall 250 units 250 units 2200.00 49604 QuickRxn Smal (20U/mcI) 250 units 250	46448	Universal Restriction Enzyme Buffer (10X)		
These restriction enzymes reduce digestion time and speed up the downstream processes. 81536 QuickRxn BamHI (20U/mcI) 250 units 1000 units 1700.00 15918 QuickRxn EcoRI (20U/mcI) 250 units 1000 units 1200.00 15723 QuickRxn HindIII (20U/mcI) 250 units 1000 units 1800.00 38616 QuickRxn KpnI (20U/mcI) 250 units 2400.00 54781 QuickRxn Ncol (20U/mcI) 100 units 250 units 3400.00 57426 QuickRxn Ndel (20U/mcI) 250 units 1500.00 1000 units 250 units 1500.00 60399 QuickRxn Notl (20U/mcI) 250 units 250 units 11800.00 64479 QuickRxn Pstl (20U/mcI) 250 units 250 units 2200.00 37862 QuickRxn Sall 250 units 250 units 2200.00 49604 QuickRxn Smal (20U/mcI) 250 units 250		BioLit® QuickRxn Restricti	on Enzymes	
1000 units 1700.00 15918 QuickRxn EcoRl (20U/mcl) 250 units 500.00 1000 units 1200.00 15723 QuickRxn HindllI (20U/mcl) 250 units 1000 units 1000 units 1800.00 1000 units 1800.00 1000 units 2400.00 1000 units 2400.00 1000 units 250 units 250 units 3000.00 250 units 3000.00 250 units 3000.00 250 units 1500.00 1000 units 4200.00 1000 units 5100.00 250 units 11800.00 1000 units 250 units 1000 uni	These rest	rriction enzymes reduce digestion time and speed up the downstream pr	ocesses.	
1000 units 1700.00 15918 QuickRxn EcoRl (20U/mcl) 250 units 500.00 1000 units 1200.00 15723 QuickRxn HindllI (20U/mcl) 250 units 1000 units 1000 units 1800.00 1000 units 1800.00 1000 units 2400.00 1000 units 2400.00 1000 units 250 units 250 units 3000.00 250 units 3000.00 250 units 3000.00 250 units 1500.00 1000 units 4200.00 1000 units 5100.00 250 units 11800.00 1000 units 250 units 1000 uni	81536	QuickBxn BamHI (20U/mcl)		
1000 units 1200.00 15723 QuickRxn HindllI (20U/mcI) 250 units 500.00 1000 units 1800.00 1000 units 1800.00 1000 units 1800.00 1000 units 2400.00 1000 units 2400.00 1000 units 2400.00 250 units 3000.00 250 units 3400.00 250 units 3400.00 1000 units 4200.00 1000 units 4200.00 1000 units 4200.00 1000 units 1800.00 1800 units 1800.00 units 1800.00 1800 units 1800.			250 units	600.00
1000 units 1200.00 15723 QuickRxn HindllI (20U/mcl) 250 units 500.00 1000 units 1800.00 1000 units 1800.00 1000 units 1800.00 1000 units 1800.00 1000 units 2400.00 1000 units 2400.00 1000 units 2400.00 1000 units 3000.00 250 units 3400.00 1000 units 3400.00 1000 units 4200.00 1000 units 4200.00 1000 units 1800.00 1800.	15918			
1000 units 1800.00 1000 units 950.00 1000 units 950.00 1000 units 2400.00 1000 units 2400.00 250 units 3000.00 250 units 3400.00 250 units 3400.00 1000 units 4200.00 1000 units 4200.00 1000 units 4200.00 1000 units 1500.00 250 units 1500.00 1000 units 4200.00 1000 units 1500.00 250 units 11800.00 1000 units 2200.00 1000 units 1000 units		QuickRxn EcoRI (20U/mcI)	1000 units	1700.00
1000 units 1800.00 1000 units 950.00 1000 units 950.00 1000 units 2400.00 1000 units 2400.00 250 units 3000.00 250 units 3400.00 250 units 3400.00 1000 units 4200.00 1000 units 4200.00 1000 units 4200.00 1000 units 1500.00 250 units 1500.00 1000 units 4200.00 1000 units 11800.00 1000 units 11800.00 1000 units 1250 units 1200.00 1000 units 2200.00 1000 units		QuickRxn EcoRI (20U/mcl)	1000 units 250 units	1700.00 500.00
54781 QuickRxn Ncol (20U/mcl) 100 units 3000.00 250 units 3400.00 57426 QuickRxn Ndel (20U/mcl) 250 units 4200.00 60399 QuickRxn Notl (20U/mcl) 100 units 5100.00 250 units 11800.00 64479 QuickRxn Pstl (20U/mcl) 250 units 1000 units 2200.00 37862 QuickRxn Sall 250 units 2200.00 49604 QuickRxn Smal (20U/mcl) 250 units 3200.00 25887 QuickRxn Xhol (20u/mcl) 250 units 1400.00	15723		1000 units 250 units 1000 units	1700.00 500.00 1200.00
54781 QuickRxn Ncol (20U/mcl) 100 units 250 units 3400.00 57426 QuickRxn Ndel (20U/mcl) 250 units 1500.00 1000 units 4200.00 60399 QuickRxn Notl (20U/mcl) 100 units 250 units 11800.00 64479 QuickRxn Pstl (20U/mcl) 250 units 200.00 37862 QuickRxn Sall 250 units 2200.00 49604 QuickRxn Smal (20U/mcl) 250 units 3200.00 25887 QuickRxn Xhol (20u/mcl) 250 units 1400.00	15723		1000 units 250 units 1000 units 250 units	1700.00 500.00 1200.00 500.00
\$\frac{250 \text{ units}}{250 \text{ units}} \ 3400.00 \ \$\frac{57426}{250 \text{ units}} \ \text{ 250 units} \ \frac{1500.00}{1000 \text{ units}} \ \frac{1500.00}{1000 \text{ units}} \ \frac{5100.00}{1000 \text{ units}} \ \frac{5100.00}{250 \text{ units}} \ \frac{5100.00}{11800.00} \ \$\frac{64479}{1000 \text{ units}} \ \text{ QuickRxn Pstl (20U/mcl)} \ \frac{250 \text{ units}}{1000 \text{ units}} \ \frac{700.00}{1000 \text{ units}} \ \frac{2200.00}{250 \text{ units}} \ \frac{2200.00}{250 \text{ units}} \ \frac{250 \text{ units}}{250 \text{ units}} \ 250 \		QuickRxn HindIII (20U/mcl)	1000 units 250 units 1000 units 250 units 1000 units	1700.00 500.00 1200.00 500.00 1800.00
57426 QuickRxn Ndel (20U/mcl) 250 units 1500.00 1000 units 4200.00 60399 QuickRxn Notl (20U/mcl) 100 units 5100.00 250 units 11800.00 64479 QuickRxn Pstl (20U/mcl) 250 units 2200.00 37862 QuickRxn Sall 250 units 2200.00 49604 QuickRxn Smal (20U/mcl) 250 units 3200.00 25887 QuickRxn Xhol (20u/mcl) 250 units 1400.00		QuickRxn HindIII (20U/mcl)	1000 units 250 units 1000 units 250 units 1000 units	1700.00 500.00 1200.00 500.00 1800.00
60399 QuickRxn Notl (20U/mcl) 1000 units 25100.00 2550 units 11800.00 64479 QuickRxn Pstl (20U/mcl) 250 units 1000 units 2200.00 37862 QuickRxn Sall 250 units 2200.00 49604 QuickRxn Smal (20U/mcl) 250 units 3200.00 25887 QuickRxn Xhol (20u/mcl) 250 units 1400.00	38616	QuickRxn HindIII (20U/mcl) QuickRxn KpnI (20U/mcl)	1000 units 250 units 1000 units 250 units 1000 units 250 units 1000 units	1700.00 500.00 1200.00 500.00 1800.00 950.00 2400.00
60399 QuickRxn Notl (20U/mcl) 100 units 250 units 11800.00 64479 QuickRxn Pstl (20U/mcl) 250 units 1000 units 2200.00 37862 QuickRxn Sall 250 units 2200.00 49604 QuickRxn Smal (20U/mcl) 250 units 3200.00 25887 QuickRxn Xhol (20u/mcl) 250 units 1400.00	38616	QuickRxn HindIII (20U/mcl) QuickRxn KpnI (20U/mcl)	1000 units 250 units 1000 units 250 units 1000 units 250 units 1000 units	1700.00 500.00 1200.00 500.00 1800.00 950.00 2400.00 3000.00
64479 QuickRxn Pstl (20U/mcl) 250 units 700.00 1000 units 2200.00 37862 QuickRxn Sall 250 units 2200.00 49604 QuickRxn Smal (20U/mcl) 250 units 3200.00 25887 QuickRxn Xhol (20u/mcl) 250 units 1400.00	38616 54781	QuickRxn HindIII (20U/mcl) QuickRxn KpnI (20U/mcl) QuickRxn Ncol (20U/mcl)	1000 units 250 units 1000 units 250 units 1000 units 250 units 1000 units 1000 units 250 units 250 units	1700.00 500.00 1200.00 500.00 1800.00 950.00 2400.00 3000.00 3400.00
64479 QuickRxn Pstl (20U/mcl) 250 units 1000 units 2200.00 1000 units 2200.00 37862 QuickRxn Sall 250 units 2200.00 49604 QuickRxn Smal (20U/mcl) 250 units 3200.00 25887 QuickRxn Xhol (20u/mcl) 250 units 1400.00	38616 54781	QuickRxn HindIII (20U/mcl) QuickRxn KpnI (20U/mcl) QuickRxn Ncol (20U/mcl)	1000 units 250 units 1000 units 250 units 1000 units 250 units 1000 units 1000 units 250 units 250 units	1700.00 500.00 1200.00 500.00 1800.00 950.00 2400.00 3000.00 3400.00
37862 QuickRxn Sall 250 units 2200.00 49604 QuickRxn Smal (20U/mcl) 250 units 3200.00 25887 QuickRxn Xhol (20u/mcl) 250 units 1400.00	38616 54781 57426	QuickRxn HindIII (20U/mcI) QuickRxn KpnI (20U/mcI) QuickRxn NcoI (20U/mcI) QuickRxn NdeI (20U/mcI)	1000 units 250 units 1000 units 250 units 1000 units 250 units 1000 units 1000 units 250 units 250 units 250 units	1700.00 500.00 1200.00 500.00 1800.00 950.00 2400.00 3000.00 3400.00 4200.00 5100.00
37862 QuickRxn Sall 250 units 2200.00 49604 QuickRxn Smal (20U/mcl) 250 units 3200.00 25887 QuickRxn Xhol (20u/mcl) 250 units 1400.00	38616 54781 57426	QuickRxn HindIII (20U/mcI) QuickRxn KpnI (20U/mcI) QuickRxn NcoI (20U/mcI) QuickRxn NdeI (20U/mcI)	1000 units 250 units 1000 units 250 units 1000 units 250 units 1000 units 1000 units 250 units 250 units 250 units	1700.00 500.00 1200.00 500.00 1800.00 950.00 2400.00 3000.00 3400.00 4200.00 5100.00
49604 QuickRxn Smal (20U/mcl) 250 units 3200.00 25887 QuickRxn Xhol (20u/mcl) 250 units 1400.00	38616 54781 57426 60399	QuickRxn HindIII (20U/mcI) QuickRxn KpnI (20U/mcI) QuickRxn NcoI (20U/mcI) QuickRxn NdeI (20U/mcI) QuickRxn NotI (20U/mcI)	1000 units 250 units 1000 units 250 units 1000 units 250 units 1000 units 1000 units 250 units 250 units 1000 units 250 units 1000 units	1700.00 500.00 1200.00 500.00 1800.00 950.00 2400.00 3000.00 3400.00 4200.00 5100.00 11800.00 700.00
25887 QuickRxn Xhol (20u/mcl) 250 units 1400.00	38616 54781 57426 60399	QuickRxn HindIII (20U/mcI) QuickRxn KpnI (20U/mcI) QuickRxn NcoI (20U/mcI) QuickRxn NdeI (20U/mcI) QuickRxn NotI (20U/mcI) QuickRxn PstI (20U/mcI)	1000 units 250 units 1000 units 250 units 1000 units 250 units 1000 units 1000 units 250 units 250 units 1000 units 250 units 1000 units	1700.00 500.00 1200.00 500.00 1800.00 950.00 2400.00 3000.00 3400.00 4200.00 5100.00 11800.00 700.00
	38616 54781 57426 60399 64479	QuickRxn HindIII (20U/mcI) QuickRxn KpnI (20U/mcI) QuickRxn NcoI (20U/mcI) QuickRxn NdeI (20U/mcI) QuickRxn NotI (20U/mcI) QuickRxn PstI (20U/mcI)	1000 units 250 units 1000 units 250 units 1000 units 250 units 1000 units 100 units 250 units 250 units 1000 units 250 units 1000 units 250 units 1000 units 250 units	1700.00 500.00 1200.00 500.00 1800.00 950.00 2400.00 3000.00 3400.00 4200.00 5100.00 11800.00 700.00 2200.00
	38616 54781 57426 60399 64479 37862	QuickRxn HindIII (20U/mcI) QuickRxn KpnI (20U/mcI) QuickRxn Ncol (20U/mcI) QuickRxn Ndel (20U/mcI) QuickRxn Notl (20U/mcI) QuickRxn Pstl (20U/mcI) QuickRxn Sall	1000 units 250 units 1000 units 250 units 1000 units 250 units 1000 units 1000 units 250 units 250 units 1000 units 1000 units 1000 units 250 units 1000 units 250 units	1700.00 500.00 1200.00 1200.00 500.00 1800.00 2400.00 3000.00 3400.00 1500.00 4200.00 5100.00 11800.00 700.00 2200.00
	38616 54781 57426 60399 64479 37862 49604	QuickRxn HindIII (20U/mcI) QuickRxn KpnI (20U/mcI) QuickRxn Ncol (20U/mcI) QuickRxn NdeI (20U/mcI) QuickRxn NotI (20U/mcI) QuickRxn PstI (20U/mcI) QuickRxn Sall QuickRxn Smal (20U/mcI)	1000 units 250 units 1000 units 250 units 1000 units 250 units 1000 units 1000 units 250 units 250 units 1000 units 250 units 1000 units 250 units 250 units 250 units 250 units 250 units	1700.00 500.00 1200.00 1200.00 500.00 1800.00 950.00 2400.00 3000.00 3400.00 4200.00 5100.00 11800.00 700.00 2200.00 2200.00 3200.00



code	product name	application/description	unit p	orice

BioLit® Ligases


This DNA ligase, an ATP-dependent recombinant enzyme, isolated from Escherichia coli, is used for DNA cloning

85315	T4 DNA Ligase VLC (20CEU/μI or 0.1 Weiss Unit/μI)	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiaster bonds between adjacent 3'-hydroxyl and 5'- phosphate termini in DNA. The enzyme is active on double-stranded DNA, nicked E and RNA substrates. One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	10000 Units (CEU) 40000 Units (CEU) DNA	2500.00 5680.00
41686	T4 DNA Ligase LC (200CEU/μΙ or 1 Weiss Unit/μΙ)	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiaster bonds between adjacent 3'-hydroxyl and 5'- phosphate termini in DNA. The enzyme is active on double-stranded DNA, nicked DNA and RNA substrates. One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	200 Units (Weiss) 1000 Units (Weiss) 5000 Units (Weiss)	2840.00 5120.00 8520.00
67428	T4 DNA Ligase RC (1000CEU/μI or 5 Weiss Unit/μI)	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiaster bonds between The enzyme is active on double-stranded DNA, nicked DNA and RNA substrates. One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	250 Units (Weiss) 1000 Units (Weiss)	5680.00 9660.00
32581	Tth DNA Ligase Swift (5U/μΙ) Thermostable	An enzyme isolated from Escherichia Coli strain containing plasmid carrying the Thermus thermophilus DNA ligase, ligates DNA fragments within 15 minutes. Works on sticky ends only.	100 Units (Weiss) 200 Units (Weiss)	11000.00 22000.00



application/description unit code product name price


BioLit® Ready-to-use Unstained Protein Molecular Weight Standards



BioLit protein molecular weight standards cover the useful range of protein sizes that a researcher or student requires for routine experiments. The recommended loading volume is $20 \,\mu$ l, giving approximately 5 μ g of each protein sufficient for detection by Coomassie blue staining. The products are unstained markers. The proteins have been dissolved and denatured in the standard SDS-PAGE sample-loading buffer. Prepared under sterile conditions, these markers have appropriate additives to ensure long-term stability when they are stored in a refrigerator or freezer and even with brief exposure to room temperature. Although boiling is not required prior to loading, doing so will not affect results.

33203

Mid-Range 1 This ready-to-use marker covers the useful range




Protein Marker: 14-80kDa of protein sizes of 14 - 80 kDa and contains Bromophenol Blue as the tracking dye. It has nine bands of varying molecular sizes that a researcher or student requires for routine experiments.

0.5 ml 2440.00 4400.00 1 ml 2.5 ml 9260.00

58511 Mid-Range 3

This ready-to-use marker covers a slightly higher Protein Marker: 14-95kDa range of protein sizes of 14 - 95 kDa and contains Bromophenol Blue as the tracking dye. It has eight bands of varying molecular sizes that a researcher or student requires for routine experiments.

0.5 ml 2440.00 4400.00 1 ml 2.5 ml 9260.00



78084

Popular-Range

kDa

This molecular weight marker covers a general Protein Marker: 14-66kDa range of protein sizes 14-66 kDa that is typically used by a reseacher. It contains Bromophenol Blue as the tracking dye.

0.5 ml 2440.00 1 ml 4400.00



Profile in SDS-12% PAGE



code	product name	application/description	unit	price
59893	Low-Range Protein Marker: 3-40kDa kDa 43 25 14 7 25/35	This protein molecular weight standard includes proteins in the range of 2.5 - 40 kDa and contains Bromophenol Blue as the tracking dye. With the advent of proteomics and identification of many low molecular weight proteins and domains being involved in important functions, there is an emerging interest in polypeptides in this range. This is also a useful range for electrophoresis based peptide mapping, especially using Tricine SDS - PAGE.	0.5 ml 1 ml 2.5 ml	2440.00 4400.00 9260.00
12986	Profile in Tricine SDS-18% PAGE (20 pt in a mini get) High-Range 1 Protein Marker: 20-220kDa	This molecular range marker covers a larger range of molecular sizes - 20 to 220kDa and is helpful to researchers working on higher molecular weight proteins.	0.5 ml 1 ml	2780.00 5210.00
	116 80 45 35 25 20 Profile in SDS-10% PAGE	It contains Bromophenol Blue as the tracking dye.		
99625	(20 µl in a mini gel) High-Range 2 Protein Marker: 14-220kDa	This molecular range marker covers a larger range of molecular sizes - 14 to 220kDa and is helpful to researchers	0.5 ml 1 ml	2780.00 5210.00
	bda, 20, 165	working on higher molecular weight proteins. It contains Bromophenol Blue as the tracking dye.		
	(20 μ 1 in a mini gel)			

Ready-to-use Prestained Protein Molecular Weight Standards

68894	PreStained Blue Protein Marker: 14 - 66kDa	Blue Prestained Protein Molecular Weight Standard, contains a mix of proteins, coupled with a blue chromophore. This marker has 6 bands in range of 14 to 66kDa.	0.5 ml	2550.00
93675	PreStained Dual Coloured		0.25 ml	2520.00
	Protein Marker: 14 - 66kD	a proteins, coupled with blue and red chromophore.	0.5 ml	4200.00
		This marker has 6 bands in range of 14 to 66kDa.		
27839	PreStained High Range 1	This Protein Ladder is a three-color protein standard with	0.25 ml	12150.00
	Tri-Coloured Protein	10 bands in the range of 10 to 180 kDa. Proteins are covalently	1 ml	35050.00
	Ladder: 10-180kDa	coupled with a blue chromophore except for two reference bands		
		(one green and one red band at 25 kDa and 75 kDa respectively)		
		when separated on SDS-PAGE (Tris-glycine buffer).		



	code	product name	application/description	unit	price
	67792	Tri-Coloured Protein Ladder: 10-245kDa	This Protein Ladder is a three-color protein standard with 12 bands in the range of 10 to 245 kDa. Proteins are covalently coupled with a blue chromophore except for two reference bands (one green and one red band at 25 kDa and 75 kDa respectively) when separated on SDS-PAGE (Tris-glycine buffer).	.25 ml 1 ml	10000.00 38000.00
	49772	PreStained High Range 3 Tri-Coloured Protein		.25 ml	42000.00
Bi	oLit® Sta	ining Dyes for Protein	S		
	25437 ore at 2-8°C uffers	BioLit SpryBlue Stain for SDS PAGE	A snappy stain for Polyacrylamide gels that accelerates the staining of proteins and eliminates the need for destains.	250 ml 500 ml	700.00 1200.00
1	85074	Borate Buffer (20X) (Amine-free)	Ideal buffer solution that is used in protein modification procedures requiring amine-free buffer at alkaline pH.	100 ml 500 ml	2200.00 7500.00
	88480	SDS PAGE Sample Buffer (2X) (Reducing) (Laemmli Buffer 2X)	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 2X solution. It can be used for SDS-PAGE protein loading of conventional proteins.	5 ml d 20 ml	390.00 1500.00
	99573	SDS PAGE Sample Buffer (5X) (Reducing) (Laemmli Buffer 5X)	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be used for SDS-PAGE protein loading of conventional proteins.	5 ml d 20 ml	480.00 1800.00
	98786	SDS PAGE Sample Buffer (5X) (Reducing) w/ DTT w/ BPB	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be used for SDS-PAGE protein loading of conventional proteins.	5 ml	2500.00
	35974	SDS PAGE Sample Buffer (5X) (Non-Reducing) w/o DTT w/ BPB	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be used for SDS-PAGE protein loading of conventional proteins.	5 ml	2500.00

BioLit® SDS PAGE Accessory Reagents

Ready-to-use Separating gel mix in a various percentage ranges and Stacking gel mix to simplify the process of SDS PAG preparation and eliminate pipetting errors.

91574 86325	Ready-To-Use Stacking Gel mix - 4% Ready-To-Use Stacking Gel mix - 4% (Coloured)	250 ml 100 ml	2170.00 1040.00
24723	Ready-To-Use Separating Gel mix - 10%	100 ml	2440.00
80306	Ready-To-Use Separating Gel mix - 12%	100 ml	2440.00
88394	Ready-To-Use Separating Gel mix - 15%	100 ml	2440.00

BioLit® Protease for Recombinant Protein Fusion Tag Cleavage

86851 TEV Protease $(1U/\mu I)$ A highly sequence-specific cysteine protease from Tobacco Etch Virus (TEV). Removes affinity tags from purified recombinant fusion proteins and its specificity gives controlled

cleavage. Effective over a broad range of temperature

1000 Units 10230.00 5000 Units 39750.00



code product name application/description unit price **Antibodies** 41262 Express Coating Buffer A special coating buffer for rapid adsorptive immobilization 100 ml 2500.00 of proteins, enzymes, antigens or antibodies on any plastic 500 ml 8000.00 (1X, pH 6.4) for **Antigens & Antibodies** surface including ELISA plates. It coats the surface within 10-15mins **Express Coating Buffer** A special coating buffer for rapid adsorptive immobilization 91754 100 ml 3500.00 (1X, pH pH 8.5) for of proteins, enzymes, antigens or antibodies on any plastic 500 ml 9000.00 **Antigens & Antibodies** surface including ELISA plates. It coats the surface within 10-15mins. Antiserum is produced in Goat using highly purified human 37971 Goat anti-Human IgG 1 ml 4820 00 (affinity purified) IgG as the immunogen. Whole antiserum is fractionated (2mg/ml)and then further purified by affinity chromatography to provide the IgG fraction of antiserum. 77924 Goat anti-Human Purified IgG conjugated to Horseradish Peroxidase (HRP). 1 ml 12840.00 IgG-HRP (1mg/ml) Pooled antisera from goats hyperimmunized with human IgG 57404 **Goat anti-Mouse** Polyclonal Goat antibodies conjugated with HRP. 1 ml 12840.00 IgG-HRP (1mg/ml) Pooled antisera from goats hyperimmunized with Mouse IgG 54537 Goat anti-Rabbit IgG Antiserum is produced in Rabbit using highly purified bovine IgG as 1 ml 3210.00 (whole serum) the immunogen. Whole antiserum is fractionated and then further 5 ml 12840.00 (3mg/ml)purified by affinity chromatography to provide the IgG fraction of antiserum. 88495 Goat anti-Rabbit Polyclonal Goat antibodies conjugated with HRP. Pooled antisera 1 ml 12840.00 IgG-HRP (1mg/ml) from goats hyperimmunized with Rabbit IgG. 68977 Rabbit anti-Bovine IgG Antiserum is produced in Rabbit using highly purified bovine IgG 1 ml 2570.00 (whole serum) (2mg/ml) as the immunogen. Whole antiserum is fractionated and then further purified by affinity chromatography to provide the IgG fraction of antiserum. 21105 Rabbit anti-Bovine Anti-Bovine secondary antibodies conjugated with HRP. 1 ml 12840.00 IqG-HRP Pooled antisera from cows hyperimmunized with rabbit IgG (whole serum) (1mg/ml) 57919 Rabbit anti-Chicken 1 ml 7490.00 IgY (whole serum) 5 ml 23540.00 26249 **Rabbit Anti-Human** 1 ml 4280.00 IgG (whole serum) 5 ml 19260.00



application/description code product name unit price

BioLit® Research Kits

A column based quick and easy method for DNA Extraction from bacteria/ tissue/whole blood yielding pure DNA useful for down-stream processes.

51826	BioLit Genomic DNA Extraction Mini Kit (Research) Kit contents: • Spin Colum	Isolation of high quality genomic DNA using the silica spin columns from various sources - plasma, serum, body fluids, cultured cells, sputum and other body fluids. • Buffers • Proteinase K	25 Extractions 50 Extractions	7080.00 13680.00
56860	BioLit Plant DNA Extraction Mini Kit (Research) Kit contents: • Spin Colur	Kit works to efficiently extract genomic DNA from various plant and tissue samples rapidly. Mini silica columns deliver high quality genomic DNA without use of expensive reagents and time consuming processes.	25 Extractions 50 Extractions	5000.00 9000.00
75718	BioLit Tissue DNA Extraction Mini Kit (Research)	Isolation of high quality tissue DNA using the silica spin columns from soft and hard tissues samples like liver, spleen, thymus, heart, kidney, brain, etc	25 Extractions 50 Extractions	9040.00 15460.00
94733	Kit contents: • Spin Colum		25 Extractions	8500.00
04.00	Extraction Mini Kit (Research) Kit contents: • Spin Colur	columns from human whole blood.	50 Extractions	16000.00
33981	BioLit Tissue RNA Extraction Mini Kit (Research) Kit contents: • Spin Colum	Tissue RNA can be purified from soft and hard tissues samples like liver, spleen, thymus, heart, kidney, brain, etc nns ● Collection Tubes ● Buffers ● Carrier RNA -Poly A	25 Extractions 50 Extractions	10250.00 19500.00
87883	BioLit Viral RNA Extraction Mini Kit (Research) Kit contents: • Spin Colum	Viral RNA can be purified from plasma, serum and other cell body fluids. nns ● Collection Tubes ● Buffers ● Carrier RNA -Poly A	25 Extractions 50 Extractions 1000 Extractions	5740.00 9920.00 18190.00
76108	BioLit Whole Blood RNA Extraction Mini Kit (Research) Kit contents: • Spin Colun	A fast, easy method for the preparation of total cellular RNA from human whole blood. Multiple blood samples can be processed simultaneously in less than 1 hour.	25 Extractions 50 Extractions	10700.00 20810.00
91210	BioLit Animal Tissue Direct PCR Kit (Research) Kit contents: • 2X Taq mix	Amplifies DNA directly from a wide variety of animal tissues including mice, fish, birds and insects. • Buffers • Sterile Water	50 Preps	25990.00
74578	BioLit Gel Extraction Kit (Research) Kit contents: • Silica Spin	Kit for quick and easy extraction of DNA fragment from Low melting agarose. Useful for various downstream processes.	50 Preps	10500.00



code	product name	application/description e	no. of xperiments	unit	prio
23512	BioLit PCR and DNA F	ragment Purification Kit (Research)) Preps) Preps	11000.00 21460.00
62606	BioLit Total RNA Extraction Kit from Plant (Research) Kit contents: • Spin Colum	Quick Total RNA extraction kit using silica gel columns. Purifies RNA from Plants and Fungi.	50) Preps	23000.00
86792	BioLit Total RNA extraction Kit From Various Sources (Research) Kit contents: • Spin Colum	Isolates RNA from various sources - whole blood, animal and plant tissue, cultured cells and bacteria.	50) Preps	23000.00
		BioLit® Teaching Kits			
66602	Agarose Gel Electrophoresis Kit (Teaching)	The overall goal is to view different plasmid DNAs by their movement through a matrix viz agarose gel.	15	1 Kit	9000.00
	Kit contents : • DNA Sample	es ● Loading Dye ● Agarose ● Ethidium Bromide ● Tank Buffer ● DNA S	ze Marker		
64279	Bacterial Transformation Kit - 1 (Teaching)	Transformation is central to recombinant DNA technology. This highly self-contained Transformation Kit provides all the necessary materials including starter culture, sterile media, antibiotic & LB agar mix to perform competent cell preparation by CaCl ₂ treatment and transformation within a day. Overnig incubation will reveal transformed colonies. Competent cell are provided as internal control.	ght	1 Kit 1 Kit	8000.00 15000.00
	Kit contents: ● Host Cells ●	Sterile LB Media ● LB agar mix ● Ampicillin ● CaCl ₂ ● Plasmid DNA			
28660	Bacterial Transformation Kit – 2 (with blue white screening) (Teaching) Kit contents: • Host Cells	Transformation is central to recombinant DNA technology. This highly self-contained Transformation Kit provides all the necessary materials including starter culture, sterile media, antibiotic & LB agar mix to perform competent cell preparation by CaCl ₂ treatment and transformation within a day. Overnight incubation will reveal transformed colonies. Competent cell are provided as internal control. Blue white screening is also seen with the use of the X-Gal	30 n ght s	1 Kit 1 Kit 1 Kit	6000.00 17000.00 30000.00
05040				4 125	4400.00
95043	DNA Ligation Kit (Teaching)	This DNA ligation Kit contains reagents for ligation of two Lambda digests using T4 DNA ligase These experiments constitute essential learning experiences for a student interin cloning and recombinant DNA strategies.	10 ested	1 Kit	4400.00
	Kit contents : • Lambda DNA [Digested with Appropriate Restriction Enzymes			



code	product name	application/description ex	no. of periments	unit	price
76941	FITC Conjugation Kit (Teaching) Kit contents: • FITC isomer	Fluorescein isothiocyanate (FITC)is a fluorescent dye used in labeling antibodies and proteins. FITC is a derivative of fluroscein and reacts with the amines and sulphydryl groups on proteins. This kit provides components for conjugation of fluorescein isothiocyanate with antibodies or other proteins in a quick and easy manner.	5 n	1 Kit	5500.00
10217	BioLit Gene		. 10	1 /i+	10100.00
19317		PCR or Polymerase Chain Reaction has become a mainstay in modern recombinant DNA technology. BioLit's PCR kit has been specifically designed and standardized to eliminate the initial pitfalls so that even a beginner can be successful if the first try itself. The kit allows students to vary cycle conditions and find their effects on yield of the amplified product, an E.coli gene	25	1 Kit 1 Kit	12180.00 17290.00
		action Mix: containing dNTP mix, Buffer, primers and MgCl₂ ● TAQ DNA Pogarose ● TAE buffer ● Ethidium Bromide ● Marker	olymerase		
83462	BioLit Genomic DNA Extraction (from bacteria) Kit (Tea Kit contents: ● Bacterial Cell P ● Ethidium Bromide ● Agarose ●	rellets ● Lysis Buffer ● Saturated Phenol ● Chloroform ● DNA Precipitation	15 on Solution ● 1	1 Kit E Buffer	7480.00
61498	BioLit Genomic DNA Extraction (from leaves) Kit (Teac Kit contents: ● Bacterial Cell F ● Ethidium Bromide ● Agarose ●	Pellets Lysis Buffer Saturated Phenol Chloroform DNA Precipitation	15 on Solution ● 1	1 Kit E Buffer	10440.00
87377	Onion Root Tip	Demonstrates the different stages of mitosis present in the	10	1 Kit	3000.00
	Mitosis Kit (Teaching)	meristamatic cells located in the onion root tips. Mitosis is the process in which a eukaryotic cell nucleus split in two, followed by division of the parent cell into two daught	50	1 Kit	9000.00
		This places of seize area like to elitate a the record (Oh) isolation	n 15	1 Kit	6780.00
27725	Plasmid Isolation Kit	This plasmid mini-prep kit facilitates the rapid (~ 2 h) isolation			0700.00
27725	Plasmid Isolation Kit from Bacterial cells (Teaching)	of plasmid DNA from bacterial cells already transformed with a plasmid. The detailed instructions which accompanythe kit will allow typical school and college students to use the kit with no additional assistance.	25	1 Kit	9200.00
27725	from Bacterial cells (Teaching) Kit contents: Bacterial Cell	of plasmid DNA from bacterial cells already transformed with a plasmid. The detailed instructions which accompanythe kit will allow typical school and college students to use the kit	n 25 t		
27725 31377	from Bacterial cells (Teaching) Kit contents: Bacterial Cell	of plasmid DNA from bacterial cells already transformed with a plasmid. The detailed instructions which accompanythe kit will allow typical school and college students to use the kit with no additional assistance. Pellets ● Alkaline lysis Reagents ● DNA Precipitation Solution ● Wash S	olution		



code	product name	application/description e	no. of xperiments	unit	price
18450	Restriction Digestion Kit (Teaching)	This kit contains materials to teach the use of restriction enzymes HindIII and EcoRI & demonstrate restriction mapping of lambda DNA mapping. These experiments constitute essential learning experiences for a student interested in cloning and genetic mapping.	10 50	1 Kit 1 Kit	4000.00 14000.00
	■ Gel Loading Dye ■ TAE buffer ●	A ● Agarose ● Restriction Enzymes ● Reaction Buffer ● Ethidium Bromide ■ DNA Molecular Size Marker			
83775	SDS PAGE Kit (Teaching) Kit contents: • Bis Acrylan • Protein Marker • Protein Sampl	This kit teaches the technique of separation of proteins base on their size under denaturing conditions using sodium dodecyl sulphate (SDS) and beta mercaptoethanol (BME). SDS cleaves non ionic interactions while BME cleaves disulphide bonds. SDS also imparts a strong negative charge to the polypeptides thereby their charge to mass ratio is rendered uniform. This allows the polypeptides to be separat on the basis of only their size, which is read by comparison with a standard marker nide Solution ● Separating and Stacking Buffer Solutions ● APS ● TEMED es ● Stain and Destain Solutions	15 e	1 Kit 1 Kit	5000.00 8500.00
31105	Silver Staining Kit	Silver staining is a rapid, easy and sensitive method used for	5	1 Kit	5000.00
	(Teaching)	staining proteins, DNA and RNA after polyacrylamide gel electrophoresis. Silver staining is a far more sensitive method of staining than Coomassie Brilliant blue and can detect prot & even polypeptides as low as 0.05 ng in concentration. Reagents sufficient for 15 reactions are enclosed.		1 Kit	10000.00
	Kit contents: ● Fixing solu	tion ● Silver nitrate ● Developing solution ● Stop solution			
46037	Southern Blotting Kit (Teaching)	E. M. Southern invented a technique to transfer separated DNA molecules to a membrane, which is capable of binding the DNA, and immobilizing it for further analysis. The techniq named as Southern blotting, after its inventor, involves placin either a nitrocellulose or nylon membrane in contact with the agarose gel and facilitating the transfer process by capillary action. By drawing buffer from the gel to the membrane, the DNA fragments are forced to move with the buffer and deposit on the membrane. (Hydbridization not included)	ue g	1 Kit	8500.00
	Kit contents: ● NC Membr ● Agarose ● Ethidium Bromide	anes ● SSPE Buffer ● Filter Paper Wicks and Strips ● DNA Samples ● Marke	er		
52166	SpinCol Plasmid Miniprep kit from Bacterial cells (Teaching) Kit contents: • Spin column	A new teaching kit for isolation of plasmid DNA from E.coli cultures based on silica - membrane technology on a mini spin columns. This is a fast and efficient method and yields high quality plasmid DNA. ■ Lysis buffer ■ precipitating buffer ● wash buffer ● elution buffer	20 50	1 Kit 1 Kit	5000.00 7090.00

Microcentrifuge Tube and Screw Cap

Our gamma irradiated microcentrifuge tubes are highly recommended in the areas of Life Science, Industry or Chemistry for use in research and critical reagent packaging requirements.

Our tubes are designed with conical bottoms allowing for complete sample retrieval. Screw caps with O-rings guard against leakage by forming a positive seal against the rim of the tube. External ribs on the free standing microcentrifuge tubes allow for single-handed opening and closing when placed in racks with serrated holes. Screw Cap Microcentrifuge Tubes work with many automated systems. The O-ring is manufactured from durable ethylene polypropylene dimonomere compound.

Product Features:

- Capacity: 0.5 ml & 1.5ml sizes
- Plastic (Polypropylene) clear colorless tube
- Self Standing Tubes with Screw Cap & O-Ring
- Sterile
- Operating range: -196°C to +121°C
- Autoclavable at 121°C
- Withstands maximum RCF of 20000× G
- No Graduations
- DNase & RNase Free

Prdt. Code	Product Name	Packing Unit
31635	Microcentrifuge Tube and Screw Cap (0.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade	500 Nos.
60838	Microcentrifuge Tube and Screw Cap (1.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade	500 Nos.

* Bulk packs available on request

Nucleic Acid Purification Aids:

Spin Column Set

A purification aide utilizing silica membrane in a column form which is used for purifying/extracting nucleic acids (DNA or RNA) of high quality. These columns are compatible with in-house buffers as well as store-brought ones.

Applications:

- Purification of Gel / PCR products
- Extraction of Genomic DNA
- Extraction of Plasmid DNA

Prdt. Code	Product Name	Packing Unit
39738	Mini Silica Spin Column Set A (2ml SC w/CT each)	50 Nos, 100 Nos
89887	Mini Silica Spin Column Set B (2ml SC w/CT each)	50 Nos, 100 Nos
69516	Mini Silica Spin Column Set C (2ml SC w/CT each)	50 Nos, 100 Nos
37351	RNA Mini Spin Column Set (2ml SC w/CT each)	50 Nos, 100 Nos

Collection Tubes

Collection tube of 2ml capacity to be used in purification of DNA / RNA samples. They are used along with mini silica spin column sets A/B/C & RNA spin column sets.

Prdt. Code	Product Name	Packing Unit
41425	Collection Tubes (CT) for DNA, RNA purification (2ml)	50 Nos, 500 Nos

* Bulk packs available on request



Part L

Laboratory Accessories





code	product name	unit	price
	Buffer caps	ules	
7767	Buffer capsules pH 4	10 caps	240
5323	Buffer capsules pH 6	10 caps	240
8533	Buffer capsules pH 7	10 caps	240
4399	Buffer capsules pH 9.2	10 caps	240
	Indicator Pa	pers	
4183	Brilliant Yellow Indicator Papers	10 Books	360
1902	Bromothymol Blue Indicator Papers	10 Books	340
4795	Chlorine Test Indicator Papers	10 Books	390
4494	Congo Red Indicator Papers	10 Books	330
2874	Indicator Papers pH 1.0 - 14.0	10 Books	400
2794	Indicator Papers pH 1.0 - 10.0	4 Books	790
7603	Indicator Papers pH 2.0 - 4.5	10 Books	430
7671	Indicator Papers pH 2.0 - 10.5	10 Books	380
4794	Indicator Papers pH 3.5 - 6.0	10 Books	380
2811	Indicator Papers pH 3.8 - 5.3	10 Books	400
8044	Indicator Papers pH 3.8 - 5.4	10 Books	400
6120	Indicator Papers pH 5.0 - 7.5	10 Books	380
1169	Indicator Papers pH 6.5 - 9.0	10 Books	380
4744	Indicator Papers pH 8.0 - 10.5	10 Books	410
6345	Litmus Blue Indicator Papers	10 Books	310
7562	Litmus Red Indicator Papers	10 Books	310
8758	Phenolphthalein Indicator Papers	10 Books	360
7893	Starch Indicator Papers	10 Books	490
5672	Starch Iodide Indicator Papers	10 Books	410
5438	Turmeric Indicator Papers	10 Books	450
	Barrier Pe	en	
3071	PAP Pen Mini (Hydrophobic Barrier Pen, 1mm, Blue)	1 nos	7200
9164	PAP Pen Regular (Hydrophobic Barrier Pen, 3mm, Blue	1 nos	12000

Petri Plates

High quality disposable Petri Dishes, suitable for all microbiological applications manufactured as per ISO 24998. Dimensional accuracy of 90 mm ensures compatibility with most automated systems. Extremely high optical clarity for easy viewing on a microscope. Petri Dishes have elevated lids (vented) that allows for superior gas exchange and evaporation. Convenient & easy to stack.

90226 Petri Plates (90mm)



100 nos 1350 500 nos 6650



Spin Columns

A purification aid set comprising of Silica membrane spin column and a collection tube. Silica membrane in a column form is used for purifying/extracting nucleic acids (DNA or RNA) of high quality. These columns are compatible with in-house buffers as well as Store-bought ones.

39738	Mini Silica Spin Column Set A (2ml SC w/ CT each) Binding capacity — 45µg Supplied with 2ml Collection Tube (CT) Used in purifying nucleic acids of 65bp to 10kb size from PCR amplifications and agarose 9	50 nos 100 nos gel extractions.	5240 9760
89887	Mini Silica Spin Column Set B (2ml SC w/ CT each) Binding capacity — 50µg Supplied with 2ml Collection Tube (CT) Used in purifying nucleic acids of less than 10kb size from lysed cell cultures.	50 nos 100 nos	5240 9760
69516	Mini Silica Spin Column Set C (2ml SC w/ CT each) Binding capacity — 55µg Supplied with 2ml Collection Tube (CT) Used in purifying nucleic acids of less than 10kb size from lysed cell cultures.	50 nos 100 nos	5600 10470
37351	RNA Mini Spin Column Set (2ml SC w/ CT each) Binding capacity — $40\mu g$ Supplied with 2ml Collection Tube (CT) Used in purifying RNA from agarose gel extractions.	50 nos 100 nos	7050 11930

Tubes and Screw Caps

31635	Microcentrifuge Tube and Screw Cap (0.5ml), Self Standing, Conical,	500 Nos	7350
	O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade		
	• Capacity - 0.5 ml • Self Standing Tube With Screw Cap & O-Ring • Sterile - Gamma Irradiate	∍d.	
	 Operating range: -196 °C to +121 °C. Autoclavable at 121 °C Withstands Maximum RCF No Graduation 	of 20000X G	
60838	Microcentrifuge Tube and Screw Cap (1.5ml), Self Standing, Conical,	500 Nos	7880
	O-Ring, Clear, Non-Hinged ,Sterile, Molecular Grade		
	• Capacity - 1.5 ml • Self Standing Tubes With Screw Cap & O-Ring • Sterile - Gamma Irradiat	.ed.	
	 Operating range: -196°C to +121°C Autoclavable at 121°C Withstands maximum of 2000 No Graduations)0X G	
41425	Collection Tubes (CT) for DNA, RNA purification (2ml)	50 nos	440
		500 nos	4110
11876	Centrifuge Tube and Screw Cap (15ml)	50 nos	850
		250 nos	4000
		500 nos	7200
11048	Centrifuge Tube and Screw Cap (50ml)	50 nos	1000
		250 nos	4900

500 nos

9600



Crucible Tall Form

These crucibles are made of high quality Porcelain for basic laboratory use to heat chemical compounds. Each product is well tested for its strength, thermal performance, and enhanced chemical resistance with low water absorbance. Widely suitable for burning solid matter, evaporation, concentration or crystallization of solutions.

45866	Crucible Porcelain, 5 ml, Tall with Lid	6 Nos	720
14903	Crucible Porcelain, 10 ml, Tall with Lid	6 Nos	750
61275	Crucible Porcelain, 15 ml, Tall with Lid	4 Nos	650
55162	Crucible Porcelain, 30 ml, Tall with Lid	4 Nos	750
94977	Crucible Porcelain, 40 ml, Tall with Lid	1 Nos	200



Capacity	Top OD	Height	Wall Thickness	Weight	Lid Dia
5 ml	24 mm	20 mm	1.7 mm	8 gm	26 mm
10 ml	31 mm	26 mm	1.8 mm	12 gm	34 mm
15 ml	35 mm	29 mm	1.8 mm	13 gm	38 mm
30 ml	45 mm	36 mm	1.8 mm	18.5 gm	47 mm
40 ml	50 mm	40 mm	1.8 mm	23 gm	53 mm

Crucible Wide Form

These crucibles are made of high quality Porcelain for basic laboratory use to heat chemical compounds. Each product is well tested for its strength, thermal performance, and enhanced chemical resistance with low water absorbance. Widely suitable for burning solid matter, evaporation, concentration or crystallization of solutions.

16024	Crucible Porcelain, 2 ml, Wide with Lid	6 Nos	735
97090	Crucible Porcelain, 8 ml, Wide with Lid	6 Nos	820
97897	Crucible Porcelain, 17 ml, Wide with Lid	4 Nos	680
71099	Crucible Porcelain, 30 ml, Wide with Lid	4 Nos	770
13057	Crucible Porcelain, 50 ml, Wide with Lid	1 Nos 4 Nos	250 900



Capacity	Top OD	Height	Wall Thickness	Weight	Lid Dia
2 ml	18 mm	12 mm	1.3 mm	3 gm	26 mm
8 ml	32 mm	20 mm	1.6 mm	10 gm	34 mm
17 ml	41 mm	26 mm	1.6 mm	18 gm	47 mm
30 ml	50 mm	31 mm	1.8 mm	25 gm	53 mm
50 ml	61 mm	37 mm	1.8 mm	35 gm	69 mm



Mortar & Pestle

Mortar & Pestle are made from high quality Porcelain for basic laboratory application such as crushing, grinding, etc. They are designed with a spout which enables easy pouring.

44249	Mortar & Pestle Set, Porcelain, 60 ml	1 Nos	260
41278	Mortar & Pestle Set, Porcelain, 100 ml	1 Nos	300
13968	Mortar & Pestle Set, Porcelain, 150 ml	1 Nos	500
51686	Mortar & Pestle Set, Porcelain, 275 ml	1 Nos	600



Capacity	Top OD	Top ID	Outer Height	Wall Thickness	Weight	Length	Head OD	Weight
60 ml	80 mm	60 mm	44 mm	7.5 mm	200 gm	98 mm	27 mm	50 gm
100 ml	90 mm	75 mm	48 mm	10 mm	280 gm	98 mm	27 mm	50 gm
150 ml	105 mm	85 mm	72 mm	9 mm	490 gm	114 mm	30 mm	90 gm
275 ml	125 mm	100 mm	70 mm	11.5 mm	650 gm	130 mm	36 mm	130-140 gm

Evaporating Dish

These evaporating dishes are made from high quality Porcelain with spout for easy pouring of liquids. These have wide applications in scientific laboratories such as evaporating, drying & crystallizing. They are highly suitable for critical laboratory use.

11443	Dish Evaporating Porcelain, 20 ml	6 Nos	800
42418	Dish Evaporating Porcelain, 40 ml	6 Nos	830
96704	Dish Evaporating Porcelain, 100 ml	6 Nos	1000



Capacity	Top OD	Height	Wall Thickness	Weight
20 ml	50 mm	22 mm	1.3 mm	19 gm
40 ml	60 mm	27 mm	1.3 mm	25 gm
100 ml	75 mm	35 mm	2 mm	51 gm



Buchner Funnel

Each Buchner funnel is autoclavable, made from high quality Porcelain with fixed perforated plate & a thick stem. It is commonly used in chemistry labs for filtration purposes to eliminate unwanted particles.

53092	Funnel Buchner, Porcelain, 6 ml	1 Nos	280
64702	Funnel Buchner, Porcelain, 30 ml	1 Nos	300
38635	Funnel Buchner, Porcelain, 87 ml	1 Nos	320
59425	Funnel Buchner, Porcelain, 186 ml	1 Nos	440



	Capacity	Top OD	FP Dia	Height	Perforated Dia	Wall Thickness	Weight
Г	6 ml	35 mm	20 mm	72 mm	23 mm	3 mm	32 gm
	30 ml	50 mm	35-40 mm	89 mm	23 mm	3 mm	48 gm
Г	87 ml	60 mm	50-55 mm	110 mm	38 mm	3 mm	110 gm
	186 ml	84 mm	70 mm	143 mm	62 mm	3.5 mm	180 gm



Global searching station for Unlisted Compounds









Our Indenting division, "Bio-Indenta" has completed its third successful year of operation. Headquartered in Mumbai, we have been able to master the art of supply chain and global sourcing for our valued scientific researchers. We have contributed to the scientific community by making available complex niche chemicals and biochemicals to our Institutional and Industrial customers. We have efficient logistics systems in place and offer you the transparency and trust you need to make most well informed decisions for your R&D & production needs.

Bio-Indenta exists to connect you to your Principal product provider. We offer you the option of

- importing the products yourself or
- allowing Bio-Indenta to import them and supply them to you.

Transactions can be conducted in Indian Rupees or in any foreign currency.

Through Bio-Indenta, we have established Partnerships and Distributorships with selected pioneer biotech companies for their complete range of biochemicals, diagnostics and fine chemicals to serve scientific and R&D community.

Our partners in this endeavor are,



1. Carbosynth (UK)



2. Biosynth (Switzerland)



3. Bachem (Switzerland)



4. Elicityl SA (France)



5. ACS Materials(USA)

And Multiple Chinese and European specialty chemical companies who can supply a range of specialty chemicals and intermediates with all required documentations. Now you can choose your most preferred supplier. Take command of your sourcing...



All your inquiries can be mailed to bio-indenta@srlchem.com for immediate quotes and delivery schedules. Our offices are standing by to assist you in your requirements.





Authorized Distributors for



(www.carbosynth.com)

Carbosynth



Carbosynth Limited was established to provide the most comprehensive product range in the fields of carbohydrates and nucleosides for the international Life Science R&D communities. Carbosynth aims to support its clients from discovery to launch by offering cost effective solutions to their carbohydrate and nucleoside requirements.

Carbosynth offers over 2500 carbohydrates and nucleosides. This range includes monosaccharides, enzyme substrates, D- and L-sugars, oligosaccharides, detergents and nucleosides. The Carbosynth catalogue offers quantities for R&D, but many are produced in bulk. For example methyl-a-D-glucopyranoside, n-octyl-b-D-glucopyranoside, 3,4,6-tri-acetyl-D-galactal, gulon's-1000's of kilos.

Carbosynth also offers a range of allied fine chemicals many of which are versatile building blocks or have specialist applications ranging from biochemical reagents to natural antioxidants. Included in their product range are coupling agents, such as EDAC, or activators in peptide and oligonucleotide synthesis.

Custom synthesis is one of Carbosynths' fastest growing business sectors and they are committed to providing in-time development and delivery of quality compounds. Carbosynth is able to draw upon a wide range of chemical reactions and processes especially in the fields of carbohydrates and nucleosides.

The Carbosynth product range broadly includes –

- Carbohydrates and Derivatives of Carbohydrates.
- Unnatural Sugars and Carbohydrate Building Blocks.
- Nucleosides and Nucleotide Building Blocks.
- Oligosaccharides and a range of other Fine Chemicals and Enzyme Substrates.

Carbosynth	Prominent Products
Carbosynth Prod. Code	
EA06838	O-(2-Acetamido-2-deoxy-D- glucopyranosylidene)amino N-phenyl carbamate
OA08244	N-Acetyl-D-lactosamine
MA00746	N-Acetylneuraminic acid
FA02773	2-Amino-3-chloropyrazine
MA03786	1,6-Anhydro-b-D-galactopyranose
EB06680	5-Bromo-4-chloro-3-indolyl b-D-galactopyranoside
FC06230	6-Chloro-2-cyano-3-nitropyridine
MC02788	1-Chloro-2-deoxy-3,5-di-o-toluoyl-a-Dribofuranose
EC05990	2-Chloro-4-nitrophenyl a-L-fucopyranoside
ND04237	2'-Deoxy-2',2'-difluoro-D-cytidine
MD04977	2-Deoxy-D-ribose
FD06223	4,4'-Dibromo-2,2'-bipyridine
FD04039	R)-2,5-Dihydro-3,6-dimethoxy-2-isopropylpyrazine
FD06273	Diphenylcyclopropenone
FD05800	N-Ethyl-N'-(3-dimethylaminopropyl)carbodiimide HCl
MG05201	D-Galactose
MG05247	L-Glucose
MD05002	1,2:5,6-Di-O-isopropylidene-a-D-allofuranose
MD06795	1,2:5,6-Di-O-isopropylidene-a-D-glucofuranose
EN06363	2-Nitrophenyl b-D-galactopyranoside
DO05161	Octyl b-D-glucopyranoside
MP06689	1,2,3,4,6-Penta-O-acetyl-b-D-galactopyranose
FQ02772	R-(-)-3-Quinuclidinol
FQ06985	S-(+)-3-Quinuclidinol
FT04400	2,2,6,6-Tetramethylpiperidine 1-oxyl, free radical - solid melt
MT04086	2,3,4,6-Tetra-O-benzyl-D-galactopyranose
MT06691	2,3,4,6-Tetra-O-benzyl-D-glucopyranose
MT05853	3,4,6-Tri-O-acetyl-D-galactal
MT00681	3,4,6-Tri-O-acetyl-D-glucal

Please inquire with us for their latest product catalogues & quotations



024-25

Authorized Distributors for



(www.bachem.com)



Bachem is an independent, technology-based, public biochemicals company providing full service to the pharma and biotech industry. Bachem is specialized in the process development and the manufacturing of peptides and complex organic molecules as active pharmaceutical ingredients (APIs), as well as innovative biochemicals for research purposes. With headquarters in Bubendorf, Switzerland, and affiliates in Europe and the US, Bachem works on a global scale and holds a leading position in the field of peptides.

Bachem are world leaders in Peptides and in large scale GMP Peptide production. The product range includes,

- Peptides and Bio-chemicals Bioactive peptides and proteins, Enzyme substrates and Inhibitors, Organic compounds.
- Building Blocks Amino acids, Amino acid derivatives, Linkers, Resins and Reagents.
- Immunochemicals Antibodies, Antisera and Assay Kits.

Pro			

Amyloid B-Protein Fragments and Related Peptides

Adrenomedullins

Amylins and Fragments

Angiotensins and Related Peptides

Bradykinins, Analogs and Sequences

Caspase-1 Inhibitors

Corticotropin-Releasing Factor (CRF) and Analogs

Endothelins and Related Peptides

f,...-Diaminobutyric Acid

Fibronectin Fragments and Analogs

Ghrelins

HIV Proteases

Hydroxyproline

Isoleucine, allo-Isoleucine

Luteinizing Hormone-Releasing Hormone (LHRH) and Analogs

Melanin-Concentrating Hormones (MCH) and Related Peptides

Neuropeptide Y (NPY), Analogs and Fragments

Orexins

Ornithine

p-Alkoxybenzyl Alcohol Resin (-R)-Linked Fmoc-Amino Acids

pTH, Sequences and Analogs

Somatostatin and Analogs

Threonine, allo-Threonine

Vasopressin and Analogs

Authorized Distributors for



ElicityI SA

France

(www.elicityl-oligotech.com)



Based near Grenoble, France, ELICITYL is a biotech company devoted to complex sugar engineering and production. The company mission is to supply oligosaccharides and polysaccharides for biological applications targeting plant health, pharmacy, nutraceutics and cosmetics.

A few highlighted products offered

ABO, Lewis & P Histo-Blood Group Antigens

Human milk oligosaccharides - HMOs

Neutral, Acidic, Minor HMO"s

Oligosaccharides from other Mammalian species (cow, goat, sheep)

Human & Bacterial Lectins

Functionalized Oligosaccharides

Functionalized Blood group & Lewis antigens

Functionalized Ganglio-Series

Functionalized Globo-Series antigens

Functionalized Fucosylated Oligosaccharides

Functionalized Core structure

Tumor-associated carbohydrate antigens - TACAs

Natural polysaccharides and Oligosaccharides extracted from Biomass

Glycobricks® Building Blocks (Biotin,...)

Neoglycoproteins

Aminoglycoside derivatives

Please inquire with us for their latest product catalogues & quotations







Authorized Distributors for



Switzerland



Biosynth is leading swiss specialty reagents manufacturer operating out of its plants in Switzerland and China. It began operations in 1966 as one of the few biochemical manufacturers of the world. It manufactures specialty products for the life-science and biotech industry. It's main core business areas include the production of chromogenic & fluorogenic substrates, organic synthesis products, API's, molecular biology, microbiology, biochemistry, cell science and genetic research products. Bio-Indenta is an exclusive channel partner of Biosynth in India.

A few highlighted products offered

API's

Chromogenic & Fluorogenic Substrates

Luminogenic Substrates

Organic Synthesis Products

Biochemistry, Molecular Biology & Genetic Research Products

Microbiology, Cell Science & In-Vitro Diagnostic Reagents

Imagining Probes

Dyes For Forensic Research

Products for Biomedical Research

Veterinary Science Products

Plant Biotechnology Products

Nutrition Research Products

Cosmetic Research Products

Authorized Distributors for



ACS Materials USA

(www.acsmaterial.com)



ACS Materials is a high-tech enterprise, based in Pasadena, California (USA), involved in advanced nanomaterials development and production. The Company provides high quality nanomaterial products, service or technical products for research and allied applications.

A few highlighted products offered

Graphene (single-layer graphene, graphene oxide, graphene nanoplates, carboxyl graphene, graphite oxide)

Molecular sieves (SBA-15, MCM-41, MCM-48, SBA-3, ZSM-5)

Carbon series (activated carbon, graphite nanopowder, order mesoporous carbon CMK-3, High-order 3-D mesporous carbon (la3d), porous carbon)

Metal nanomaterials (antioxidation dispersible copper nanoparticles, copper colloidals, nickel nanoparticles, silver nanoparticles, silver nanowires)

Battery Materials (Si/C Composite, Silicon Monoxide, Silicon Nanoparticles)

Terms & Conditions of Sale



Prices: The Prices offered are net & subject to change without notice. Good shall be delivered subject to the availability of stocks & will be invoiced at prices ruling on the date of dispatch. The prices are unit prices exclusive of GST taxes & any levies.

Taxes: GST taxes & any other levies or charges in lieu of levies as applicable shall be charged extra as and where applicable at the prevailing rates. Customers seeking any exemption must submit the required form along with their orders. All Order must specify your GST registration number.

Delivery: Customers based in cities where SRL Depot's are located, are responsible to collect their ordered/invoiced goods from the respective SRL Depot. For all others customers in India, invoiced goods will be supplied C.P.T. destination by the cheapest mode of transport for invoice value of Rs. 20,000/- net or more. All invoice(s) below Rs. 20,000/- shall be executed on ex-godown basis, all expenses will be charged extra. In case of remote areas, please inform the nearest station of address where goods/correspondence can be sent by courier. We reserve the right to make part supplies unless otherwise specified by the customers.

For invoices of temperature sensitive products below Rs. 5,000/- net, customers shall be charged additionally for dry ice, packing material, freight/courier, etc.

Special License Products: Methanol/Carbinol and all Pharmacopoeial labelled products of all grades required special permissions and are separately dispatched directly from our factory or respective warehouses which hold valid applicable licenses. Orders for Pharmacopoeial Grade Products must be accompanied with drug license no, date & validity. NMR Solvents require special End-Use certificates from customers and shall be supplied only against receipt of the same.

Shortage / Breakage: All products are packed with utmost care & forwarded at customer's risk. No claim for shortage / breakage, delay or damage will not be entertained if not informed to us in writing within seven days from the date of receipt of goods along with relevant evidences. Many of the products are very labile and likely to be damaged on prolonged storage. Manya-times the products may get damaged during transit due to extreme condition of temperature, humidity, etc. Improper handling may also cause degradation of quality. Products should be stored in required conditions & protected from temperature, humidity, light, etc. Any complaint on quality of products should be intimated to us within 30 days from receipt of goods beyond which we shall not entertain complaints. No goods should be returned without our prior written consent. It is understood that buyers are aware of storage and handling condition of the products.

Amendment / Cancellation: Goods once sold will not be taken back. No amendment or cancellation of orders will be accepted once the goods have been packed for dispatch.

Warranty: In case of failure or rejection of any of our products for whatsoever reasons, our liability is expressly limited to the extent of its replacement or its cost and we shall not be responsible for any other damages or losses incurred directly or indirectly. All recommendation, information and description supplied with respect to any product are believed to be accurate and reliable, but do not constitute warranties.

Insurance: If expressly desired, goods can be insured at customer's cost at 1% premium on the invoice value.

Force Majeure Clause: Notwithstanding whatever is specified by the customers or mentioned herein, in the event due to reasons beyond our control such as war, riots, strikes, civil commotion, shortage of raw materials, natural calamities, Govt. restrictions, change in fiscal policies and budgetary changes by the Govt., etc. we or our authorised stockist/s will not be liable for any penalization for delay or non-supply of the products.

Products appearing in this catalogue are meant for laboratory use only.


All disputes are subject to Mumbai Jurisdiction.

Sisco Research Laboratories Pvt.Ltd.

The Electrophoresis Leaders of India

We are India's best company in the field of molecular biology since the last 40 years. Our expertise lies in the manufacture of reagents and buffers used in gel electrophoresis for nucleic acid, DNA/RNA and protein separation. Having the most extensive range of protein and nucleic acid electrophoresis applications, we are 100% sure that our products will be very important for you to conduct most critical molecular biology techniques such as electrophoresis of DNA and RNA, PFGE for large fragment analysis, PCR fragment analysis, cloning and recovery of DNA and RNA and various blotting techniques such as Northern & Southern blotting.





SRL is manufacturing few products in bulk scale to meet the following applications in molecular biology for critical applications:

- Gel Electrophoresis
- SDS Page Electrophoresis
- Pulse Field Gel Electrophoresis
- Immunoelectrophoresis
- Counter Current Electrophoresis
- Tissue Culture & Cell Culture Studies
- Forensic & Diagnostic Analysis
- Antigen Antibody Reaction Studies
- · Molecular Weight Screening

R Special


Agarose Low-6 &
Agarose Low-8 have been
specially developed for
molecular screening
applications and improves
resolution of small
DNA fragments &
PCR products

Product code	Agarose	Sulphate %	Gel strength (1.5% gel) gm/cm²	Gelling temperature (1.5% soln)	Melting temperature (1.5% gel)	Electro- endosmosis (EEO)
60645	High EEO for MB	< 0.3	>800	36°C (±1.5)	85 - 90°C	0.25 - 0.30
10423	Medium EEO for MB	< 0.2	>1500	36°C (±1.5)	85 - 90°C	0.16 - 0.19
91466	Low EEO Regular grade (100bp-25kb)	<0.15	>1200	36°C (±1.5)	85 - 90°C	0.09 - 0.13
36601	Low EEO for MB (100bp-25kb)	<0.15	>1200	36°C (±1.5)	85 - 90°C	0.09 - 0.13
23287	Low EEO Superior grade for MB (100bp-25kb)	<0.15	>1500	36°C (±1.5)	85 - 90°C	0.09 - 0.13
Product code	Agarose (for Low Base Pairs)	Sulphate %	Gel strength (3% gel) gm/cm²	Gelling temperature (3% soln)	Melting temperature (3% gel)	Electro- endosmosis (EEO)
32417	Low Melting for MB (10-1200bp)	< 0.2	min 300	35°C (±1.5)	~ 65°C	max 0.1
27813	Metaphor (10-1200bp)	_	min 300	<35°C	<75°C	max 0.1
78711	Low-6 (10-1200bp)	<0.1	min 800	< 35°C	< 75°C	max 0.12
52734	Low-8 (10-1200bp)	<0.11	min 1500	<35.5°C	<80°C	max 0.12

Product code	Acrylamide	Solubility	Assay (Nitrogen)	pH (5% aq. soln)	A1% aq. 290nm
89314	1× Cryst. extrapure	30% aq. Clear & colourless	99.5%	min. 5.0	_
15657	3×Cryst. extrapure AR	60% aq. Clear & colourless	99.9%	min. 5.0	max. 0.5
61346	3× Cryst. for MB	30% ag. Clear & colourless	99.5%	min. 5.0	max. 0.5

Product code	Acrylamide/ Bis-acrylamide Premix	Solubility	pH (5% aq. soln)	Specific conductance (5% aq. soln)
24263	19:1	10% aq. Clear & colourless	5 – 8	min. 10μ mho/cm
10762	29:1	10% aq. Clear & colourless	5 – 8	min. 10μ mho/cm
74379	37.5:1	10% aq. Clear & colourless	5 – 8	min. 10 μ mho/cm

Product code	N,N'-Methylene Bis Acrylamide	Solubility	Assay (CG)	pH (2.5% aq. soln)	A1% aq. 290nm
38516	3× Cryst. extrapure AR	2.5% aq.	99.5%	min. 5.0	max. 0.2
67320	3× Cryst. for MB	2.5% aq.	99.5%	min. 5.0	max. 0.1





SISCO RESEARCH LABORATORIES PVT. LTD.

Administrative Office: 608-B, Satellite Gazebo, Near Solitaire Corporate Park, Andheri Ghatkopar Link Road, Chakala, Andheri (East), Mumbai 400 099. India Tel.: +91-22-4268 5800 • E-mail: info@srlchem.com, marketing@srlchem.com

Website: www.srlchem.com